

WORDS

0 / 34 words

```
words = ["From", "this", "sensation",
"trickles", "emotion", "and", "language,",
"and", "from", "language", "flows",
"narrative", "and", "meaning,", "which",
"then", "flood", "into", "identity,",
"society,", "and", "the", "political,",
"commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

EDGE: 669.8

Cursor

[X] 463.1 points

[Y] 192.0 points

Word

[word] ""

[width]

EVERY ITERATION


```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

1 / 34 words

```
words = ["this", "sensation", "trickles",
"emotion", "and", "language,", "and", "from",
"language", "flows", "narrative", "and",
"meaning,", "which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

2 / 34 words

```
words = ["sensation", "trickles", "emotion",
"and", "language,", "and", "from",
"language", "flows", "narrative", "and",
"meaning,", "which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From **this**

X: 486.2

X + WORD WIDTH = 503.3

EDGE: 669.8

Cursor

[X] 503.3 points

[Y] 204.0 points

Word

[word] "this"

[width] 17.1

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

3 / 34 words

```
words = ["trickles", "emotion", "and",
"language,", "and", "from", "language",
"flows", "narrative", "and", "meaning,",
"which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation

X: 503.3

X + WORD WIDTH = 542.5

EDGE: 669.8

Cursor

[X] 542.5 points

[Y] 204.0 points

Word

[word] "sensation"

[width] 39.3

EVERY ITERATION


```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

4 / 34 words

```
words = ["emotion", "and", "language,",
"and", "from", "language", "flows",
"narrative", "and", "meaning,", "which",
"then", "flood", "into", "identity,",
"society,", "and", "the", "political,",
"commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```



EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

5 / 34 words

```
words = ["and", "language,", "and", "from",  
"language", "flows", "narrative", "and",  
"meaning,", "which", "then", "flood", "into",  
"identity,", "society,", "and", "the",  
"political,", "commercial,", "and",  
"environment", "world.", "But", "it", "all",  
"must", "start", "with", "form."]
```



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

6 / 34 words

```
words = ["language,", "and", "from",
"language", "flows", "narrative", "and",
"meaning,", "which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion **and**



Cursor

[X] 624.4 points

[Y] 204.0 points

Word

[word] "and"

[width] 16.3


EVERY ITERATION

```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
7 / 34 words  
words = ["and", "from", "language", "flows",  
"narrative", "and", "meaning,", "which",  
"then", "flood", "into", "identity",  
"society,", "and", "the", "political",  
"commercial,", "and", "environment",  
"world.", "But", "it", "all", "must",  
"start", "with", "form."]
```




EVERY ITERATION

x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and increment 'Cursor X' by 'Word Width'

INCREMENT LINE

x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'

```
7 / 34 words  
words = ["and", "from", "language", "flows",  
"narrative", "and", "meaning,", "which",  
"then", "flood", "into", "identity",  
"society,", "and", "the", "political",  
"commercial,", "and", "environment",  
"world.", "But", "it", "all", "must",  
"start", "with", "form."]
```



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE


```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

8 / 34 words

```
words = ["from", "language", "flows",
"narrative", "and", "meaning,", "which",
"then", "flood", "into", "identity,",
"society,", "and", "the", "political,",
"commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```

From this sensation trickles emotion and language,

and



EDGE: 669.8

Cursor

[X] 479.4 points

[Y] 216.0 points

Word

[word] "and"

[width] 16.3

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

9 / 34 words

```
words = ["language", "flows", "narrative",
"and", "meaning,", "which", "then", "flood",
"into", "identity,", "society,", "and",
"the", "political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from



EDGE: 669.8

Cursor

[X] 500.3 points

[Y] 216.0 points

Word

[word] "from"

[width] 20.9

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

10 / 34 words

```
words = ["flows", "narrative", "and",
"meaning,", "which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language

X: 500.3

X + WORD WIDTH = 536.7

EDGE: 669.8

Cursor

[X] 536.7 points

[Y] 216.0 points

Word

[word] "language"

[width] 36.3

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

11 / 34 words

```
words = ["narrative", "and", "meaning",
"which", "then", "flood", "into",
"identity", "society", "and", "the",
"political", "commercial", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows



Cursor

[X] 559.4 points

[Y] 216.0 points

Word

[word] "flows"

[width] 22.8

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

12 / 34 words

```
words = ["and", "meaning,", "which", "then",
"flood", "into", "identity,", "society,",
"and", "the", "political,", "commercial,",
"and", "environment", "world.", "But", "it",
"all", "must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative



Cursor

[X] 596.1 points

[Y] 216.0 points

Word

[word] "narrative"

[width] 36.7

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

13 / 34 words

```
words = ["meaning,", "which", "then",
"flood", "into", "identity,", "society,",
"and", "the", "political,", "commercial,",
"and", "environment", "world.", "But", "it",
"all", "must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative



Cursor

[X] 612.5 points

[Y] 216.0 points

Word

[word] "and"

[width] 16.3

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

14 / 34 words

```
words = ["which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,



Cursor

[X] 650.1 points

[Y] 216.0 points

Word

[word] "meaning,"

[width] 37.6

EVERY ITERATION


```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

14 / 34 words

```
words = ["which", "then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE


```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

15 / 34 words

```
words = ["then", "flood", "into",
"identity,", "society,", "and", "the",
"political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,

which



EDGE: 669.8

Cursor

[X] 488.6 points

[Y] 228.0 points

Word

[word] "which"

[width] 25.5

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

16 / 34 words

```
words = ["flood", "into", "identity,",
"society,", "and", "the", "political,",
"commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then



EDGE: 669.8

Cursor

[X] 508.6 points

[Y] 228.0 points

Word

[word] "then"

[width] 19.9

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

17 / 34 words

```
words = ["into", "identity,", "society,",
"and", "the", "political,", "commercial,",
"and", "environment", "world.", "But", "it",
"all", "must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood



Cursor

[X] 530.5 points

[Y] 228.0 points

Word

[word] "flood"

[width] 22.0

EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
18 / 34 words  
words = ["identity,", "society,", "and",  
"the", "political,", "commercial,", "and",  
"environment", "world.", "But", "it", "all",  
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into



EDGE: 669.8

Cursor

[X] 548.2 points

[Y] 228.0 points

Word

[word] "into"

[width] 17.7

EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
19 / 34 words  
words = ["society,", "and", "the",  
"political,", "commercial,", "and",  
"environment", "world.", "But", "it", "all",  
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity,



Cursor

[X] 582.6 points

[Y] 228.0 points

Word

[word] "identity,"

[width] 34.4

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

20 / 34 words

```
words = ["and", "the", "political,",
"commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society,



EDGE: 669.8

Cursor

[X] 614.1 points

[Y] 228.0 points

Word

[word] "society,"

[width] 31.5

EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
21 / 34 words  
words = ["the", "political,", "commercial,",  
"and", "environment", "world.", "But", "it",  
"all", "must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and



EDGE: 669.8

```
Cursor  
[X] 630.4 points  
[Y] 228.0 points  
  
Word  
[word] "and"  
[width] 16.3
```

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

22 / 34 words

```
words = ["political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the



Cursor

[X] 645.1 points

[Y] 228.0 points

Word

[word] "the"

[width] 14.7

EVERY ITERATION


```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

22 / 34 words

```
words = ["political,", "commercial,", "and",
"environment", "world.", "But", "it", "all",
"must", "start", "with", "form."]
```



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

23 / 34 words

```
words = ["commercial,", "and", "environment",
"world.", "But", "it", "all", "must",
"start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political,



Cursor

[X] 498.7 points

[Y] 240.0 points

Word

[word] "political,"

[width] 35.5

EVERY ITERATION

```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

24 / 34 words

```
words = ["and", "environment", "world.",  
"But", "it", "all", "must", "start", "with",  
"form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial,



Cursor

[X] 547.7 points

[Y] 240.0 points

Word

[word] "commercial,"

[width] 49.1

EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
25 / 34 words  
words = ["environment", "world.", "But",  
"it", "all", "must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and



```
Cursor  
[X] 564.1 points  
[Y] 240.0 points  
  
Word  
[word] "and"  
[width] 16.3
```

EVERY ITERATION

```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

26 / 34 words

```
words = ["world.", "But", "it", "all",  
"must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment



Cursor

[X] 616.0 points

[Y] 240.0 points

Word

[word] "environment"

[width] 51.9

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

27 / 34 words

```
words = ["But", "it", "all", "must", "start",
"with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world.

X: 616.0

X + WORD WIDTH = 642.2

EDGE: 669.8

Cursor

[X] 642.2 points

[Y] 240.0 points

Word

[word] "world."

[width] 26.2

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

28 / 34 words

```
words = ["it", "all", "must", "start",
"with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But

X: 642.2

X + WORD WIDTH = 658.5

EDGE: 669.8

Cursor

[X] 658.5 points

[Y] 240.0 points

Word

[word] "But"

[width] 16.3

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

29 / 34 words

```
words = ["all", "must", "start", "with",
"form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But **it**



Cursor

[X] 666.3 points

[Y] 240.0 points

Word

[word] "it"

[width] 7.9


EVERY ITERATION

```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
29 / 34 words  
words = ["all", "must", "start", "with",  
"form."]
```



EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
30 / 34 words  
words = ["must", "start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it



```
Cursor  
[X] 474.3 points  
[Y] 252.0 points  
  
Word  
[word] "all"  
[width] 11.2
```

EVERY ITERATION

```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```


INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

31 / 34 words

```
words = ["start", "with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it
all **must**



EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

32 / 34 words

```
words = ["with", "form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it
all must **start**

X: 496.2

X + WORD WIDTH = 516.5

EDGE: 669.8

Cursor

[X] 516.5 points

[Y] 252.0 points

Word

[word] "start"

[width] 20.3

EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
33 / 34 words  
words = ["form."]
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it
all must start with



```
Cursor  
[X] 536.1 points  
[Y] 252.0 points  
  
Word  
[word] "with"  
[width] 19.6
```


EVERY ITERATION


```
x. Get the first word from 'words'  
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'  
+. [If] above condition is true (jump to INCREMENT LINE)  
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and  
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list  
x. Reset 'Cursor X' to 'Start Position X'  
x. Increment 'Cursor Y' by 'Leading'
```

```
34 / 34 words  
words = []
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it
all must start with **form.**



```
Cursor  
[X] 558.9 points  
[Y] 252.0 points  
  
Word  
[word] "form."  
[width] 22.7
```

EVERY ITERATION

```
x. Get the first word from 'words'
x. Check if 'Cursor X' + 'Word Width' is (>) Greater than 'Edge'
+. [If] above condition is true (jump to INCREMENT LINE)
+. [Else] place the word at 'Cursor X' and 'Cursor Y' and
increment 'Cursor X' by 'Word Width'
```

INCREMENT LINE

```
x. Put current word back in the list
x. Reset 'Cursor X' to 'Start Position X'
x. Increment 'Cursor Y' by 'Leading'
```

34 / 34 words

```
words = []
```

From this sensation trickles emotion and language,
and from language flows narrative and meaning,
which then flood into identity, society, and the
political, commercial, and environment world. But it
all must start with form.

EDGE: 669.8

Cursor

[X] 558.9 points

[Y] 252.0 points

Word

[word] ""

[width] 0.0

COLOPHON

This publication is typeset using `./monument_mono.otf` and `./marist.ttf` by ABC Dinamo. The PDF file was produced with love from a handwritten Javascript file.

