

PARAMETERS	
TEXT SIZE	880
FONT FAMILY	COURIER
BACKGROUND (%)	1
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	24

ASCII	
SIZE	24
STRING	.-"`"(\\

OUTLINE	
STROKE WEIGHT	3.5
FUNKY LINE	0
BLOB SIZE	37.5
DISTURBANCE	10.5



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	Times
BACKGROUND (%)	0.02
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.9
MOLD COUNT	2

ASCII	
SIZE	0
STRING	*&oB

OUTLINE	
STROKE WEIGHT	4
FUNKY LINE	0
BLOB SIZE	88
DISTURBANCE	44



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	Times
BACKGROUND (%)	1
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.9
MOLD COUNT	6

ASCII	
SIZE	15
STRING	/---▯▯▯)

OUTLINE	
STROKE WEIGHT	4
FUNKY LINE	0
BLOB SIZE	12
DISTURBANCE	12



PARAMETERS	
TEXT SIZE	860
FONT FAMILY	times
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	8
STRING	-+

OUTLINE	
STROKE WEIGHT	5
FUNKY LINE	0
BLOB SIZE	43.5
DISTURBANCE	2

PARAMETERS	
TEXT SIZE	760
FONT FAMILY	duckinator
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	8
STRING	-+

OUTLINE	
STROKE WEIGHT	5
FUNKY LINE	0
BLOB SIZE	23.5
DISTURBANCE	2

PARAMETERS	
TEXT SIZE	760
FONT FAMILY	Kohinoor
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	0
STRING	)

OUTLINE	
STROKE WEIGHT	14.5
FUNKY LINE	0
BLOB SIZE	80
DISTURBANCE	47



PARAMETERS	
TEXT SIZE	760
FONT FAMILY	Ouma Trial VF
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	0
STRING	x

OUTLINE	
STROKE WEIGHT	8
FUNKY LINE	0
BLOB SIZE	41
DISTURBANCE	0



PARAMETERS	
TEXT SIZE	760
FONT FAMILY	Ouma Trial VF
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	0
STRING	x

OUTLINE	
STROKE WEIGHT	48
FUNKY LINE	0
BLOB SIZE	121
DISTURBANCE	0



PARAMETERS	
TEXT SIZE	760
FONT FAMILY	Optima
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	27
STRING	)

OUTLINE	
STROKE WEIGHT	4.5
FUNKY LINE	0
BLOB SIZE	47.5
DISTURBANCE	2



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	monospace
BACKGROUND (%)	0.01
SAMPLE RATE	0.8
BLOB SAMPLE RATE	0.15
MOLD COUNT	6

ASCII	
SIZE	0
STRING	/---▯▯▯)

OUTLINE	
STROKE WEIGHT	6
FUNKY LINE	0
BLOB SIZE	2
DISTURBANCE	12



PARAMETERS	
TEXT SIZE	680
FONT FAMILY	Arial
BACKGROUND (%)	1
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	88

ASCII	
SIZE	48
STRING	!

OUTLINE	
STROKE WEIGHT	3
FUNKY LINE	8
BLOB SIZE	41
DISTURBANCE	55



PARAMETERS	
TEXT SIZE	680
FONT FAMILY	Arial
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	88

ASCII	
SIZE	6
STRING	!

OUTLINE	
STROKE WEIGHT	1.5
FUNKY LINE	0
BLOB SIZE	36
DISTURBANCE	55



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	monospace
BACKGROUND (%)	0.01
SAMPLE RATE	0.8
BLOB SAMPLE RATE	0.15
MOLD COUNT	6

ASCII	
SIZE	14
STRING	/---▯▯▯)

OUTLINE	
STROKE WEIGHT	4
FUNKY LINE	1.5
BLOB SIZE	40
DISTURBANCE	12

PARAMETERS	
TEXT SIZE	600
FONT FAMILY	Apple Chancery
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	126

ASCII	
SIZE	18
STRING	▯▯

OUTLINE	
STROKE WEIGHT	5.5
FUNKY LINE	0
BLOB SIZE	48.5
DISTURBANCE	25.5



PARAMETERS	
TEXT SIZE	820
FONT FAMILY	ABC Laica A
BACKGROUND (%)	1
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.9
MOLD COUNT	88

ASCII	
SIZE	12
STRING	+/

OUTLINE	
STROKE WEIGHT	2
FUNKY LINE	0
BLOB SIZE	30.5
DISTURBANCE	0.5



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	TIMES
BACKGROUND (%)	0.01
SAMPLE RATE	0.3
BLOB SAMPLE RATE	0.1
MOLD COUNT	88

ASCII	
SIZE	14.5
STRING	xxxxxx

OUTLINE	
STROKE WEIGHT	14.5
FUNKY LINE	0
BLOB SIZE	42.5
DISTURBANCE	0.5



PARAMETERS	
TEXT SIZE	760
FONT FAMILY	duckinator
BACKGROUND (%)	0.01
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.1
MOLD COUNT	128

ASCII	
SIZE	2
STRING	OQR

OUTLINE	
STROKE WEIGHT	5
FUNKY LINE	0
BLOB SIZE	23.5
DISTURBANCE	2



PARAMETERS	
TEXT SIZE	620
FONT FAMILY	ABC Laica A
BACKGROUND (%)	1
SAMPLE RATE	0.9
BLOB SAMPLE RATE	0.9
MOLD COUNT	88

ASCII	
SIZE	16
STRING	+/

OUTLINE	
STROKE WEIGHT	12
FUNKY LINE	0
BLOB SIZE	29.5
DISTURBANCE	0.5



PARAMETERS	
TEXT SIZE	720
FONT FAMILY	TIME
BACKGROUND (%)	0.01
SAMPLE RATE	0.3
BLOB SAMPLE RATE	0.1
MOLD COUNT	88

ASCII	
SIZE	14.5
STRING	xxxxxx

OUTLINE	
STROKE WEIGHT	26.5
FUNKY LINE	0
BLOB SIZE	32.5
DISTURBANCE	0.5