

ChainPilot

Chat with your wallet: an AI agent that executes Solana transactions from plain language

The Problem & Our Solution

DeFi interfaces intimidate beginners. ChainPilot lets anyone swap, send, or stake SOL just by chatting in plain language.

- DeFi UIs, wallets, and transaction signing confuse and block mainstream adoption
- Beginners just want simple actions like 'swap 1 SOL for USDC' or 'stake my SOL'
- ChainPilot's AI agent parses natural language into real on-chain transactions
- Built on the Solana Agent Kit for safe, confirmed execution every time



How It Works

A chat message becomes a previewed, user-confirmed Solana transaction, powered by an LLM and the Solana Agent Kit.

- User types or speaks a request in the chat interface
- OpenAI API parses the intent into a structured transaction (swap, send, stake)
- Solana Agent Kit builds the transaction using Solana Web3.js
- User reviews a preview and confirms before signing with Phantom Wallet
- Confirmed transactions execute on-chain and appear in the action history dashboard

Built with

Solana, Solana Agent Kit, Next.js,
OpenAI API, Solana Web3.js, Phantom
Wallet Adapter, Node.js

Why Now & What's Next

Mature Solana agent frameworks make conversational wallets possible today, with clear room to grow from here.

- Solana Agent Kit and LLM tooling are mature enough for a small team to ship in a weekend
- Next: support for more DeFi protocols like lending and NFT trading
- Next: voice input and multilingual support for global accessibility
- Next: a safety/audit layer for high-value transactions

Category

AI