


以下是发送端，由于互联网环境和局域网环境都是在实验室主机上运行的，因此只放了一张图：



以下是局域网环境下接收端：



以下是互联网环境下接收端：

```
C:\Users\86135\Desktop\c++\ X + v
Received: Packet 75
Received: Packet 76
Received: Packet 77
Received: Packet 78
Received: Packet 79
Received: Packet 80
Received: Packet 81
Received: Packet 82
Received: Packet 83
Received: Packet 84
Received: Packet 85
Received: Packet 86
Received: Packet 87
Received: Packet 88
Received: Packet 89
Received: Packet 90
Received: Packet 91
Received: Packet 92
Received: Packet 93
Received: Packet 94
Received: Packet 95
Received: Packet 96
Received: Packet 97
Received: Packet 98
Received: Packet 99
Received: Packet 100
Total packets sent: 100
Total packets received: 100
Total packets lost: 0
```

局域网下发送端的数据报：


*校园网						
文件(F) 编辑(E) 视图(V) 跳转(G) 捕获(C) 分析(A) 统计(S) 电话(Y) 无线(W) 工具(T) 帮助(H)						
udp						
No.	Time	Source	Destination	Protocol	Length	Info
38	-35.372110	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
39	-35.370648	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
40	-35.368834	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
41	-35.366811	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
42	-35.366203	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
43	-35.365584	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
44	-35.364972	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
45	-35.364354	172.16.4.2	172.16.4.3	UDP	50	56373 → 12345 Len=8
46	-35.363740	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
47	-35.363084	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
48	-35.362435	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
49	-35.361774	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
50	-35.361106	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
51	-35.360416	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
52	-35.359728	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
53	-35.359041	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
54	-35.358351	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
55	-35.357663	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
56	-35.356971	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
57	-35.356282	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
58	-35.355592	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9
59	-35.354904	172.16.4.2	172.16.4.3	UDP	51	56373 → 12345 Len=9

udp and ip.addr == 172.19.23.167						
No.	Time	Source	Destination	Protocol	Length	Info
99	8.315349	10.8.8.8	172.19.23.167	DNS	160	Standard query response 0xbfe8 A otheve.beacon.qq.com CNAME ins-u4xprfq.ias.tencent-cloud.net A 120.226.166.151 A 120.226.165.14
100	8.315848	172.19.23.167	10.8.8.8	DNS	80	Standard query 0x4d4e AAAA otheve.beacon.qq.com
101	8.325026	10.8.8.8	172.19.23.167	DNS	184	Standard query response 0x4d4e AAAA otheve.beacon.qq.com CNAME ins-u4xprfq.ias.tencent-cloud.net AAAA 2409:8c54:1040:6::20 AAAA
222	23.798960	172.19.23.167	10.8.8.8	DNS	87	Standard query 0x1aec AAAA cn-beijing.log.aliyuncs.com
223	23.801431	10.8.8.8	172.19.23.167	DNS	166	Standard query response 0x1aec AAAA cn-beijing.log.aliyuncs.com SOA hidden-master.aliyun.com
266	30.229254	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
267	30.232167	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
268	30.233428	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
269	30.235852	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
270	30.235852	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
271	30.237322	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
272	30.238465	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
273	30.239590	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
274	30.240850	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=8
275	30.247128	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
276	30.248212	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
277	30.248212	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
278	30.249300	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
279	30.250397	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
280	30.250397	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
281	30.251765	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
282	30.252566	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
283	30.252566	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
284	30.254219	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
285	30.254219	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
286	30.254678	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
287	30.257056	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
288	30.259151	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
289	30.260412	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
290	30.260412	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
291	30.261530	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
292	30.261530	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
293	30.262589	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
294	30.263660	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
295	30.264757	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
296	30.264757	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
297	30.266852	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
298	30.267972	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
299	30.268989	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
300	30.270081	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9

udp and ip.addr == 172.19.23.167						
No.	Time	Source	Destination	Protocol	Length	Info
327	30.310156	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
328	30.311237	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
329	30.312294	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
330	30.313359	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
331	30.314519	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
332	30.315505	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
333	30.316649	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
334	30.318020	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
335	30.319277	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
336	30.320348	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
337	30.321781	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
338	30.322817	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
339	30.325273	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
340	30.327360	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
341	30.328379	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
342	30.329416	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
343	30.330574	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
344	30.331690	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
345	30.332038	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
346	30.335152	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
347	30.336405	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
348	30.337803	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
349	30.337803	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
350	30.340994	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
351	30.342067	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
352	30.343167	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
353	30.344265	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
354	30.344265	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
355	30.346641	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
356	30.346641	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
357	30.348263	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
358	30.348700	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
359	30.351918	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
360	30.352945	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
361	30.354049	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
362	30.355112	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
363	30.356539	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
364	30.358411	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=9
365	30.360551	172.18.186.110	172.19.23.167	UDP	60	62717 → 12345 Len=10

以上截图是互联网环境下udp接收端的接收报文，从266 - 365共接收到100个数据报，接受率100%。

由于是互联网环境，所以源地址不是发送端ip。



以上是最后一个报文的内容，可以看到数据报内容为 “Packet 100” 。