Our contributors:
Neil Schroeder[1], Calvin Chen[1], Nicole Keeney[1], Ana Ordonez[1], Vanessa Machuca[1], Victoria Ford[1], Will Krantz[1], Jacola Roman[1], Mark Koenig[1], Owen Doherty[1], Revathi Muralidharan[2], Chloe Clarke[3]

[1]Eagle Rock Analytics, [2]Pacific Gas & Electric Company, [3]Southern California Edison

Thank you to our funders

California Energy Commission – EPC-20-007 and EPC-23-024

From Franken-code to Fluent Workflow: New infrastructure for `climakitae`

cal-adapt

Visit Cal-Adapt at: analytics.cal-adapt.org
Email us at: support@cal-adapt.org

`climakitae` and Cal-Adapt

`Climakitae` is an open source python library developed by Cal-Adapt to help planners and scientists access and manipulate California's 5th Climate Assessment data.

```
from climakitae import
ClimateData
```

Composable

Features an easy to use plug-and-play style workflow

Cleaner API

Single self-documenting interface for all data access with a familiar data-science-package feel

Modern Core


Faster, more reliable responses to complex cloud-based analyses


User-Focused Innovations





Custom Clipping


Built-in California regions help you design your analysis around the areas that matter. You can even use your own boundary files.












Climate data the way you need it.

Find climakitae on GitHub

Get in touch with our contact form

Local Analysis


How is extreme heat changing in Sacramento County?



Climakitae can be used to easily compare data across planning horizons. This figure shows that effective temperature will rise drastically as the climate warms.

For example: a 1 in 100 year effective temperature in Sacramento County today could be a 1 in 5.6 year effective temperature by end of century (3.0°C GWL).

That event is almost ***20 times*** more likely to occur.



Cal-Adapt is AI Ready!

Here are some Machine Learning applications you could apply to Cal-Adapt data today! Which one is most relevant to your work?

1. Demand proxy clustering

Multi-variate weather state clustering to look for events where demand is likely to be high while renewable generation is low

2. Fire-weather regime classification

ML modelling of fire weather regimes with frequency, duration, and seasonal timing shift analyses across planning horizons

3. ENSO-linked resource pattern clustering

Use Gaussian Mixture Modelling to discover California's seasonal energy-resource regimes, then test how their frequency varies with ENSO phase and warming level

Cast your vote in one of the three boxes above

Vote Here!