

# Practical Machine Learning - Week 4 Project

By Jeff Gauzza

## Background

### Background

Using devices such as Jawbone Up, Nike FuelBand, and Fitbit it is now possible to collect a large amount of data about personal activity relatively inexpensively. These type of devices are part of the quantified self movement – a group of enthusiasts who take measurements about themselves regularly to improve their health, to find patterns in their behavior, or because they are tech geeks. One thing that people regularly do is quantify how much of a particular activity they do, but they rarely quantify how well they do it. In this project, your goal will be to use data from accelerometers on the belt, forearm, arm, and dumbbell of 6 participants. They were asked to perform barbell lifts correctly and incorrectly in 5 different ways. More information is available from the website here: <http://web.archive.org/web/20161224072740/http://groupware.les.inf.puc-rio.br/har> (see the section on the Weight Lifting Exercise Dataset).

---

## Data

The training data for this project are available here:

<https://d396qusza40orc.cloudfront.net/predmachlearn/pml-training.csv>

The test data are available here:

<https://d396qusza40orc.cloudfront.net/predmachlearn/pml-testing.csv>

The data for this project come from this source: <http://web.archive.org/web/20161224072740/http://groupware.les.inf.puc-rio.br/har>

## Load packages

```
library(caret)
library(randomForest)
```

## Load the data

First I will set the working directory, download the data and handle any NA or NULL values in the data

```

#Set working directory
setwd("C:/Users/Jeff/Desktop/Coursera/ML")

#delete old data
rm(list = ls())

#Download files & get date

URLtrain <- "https://d396qusza40orc.cloudfront.net/predmachlearn/pml-training.csv"

trainFile <- "pml-training.csv"

if (!file.exists(trainFile)){download.file(URLtrain, destfile = trainFile, mode='wb')}

URLtest <- "https://d396qusza40orc.cloudfront.net/predmachlearn/pml-testing.csv"

testFile <- "pml-testing.csv"

if (!file.exists(testFile)){download.file(URLtest, destfile = testFile, mode='wb')}

dataTrain = read.csv("pml-training.csv", header=TRUE, na.strings=c("NA","#DIV/0!", ""))
dataTest = read.csv("pml-testing.csv", header=TRUE, na.strings=c("NA","#DIV/0!", ""))

dateDownloaded <- date()

head(dataTrain)

```

```

##      X user_name raw_timestamp_part_1 raw_timestamp_part_2  cvtd_timestamp
## 1 1  carlitos      1323084231          788290 05/12/2011 11:23
## 2 2  carlitos      1323084231          808298 05/12/2011 11:23
## 3 3  carlitos      1323084231          820366 05/12/2011 11:23
## 4 4  carlitos      1323084232          120339 05/12/2011 11:23
## 5 5  carlitos      1323084232          196328 05/12/2011 11:23
## 6 6  carlitos      1323084232          304277 05/12/2011 11:23
##      new_window num_window roll_belt pitch_belt yaw_belt total_accel_belt
## 1          no         11      1.41      8.07    -94.4              3
## 2          no         11      1.41      8.07    -94.4              3
## 3          no         11      1.42      8.07    -94.4              3
## 4          no         12      1.48      8.05    -94.4              3
## 5          no         12      1.48      8.07    -94.4              3
## 6          no         12      1.45      8.06    -94.4              3
##      kurtosis_roll_belt kurtosis_pitch_belt kurtosis_yaw_belt skewness_roll_belt
## 1                  NA                  NA                  NA                  NA
## 2                  NA                  NA                  NA                  NA
## 3                  NA                  NA                  NA                  NA
## 4                  NA                  NA                  NA                  NA
## 5                  NA                  NA                  NA                  NA
## 6                  NA                  NA                  NA                  NA
##      skewness_roll_belt.1 skewness_yaw_belt max_roll_belt max_pitch_belt
## 1                  NA                  NA                  NA                  NA
## 2                  NA                  NA                  NA                  NA
## 3                  NA                  NA                  NA                  NA
## 4                  NA                  NA                  NA                  NA

```

## 5	NA	NA	NA	NA		
## 6	NA	NA	NA	NA		
##	max_yaw_belt	min_roll_belt	min_pitch_belt	min_yaw_belt	amplitude_roll_belt	
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	amplitude_pitch_belt	amplitude_yaw_belt	var_total_accel_belt	avg_roll_belt		
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	stddev_roll_belt	var_roll_belt	avg_pitch_belt	stddev_pitch_belt		
## 1	NA	NA	NA	NA		
## 2	NA	NA	NA	NA		
## 3	NA	NA	NA	NA		
## 4	NA	NA	NA	NA		
## 5	NA	NA	NA	NA		
## 6	NA	NA	NA	NA		
##	var_pitch_belt	avg_yaw_belt	stddev_yaw_belt	var_yaw_belt	gyros_belt_x	
## 1	NA	NA	NA	NA	0.00	
## 2	NA	NA	NA	NA	0.02	
## 3	NA	NA	NA	NA	0.00	
## 4	NA	NA	NA	NA	0.02	
## 5	NA	NA	NA	NA	0.02	
## 6	NA	NA	NA	NA	0.02	
##	gyros_belt_y	gyros_belt_z	accel_belt_x	accel_belt_y	accel_belt_z	
## 1	0.00	-0.02	-21	4	22	
## 2	0.00	-0.02	-22	4	22	
## 3	0.00	-0.02	-20	5	23	
## 4	0.00	-0.03	-22	3	21	
## 5	0.02	-0.02	-21	2	24	
## 6	0.00	-0.02	-21	4	21	
##	magnet_belt_x	magnet_belt_y	magnet_belt_z	roll_arm	pitch_arm	yaw_arm
## 1	-3	599	-313	-128	22.5	-161
## 2	-7	608	-311	-128	22.5	-161
## 3	-2	600	-305	-128	22.5	-161
## 4	-6	604	-310	-128	22.1	-161
## 5	-6	600	-302	-128	22.1	-161
## 6	0	603	-312	-128	22.0	-161
##	total_accel_arm	var_accel_arm	avg_roll_arm	stddev_roll_arm	var_roll_arm	
## 1	34	NA	NA	NA	NA	
## 2	34	NA	NA	NA	NA	
## 3	34	NA	NA	NA	NA	
## 4	34	NA	NA	NA	NA	
## 5	34	NA	NA	NA	NA	
## 6	34	NA	NA	NA	NA	
##	avg_pitch_arm	stddev_pitch_arm	var_pitch_arm	avg_yaw_arm	stddev_yaw_arm	
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	

## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	var_yaw_arm	gyros_arm_x	gyros_arm_y	gyros_arm_z	accel_arm_x	accel_arm_y
## 1	NA	0.00	0.00	-0.02	-288	109
## 2	NA	0.02	-0.02	-0.02	-290	110
## 3	NA	0.02	-0.02	-0.02	-289	110
## 4	NA	0.02	-0.03	0.02	-289	111
## 5	NA	0.00	-0.03	0.00	-289	111
## 6	NA	0.02	-0.03	0.00	-289	111
##	accel_arm_z	magnet_arm_x	magnet_arm_y	magnet_arm_z	kurtosis_roll_arm	
## 1	-123	-368	337	516	NA	
## 2	-125	-369	337	513	NA	
## 3	-126	-368	344	513	NA	
## 4	-123	-372	344	512	NA	
## 5	-123	-374	337	506	NA	
## 6	-122	-369	342	513	NA	
##	kurtosis_pitch_arm	kurtosis_yaw_arm	skewness_roll_arm	skewness_pitch_arm		
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	skewness_yaw_arm	max_roll_arm	max_pitch_arm	max_yaw_arm	min_roll_arm	
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	min_pitch_arm	min_yaw_arm	amplitude_roll_arm	amplitude_pitch_arm		
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	amplitude_yaw_arm	roll_dumbbell	pitch_dumbbell	yaw_dumbbell		
## 1	NA	13.05217	-70.49400	-84.87394		
## 2	NA	13.13074	-70.63751	-84.71065		
## 3	NA	12.85075	-70.27812	-85.14078		
## 4	NA	13.43120	-70.39379	-84.87363		
## 5	NA	13.37872	-70.42856	-84.85306		
## 6	NA	13.38246	-70.81759	-84.46500		
##	kurtosis_roll_dumbbell	kurtosis_pitch_dumbbell	kurtosis_yaw_dumbbell			
## 1	NA	NA	NA	NA		
## 2	NA	NA	NA	NA		
## 3	NA	NA	NA	NA		
## 4	NA	NA	NA	NA		
## 5	NA	NA	NA	NA		
## 6	NA	NA	NA	NA		
##	skewness_roll_dumbbell	skewness_pitch_dumbbell	skewness_yaw_dumbbell			

## 1	NA	NA	NA	
## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	max_roll_dumbbell	max_pitch_dumbbell	max_yaw_dumbbell	min_roll_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	min_pitch_dumbbell	min_yaw_dumbbell	amplitude_roll_dumbbell	
## 1	NA	NA	NA	
## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	amplitude_pitch_dumbbell	amplitude_yaw_dumbbell	total_accel_dumbbell	
## 1	NA	NA	37	
## 2	NA	NA	37	
## 3	NA	NA	37	
## 4	NA	NA	37	
## 5	NA	NA	37	
## 6	NA	NA	37	
##	var_accel_dumbbell	avg_roll_dumbbell	stddev_roll_dumbbell	var_roll_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	avg_pitch_dumbbell	stddev_pitch_dumbbell	var_pitch_dumbbell	avg_yaw_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	stddev_yaw_dumbbell	var_yaw_dumbbell	gyros_dumbbell_x	gyros_dumbbell_y
## 1	NA	NA	0	-0.02
## 2	NA	NA	0	-0.02
## 3	NA	NA	0	-0.02
## 4	NA	NA	0	-0.02
## 5	NA	NA	0	-0.02
## 6	NA	NA	0	-0.02
##	gyros_dumbbell_z	accel_dumbbell_x	accel_dumbbell_y	accel_dumbbell_z
## 1	0.00	-234	47	-271
## 2	0.00	-233	47	-269
## 3	0.00	-232	46	-270
## 4	-0.02	-232	48	-269
## 5	0.00	-233	48	-270

## 6	0.00	-234	48	-269
##	magnet_dumbbell_x	magnet_dumbbell_y	magnet_dumbbell_z	roll_forearm
## 1	-559	293	-65	28.4
## 2	-555	296	-64	28.3
## 3	-561	298	-63	28.3
## 4	-552	303	-60	28.1
## 5	-554	292	-68	28.0
## 6	-558	294	-66	27.9
##	pitch_forearm	yaw_forearm	kurtosis_roll_forearm	kurtosis_pitch_forearm
## 1	-63.9	-153	NA	NA
## 2	-63.9	-153	NA	NA
## 3	-63.9	-152	NA	NA
## 4	-63.9	-152	NA	NA
## 5	-63.9	-152	NA	NA
## 6	-63.9	-152	NA	NA
##	kurtosis_yaw_forearm	skewness_roll_forearm	skewness_pitch_forearm	
## 1	NA	NA	NA	
## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	skewness_yaw_forearm	max_roll_forearm	max_pitch_forearm	max_yaw_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	min_roll_forearm	min_pitch_forearm	min_yaw_forearm	amplitude_roll_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	amplitude_pitch_forearm	amplitude_yaw_forearm	total_accel_forearm	
## 1	NA	NA	36	
## 2	NA	NA	36	
## 3	NA	NA	36	
## 4	NA	NA	36	
## 5	NA	NA	36	
## 6	NA	NA	36	
##	var_accel_forearm	avg_roll_forearm	stddev_roll_forearm	var_roll_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	avg_pitch_forearm	stddev_pitch_forearm	var_pitch_forearm	avg_yaw_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA

```
## 4      NA      NA      NA      NA
## 5      NA      NA      NA      NA
## 6      NA      NA      NA      NA
##      stddev_yaw_forearm var_yaw_forearm gyros_forearm_x gyros_forearm_y
## 1      NA      NA      0.03      0.00
## 2      NA      NA      0.02      0.00
## 3      NA      NA      0.03     -0.02
## 4      NA      NA      0.02     -0.02
## 5      NA      NA      0.02      0.00
## 6      NA      NA      0.02     -0.02
##      gyros_forearm_z accel_forearm_x accel_forearm_y accel_forearm_z
## 1     -0.02      192      203     -215
## 2     -0.02      192      203     -216
## 3      0.00      196      204     -213
## 4      0.00      189      206     -214
## 5     -0.02      189      206     -214
## 6     -0.03      193      203     -215
##      magnet_forearm_x magnet_forearm_y magnet_forearm_z classe
## 1      -17      654      476      A
## 2      -18      661      473      A
## 3      -18      658      469      A
## 4      -16      658      469      A
## 5      -17      655      473      A
## 6       -9      660      478      A
```

```
head(dataTest)
```

```
##      X user_name raw_timestamp_part_1 raw_timestamp_part_2  cvtd_timestamp
## 1 1      pedro      1323095002      868349 05/12/2011 14:23
## 2 2      jeremy      1322673067      778725 30/11/2011 17:11
## 3 3      jeremy      1322673075      342967 30/11/2011 17:11
## 4 4      adelmo      1322832789      560311 02/12/2011 13:33
## 5 5      eurico      1322489635      814776 28/11/2011 14:13
## 6 6      jeremy      1322673149      510661 30/11/2011 17:12
##      new_window num_window roll_belt pitch_belt yaw_belt total_accel_belt
## 1      no      74      123.00      27.00     -4.75      20
## 2      no      431      1.02      4.87    -88.90      4
## 3      no      439      0.87      1.82    -88.50      5
## 4      no      194      125.00     -41.60     162.00     17
## 5      no      235      1.35      3.33    -88.60      3
## 6      no      504      -5.92      1.59    -87.70      4
##      kurtosis_roll_belt kurtosis_picth_belt kurtosis_yaw_belt skewness_roll_belt
## 1      NA      NA      NA      NA
## 2      NA      NA      NA      NA
## 3      NA      NA      NA      NA
## 4      NA      NA      NA      NA
## 5      NA      NA      NA      NA
## 6      NA      NA      NA      NA
##      skewness_roll_belt.1 skewness_yaw_belt max_roll_belt max_picth_belt
## 1      NA      NA      NA      NA
## 2      NA      NA      NA      NA
## 3      NA      NA      NA      NA
## 4      NA      NA      NA      NA
## 5      NA      NA      NA      NA
```

## 6	NA	NA	NA	NA		
##	max_yaw_belt	min_roll_belt	min_pitch_belt	min_yaw_belt	amplitude_roll_belt	
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	NA	
##	amplitude_pitch_belt	amplitude_yaw_belt	var_total_accel_belt	avg_roll_belt		
## 1	NA	NA		NA	NA	
## 2	NA	NA		NA	NA	
## 3	NA	NA		NA	NA	
## 4	NA	NA		NA	NA	
## 5	NA	NA		NA	NA	
## 6	NA	NA		NA	NA	
##	stddev_roll_belt	var_roll_belt	avg_pitch_belt	stddev_pitch_belt		
## 1	NA	NA	NA	NA		
## 2	NA	NA	NA	NA		
## 3	NA	NA	NA	NA		
## 4	NA	NA	NA	NA		
## 5	NA	NA	NA	NA		
## 6	NA	NA	NA	NA		
##	var_pitch_belt	avg_yaw_belt	stddev_yaw_belt	var_yaw_belt	gyros_belt_x	
## 1	NA	NA	NA	NA	-0.50	
## 2	NA	NA	NA	NA	-0.06	
## 3	NA	NA	NA	NA	0.05	
## 4	NA	NA	NA	NA	0.11	
## 5	NA	NA	NA	NA	0.03	
## 6	NA	NA	NA	NA	0.10	
##	gyros_belt_y	gyros_belt_z	accel_belt_x	accel_belt_y	accel_belt_z	
## 1	-0.02	-0.46	-38	69	-179	
## 2	-0.02	-0.07	-13	11	39	
## 3	0.02	0.03	1	-1	49	
## 4	0.11	-0.16	46	45	-156	
## 5	0.02	0.00	-8	4	27	
## 6	0.05	-0.13	-11	-16	38	
##	magnet_belt_x	magnet_belt_y	magnet_belt_z	roll_arm	pitch_arm	yaw_arm
## 1	-13	581	-382	40.7	-27.80	178
## 2	43	636	-309	0.0	0.00	0
## 3	29	631	-312	0.0	0.00	0
## 4	169	608	-304	-109.0	55.00	-142
## 5	33	566	-418	76.1	2.76	102
## 6	31	638	-291	0.0	0.00	0
##	total_accel_arm	var_accel_arm	avg_roll_arm	stddev_roll_arm	var_roll_arm	
## 1	10	NA	NA	NA	NA	
## 2	38	NA	NA	NA	NA	
## 3	44	NA	NA	NA	NA	
## 4	25	NA	NA	NA	NA	
## 5	29	NA	NA	NA	NA	
## 6	14	NA	NA	NA	NA	
##	avg_pitch_arm	stddev_pitch_arm	var_pitch_arm	avg_yaw_arm	stddev_yaw_arm	
## 1	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	



## 4	NA	NA	NA	NA	NA
## 5	NA	NA	NA	NA	NA
## 6	NA	NA	NA	NA	NA
##	var_yaw_arm	gyros_arm_x	gyros_arm_y	gyros_arm_z	accel_arm_x
## 1	NA	-1.65	0.48	-0.18	16
## 2	NA	-1.17	0.85	-0.43	-290
## 3	NA	2.10	-1.36	1.13	-341
## 4	NA	0.22	-0.51	0.92	-238
## 5	NA	-1.96	0.79	-0.54	-197
## 6	NA	0.02	0.05	-0.07	-26
##	accel_arm_z	magnet_arm_x	magnet_arm_y	magnet_arm_z	kurtosis_roll_arm
## 1	93	-326	385	481	NA
## 2	-90	-325	447	434	NA
## 3	-87	-264	474	413	NA
## 4	6	-173	257	633	NA
## 5	-30	-170	275	617	NA
## 6	-19	396	176	516	NA
##	kurtosis_pitch_arm	kurtosis_yaw_arm	skewness_roll_arm	skewness_pitch_arm	
## 1	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA
## 4	NA	NA	NA	NA	NA
## 5	NA	NA	NA	NA	NA
## 6	NA	NA	NA	NA	NA
##	skewness_yaw_arm	max_roll_arm	max_pitch_arm	max_yaw_arm	min_roll_arm
## 1	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA
## 4	NA	NA	NA	NA	NA
## 5	NA	NA	NA	NA	NA
## 6	NA	NA	NA	NA	NA
##	min_pitch_arm	min_yaw_arm	amplitude_roll_arm	amplitude_pitch_arm	
## 1	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA
## 4	NA	NA	NA	NA	NA
## 5	NA	NA	NA	NA	NA
## 6	NA	NA	NA	NA	NA
##	amplitude_yaw_arm	roll_dumbbell	pitch_dumbbell	yaw_dumbbell	
## 1	NA	-17.73748	24.96085	126.23596	
## 2	NA	54.47761	-53.69758	-75.51480	
## 3	NA	57.07031	-51.37303	-75.20287	
## 4	NA	43.10927	-30.04885	-103.32003	
## 5	NA	-101.38396	-53.43952	-14.19542	
## 6	NA	62.18750	-50.55595	-71.12063	
##	kurtosis_roll_dumbbell	kurtosis_pitch_dumbbell	kurtosis_yaw_dumbbell		
## 1	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	
## 4	NA	NA	NA	NA	
## 5	NA	NA	NA	NA	
## 6	NA	NA	NA	NA	
##	skewness_roll_dumbbell	skewness_pitch_dumbbell	skewness_yaw_dumbbell		
## 1	NA	NA	NA	NA	

## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	max_roll_dumbbell	max_pitch_dumbbell	max_yaw_dumbbell	min_roll_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	min_pitch_dumbbell	min_yaw_dumbbell	amplitude_roll_dumbbell	
## 1	NA	NA	NA	
## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	amplitude_pitch_dumbbell	amplitude_yaw_dumbbell	total_accel_dumbbell	
## 1	NA	NA	9	
## 2	NA	NA	31	
## 3	NA	NA	29	
## 4	NA	NA	18	
## 5	NA	NA	4	
## 6	NA	NA	29	
##	var_accel_dumbbell	avg_roll_dumbbell	stddev_roll_dumbbell	var_roll_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	avg_pitch_dumbbell	stddev_pitch_dumbbell	var_pitch_dumbbell	avg_yaw_dumbbell
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	stddev_yaw_dumbbell	var_yaw_dumbbell	gyros_dumbbell_x	gyros_dumbbell_y
## 1	NA	NA	0.64	0.06
## 2	NA	NA	0.34	0.05
## 3	NA	NA	0.39	0.14
## 4	NA	NA	0.10	-0.02
## 5	NA	NA	0.29	-0.47
## 6	NA	NA	-0.59	0.80
##	gyros_dumbbell_z	accel_dumbbell_x	accel_dumbbell_y	accel_dumbbell_z
## 1	-0.61	21	-15	81
## 2	-0.71	-153	155	-205
## 3	-0.34	-141	155	-196
## 4	0.05	-51	72	-148
## 5	-0.46	-18	-30	-5
## 6	1.10	-138	166	-186

##	magnet_dumbbell_x	magnet_dumbbell_y	magnet_dumbbell_z	roll_forearm
## 1	523	-528	-56	141
## 2	-502	388	-36	109
## 3	-506	349	41	131
## 4	-576	238	53	0
## 5	-424	252	312	-176
## 6	-543	262	96	150
##	pitch_forearm	yaw_forearm	kurtosis_roll_forearm	kurtosis_pitch_forearm
## 1	49.30	156.0	NA	NA
## 2	-17.60	106.0	NA	NA
## 3	-32.60	93.0	NA	NA
## 4	0.00	0.0	NA	NA
## 5	-2.16	-47.9	NA	NA
## 6	1.46	89.7	NA	NA
##	kurtosis_yaw_forearm	skewness_roll_forearm	skewness_pitch_forearm	
## 1	NA	NA	NA	
## 2	NA	NA	NA	
## 3	NA	NA	NA	
## 4	NA	NA	NA	
## 5	NA	NA	NA	
## 6	NA	NA	NA	
##	skewness_yaw_forearm	max_roll_forearm	max_pitch_forearm	max_yaw_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	min_roll_forearm	min_pitch_forearm	min_yaw_forearm	amplitude_roll_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	amplitude_pitch_forearm	amplitude_yaw_forearm	total_accel_forearm	
## 1	NA	NA	33	
## 2	NA	NA	39	
## 3	NA	NA	34	
## 4	NA	NA	43	
## 5	NA	NA	24	
## 6	NA	NA	43	
##	var_accel_forearm	avg_roll_forearm	stddev_roll_forearm	var_roll_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA
## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	avg_pitch_forearm	stddev_pitch_forearm	var_pitch_forearm	avg_yaw_forearm
## 1	NA	NA	NA	NA
## 2	NA	NA	NA	NA
## 3	NA	NA	NA	NA
## 4	NA	NA	NA	NA

## 5	NA	NA	NA	NA
## 6	NA	NA	NA	NA
##	stddev_yaw_forearm	var_yaw_forearm	gyros_forearm_x	gyros_forearm_y
## 1	NA	NA	0.74	-3.34
## 2	NA	NA	1.12	-2.78
## 3	NA	NA	0.18	-0.79
## 4	NA	NA	1.38	0.69
## 5	NA	NA	-0.75	3.10
## 6	NA	NA	-0.88	4.26
##	gyros_forearm_z	accel_forearm_x	accel_forearm_y	accel_forearm_z
## 1	-0.59	-110	267	-149
## 2	-0.18	212	297	-118
## 3	0.28	154	271	-129
## 4	1.80	-92	406	-39
## 5	0.80	131	-93	172
## 6	1.35	230	322	-144
##	magnet_forearm_x	magnet_forearm_y	magnet_forearm_z	problem_id
## 1	-714	419	617	1
## 2	-237	791	873	2
## 3	-51	698	783	3
## 4	-233	783	521	4
## 5	375	-787	91	5
## 6	-300	800	884	6

## Clean data

As you can see from display of the first few rows above, the first bunch of columns (user\_name, raw\_timestamp\_part\_1, raw\_timestamp\_part\_2, cvtd\_timestamp, new\_window, and num\_window) are not needed and will be removed below from both the training and testing data. I will also remove variables which have a lot of NA values. I know I am going to do a RandomForest for my model and it does not do well with variables with many NA values.

```
dataTrain <- dataTrain[,-c(1:7)]
dataTest <- dataTest[,-c(1:7)]

naIndex <- colSums(is.na(dataTrain))/nrow(dataTrain) < 0.95
dataTrain <- dataTrain[,naIndex]
```

## Cross validation

I further split the training data for cross validation purposes using a 70/30 split.

```
subIndex <- createDataPartition(y=dataTrain$classe, p=0.70, list=FALSE)
trainSubTrain <- dataTrain[subIndex, ]
trainSubTest<- dataTrain[-subIndex, ]
```

## How I built the model

For the model I am going to use a RandomForest. As I learned in this class, Random Forests often produce good predictive models, even if the choices they make can be hard to logically determine the reasoning behind them. They can also take a long time to run. I will keep the number of trees low (10 in this case) to

keep run times down. I split the training data further into training and test subsets (70/30 split) to use to train the model. I used cv with 10 folds in the creation of the model

```
modelRanFor <- train(classe ~., method='rf', data=trainSubTrain, ntree=10, trControl = trainControl(met
predRanFor <- predict(modelRanFor, trainSubTest)
```

```
RanForConMatrix <- confusionMatrix(predRanFor,trainSubTest$classe)
RanForConMatrix
```

```
## Confusion Matrix and Statistics
##
##              Reference
## Prediction    A     B     C     D     E
##      A 1665    13     1     0     0
##      B     5 1114     8     1     0
##      C     0    10 1009    12     2
##      D     2     1     8   950     3
##      E     2     1     0     1 1077
##
## Overall Statistics
##
##              Accuracy : 0.9881
##              95% CI : (0.985, 0.9907)
##      No Information Rate : 0.2845
##      P-Value [Acc > NIR] : <2e-16
##
##              Kappa : 0.985
##
##      McNemar's Test P-Value : 0.1931
##
## Statistics by Class:
##
##              Class: A Class: B Class: C Class: D Class: E
## Sensitivity          0.9946   0.9781   0.9834   0.9855   0.9954
## Specificity          0.9967   0.9971   0.9951   0.9972   0.9992
## Pos Pred Value       0.9917   0.9876   0.9768   0.9855   0.9963
## Neg Pred Value       0.9979   0.9947   0.9965   0.9972   0.9990
## Prevalence           0.2845   0.1935   0.1743   0.1638   0.1839
## Detection Rate       0.2829   0.1893   0.1715   0.1614   0.1830
## Detection Prevalence 0.2853   0.1917   0.1755   0.1638   0.1837
## Balanced Accuracy     0.9956   0.9876   0.9892   0.9913   0.9973
```

## Expected sample error

The expected sample error is 1-the accuracy. Even with running a Random Forest with only 10 trees, we got an accuracy of 99%. The expected error is then  $(1-.99)*100 = 1\%$

## Results

Overall 99% accuracy is very good and would only be improved with a larger number included in the random forest. For explanative purposes, it was easier to show how accurate the method could be with a lower number of trees and limited processing power and understanding the potential for greater accuracy with the change of one variable. \*\*\*

## Predicting test cases

Below is the predictions for the test set load at the beginning of the project.

```
finalPredictions <- predict(modelRanFor, dataTest)
finalPredictions
```

```
## [1] B A B A A E D B A A B C B A E E A B B B
## Levels: A B C D E
```