

Main actions

- Items
- Pending changes
- Branches
- Branch Explorer
- Changesets

Review & stats

- Code reviews
- Change statistics

Other actions

- Labels
- Attributes
- Shelves
- Sync replication

Repositories & workspaces

- Repositories
- Workspaces

Preferences

- RSS Notifications
- About

Son los “conceptos fundamentales” de la aplicación.



Los que me espantan especialmente son:

- Ramas – ese dibujo puede significar también “átomo nuclear podrido”
- Changesets – igual un dibujito tipo changeset del branch explorer ayudaría... aunque hay muy poco espacio
- Branch Explorer – nunca sé qué significa ese icono
- Repositories
- Workspaces

En general, son todos espantosos, de stock... Creo que con sólo cambiarlos daríamos un buen lavado de cara.


Refresh – recarga la vista, es común a toda la aplicación

Quick search ... saca una ventanita como esta:



Iconos para cambiar de modo árbol (el que está seleccionado) a modo lista (el otro) (en la imagen la vista de ítems está en modo árbol)

En modo lista cambia la vista y aparecen nuevos iconos horribles...



Subir directorio (!!!)


Ir
(una vez tecleado un directorio... te lleva a él)

Apestoso botón de ayuda... común a toda la aplicación

Los iconos de carpeta (directorio) son "tipo windows", pero tampoco pasaría nada por actualizarlos un poquito...
No es tan prioritario porque efectivamente se parecen a los de Windows 7
Luego los iconos por encima llevan unos "decorators" que indican estado, que también habrá que repasar

Pending changes view – es un buen ejemplo de “pon iconos para todo, no vaya a ser que quede un pixel sin colorines...” :-D

También voy a cambiar la ubicación de los botones, “options” debería estar tras “show diffs” como mínimo



Checkin – icono apestoso. No significa nada...

Undo changes - también puede significar ese icono “lavar más limpio”

Options – se usa en más sitios ese icono para el mismo concepto. La “ruedecita” para opciones no es mala idea (creo), pero el dibujito me aburre ya... otro estilo para todo vendría bien...

Show diffs – trata de poner un icono de una “vista de diferencias en pequeño”... aaaaay

Branches view – repite algunos iconos “clásicos” y añade otros dos para mayor confusión

Estos dos iconos son lo de ponerlo en modo árbol o modo “lista”, igual que en la vista de ítems

Pending changes x Branches (defin... x

Icons: Refresh, Tree/List, List/Tree, Info, Filter, Advanced

Name	Repository	Owner	Creation date
✱ /main/SCM12703	codice@localhost:6060	pablo	5/3/2013 13:55:59
✱ /main/azure/SCM12448/SCM12627/SCM12566	codice@localhost:6060	borja	5/2/2013 19:51:01
✱ /main/Fix-4.1/SCM12694	codice@localhost:6060	borja	5/2/2013 19:51:01
✱ /main/Fix-4.1/scm12287	codice@localhost:6060	jesusmg	4/16/2013 10:32:10
✱ /main/Fix-4.1/SCM12637	codice@localhost:6060	pablo	4/13/2013 00:51:38
✱ /main/azure/SCM12448/SCM12627	codice@localhost:6060	borja	4/12/2013 13:11:52
✱ /main/Fix-4.1/SCM11802	codice@localhost:6060	pablo	3/20/2013 12:49:02
✱ /main/Fix-4.1/SCM12496	codice@localhost:6060	borja	3/15/2013 14:35:13
✱ /main/Fix-4.1/SCM11928	codice@localhost:6060	pablo	3/13/2013 19:51:01
✱ /main/Fix-4.1/SCM11972	codice@localhost:6060	borja	3/5/2013 20:13:56
✱ /main/SCM12496	codice@localhost:6060	borja	3/5/2013 20:13:56
✱ /main/Fix-4.1/SCM12526	codice@localhost:6060	lrodriguez	3/5/2013 16:05:44
✱ /main/azure/SCM12448	codice@localhost:6060	danipen	2/26/2013 14:03:59
✱ /main/SCM10074	codice@localhost:6060	lrodriguez	5/28/2012 09:44:57
✱ /main/azure/scm12418	codice@localhost:6060	all	2/23/2006 13:55:59
✱ /main/Fix-4.1			
✱ /main			

Este botón es para exportar los datos de la lista y convertirlos en xml, etc, etc.

Botón de “show extended information”, cuando lo pulsas sale este otro panel a la izquierda:

Que no falte el átomo podrido en cada línea... da color :-)

Icons: Refresh, Tree/List, List/Tree, Info, Filter, Advanced

Name	Repository
✱ /main/SCM12703	codice@local
✱ /main/azure/SCM12448/SCM12627/SCM12566	codice@local
✱ /main/Fix-4.1/SCM12694	codice@local
✱ /main/Fix-4.1/scm12287	codice@local
✱ /main/Fix-4.1/SCM12637	codice@local
✱ /main/azure/SCM12448/SCM12627	codice@local
✱ /main/Fix-4.1/SCM11802	codice@local
✱ /main/Fix-4.1/SCM12496	codice@local
✱ /main/Fix-4.1/SCM11928	codice@local
✱ /main/Fix-4.1/SCM11972	codice@local
✱ /main/SCM12496	codice@local
✱ /main/Fix-4.1/SCM12526	codice@local
✱ /main/azure/SCM12448	codice@local
✱ /main/SCM10074	codice@local
✱ /main/azure/scm12418	codice@local
✱ /main/Fix-4.1	codice@local
✱ /main	codice@local

Properties Attributes x

Object name:

Repository:

Creation date:

Owner:

Replication source:

Guid:


Comments:

Branch explorer – la joya de la corona, pero con los iconos hechos un cristo...

Típicos botones de “zoom”

Botón “options” lo veremos en la próxima página...
El icono es consistente con otras vistas

Keyboard shortcuts –
saca este diálogo:






Botón “home” - es el que menos me disgusta de todos.
Te lleva al changeset en el que estás trabajando.

Botón “navigator” (nótese que lleva texto porque sino con el icono no sabes si es para mirar por una ventana con prismáticos). Cuando lo tienes pulsado sale esta cosa debajo:

Botón “Statistics” - cuando lo pulsas, se quita el navigator y el pie se convierte en algo así:

Botón “Legend” - muestra este cuadrito de abajo:



The screenshot shows the Branch Explorer application window. The top menu bar includes 'Pending changes i...', 'Branches (defined...', and 'Branch Explore...'. Below the menu bar is a toolbar with icons for 'Navigator', 'Statistics', 'Options', 'Legend', and 'Keyboard shortcuts...'. The main area displays a timeline with dates '5/5/2013' and '5/6/2013'. A horizontal bar at the bottom shows a green circle and a house icon. The right sidebar is open, showing 'Properties' with 'Display options' (checkboxes for 'Display branches', 'Display merge links', 'Display cross-branch changeset links', 'Display labels', 'Display branch's task info', 'Display vertical layout', 'Display only relevant changesets'), 'Date filter' (initial date: 1/28/2010, end date: 7/ 3/2012), 'Enter visibility mode', 'Enter relayout mode', 'Conditional format', 'Attributes', and 'Replication sources'. A tooltip 'Toggle a bookmark on the selected objects (Ctrl+B)' is visible over the 'Options' button.

Botón "options" - muestra la barra de la izquierda con un montón de opciones

Botones de navegación de búsqueda: "search previous", "search next" y "clean search" respectivamente

Iconos del "modo de visibilidad" y "modo de layout"
Creo que quizá podemos quitarles el icono y listo...


La opción de "conditional format" para no quedar atrás añade un "aspa roja" que tampoco encaja con nada... aaaargh (lo quitamos??)

The screenshot shows the Branch Explorer application window. The top menu bar includes 'Branches (defined...', 'Branch Explore...', and 'Keyboard shortcuts...'. Below the menu bar is a toolbar with icons for 'Navigator', 'Statistics', 'Options', 'Legend', and 'Keyboard shortcuts...'. The main area displays a timeline with dates '5/5/2013' and '5/6/2013'. A horizontal bar at the bottom shows a green circle and a house icon. The right sidebar is open, showing 'Properties' with 'Display options' (checkboxes for 'Display branches', 'Display merge links', 'Display cross-branch changeset links', 'Display labels', 'Display branch's task info', 'Display vertical layout', 'Display only relevant changesets'), 'Date filter' (initial date: 1/28/2010, end date: 7/ 3/2012), 'Enter visibility mode', 'Enter relayout mode', 'Conditional format', 'Attributes', and 'Replication sources'. A tooltip 'Toggle a bookmark on the selected objects (Ctrl+B)' is visible over the 'Options' button.

Botón de "toggle a bookmark" - fija un "marcador" (ver el cuadradito que le pone a la rama o al objeto que sea (cset))

El siguiente sirve para "saltar" al bookmark más tarde

Changesets view – afortunadamente no añade ningún icono nuevo...



Code reviews view - añade un icono de "code review" también muy a su bola...

Code reviews f... x

ALL code reviews

?

Filter:

Advanced

Title	Status	Reviewed object	Assignee	Owner	Creation date
<div><div></div><div>CA list can't be null. Check if it is correct or if there ar...</div></div>	Pending	Changeset 33723	borja	pablo	5/16/2011 20:32:14
<div><div></div><div>fast-import review</div></div>	Pending	Branch /main/ReleaseBL230.1/...		pablo	11/2/2011 12:50:36
<div><div></div><div>Not sure whether caches should be cleaned up this w...</div></div>	Pending	Changeset 39852	ruben	pablo	12/14/2011 00:10:4
<div><div></div><div>revisar la integración</div></div>	Pending	Changeset 40291	borja	pablo	1/10/2012 12:41:46
<div><div></div><div>Review</div></div>	Pending	Branch /main/SCM11297		pablo	5/23/2012 16:38:37
<div><div></div><div>Test code review for webui fsprots fix</div></div>	Discarded	Changeset 44938		dave	6/16/2012 10:17:54
<div><div></div><div>Test code review for webui fsprots fix</div></div>	Discarded	Changeset 44938		dave	6/16/2012 10:17:54

La vista de stats y la de labels no añaden iconos nuevos...

La vista de atributos añade el "icono de atributo" - aunque es el mismo que sale en el menú principal

Create new attribute...

Name	Repository
<div><div></div><div>status</div></div>	codice@localhost:6060
<div><div></div><div>sync</div></div>	codice@localhost:6060
<div><div></div><div>sync-git</div></div>	codice@localhost:6060
<div><div></div><div>testattr</div></div>	codice@localhost:6060

La "vista de shelves" repite el icono de shelve... sea lo que sea lo que signifique:

Shelves created by me

Name	Comment
<div><div><div></div><div></div></div><div>2</div></div>	Merge-replay ager
<div><div><div></div><div></div></div><div>3</div></div>	Temporary debug
<div><div><div></div><div></div></div><div>4</div></div>	Changes in plastic
<div><div><div></div><div></div></div><div>5</div></div>	Pending change to
<div><div><div></div><div></div></div><div>6</div></div>	Temporary changi
<div><div><div></div><div></div></div><div>7</div></div>	UnLock renamed t
<div><div><div></div><div></div></div><div>8</div></div>	Candidate change

Sync view - éramos pocos...

Estos dos iconos son para crear una nueva “vista” y para eliminarla.




Mi propuesta, con el permiso del “master designer” (y su apoyo!) sería quitar ambos y poner texto.

Cuando se crea una nueva “sync view” el icono tampoco puede faltar... aaaaaaaay!!!







Los 4 botones de marras significan:








- “Add source repository”
- “Delete source repository”
- “Add target repository”
- “Delete target repository”

Cuando se añade un “source” o un “target” sale un diálogo con un iconito como este:





User defined sync views Create your own view where you can defin



View name	Creat
 diana - eunomia	6/28/
 openbsdsync	12/15
 diana - oracle	7/1/2
 devel-devel	3/7/2
 local-quake	3/22/
 local - diana	6/21/





Sync view details Show a list of source and destination repositories, i

Object name

  codice@diana.codicefactory.com:9095

  codice@eunomia.codicefactory.com:7070





New sync view

Create new sync view
Create a view where you can define replication sources and targets

Please, type a name for the sync view

OK

Cancel













Add replication repository

Add replication repository from server
Select a repository to configure it as a replication source or a replication target

Type or select a server from the list and press 'Search' to get the repository list


Search

Name	Server
 async	localhost:6060
 bambooplugin	localhost:6060
 codeplex_repo	localhost:6060
 codeplexdemo	localhost:6060
 codice	localhost:6060
 codicegitssc	localhost:6060
 digitallegends	localhost:6060
 doc	localhost:6060
 dokancode	localhost:6060
 grouper	localhost:6060

OK


Cancel

RSS notifications



Y otro icono más!!!

Repository view – nada nuevo pero al crear un nuevo repositorio... más “arte” desatado



The image shows a Windows-style dialog box titled "New repository". The title bar includes standard minimize, maximize, and close buttons. The main content area has a light blue header with the title "New repository" and a small icon of a stack of coins with a green plus sign. Below the header, there is a text prompt: "Type a name for the new repository, as well as the address of the Plastic SCM server". A descriptive paragraph follows: "A repository stores the entire history of a particular directory tree, including all the revisions of its files and directories, revision labels, merge links, and other metadata". To the left of the input fields is a large icon of a stack of four silver coins. There are two text input fields: the first is labeled "Name of new repository:" and is empty; the second is labeled "Plastic SCM repository server (hostname:port):" and contains the text "localhost:6060". At the bottom right, there are two buttons: "OK" and "Cancel".

New repository

Type a name for the new repository, as well as the address of the Plastic SCM server


A repository stores the entire history of a particular directory tree, including all the revisions of its files and directories, revision labels, merge links, and other metadata

Name of new repository:







Plastic SCM repository server (hostname:port):

localhost:6060






OK Cancel



El diálogo de preferencias es todo un mundo...




Icono de ayuda



Plastic configuration wizard

Plastic SCM client configuration wizard

Configure Plastic SCM



Welcome to Plastic SCM configuration wizard

This wizard will guide you through the configuration process of Plastic SCM

Click "next" button to continue

< Back


Next >

Cancel

Plastic configuration wizard

Plastic SCM client configuration wizard

Language selection



Please, select the interface language for your Plastic SCM

Select the language:

English

Click "next" button to continue

< Back


Next >

Cancel

Plastic configuration wizard

Plastic SCM client configuration wizard

Plastic SCM server selection



Now you will configure the hostname and port where your Plastic SCM server is located. The default is 8087 or 8088 for encrypted connections. If unsure, ask your administrator about the right values

Plastic SCM server address (i.e.: localhost)

localhost

Port

6060

...

☐ Use encryption (SSL)

☐ Use Plastic SCM proxy server

Port

8085

< Back


Next >

Cancel

Plastic configuration wizard

Plastic SCM client configuration wizard

Users/Security configuration



Select the user security configuration mode:

☒ User/password based security

☐ Local users

☐ Local users (Name + ID)

☐ Active Directory integrated security

☐ LDAP authentication

The Plastic SCM repository server will authenticate you using its own username/password database. Use this option if the repository server is configured in user/password mode.

< Back


Next >

Cancel

Plastic configuration wizard

Plastic SCM client configuration wizard

User and password settings



In this authentication mode, you will use a user and a password to access Plastic SCM server.

User name

pablo

Password

.....


You can change your password using the 'cm changepassword' command.

< Back

Finish

Cancel

Diálogo de réplica (sale desde diferentes sitios) – de nuevo dibujos de “servidores”



The image shows a Windows-style dialog box titled "Plastic SCM replication". The main heading is "Push branch /main/SCM12703" with the subtitle "Replicate data from one repository to another". The dialog is split into two columns: "Replication source" and "Replication destination", each with a server icon. Under "Replication source", there is a section "My server" with fields for "Repository:" (containing "codice") and "Branch:" (containing "/main/SCM12703"). Under "Replication destination", there are fields for "Server:" (containing "diana.codicefactory.com:9095") and "Repository:" (containing "codice"). At the bottom, there is an "Advanced options..." button, a "Profile: diana" label, and "Replicate" and "Close" buttons.

Plastic SCM replication

Push branch /main/SCM12703

Replicate data from one repository to another

Replication source

Replication destination

My server

Repository:
codice

Branch:
/main/SCM12703

Server:
diana.codicefactory.com:9095

Repository:
codice

Advanced options... Profile: diana Replicate Close

Diálogo de diferencias – sale para comparar ramas, changesets, de todo...

Iconos de navegación ... feos!

Los iconos quizá sobran...

Comparing Previous content with Revisions on /main/SCM12703

pablo br:/main/SCM12703 5/3/2013 10:28:55
Create carnage load tests for Dice.com

Item: 1/8 Hide items list Statistics Clean differences Filter:

Path	Created by	Date modified	Repository
Changed: 5 items			
/01nerva/src/client/basecommands/import/ImportTreeOperations.cs	ruben	5/3/2013 16:37:14	codice@localhost:6060
/03pnunit			codice@localhost:6060
/03pnunit/test/carnagetest/tests/GetObjectsDataTest.cs	pablo	5/3/2013 10:58:39	pnunit@localhost:6060
/03pnunit/test/carnagetest/CarnageMain.cs	pablo	5/3/2013 12:57:46	pnunit@localhost:6060


Current: 1/4 Options Find...

/main/SCM12620@cs:49436 danipen


/main/SCM12703@cs:49484 ruben

```
10 using Codice.CM.WorkspaceServer.Tree;
11 using Codice.CM.WorkspaceServer;
12 using Codice.CM.Interfaces;
13
14 namespace Codice.Client.BaseCommands.Import
15 {
16     internal class ImportTreeOperations: TreeOperations
17     {
18         private static readonly ILog mLog = LogManager.GetLogger("import");
19
20         private TreeChangedNode mRootChangesNode = null;
21         private TreeNode mTreeRoot;
22
23         internal ImportTreeOperations()
24         {
25         }
26
27         public override void CleanChanges()
28         {
29             mRootChangesNode = null;
30         }
31     }
32 }
```

```
10 using Codice.CM.WorkspaceServer.Tree;
11 using Codice.CM.WorkspaceServer;
12 using Codice.CM.Interfaces;
13
14 namespace Codice.Client.BaseCommands.Import
15 {
16     public class ImportTreeOperations: TreeOperations
17     {
18         private static readonly ILog mLog = LogManager.GetLogger("import");
19
20         private TreeChangedNode mRootChangesNode = null;
21         private TreeNode mTreeRoot;
22
23         public ImportTreeOperations()
24         {
25         }
26
27         public override void CleanChanges()
28         {
29             mRootChangesNode = null;
30         }
31     }
32 }
```



Diálogo de renombrado



A screenshot of a 'Rename' dialog box. The title bar is light blue with the word 'Rename' and a small icon. The main area has a light blue header with the word 'Rename' and a green arrow icon pointing from 'A' to 'B'. Below the header, the text 'Enter a new name for the selected branch' is displayed. A text input field is labeled 'New name:' and contains the text 'SCM12703'. At the bottom right, there are two buttons: 'OK' and 'Cancel'.

Rename

Enter a new name for the selected branch

New name: SCM12703

OK Cancel