run the tool



### Welcome to SemanticMerge 2.0

Semantic is a different kind of merge tool. It parses the code prior to calculate the merge, which makes it possible to detect and automatically solve most conflicts.

It is different than most merge tools you have used so far, so it is worth to invest a few minutes browsing the sample cases to become a real merge master and get the best out of the tool.



To learn more about the SemanticMerge fundamentals read the Intro Guide (3 minutes read).

Don't show this dialog on start up

Border: ActionButtonMouseOverBrush #004ECF



#### Please select MERGE or DIFF



This option launches a 3-way merge tool, able to save the result in another file



This option launches a diff tool, to see the differences of two files

show intro guide

open examples

 ${\bf Semantic Border Brush}$ 

#00112E



cancel





Select three file to MERGE: ← ActionButtonBrush #0664FF	
Source (theirs)	
C:\Users\Miguel\wkspaces\codice-wrk\01plastic\install\samples\CSharp\5. Rep	[
Destination (yours)	
spaces\codice-wrk\01plastic\install\samples\CSharp\5. RepositoryChecker\dst.c	[
Base	_
aces\codice-wrk\01plastic\install\samples\CSharp\5. RepositoryChecker\base.d	L
ok cancel	

show intro guide

open examples



# semanticmerge configuration SemanticFontBrush:




#0664FF

general	external tools	version controls		
✓ Automatically merge	without user interaction u	nless conflicts are found (	(-a)	
☐ Merge declaration conflicts that can be solved automatically (merge-decl)				
☐ Don't ignore indentation and EOL changes (include-format-change)				
☐ Launch the external tool to process unsolved conflicts (process-all-merges)				
Run the external tool when the language is not supported (nolangwarn)				
Run the external tool when structure errors are found (nostructurewarn)				
Tab size:  SemanticBackgroundBrush #071D43				
Default encoding: NC	NE	<b>~</b>		
Result encoding: NC	NE	<b>v</b>		
Path to the Java Virtual	Machine:			
Command to run the external parser:				
CancelButtonBrush:				
#C7CDDD				



## semanticmerge configuration







## semantic**merge**

a tool that understands your code. DialogTopFontBrush: #00112E designed for converting merges into a simple, painless task.

Version 0.0.0.0 - GitMaster Release notes

VersionFontBrush:

#C7CDDD

license information

Visit us


Meet the team


Spread the love

DialogBottomFontBrush: Engineered in Boecillo Tech Park, Valladolid, Spain



Copyright © 2013-2016 Codice Software S.L. All Rights Reserved





diff

solved using keep src

