

BILL OF MATERIAL							
LINE #	QTY TOTAL	PC MARK	DESCRIPTION	LENGTH	REMARKS	WEIGHT TOTAL	ADVANCE MILL #
	4	F-10.00FR1	FRAME			990	
		F-10.00FR1	HSS6x6x ³ / ₁₆	3 5 ³ / ₄	A500C	325	
	4	w2766	W8x31	1 4	A992	165	
	4	p341	PL ¹ / ₂ x16	4 6	A36	490	
	4	p692	PL ¹ / ₄ x6	0 6	A36	10	
	ONE	F-10.00FR2	FRAME			293	
	1	F-10.00FR2	HSS6x6x ³ / ₁₆	3 7 ³ / ₄	A500C	85	
	1	hss261	HSS6x6x ³ / ₁₆	1 9 ⁷ / ₈	A500C	43	
	1	hss260	HSS6x6x ³ / ₁₆	1 7 ³ / ₈	A500C	38	
	1	p341	PL ¹ / ₂ x16	4 6	A36	123	
	2	p692	PL ¹ / ₄ x6	0 6	A36	5	
	ONE	F-10.00FR3	FRAME			210	
	1	F-10.00FR3	HSS6x6x ³ / ₁₆	3 7 ³ / ₄	A500C	85	
	1	p341	PL ¹ / ₂ x16	4 6	A36	123	
	1	p692	PL ¹ / ₄ x6	0 6	A36	5	
	ONE	F-10.00FR4	FRAME			356	
	1	F-10.00FR4	HSS6x6x ³ / ₁₆	3 7 ¹ / ₈	A500C	84	
	1	hss3790	HSS6x6x ³ / ₁₆	3 6 ³ / ₄	A500C	83	
	1	hss2698	HSS6x6x ³ / ₁₆	2 6 ¹ / ₄	A500C	59	
	1	p341	PL ¹ / ₂ x16	4 6	A36	123	
	3	p692	PL ¹ / ₄ x6	0 6	A36	8	

Total weight : 1849



PAINT	:NO PAINT
PREPARATION	:SSPC-SP3

- *Structural steel shall conform to ASTM-A992.
- *Structural SQR/RND.tubing conform to ASTM A500 Grade C
- *Pipe shall conform to ASTM A53, Grade B.
- *Channels, Angles and plates shall conform to A36.
- *All bolts shall be $\frac{3}{4}$ " High strength in accordance with ASTM A325 (UNO)
- *Welding Electrodes for Carbon steel :E70xx

5	0	For Fabrication	11-14-2025
4	D	For Re-Approval	10-24-2025
3	C	For Re-Approval	09-19-2025
2	B	For Re-Approval	06-23-2025
1	A	For Approval	02-25-2025
# of Copies	Revision/ Issue	Destination	Date

3029 M. Street, NW, Suite 202
Washington, DC 20007
Tel: 202-800-5599
Fax: 202-478-0303

Location: **1250 MARYLAND AVENUE SW**
WASHINGTON, DC 20024

BALFOUR BEATTY

Signature _____

Drawing # **F-10.00**

SOW - 10: E-10.00 - E-10.02

Drawing Title:
FRAME DETAIL