



2 PL 1/4x3x0-6 pl486

GRADE: A36

#### General Notes

\*Structural steel shall conform to ASTM-A992.  
\*Structural SQR/RND tubing conform to ASTM A500 Grade C  
\*Pipe shall conform to ASTM A53, Grade B.  
\*Channels, Angles and plates shall conform to A36.  
\*All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)  
\*Welding Electrodes for Carbon steel :E70xx  
\*Structural members are to be shop primer (U.N.O).  
\*Surface Preparation-SSPC-SP3 UNO.  
\*If welds exposed to view, should be ground smooth.

|             |                |                 |            |
|-------------|----------------|-----------------|------------|
|             |                |                 |            |
|             |                |                 |            |
|             |                |                 |            |
|             |                |                 |            |
| 1           | 0              | FOR FABRICATION | 11-14-2025 |
| # of Copies | Revision/Issue | Destination     | Date       |

#### IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202  
Washington, DC 20007  
Tel: 202-800-5599  
Fax: 202-478-0303

#### Project Name and Address

**MARYLAND AVENUE**

Location: **1250 MARYLAND AVENUE SW  
WASHINGTON, DC 20024**

#### Contractor:

**BALFOUR BEATTY**

Approved for Fabrication by:

Signature

Contract # **224009**

Drawing # **pl486**

Contract Item: **PLATE**

Ref:

**SOW -10:F-10.00-F-10.05**

Date  
**01/23/2025**

Drawing Title:  
**PLATE**

Scale  
**VARIES**

HOLE: 13/16 Ø (U.N.O)