

BILL OF MATERIAL							
LINE #	QTY	PC MARK	DESCRIPTION	LENGTH	REMARKS	WEIGHT TOTAL	ADVANCE MILL #
	ONE	F-11.0681	BEAM			769	
	1	F-11.0681	HSS10x8x3/16	16	1 15/16	A500C	584
	1	p13679	PL1/4x18 11/16	2	5 1/8	A36	39
	1	p1400	PL1/4x8 7/16	10	0 1/8	A36	72
	2	p13417	PL1/4x8	0	10	A36	11
	1	p1401	PL1/4x7 9/16	2	10 3/8	A36	18
	1	f614	FL1/4x4	2	10 1/2	A36	9
	1	f6177	FL1/4x3 1/4	9	11 3/4	A36	32
	1	p13673	PL1/4x3 1/4	1	6	A36	5
	ONE	F-11.0682	BEAM			287	
	1	F-11.0682	HSS8x4x5/16	12	1 3/8	A500C	283
	2	p13424	PL1/4x4	0	8	A36	5
	ONE	F-11.0683	BEAM			969	
	1	F-11.0683	HSS8x6x1 1/2	22	10 1/2	A500C	962
	2	p1467	PL1/4x6	0	8	A36	7
	ONE	F-11.06P1	PLATE			9	
	1	F-11.06P1	PL3/8x8	0	10	A36	9
	ONE	F-11.06P2	PLATE			9	
	1	F-11.06P2	PL3/8x8	0	10	A36	9
	2	F-11.06P3	PLATE			8	
	2	F-11.06P3	FL3/8x4	0	10	A36	8
	ONE	F-11.06P4	PLATE			6	
	1	F-11.06P4	PL3/8x6	0	10	A36	6
	ONE	F-11.06P5	PLATE			3	
	1	F-11.06P5	FL3/8x4	0	10 7/16	A36	3

Total weight : 2060



PAINT	:NO PAINT
PREPARATION	:SSPC-SP3

- *Structural steel shall conform to ASTM-A992.
- *Structural SQR/RND.tubing conform to ASTM A500 Grade C
- *Pipe shall conform to ASTM A53, Grade B.
- *Channels, Angles and plates shall conform to A36.
- *All bolts shall be $\frac{3}{4}$ " High strength in accordance with ASTM A325 (UNO)
- *Welding Electrodes for Carbon steel :E70xx

IRON FABRICATION SERVICES, LLC.

Project Name and Address
MARYLAND AVENUE

Location: **1250 MARYLAND AVENUE SW**
WASHINGTON, DC 20024

Approved for Fabrication by:	Signature

Contract # 224009		Drawing # F-11.06
Contract Item: BEAM DETAIL		
Ref:		
SOW - 11: E-11.00 - E-11.02		
Date 01/23/2025	Drawing Title: BEAM DETAIL	
Scale VARIES		