




ONE HSS6x6x $\frac{5}{16}$ x1-8 $\frac{7}{16}$  hss305

GRADE: A500C

#### General Notes

- \*Structural steel shall conform to ASTM-A992.
- \*Structural SQR/RND tubing conform to ASTM A500 Grade C
- \*Pipe shall conform to ASTM A53, Grade B.
- \*Channels, Angles and plates shall conform to A36.
- \*All bolts shall be  $\frac{3}{4}$ " High strength in accordance with ASTM A325 (UNO)
- \*Welding Electrodes for Carbon steel :E70xx
- \*Structural members are to be shop primer (U.N.O).
- \*Surface Preparation-SSPC-SP3 UNO.
- \*If welds exposed to view, should be ground smooth.

|             |                |                 |            |
|-------------|----------------|-----------------|------------|
|             |                |                 |            |
|             |                |                 |            |
|             |                |                 |            |
|             |                |                 |            |
| 1           | 0              | FOR FABRICATION | 11-14-2025 |
| # of Copies | Revision/Issue | Destination     | Date       |

#### IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202  
Washington, DC 20007  
Tel: 202-800-5599  
Fax: 202-478-0303

#### Project Name and Address

**MARYLAND AVENUE**

Location: **1250 MARYLAND AVENUE SW  
WASHINGTON, DC 20024**

#### Contractor:

**BALFOUR BEATTY**

#### Approved for Fabrication by:

Signature

Contract # **224009**

Drawing # **hss305**

Contract Item: **HSS**

#### Ref:

**SOW -12:F-12.00-F-12.05**

Date  
**01/23/2025**

Drawing Title:  
**HSS**

Scale  
**VARIES**

**HOLE:  $\frac{13}{16}$  Ø (U.N.O)**