

BILL OF MATERIAL							
LINE	QTY	PC		LENGTH		WEIGHT	ADVANCE
#	TOTAL	MARK	DESCRIPTION			REMARKS	TOTAL MILL #
	2	F-13.01FR1	FRAME				420
	2	F-13.01FR1	HSS6x6x3/16	3	73/4	A500C	170
	2	p817	PL1/2x16	4	6	A36	245
	2	p704	PL1/4x6	0	6	A36	5
	2	F-13.01FR2	FRAME				737
	2	F-13.01FR2	HSS6x6x3/16	3	73/4	A500C	170
	2	hss311	HSS6x2x3/16	3	71/2	A500C	169
	2	hss309	HSS6x6x3/16	3	03/4	A500C	143
	2	p817	PL1/2x16	4	6	A36	245
	4	p704	PL1/4x6	0	6	A36	10
	2	F-13.01FR3	FRAME				505
	2	F-13.01FR3	HSS6x2x3/16	4	73/4	A500C	138
	2	hss3834	HSS6x2x3/16	3	63/4	A500C	106
	2	hss3833	HSS6x2x3/16	3	01/4	A500C	90
	2	p360	PL1/2x9	5	6	A36	168
	4	p3098	PL1/4x2	0	6	A36	3

Total weight : 1663



- *Structural steel shall conform to ASTM-A992.
- *Structural SQR/RND.tubing conform to ASTM A500 Grade C
- *Pipe shall conform to ASTM A53, Grade B.
- *Channels, Angles and plates shall conform to A36.
- *All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)
- *Welding Electrodes for Carbon steel :E70xx

IRON FABRICATION SERVICES, LLC.

Project Name and Address

Location: **1250 MARYLAND AVENUE SW**
WASHINGTON, DC 20024

BALFOUR BEATTY

Signature _____

Drawing # **F-13.01**

Ref:

SOW - 13: E-13.00 - E-13.02

Drawing Title:

FRAME DETAIL

PAINT	:NO PAINT
PREPARATION	:SSPC-SP3