



(REF: S107.1/A053)



NORTH

NOTE:

1. ALL NEW SLAB EXTENSION SUPPORT HSS FRAME ARE ALIGNED TO THE CENTER OF THE EXISTING CONCRETE COLUMN (U.N.O).
2. ALL SLAB EXTENSION SUPPORT FRAME SIZE IS HSS6x6x $\frac{5}{16}$ (U.N.O).

ERECTOR NOTE:
ALL HSS FILLER PROVIDED TO MATCH SLAB DROP AT NEW SLAB NEEDS
TO CUT TO SUIT @ FIELD BASED ON ACTUAL SLAB DROP SIZE IN FIELD.

General Notes

- *Structural steel shall conform to ASTM-A992.
- *Structural SQR/RND.tubing conform to ASTM A500 Grade C
- *Pipe shall conform to ASTM A53, Grade B.
- *Channels, Angles and plates shall conform to A36.
- *All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)
- *Welding Electrodes for Carbon steel :E70xx

5	0	For Construction	11-03-2021
4	D	For Re-Approval	10-24-2021
3	C	For Re-Approval	09-19-2021
2	B	For Re-Approval	06-23-2021
1	A	For Approval	02-25-2021
# of Conjoints	Revision/	Destination	Date

IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202
Washington, DC 20007
Tel: 202-800-5599
Fax: 202-478-0303

Project Name and Address
MARYLAND AVENUE

Location: **1250 MARYLAND AVENUE SW**
WASHINGTON, DC 20024

Contractor: **BALFOUR BEATTY**

Approved for Fabrication by:	Signature
------------------------------	-----------

Contract # 224009	Drawing # E-08.00
--------------------------	--------------------------

Contract Item:	LEVEL-02 SLAB EXTENSION
----------------	------------------------------------

Ref:	SOW-08: (S107,1/A053)
------	------------------------------

Date 01/ 20/ 2025	Drawing Title: SOW #08 LEVEL-02 NEW SLAB EXTENSION SUPPORT FRAMING PLAN
Scale VARIES	