




ONE PL 1 1/4 x 7 x 1-6 pl1965

GRADE: A36

#### General Notes

\*Structural steel shall conform to ASTM-A992.  
 \*Structural SQR/RND tubing conform to ASTM A500 Grade C  
 \*Pipe shall conform to ASTM A53, Grade B.  
 \*Channels, Angles and plates shall conform to A36.  
 \*All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)  
 \*Welding Electrodes for Carbon steel: E70xx  
 \*Structural members are to be shop primer (U.N.O).  
 \*Surface Preparation-SSPC-SP3 UNO.  
 \*If welds exposed to view, should be ground smooth.

| # of Copies | Revision/ Issue | Destination     | Date       |
|-------------|-----------------|-----------------|------------|
| 1           | 0               | FOR FABRICATION | 11-14-2025 |

#### IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202  
 Washington, DC 20007  
 Tel: 202-800-5599  
 Fax: 202-478-0303

#### Project Name and Address

**MARYLAND AVENUE**

Location: **1250 MARYLAND AVENUE SW  
 WASHINGTON, DC 20024**

#### Contractor:

**BALFOUR BEATTY**

Approved for Fabrication by:

Signature

Contract # **224009**

Drawing # **pl1965**

Contract Item: **PLATE**

Ref:

**SOW -09:F-09.00-F-09.06**

Date  
**01/ 23/ 2025**

Drawing Title:  
**PLATE**

Scale  
**VARIES**

HOLE: 1 3/16 Ø (U.N.O)