




ONE PL  $5/8 \times 6 1/2 \times 1-6$  pl404

GRADE: A36

#### General Notes

\*Structural steel shall conform to ASTM-A992.  
 \*Structural SQR/RND tubing conform to ASTM A500 Grade C  
 \*Pipe shall conform to ASTM A53, Grade B.  
 \*Channels, Angles and plates shall conform to A36.  
 \*All bolts shall be  $3/4"$  High strength in accordance with ASTM A325 (UNO)  
 \*Welding Electrodes for Carbon steel :E70xx  
 \*Structural members are to be shop primer (U.N.O).  
 \*Surface Preparation-SSPC-SP3 UNO.  
 \*If welds exposed to view, should be ground smooth.

|             |                 |                 |            |
|-------------|-----------------|-----------------|------------|
|             |                 |                 |            |
|             |                 |                 |            |
|             |                 |                 |            |
|             |                 |                 |            |
| 1           | 0               | FOR FABRICATION | 11-03-2025 |
| # of Copies | Revision/ Issue | Destination     | Date       |

#### IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202  
 Washington, DC 20007  
 Tel: 202-800-5599  
 Fax: 202-478-0303

#### Project Name and Address

**MARYLAND AVENUE**

Location: **1250 MARYLAND AVENUE SW  
 WASHINGTON, DC 20024**

#### Contractor:

**BALFOUR BEATTY**

#### Approved for Fabrication by:

Signature

Contract # **224009**

Drawing # **pl404**

Contract Item: **PLATE**

#### Ref:

**SOW -08:E-08.00-E-08.07**

Date  
**01/23/2025**

Drawing Title:  
**PLATE**

Scale  
**VARIES**

HOLE:  $13/16$  Ø (U.N.O)