

BILL OF MATERIAL							
LINE	QTY	PC		LENGTH		WEIGHT	ADVANCE
#	TOTAL	MARK	DESCRIPTION		REMARKS	TOTAL	MILL #
	ONE	F-08.01FR1	FRAME			248	
	1	F-08.01FR1	HSS6x6x9/16	3	53/4	A500C	81
	1	w2762	W8x31	1	4	A992	41
	1	p403	PL1/2x16	4	6	A36	123
	1	p685	PL1/4x6	0	6	A36	3
	ONE	F-08.01FR2	FRAME			296	
	1	F-08.01FR2	HSS6x6x9/16	3	73/4	A500C	85
	1	hss3616	HSS6x6x9/16	1	103/4	A500C	44
	1	hss3605	HSS6x6x9/16	1	77/8	A500C	39
	1	p403	PL1/2x16	4	6	A36	123
	2	p685	PL1/4x6	0	6	A36	5
	ONE	F-08.01FR3	FRAME			515	
	1	F-08.01FR3	HSS6x6x9/16	3	73/4	A500C	85
	1	hss284	HSS6x6x9/16	6	81/8	A500C	156
	1	hss288	HSS6x6x9/16	6	33/16	A500C	146
	1	p403	PL1/2x16	4	6	A36	123
	1	p3187	PL1/4x6	0	77/16	A36	3
	1	p685	PL1/4x6	0	6	A36	3
	ONE	F-08.01FR4	FRAME			641	
	1	F-08.01FR4	HSS6x6x9/16	3	73/4	A500C	85
	1	hss3982	HSS6x6x9/16	2	511/16	A500C	58
	1	hss3981	HSS6x6x9/16	2	3	A500C	53
	1	p410	PL3/4x15	11	6	A36	440
	2	p685	PL1/4x6	0	6	A36	5

Total weight : 1699



:NO PAINT
:SSPC-SP3

- *Structural steel shall conform to ASTM-A992.
- *Structural SQR/RND.tubing conform to ASTM A500 Grade C
- *Pipe shall conform to ASTM A53, Grade B.
- *Channels, Angles and plates shall conform to A36.
- *All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)
- *Welding Electrodes for Carbon steel :E70xx

5	0	For Fabrication	11-03-2025
4	D	For Re-Approval	10-24-2025
3	C	For Re-Approval	09-19-2025
2	B	For Re-Approval	06-24-2025
1	A	For Approval	02-25-2025
# of Copies	Revision/ Issue	Destination	Date

3029 M. Street, NW, Suite 202
Washington, DC 20007
Tel: 202-800-5599
Fax: 202-478-0303

Location: **1250 MARYLAND AVENUE SW**
WASHINGTON, DC 20024

Approved for Fabrication by:	Signature
------------------------------	-----------

Contract # 224009	Drawing # F-08.01
--------------------------	--------------------------

Contract Item: **HSS FRAME**

Ref:

SOW - 08: E-08.00 - E-08.04

Date 01/ 23/ 2025	Drawing Title: FRAME DETAIL
Scale VARIES	