



BILL OF MATERIAL							
LINE #	QTY	PC MARK	DESCRIPTION	LENGTH	REMARKS	WEIGHT TOTAL	ADVANCE MILL #
	ONE	F-09.06M1	HSS			124	
	1	F-09.06M1	HSS6x6x ⁵ / ₁₆	5' 2 ⁵ / ₈	A500C	122	
	1	pl688	PL ¹ / ₄ x6	0' 6	A36	3	
	ONE	F-09.06M2	HSS			123	
	1	F-09.06M2	HSS6x6x ³ / ₁₆	5' 3 ¹ / ₁₆	A500C	123	
	ONE	F-09.06M3	HSS			78	
	1	F-09.06M3	HSS6x6x ³ / ₁₆	3' 3	A500C	76	
	1	pl688	PL ¹ / ₄ x6	0' 6	A36	3	
	ONE	F-09.06M4	HSS			77	
	1	F-09.06M4	HSS6x6x ³ / ₁₆	3' 3 ¹ / ₂	A500C	77	
	4	F-09.06M6	SHIM PL			10	
	4	F-09.06M6	PL ¹ / ₈ x8	0' 9	A36	10	
	ONE	F-09.06M7	HSS			84	
	1	F-09.06M7	HSS6x6x ³ / ₁₆	3' 7 ¹ / ₄	A500C	84	
	ONE	F-09.06M8	HSS			81	
	1	F-09.06M8	HSS6x6x ³ / ₁₆	3' 4 ³ / ₁₆	A500C	78	
	1	pl688	PL ¹ / ₄ x6	0' 6	A36	3	
	ONE	F-09.06M9	HSS			53	
	1	F-09.06M9	HSS6x2x ⁵ / ₁₆	3' 6 ⁵ / ₈	A500C	53	
	1	pl3034	PL ¹ / ₄ x2	0' 6	A36	1	
	ONE	F-09.06M10	HSS			58	
	1	F-09.06M10	HSS6x2x ³ / ₁₆	3' 11 ³ / ₁₆	A500C	58	
	ONE	F-09.06A1	ANGLE			7	
	1	F-09.06A1	L4x4x ¹ / ₄	1' 0	A36	7	


Total weight : 696




ONE HSS F-09.06M1



ONE HSS F-09.06M2




ONE HSS F-09.06M3




ONE HSS F-09.06M4


NOT IN USE




4 SHIM PL.S F-09.06M6




ONE HSS F-09.06M7




ONE HSS F-09.06M8



ONE HSS F-09.06M9



ONE HSS F-09.06M10



ONE ANGLE F-09.06A1

PAINT :NO PAINT
PREPARATION :SSPC-SP3

General Notes			
*Structural steel shall conform to ASTM-A992.			
*Structural SQR/RND,tubing conform to ASTM A500 Grade C			
*Pipe shall conform to ASTM A53, Grade B.			
*Channels, Angles and plates shall conform to A36.			
*All bolts shall be 3/4" High strength in accordance with ASTM A325 (UNO)			
*Welding Electrodes for Carbon steel :E70xx			
3	0	For Fabrication	11-14-2025
2	B	Deleted	09-19-2025
1	A	For Approval	06-23-2025
# of Copies	Revision/ Issue	Destination	Date

IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202
Washington, DC 20007
Tel: 202-800-5599
Fax: 202-478-0303

Project Name and Address
MARYLAND AVENUE

Location: **1250 MARYLAND AVENUE SW
WASHINGTON, DC 20024**

Contractor:
BALFOUR BEATTY

Approved for Fabrication by:	Signature

Contract # 224009	Drawing # F-09.06
Contract Item: BEAM	
Ref: SOW - 09: E-09.00 - E-09.02	
Date 01/ 23/ 2025	Drawing Title: MISC DETAIL
Scale VARIES	