

Empleado

- **GET**

Muestra todos los empleados registrados

URL: /employee

Authorization: Not required

Params: None

Body: None

DWB_PIA / Employee / GetAll Save

GET http://localhost:3000/employee

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies Headers (7) Test Results Status: 200 OK Time: 616 ms Size: 1.04 KB

Pretty Raw Preview Visualize JSON

```
1  {
2    "employee_id": "b5a87f3e-95b8-4ff4-8464-07ddb6ffffdec",
3    "username": "caleb",
4    "role": "admin",
5    "created_on": "2021-05-13T00:24:49.462Z",
6    "last_seen": "2021-05-24T05:36:58.544Z",
7  },
8  {
9    "employee_id": "032d7efb-6567-4ecc-98a2-567a597d1fe9",
10   "username": "EpicMario",
11   "role": "admin",
12   "created_on": "2021-05-13T00:28:26.498Z",
13   "last_seen": "2021-05-24T05:35:29.445Z",
14 },
15 {
16   "employee_id": "6042df83-88c5-4af3-be16-7ebd14b41afc",
17   "username": "Derek",
18   "role": "common",
19   "created_on": "2021-05-13T01:22:12.858Z",
20   "last_seen": "2021-05-13T01:22:12.858Z",
21 },
22 {
23   "employee_id": "b2ad44cf-fc4e-4ddf-921f-6b2a99c49be5",
24   "username": "admin",
25   "role": "admin",
26   "created_on": "2021-05-14T05:27:42.559Z",
27   "last_seen": "2021-05-24T21:02:16.251Z",
28 },
29 }
```

- **GET**

Muestra un empleado según el id dado

URL: /employee/:id

Authorization: Not required

Params: id (UUID)

Body: None

DWB_PIA / Employee / GetOne Save

GET ▼ http://localhost:3000/employee/b5a07f3e-95b0-4ff4-8464-07ddb6ffffdec

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

	KEY	VALUE	DESCRIPTION
--	-----	-------	-------------

Body Cookies Headers (7) Test Results Status: 200 OK Time: 607 ms Size: 384 B

Pretty Raw Preview Visualize JSON ▼ ≡

```
1 {
2   "employee_id": "b5a07f3e-95b0-4ff4-8464-07ddb6ffffdec",
3   "username": "caleb",
4   "role": "admin",
5   "created_on": "2021-05-13T00:24:49.402Z",
6   "last_seen": "2021-05-24T05:36:50.544Z"
7 }
```

- **POST**

Crea un empleado

URL: /employee

Authorization: Not required

Params: id: UUID

Body:

```
{  
  "username": "string",  
  "email": "string",  
  "password": "string",  
  "role": "common"  
}
```

The screenshot shows a REST client interface with the following details:

- URL:** http://localhost:3000/employee
- Method:** POST
- Body (raw JSON):**

```
{  
  "username": "EduPatriots",  
  "email": "edupats@gmail.com",  
  "password": "Bestopassword",  
  "role": "superior"  
}
```
- Response (Pretty JSON):**

```
{  
  "employee_id": "9ec88c2b-f122-433f-89c1-1025c981f085",  
  "username": "EduPatriots",  
  "role": "superior",  
  "created_on": "2021-05-24T21:11:43.511Z"  
}
```
- Status:** 201 Created
- Time:** 868 ms
- Size:** 359 B

- **POST**

Inicia sesión durante 5 min.


URL: /employee/login

Authorization: Not required

Params: None

Body:

```
{
  "email": "string",
  "password": "string"
}
```



- **PATCH**

Actualiza los registros de un empleado (excluyendo la contraseña). Un empleado con role “common” o “superior” solo puede modificarse a sí mismo, mientras que el “admin” puede modificar a todos.

URL: /employee/:id

Authorization: Required

Params: id (UUID)

Body:

```
{  
  
  "username": "string"  
  
  "email": "string",  
  
  "role": "common"  
}
```

The screenshot shows a REST client interface with the following details:

- URL:** http://localhost:3000/employee/9ec08c2b-f122-433f-89c1-1025c901f085
- Method:** PATCH
- Body (JSON):**

```
{  
  "username": "EduPats",  
  "email": "respaldoedupats@gmail.com",  
  "role": "superior"  
}
```
- Status:** 200 OK
- Time:** 975 ms
- Size:** 425 B
- Response Body (JSON):**

```
{  
  "employee_id": "9ec08c2b-f122-433f-89c1-1025c901f085",  
  "username": "EduPats",  
  "email": "respaldoedupats@gmail.com",  
  "role": "superior",  
  "created_on": "2021-05-24T21:11:43.511Z",  
  "last_seen": "2021-05-24T21:21:35.389Z"  
}
```

- **PATCH**

Actualiza la contraseña de un empleado.


URL: /employee

Authorization: Not required

Params: None

Body:

```
{  
  "email": "string",  
  "oldPassword": "string",  
  "newPassword": "string"  
}
```



- **DELETE**

Elimina un empleado según el id dado. Un empleado con role “common” o “superior” solo puede eliminarse a sí mismo, mientras que el “admin” puede eliminar a quien sea.

URL: /employee/:id

Authorization: Required

Params: id (UUID)

Body: None

DWB_PIA / Employee / Delete Save

DELETE ▼ http://localhost:3000/employee/6042df83-88c5-4af3-be16-7ebd14b41afc

Params Authorization Headers (7) **Body** Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies Headers (7) Test Results Status: 200 OK Time: 968 ms Size: 385 B

Pretty Raw Preview Visualize JSON ▼ ≡

```
1  {
2    "employee_id": "6042df83-88c5-4af3-be16-7ebd14b41afc",
3    "username": "Derek",
4    "role": "common",
5    "created_on": "2021-05-13T01:22:12.858Z",
6    "last_seen": "2021-05-13T01:22:12.858Z"
7  }
```

DWB_PIA / Employee / GetOne Save

GET ▼ http://localhost:3000/employee/6042df83-88c5-4af3-be16-7ebd14b41afc

Params Authorization Headers (6) **Body** Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies Headers (7) Test Results Status: 404 Not Found Time: 609 ms Size: 296 B

Pretty Raw Preview Visualize JSON ▼ ≡

```
1  {
2    "statusCode": 404,
3    "message": "Empleado no encontrado",
4    "error": "Not Found"
5  }
```

Platillo

- **GET**

Muestra todos los platillos registrados

URL: /dish

Authorization: Not required

Params: None

Body: None

DWB_PIA / Dish / GetAll Save

GET ⌵ http://localhost:3000/dish

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies Headers (7) Test Results 🌐 Status: 200 OK Time: 664 ms Size: 361 B

Pretty Raw Preview Visualize JSON ⌵ 🔍

```
1 {
2   "dish_id": 1,
3   "dish_name": "Hamburguesa",
4   "dish_price": "49.99",
5   "quantity": 10,
6   "dish_image": "https://media.timeout.com/images/186296476/image.jpg"
7 }
8
9
```


- **GET**

Muestra un platillo según el id dado.

URL: /dish/:id

Authorization: Not required

Params: id (integer)

Body: None

DWB_PIA / Dish / GetOne Save

GET ⌵ http://localhost:3000/dish/1

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies Headers (7) Test Results ⊕ Status: 200 OK Time: 668 ms Size: 359 B

Pretty Raw Preview Visualize JSON ⌵ ≡

```
1  {
2    "dish_id": 1,
3    "dish_name": "Hamburguesa",
4    "dish_price": "49.99",
5    "quantity": 10,
6    "dish_image": "https://media.timeout.com/images/105296476/image.jpg"
7  }
```

- **POST**

Crea un platillo. Esta acción no puede ser realizada por un empleado con un rol “common”.

URL: /dish

Authorization: Required

Params: None

Body:

```
{  
  
  "dish_name": "string",  
  
  "dish_price": 0,  
  
  "quantity": 0,  
  
  "dish_image": "string"  
  
}
```

DWB_PIA / Dish / Create Save

POST ▼ http://localhost:3000/dish

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1  {  
2    "dish_name": "Tacos",  
3    "dish_price": 70.00,  
4    "quantity": 5,  
5    "dish_image": "https://media-cdn.tripadvisor.com/media/photo-s/16/22/9d/78/orden-de-tacos.jpg"  
6  }
```

Body Cookies Headers (7) Test Results ⊕ Status: 201 Created Time: 1392 ms Size: 380 B

Pretty Raw Preview Visualize **JSON** ▼ ≡

```
1  {  
2    "dish_id": 2,  
3    "dish_name": "Tacos",  
4    "dish_price": 70,  
5    "quantity": 5,  
6    "dish_image": "https://media-cdn.tripadvisor.com/media/photo-s/16/22/9d/78/orden-de-tacos.jpg"  
7  }
```

- **PATCH**

Actualiza los registros de un platillo según el id dado. Esta acción no puede ser realizada por un empleado con rol “common”.


URL: /dish/:id

Authorization: Required

Params: id (integer)

Body:

```
{  
  
  "dish_name": "string",  
  
  "dish_price": 0,  
  
  "quantity": 0,  
  
  "dish_image": "string"  
}
```



- **DELETE**

Elimina un platillo según el id dado. Esta acción no puede ser realizada por un empleado con rol “common”.

URL: /dish/:id

Authorization: Required

Params: id (integer)

Body: None

DWB_PIA / Dish / Delete

Save

DELETE

http://localhost:3000/dish/2

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body

Cookies

Headers (7)

Test Results

Status: 200 OK

Time: 1059 ms

Size: 386 B

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "dish_id": 2,
3    "dish_name": "Tacos de Bisteck",
4    "dish_price": "75",
5    "quantity": 5,
6    "dish_image": "https://media-cdn.tripadvisor.com/media/photo-s/16/22/9d/78/orden-de-tacos.jpg"
7  }
```

DWB_PIA / Dish / GetAll

Save

GET

http://localhost:3000/dish

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body

Cookies

Headers (7)

Test Results

Status: 200 OK

Time: 620 ms

Size: 361 B

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "dish_id": 1,
3    "dish_name": "Hamburguesa",
4    "dish_price": "49.99",
5    "quantity": 10,
6    "dish_image": "https://media.timeout.com/images/185296476/image.jpg"
7  }
```

Orden

- GET

Muestra todos las ordenes registrados

URL: /order

Authorization: Not required

Params: None

Body: None

DWB_PIA / Order / GetAll Save

GET http://localhost:3000/order

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies Headers (7) Test Results Status: 200 OK Time: 663 ms Size: 390 B

Pretty Raw Preview Visualize JSON

```
1 {
2   "order_id": "049a5f19-d5f7-4da2-8ef9-c872ae83ddd5",
3   "total": "99.98",
4   "ship_address": "Vista Boulevard 328",
5   "ship_postal_code": "67123",
6   "order_date": "2021-06-24T21:49:09.377Z"
7 }
8
9
```

- **GET**

Muestra una orden según el id dado

URL: /order/:id

Authorization: Not required

Params: id (UUID)

Body: None

DWB_PIA / Order / GetOne Save

GET ▼ http://localhost:3000/order/049a5f19-d5f7-4da2-8ef8-c872ae83dddf

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies Headers (7) Test Results Status: 200 OK Time: 604 ms Size: 388 B

Pretty Raw Preview Visualize JSON ▼ ≡

```
1  {
2    "order_id": "049a5f19-d5f7-4da2-8ef8-c872ae83dddf",
3    "total": "99.98",
4    "ship_address": "Vista Boulevard 328",
5    "ship_postal_code": "67123",
6    "order_date": "2021-06-24T21:49:09.377Z"
7  }
```

- **POST**

Crea un empleado

URL: /order/:id

Authorization: No

Params: id: UUID

Body:

```
{
  "ship_address": "string",
  "ship_postal_code": "string",
  "dish_ids": [
    {
      "id": 0,
      "amount": 0
    }
  ]
}
```

The screenshot shows a REST client interface with a POST request to `http://localhost:3000/order`. The request body is a JSON object with the following structure:

```
{
  "ship_address": "Zona Poniente 488",
  "ship_postal_code": "66488",
  "dish_ids": [
    {
      "id": 1,
      "amount": 4
    }
  ]
}
```

The response is a JSON object with the following structure:

```
{
  "order_id": "637ac8d9-f5df-441e-b11c-8d2ccfdd348c",
  "total": "199.96",
  "ship_address": "Zona Poniente 488",
  "ship_postal_code": "66488",
  "order_date": "2021-08-24T21:59:01.429Z"
}
```

The interface includes tabs for Params, Authorization, Headers (8), Body, Pre-request Script, Tests, and Settings. The Body tab is selected, and the response is displayed in the bottom section with a status of 201 Created, time of 1359 ms, and size of 392 B.

- **DELETE**

Elimina una orden según el id dado.

URL: /order/:id

Authorization: Required

Params: id (UUID)

Body: None

DWB_PIA / Order / Delete Save

DELETE ▼ http://localhost:3000/order/537ac0d9-f5df-4410-b11c-8d2ccfdd348c

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Type Bearer Token ⓘ Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [Learn more about variables](#)

Body Cookies Headers (7) Test Results Status: 200 OK Time: 1550 ms Size: 387 B

Pretty Raw Preview Visualize JSON ⌵

```
1  {
2    "order_id": "537ac0d9-f5df-4410-b11c-8d2ccfdd348c",
3    "total": "199.96",
4    "ship_address": "Zona Poniente 400",
5    "ship_postal_code": "66400",
6    "order_date": "2021-05-24T21:59:01.429Z"
7  }
```

DWB_PIA / Order / GetAll Save

GET ▼ http://localhost:3000/order

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies Headers (7) Test Results Status: 200 OK Time: 662 ms Size: 390 B

Pretty Raw Preview Visualize JSON ⌵

```
1  {
2    "order_id": "049a5f19-d5f7-4da2-8ef8-c872ae83dddf",
3    "total": "99.98",
4    "ship_address": "Vista Boulevard 320",
5    "ship_postal_code": "67123",
6    "order_date": "2021-05-24T21:49:09.377Z"
7  }
```