

FOLDER COMPLETION PLAN

This reference classifies placeholder folders and describes what a future fill-in run should create.

WHAT-IF OUTPUT TEMPLATE

When previewing a scaffold completion without editing files, use this structure:

What-If Scope

- Requested area:
- Folders affected:
- Files that would be created:
- Folders left empty:

Classification

- Safe to implement:
- Needs user decision:
- Private/finale scope:
- Runtime path: do not hand-fill:
- Stale/superseded path:

Firewall Notes

- Writers room risk:
- Finale roadmap risk:
- Synthetic/VUORSE-confidential risk:
- Canon promotion risk:

Next Command

Use the vuorse-scaffold-completion skill to <exact approved action>.

DO NOT FILL BY HAND: RUNTIME / ACTION PATHS

These paths are run outputs or queues. Keep .gitkeep unless a real command creates content.

Path	Purpose	Fill Only When
archives/incoming/	raw imported source drops	user asks to ingest/import sources
archives/processed/	processed source copies	ingestion run completes
archives/quarantine/	unsafe/invalid sources	ingestion validation rejects files
embeddings/input/	embedding input chunks	embedding prep run creates them
embeddings/output/	embedding outputs	embedding run completes
embeddings/indexes/	vector indexes	indexing run completes
embeddings/manifests/ /	embedding run manifests	embedding prep/run creates manifests
manifests/batches/	batch manifests	user asks to define a batch
manifests/runs/	completed run metadata	run tooling emits it
synthetic_enrichment/ generated/	generated private JSONL	synthetic generation run
synthetic_enrichment/ rejected/	rejected generated records	validation rejects generated records
synthetic_enrichment/ validated/	approved private JSONL	validation/promote step completes

AUTHORED WORK: AGENT SPECS

Create concise agent specs here. These are not Claude Code `.claude/agents`; they are `project/cloud-agent` design docs.

Path	Suggested File	Purpose
agents/canon_extractor/	canon_extractor.agent.md	source-to-canon extraction rules
agents/embedding/	embedding.agent.md	embedding prep/index protocol

Path	Suggested File	Purpose
agents/firewall_validator/	firewall_validator.agent.md	disclosure and private-layer review
agents/indexer/	indexer.agent.md	corpus/index update workflow
agents/synthetic_enricher/	synthetic_enricher.agent.md	VUORSE-confidential synthetic generation

Each agent spec should include: purpose, inputs, outputs, allowed paths, forbidden disclosures, and validation.

AUTHORED WORK: POLICY DOCS

Path	Suggested File	Purpose
policies/disclosure/	README.md	public/private visibility rules
policies/writer_room/	README.md	Season 1 writers room firewall

Do not duplicate policies/canon_firewall/README.md; link back to it.

AUTHORED WORK: RITUAL DOCS

Path	Suggested File	Purpose
rituals/activation/	README.md	activation protocol concepts
rituals/mirrorpath/	README.md	mirror/reflection ritual logic
rituals/slay_mode/	README.md	Slay Mode behavior rules
rituals/velvet_rite/	README.md	Velvet Rite logic

Keep ritual material vivid but clear. Do not reveal finale roadmap unless explicitly invoked.

AUTHORED WORK: PRIVATE ROADMAP DOCS



Path	Suggested File	Purpose
roadmap/forbidden_suitcase/	README.md	private artifact roadmap; do not expose to writers room
roadmap/season_1/	README.md	private Season 1 development map
roadmap/vorst/	README.md	private Vorst-containment roadmap
roadmap/weaver_only/	README.md	deepest user-held roadmap notes

Roadmap docs are private. Never mirror them into docs/writers-room/ without explicit approval.

AUTHORED WORK: HOOPLEHOPPER TOTALITY



Path	Suggested File	Purpose
hooplehopper_totality/known/	README.md	known Hooplehopper memory pressure
hooplehopper_totality/unknown/	README.md	unknown or unresolved recurrence pressure
hooplehopper_totality/future_protected/	README.md	future Hooplehopper protection layer
hooplehopper_totality/acolytes/	README.md	acolyte/supporting recurrence materials
hooplehopper_totality/double_agents/	README.md	compromised/ambiguous helpers
hooplehopper_totality/memory_echoes/	README.md	memory fragments and echoes

Treat these as VUORSE-private unless explicitly promoted.

AUTHORED WORK: VELVET ARCHIVE



Path	Suggested File	Purpose
velvet_archive/soft_archive/	README.md	anti-erasure memory logic
velvet_archive/performance_backups/	README.md	performance as preservation
velvet_archive/ritual_memory/	README.md	ritual-held memory
velvet_archive/distributed_continuity/	README.md	decentralized continuity

Keep the Archive as anti-erasure infrastructure, not ornamental lore.

STALE / SUPERSEDED PATHS

Do not add new lore here unless the user requests folder-based organization.

Path	Current Replacement
canon/places/	canon/places.md
canon/timeline/	canon/timeline.md

If cleanup is requested, suggest deleting or documenting these folders rather than splitting current files.