

Data Cleaning Basics: Takeaways

by Dataquest Labs, Inc. - All rights reserved © 2020

Syntax

READING A CSV IN WITH A SPECIFIC ENCODING

- Reading in a CSV file using Latin encoding:

```
laptops = pd.read_csv('laptops.csv', encoding='Latin-1')
```

- Reading in a CSV file using UTF-8:

```
laptops = pd.read_csv('laptops.csv', encoding='UTF-8')
```

- Reading in a CSV file using Windows-1251:

```
laptops = pd.read_csv('laptops.csv', encoding='Windows-1251')
```

MODIFYING COLUMNS IN A DATAFRAME

- Renaming An Existing Column:

```
laptops.rename(columns={'MANUFACTURER' : 'manufacturer'}, inplace=True)
```

- Converting A String Column To Float:

```
laptops["screen_size"] = laptops["screen_size"].str.replace("'", '').astype(float)
```

- Converting A String Column To Integer:

```
laptops["ram"] = laptops["ram"].str.replace('GB', '')  
laptops["ram"] = laptops["ram"].astype(int)
```

STRING COLUMN OPERATIONS

- Extracting Values From Strings:

```
laptops["gpu_manufacturer"] = (laptops["gpu"]  
                               .str.split()  
                               .str[0]  
                               )
```

FIXING VALUES

- Replacing Values Using A Mapping Dictionary:

```
mapping_dict = {  
    'Android': 'Android',  
    'Chrome OS': 'Chrome OS',  
    'Linux': 'Linux',  
    'Mac OS': 'macOS',  
    'No OS': 'No OS',  
    'Windows': 'Windows',  
    'macOS': 'macOS'  
}  
  
laptops["os"] = laptops["os"].map(mapping_dict)
```

- Dropping Missing Values:

```
laptops_no_null_rows = laptops.dropna(axis=0)
```

EXPORTING CLEANED DATA

- Exporting Cleaned Data:

```
df.to_csv("laptops_cleaned.csv", index=False)
```

Concepts

- Computers, at their lowest levels, can only understand binary.
- Encodings are systems for representing all other values in binary so a computer can work with them.
- UTF-8 is the most common encoding and is very friendly to work with in Python 3.
- When converting text data to numeric data, we usually follow the following steps:
 - Explore the data in the column.
 - Identify patterns and special cases.
 - Remove non-digit characters.
 - Convert the column to a numeric dtype.
 - Rename column if required.

Resources

- [Python Encodings](#)
- [Indexing and Selecting Data](#)



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2020