

PREPARED FOR

Robert Keyser
keyser@calicolabs.com

SHIP TO

Calculated at checkout

QUOTE DETAILS

Lead time: 14 business days
Shipping: Calculated at checkout
Ship date: **Monday, Oct. 27** (when ordering online by 11:59 PM EDT on Tuesday, October 7). Order requests emailed to support after 8 PM EDT will be processed the following business day.

ITEM		DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
1		PO Line Item Reference: COLD-CARRIER-COVER-MOUNT_v001.SLDPRT Part ID: 093630D Measurement: 488.95 mm x 128.00 mm x 5.00 mm 308988.09 mm ³ / 19.250 in x 5.039 in x 0.197 in 18.856 in ³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 0 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	1	\$227.89	\$227.89
	Part Version 0 Made Internationally				
2		PO Line Item Reference: PLATE-POSITION_v001.SLDPRT Part ID: 093630F Measurement: 133.00 mm x 91.00 mm x 6.00 mm 40133.59 mm ³ / 5.236 in x 3.583 in x 0.236 in 2.449 in ³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 0 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	5	\$62.71	\$313.55
	Part Version 0 Made Internationally				
3		PO Line Item Reference: BASE-PEDISTAL_v001.SLDPRT Part ID: 093630B Measurement: 134.00 mm x 60.00 mm x 32.00 mm 105859.54 mm ³ / 5.276 in x 2.362 in x 1.260 in 6.460 in ³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 0 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	1	\$222.31	\$222.31
	Part Version 0 Made Internationally				

ITEM		DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
4		PO Line Item Reference: COLD-CARRIER-COVER_v001.SLDPRT Part ID: 093630C Measurement: 488.95 mm x 128.00 mm x 3.00 mm 185509.60 mm³ / 19.250 in x 5.039 in x 0.118 in 11.320 in³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 0 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	1	\$227.38	\$227.38
5		PO Line Item Reference: COLD-CARRIER-BASE_v001SLDPRT.SLDPRT Part ID: 093630E Measurement: 488.95 mm x 128.00 mm x 22.00 mm 686435.91 mm³ / 19.250 in x 5.039 in x 0.866 in 41.889 in³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 63 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	1	\$532.92	\$532.92
6		PO Line Item Reference: NEST-INSERT-TWIN-TEC-PCR-v003.SLDPRT Part ID: 0936310 Measurement: 126.50 mm x 84.50 mm x 15.10 mm 102882.84 mm³ / 4.980 in x 3.327 in x 0.594 in 6.278 in³ Process: CNC Machining Material: Aluminum 6061-T6x (Best Available) Finish: Green Anodize Threads and Tapped Holes: 0 Inserts: 0 Precision Tolerance: ±.005" (±0.13mm) Precision Surface Roughness: Smallest Roughness: 125uin/3.2um Ra Inspection: Standard Inspection Certificates and Supplier Qualifications: Finishing Certification	5	\$127.78	\$638.90

Subtotal\$2,162.95

ShippingCalculated at checkout

TaxCalculated at checkout

TotalCalculated at checkout

Checkout at Xometry.com

We want to earn your business.

If you get a lower quote, send it to us. We will try to beat it.

Contact:

240-252-1138

support@xometry.com

The Xometry Customer Service Agreement (www.xometry.com/service-agreement), Manufacturing Standards (www.xometry.com/manufacturing-standards), and website Terms of Use (www.xometry.com/terms) (collectively the "Terms") are incorporated by reference into this Quote, and such Terms shall exclusively govern any order which results from this Quote unless the parties have negotiated and signed a master agreement ("MSA") that would, by its terms, govern the order. You may use your standard business forms, including purchase orders, to order from Xometry, but use of such forms is for your convenience only and does not alter the Terms. XOMETRY WILL NOT BE BOUND BY, AND SPECIFICALLY OBJECTS TO, ANY TERMS OR CONDITIONS THAT ARE DIFFERENT FROM, INCONSISTENT WITH, OR IN ADDITION TO THE TERMS OR AN MSA, as applicable, whether contained in Your forms or otherwise presented by You at any time. Any such terms and conditions are hereby rejected, excluded, and inapplicable, unless agreed to in writing and signed by an authorized representative of Xometry.

- PLEASE REVIEW THIS QUOTE FOR ACCURACY PRIOR TO ORDER -

We have priced and estimated a delivery window for your job based on the geometry in 3D model you have provided, along with the tolerances, features and secondary operations you have selected during the submission process and which are specifically confirmed by us in this Quote. We do not automatically extract features, tolerances or other non-geometric information from your submitted 3D model, even if represented there (e.g. threads, tapped holes, etc.). Even though our prices are dynamically generated in real time, we will honor the price in this Quote for thirty (30) days from generation (although the estimated delivery window will be re-calculated at time of actual order placement).

On-site Source Inspection requirements may add an additional charge and increase lead time.

****Made Internationally:** Customers are responsible for duties and fees associated with international shipping.

While we may provide you with design for manufacturing assistance, you are ultimately responsible for the suitability of your design, and associated material selection, for any intended purpose. You may submit one or more engineered drawings and or specification sheets to us. While we will do our best to identify any inconsistencies or conflicts in your materials prior to manufacturing your part, you alone are responsible for any inconsistencies between the materials you provide to us and what is reflected in this Quote.