CERTIFICATE OF COMPLIANCE

Project Name: 1 Story Example Compact Distribution

Calculation Date/Time: Input File Name:

CF1R-PRF-01E (Page 1 of 19)

Calculation Description:

GENERA	AL INFORMATION				
01	Project Name	1 Story Example Compact Distribution			
02	Run Title	2100 ft2 CEC Prototype with tile roof			
03	Project Location	1516 Ninth St			
04	City	Sacramento, CA	05	Standards Version	2019
06	Zip code	95814	07	Software Version	CBECC-Res 2019.0.11 Alpha (1068)
08	Climate Zone	12	09	Front Orientation (deg/ Cardinal)	0
10	Building Type	Single family	11	Number of Dwelling Units	1
12	Project Scope	Newly Constructed	13	Number of Bedrooms	3
14	New Cond. Floor Area (ft ²)	0	15	Number of Stories	1
16	Fenestration Average U-factor	0.3	17	Total Cond. Floor Area (ft ²)	2100
18	Glazing Percentage (%)	0.1858	19		

COMPLIANCE R	ESULTS
01	Building Complies with Computer Performance
02	This building incorporates features that require field testing and/or verification by a certified HERS rater under the supervision of a CEC-approved HERS provider.

25.742.520.122.4falsefalse

REQUIRED SPECIAL FEATURES

The following are features that must be installed as condition for meeting the modeled energy performance for this computer analysis.

BUILDING - FEATURES INFORMA	UILDING - FEATURES INFORMATION												
01	02	03	04	05	06	07							
Project Name	Conditioned Floor Area (ft ²)	Number of Dwelling Units	Number of Bedrooms	Number of Zones	Number of Ventilation Cooling Systems	Number of Water Heating Systems							
1 Story Example Compact Distribution	2100	1	3	1	1	1							

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Report Generated: 2019-04-12 10:48:35 Schema Version: rev 20190401

Calculation Date/Time: Input File Name:

Calculation Description:

ZONE INFORMATION						
01	02	03	04	05	06	07
Zone NameZone Name	Zone TypeZone Type	HVAC System Name	Zone Floor Area (ft ²)	Avg. Ceiling Height	Water Heating System 1	Water Heating System 2
Conditioned	Conditioned	HVAC System 1	2100	9	DHW System	This field or section is not applicable

OPAQUE SURFACES	3								
01	02	03	04	05	06	07	08	09	10
Name	Zone	Construction	AzimuthAzim uth	OrientationOr ientation	Gross Area (ft²)	Window and Door Area (ft ²)Window and Door Area (ft ²)	Tilt (deg)Tilt (deg)	Status	Verified Existing Condition
Front	Conditioned	R21 R5 Stucco Wall	0	Front	270	146.25	90		
Left	Conditioned	R21 R5 Stucco Wall	90	Left	324	72	90		
Back	Conditioned	R21 R5 Stucco Wall	180	Back	450	154.02	90		
Right	Conditioned	R21 R5 Stucco Wall	270	Right	414	38	90		
GarToHouse Front	Conditioned>>Gar age	Gar House R21	This field or section is not applicable	This field or section is not applicable	180	20	This field or section is not applicable		
GarToHouse Left	Conditioned>>Gar age	Gar House R21	This field or section is not applicable	This field or section is not applicable	90	0	This field or section is not applicable		
Gar Ceiling	Garage	R0 ClgBlwAttic Cons	This field or section is not applicable	This field or section is not applicable	440	This field or section is not applicable	This field or section is not applicable		
Ceiling (below attic) 1	Conditioned	R38 Ceiling below attic	This field or section is not applicable	This field or section is not applicable	2100	This field or section is not applicable	This field or section is not applicable		
Gwall Front	Garage	Garage Wall R-0	0	Front	180	108	90		
Gwall Left	Garage	Garage Wall R-0	90	Left	198	0	90		
Gwall Right	Garage	Garage Wall R-0	270	Right	108	0	90		

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Report Version: 2019.1.000 Schema Version: rev 20190401 CF1R-PRF-01E

(Page 2 of 19)

(Page 3 of 19)

Report Generated: 2019-04-12 10:48:35

CF1R-PRF-01E

Project Name: 1 Story Example Compact Distribution

Calculation Description:

Calculation Date/Time: Input File Name:

ATTIC									
01	02	03	04	05	06	07	08	09	10
Name	Construction	Туре	Roof Rise (x in 12)	Roof Reflectance	Roof Emittance	Radiant Barrier	Cool Roof	Status	Verified Existing Condition
Gar Attic	Tile Roof	Ventilated	5	0.2	0.85	No	No		
Attic	Tile R-19 below deck	Ventilated	5	0.2	0.85	No	Yes		

FENESTRAT	FENESTRATION / GLAZING 01 02 03 04 05 06 07 08 09 10 11 12 13 14														
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16
Name	Туре	Surface (Orientation- Azimuth)	Surface (Orienta tion- Azimuth)	Surface (Orienta tion- Azimuth)	Width (ft)	Heigth (ft)	Multiplier	Area (ft ²)	U-factor	U-factor Source	SHGC	SHGC Source	Exterior Shading	Status	Verified Existing Condition
F-6060	Window	Front	Front	0	6	6	1	36	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
F-4050 x3	Window	Front	Front	0	4	5	3	60	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
F-1660 x2	Window	Front	Front	0	1.5	6	2	18	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
F-3636	Window	Front	Front	0	3.5	3.5	1	12.25	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
L-5040 x2	Window	Left	Left	90	5	4	2	40	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
L-4040 x2	Window	Left	Left	90	4	4	2	32	0.3	NFRC	0.23	NFRC	Insect Screen (default)		

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CF1R-PRF-01E (Page 4 of 19)

Project Name: 1 Story Example Compact Distribution

Calculation Date/Time:

Calculation Description: Input File Name:

FENESTRAT	ION / GLAZII	NG													
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16
Name	Туре	Surface (Orientation- Azimuth)	Surface (Orienta tion- Azimuth)	Surface (Orienta tion- Azimuth	Width (ft)	Heigth (ft)	Multiplier	Area (ft ²)	U-factor	U-factor Source	SHGC	SHGC Source	Exterior Shading	Status	Verified Existing Condition
B1 SGD	Window	Back	Back	180	6	6.67	1	40.02	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
B-6010	Window	Back	Back	180	6	1	1	6	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
B-6040 x3	Window	Back	Back	180	6	4	3	72	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
B-6050	Window	Back	Back	180	6	5	1	30	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
B-3020	Window	Back	Back	180	3	2	1	6	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
R-3030 x2	Window	Right	Right	270	3	3	2	18	0.3	NFRC	0.23	NFRC	Insect Screen (default)		
R-4050	Window	Right	Right	270	477	5	1	20	0.3	NFRC	0.23	NFRC	Insect Screen (default)		

OPAQUE DOORS					
01	02	03	04	05	06
Name	Side of Building	Area (ft ²)	U-factor	Status	Verified Existing Condition
Front Dr		20	0.2		
GarToHouse Dr		20	0.2		
GDoor	70	108	1		

Registration Number:

Registration Date/Time:

Report Version: 2019.1.000 Schema Version: rev 20190401 HERS Provider: CBECC-Res 2019

Calculation Date/Time: Input File Name:

CF1R-PRF-01E

(Page 5 of 19)

Calculation Description:

OVERHANG	S AND FINS														
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16
Window	Depth	Dist Up	Left Extent	Right Extent	Flap Ht.	Depth	Тор Uр	Dist L	Bot Up	Depth	Тор Uр	Dist R	Bot Up	Status	Verified Existing Condition
F-6060	1	1.33	3	10	0	0	0	0	0	0	0	0	0		
F-4050 x3	1	1.33	6	6	0	0	0	0	0	0	0	0	0		
F-1660 x2	4	1.33	3	3	0	0	0	0	0	0	0	0	0		
F-3636	1	1.33	10	10	0	0	0	0	0	0	0	0	0		
B1 SGD	6	1.33	4	4	0	0	0	0	0	0	0	0	0		
B-6010	1	0	4	4	0	0	0	0	0	0	0	0	0		
B-6040 x3	1	1.33	23	23	0	0	0	0	0	0	0	0	0		
B-6050	1	1.33	10	10	0	0	0	0	0	0	0	0	0		
B-3020	1	1.33	10	10	0	0	0	0	0	0	0	0	0		

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Report Version: 2019.1.000 Report Generated: 2019-04-12 10:48:35 Schema Version: rev 20190401

Calculation Date/Time: (Page 6 of 19)

CF1R-PRF-01E

Calculation Description: Input File Name:

Project Name: 1 Story Example Compact Distribution

	CE CONSTRUCTION						1	1			
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R-valueTotal Cavity Laterior Continuous R-valueU-factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
Garage Wall R-0	Exterior Walls	Above Grade	Wood Framed Wall		Other	none	0			0.347	Inside Finish Gypsum BoardCavity Frame: no insul. / 2x6Exterior

Registration Number:

Registration Date/Time:

Report Version: 2019.1.000 Schema Version: rev 20190401 HERS Provider: CBECC-Res 2019

Project Name: 1 Story Example Compact DistributionCalculation Date/Time:(Page 7 of 19)

Calculation Description: Input File Name:

carcaration be	<u> </u>					put i ne ita					
OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R-valueTotal Cavity R-value decimalInt erior/ Exterior Continuous R- valueInteri or/ Exterior Continuous R-valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
											Finish: 3 Coat Stucco

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Calculation Date/Time:

CF1R-PRF-01E (Page 8 of 19)

HERS Provider: CBECC-Res 2019

Calculation Description:

Input File Name:

carcaration be						input inc ita	_				
OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R-valueTotal Cavity Laterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
R21 R5 Stucco Wall	Exterior Walls	Above Grade	Wood Framed Wall		R 21	R 21	21			0.048	Inside Finisl Gypsum BoardCavity Frame: R-21 2x6Sheathin Insulation: F SheathingExt ior Finish:

Registration Number:

Registration Date/Time:

Schema Version: 2019.1.000 Schema Version: rev 20190401 Project Name: 1 Story Example Compact DistributionCalculation Date/Time:(Page 9 of 19)

Calculation Description: Input File Name:

calculation be						input the Na					
OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R-value decimalInt erior/ Exterior Continuous R- valueInteri or/ Exterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
											Synthetic Stucco

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Report Version: 2019.1.000 Report Generated: 2019-04-12 10:48:35 Schema Version: rev 20190401

Project Name: 1 Story Example Compact Distribution Calculation Date/Time: (Page 10 of 19)

Calculation Description: Input File Name:

Calculation De	scription.					iliput riie iva	<u> </u>				
OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R-valueTotal Cavity Laterior Continuous R-valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
Gar House R21	Interior Walls	Above Grade	Wood Framed Wall		R 21	R 21	21			0.075	Inside Finish: Gypsum BoardCavity / Frame: R-21 / 2x4Other Side Finish: Gypsum Board

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Schema Version: rev 20190401

Project Name: 1 Story Example Compact Distribution Calculation Date/Time:

Calculation Description: Input File Name:

	CE CONSTRUCTION	ONS								1	
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Construction NameSurfa ce TypeIs construction n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity Laterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
Tile R-19 below deck	Attic Roofs	Above Grade	Wood Framed Ceiling		R 19	R 19	19			0.049	Under Roo Joists: R-6.0 insul.Cavity Frame: R-13 / 2x4Roof Deck: Wood Siding/sheat ng/deckingT

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Schema Version: rev 20190401

CF1R-PRF-01E

(Page 11 of 19)

Project Name: 1 Story Example Compact DistributionCalculation Date/Time:(Page 12 of 19)

Calculation Description: Input File Name:

OPAQUE SURFA	CE CONSTRUCTION	ONS				-					
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Construction NameSurfa ce TypeIs construction n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R-value decimalInt erior/ Exterior Continuous R- valueInteri or/ Exterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers Gap:
											presentRoofin g: 10 PSF (RoofTile)

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Report Version: 2019.1.000 Report Generated: 2019-04-12 10:48:35 Schema Version: rev 20190401

Project Name: 1 Story Example Compact Distribution Calculation Date/Time: (Page 13 of 19)

Calculation Description: Input File Name:

calculation be						input inc itu				_	
OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity Laterior Continuous R- valueInteri or/ Exterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
Tile Roof	Attic Roofs	Above Grade	Wood Framed Ceiling		Other	none	0			0.4	Cavity / Frame no insul. / 2x4Roof Deck Wood Siding/sheath ng/deckingTil Gap: presentRoofi

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Schema Version: rev 20190401

Project Name: 1 Story Example Compact Distribution Calculation Date/Time: (Page 14 of 19)

Calculation Description: Input File Name:

OPAQUE SURFA	CE CONSTRUCTION	ONS									
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce Typels constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R-value decimalInt erior/ Exterior Continuous R- valueInteri or/ Exterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
											g: 10 PSF (RoofTile)
RO ClgBlwAttic Cons	Ceilings (below attic)	Above Grade	Wood Framed Ceiling		Other	none	0			0.481	Inside Finish: Gypsum BoardCavity / Frame: no insul. / 2x4 Btm Chrd

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Schema Version: rev 20190401

CF1R-PRF-01E

Project Name: 1 Story Example Compact Distribution

Calculation Date/Time:

Calculation Description: Input File Name:

	CE CONSTRUCTION	ONS				<u> </u>				1	
01	02	03	04	05	06	07	08	09	10	11	12
Construction Name	Surface Type	Is construction above grade?	Constructio n Type	Constructio n NameSurfa ce TypeIs constructio n above grade?Cons truction TypeTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R- valueTotal Cavity R-value decimalInt erior/ Exterior Continuous R- valueInteri or/ Exterior Continuous R- valueU- factorAsse mbly LayersUser Defined Fields	Total Cavity R-value	Total Cavity R-value	Total Cavity R-value decimal	Interior/ Exterior Continuous R-value	Interior/ Exterior Continuous R-value	U-factor	Assembly Layers
R38 Ceiling below attic	Ceilings (below attic)	Above Grade	Wood Framed Ceiling		R 38	R 38	38			0.025	Inside Finish Gypsum BoardCavity Frame: R-9.1 2x4 Btm ChrdOver Ceiling Joists R-28.9 insul.

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.000 Schema Version: rev 20190401

Calculation Date/Time: Input File Name:

CF1R-PRF-01E (Page 16 of 19)

Calculation Description:

SLAB FLOORS	,				
		Edge Insul.	Edge Insul.	Edge Insul.	

Name	Zone	Area (ft ²)	Perimeter (ft)	Edge Insul. R-value & Depth	Edge Insul. R-value & Depth	Edge Insul. R-value & Depth	Carpeted Fraction	Heated	Status	Verified Existing Condition
Gslab	Garage	440	44	none	0.00	0	0	No		
Slab On Grade	Conditioned	2100	162	none	0.00	0	0.8	No		

BUILDING ENVELOPE - HERS VERIFICATION			
01	02	03	04
Quality Insulation Installation (QII)	Quality Installation of Spray Foam Insulation	Building Envelope Air Leakage	CFM50
Required	Not Required	Not Required	

DHW SystemStandardMulti-family: No loops or recirc pumpMulti-family: No loops or recirc pumpSmall Instantaneous1BasicTypeNew

WATER HEATER	ıs										
Name	Heating Element Type	Tank Type	Number of Units	Tank Volume (gal)	Uniform Energy Factor / Energy Factor / Efficiency	Input Rating/ Pilot	Tank Insulation R-value (Int/Ext)	Standby Loss / Recovery Eff	First Hour Rating / Flow Rate	Simulated Equipment Make and Model	Tank Location or Ambient Condition
Small Instantaneous	Gas	Small Instantaneous	1	0	0.82	200000	0				

DHW System - 1/1

SPACE CONDITIONIN	IG SYSTEMS		04					
Name	System Type	Heating Unit Name	Cooling Unit Name	Fan Name	Distribution Name	Required Thermostat Type	Status	Verified Existing Condition
HVAC System 1	Heating and cooling	Furn 80	Split 14 11.7	HVAC Fan 1	Attic Default			

HVAC - HEATING UNIT TYPES				
01		02	03	04
Name	2	System Type	Number of Units	Efficiency
Furn 80		Central gas furnace	1	80

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

system other

Calculation Date/Time: Input File Name:

CF1R-PRF-01E (Page 17 of 19)

Report Generated: 2019-04-12 10:48:35

Calculation Description:

HVAC - COOLING UNIT TYPES							
01	02	03	04	05	06	07	08
Name	System Type	Number of Units	Efficiency EER	Efficiency SEER	Zonally Controlled	Mulit-speed Compressor	HERS VerificationHERS Verification
Split 14 11.7	Central split AC	1	11.7	14	Not Zonal	Single Speed	Split 14 11.7-hers-cool

HVAC COOLING - HERS VERIFICATION						
01	02	03	04	05	06	
Name	Verified Airflow	Airflow Target	Verified EER	Verified SEER	Verified Refrigerant Charge	
Split 14 11.7-hers-cool	Required	350	Not Required	Not Required	Required	

HVAC - DISTRIBUTIO	N SYSTEMS					_
01	02	03	04	05	06	07
NameName	ТуреТуре	Duct LeakageDuct Leakage	Insulation R-valueInsulation R-value	Duct LocationSupply Duct Location	Bypass Duct	HERS VerificationHERS Verification
Attic Default	DuctsAttic		8			

HVAC DISTRIBUTION - H	IERS VERIFICATION		O				
01	02	03	04	05	06	07	08
Name	Duct Leakage Verification	Duct leakage target (%)	Verified Duct Location	Verified Duct Design	Buried Ducts	Deeply Buried Ducts	Low-leakage Air Handler
Attic Default-hers-dist	Yes	5	Not Required	Not Required	Not Required	Credit not taken	Required

HVAC - FAN SYSTEMS			
01	02	03	04
Name	Туре	Fan Power (Watts/CFM)	HERS VerificationHERS Verification
HVAC Fan 1	PSC Permanent Split Capacitor	0.45	HVAC Fan 1-hers-fan

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Calculation Date/Time: Input File Name:

CF1R-PRF-01E (Page 18 of 19)

Calculation Description:

HVAC FAN SYSTEMS - HERS VERIFICATION					
01	02	03			
Name	Verified Fan Watt Draw	Required Fan Efficiency (Watts/CFM)			
HVAC Fan 1-hers-fan	Required	0.45			

IAQ (INDOOR AIR QUALITY) FANS						
01	02	03	04	05	06	
Dwelling Unit	IAQ CFM	IAQ Watts/CFM	IAQ Fan Type	IAQ Recovery Effectiveness (%)	HERS Verification	
SFam IAQVentRpt	90	0.25	Default	0	Yes	

COOLING VENTILATION					
01	02	03	04	05	06
Name	Airflow Rate (CFM/ft ²)	Cooling Vent CFM	Cooling Vent Watts/CFM	Total Watts	Number of Fans
Whole House Fan	1.5	3150	0.14	441	1

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019

Report Version: 2019.1.000 Report Generated: 2019-04-12 10:48:35 Schema Version: rev 20190401

CERTIFICATE OF COMPLIANCE CF1R-PRF-01E

Project Name: 1 Story Example Compact Distribution

Calculation Date/Time:

(Page 19 of 19)

Report Generated: 2019-04-12 10:48:35

Calculation Description:

Input File Name:

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT	
1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/ HERS Certification Identification (If applicable):
City/State/Zip:	Phone:
RESPONSIBLE PERSON'S DECLARATION STATEMENT	
1 1	ompliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
Responsible Designer Name:	Responsible Designer Signature:
Company:	Date Signed:
Address:	License:
City/State/Zip:	Phone:

Registration Number: Registration Date/Time: HERS Provider: CBECC-Res 2019