

RB V2025.0.000 – Change log
LRMF
6/5/2025

General revised on all LMCC/LMCI/LMCV

- Revised “HERS” to “ECC”
- Revised the year in mockup footer – “2022” to “**2025**”
- Please note that we have updated the top section of the form’s layout to comply with ADA requirements. All heading and note text have been moved out of the table. There will be no changes to the report generator layout.
- Updated the change log to include the New Simplified Forms

LMCC	
LMCC-MCH-02-E	Section B • B10 – revised pseudocode, replace HERS with ECC • Logic Table ○ revised table’s name, replace HERS with ECC ○ Logic Table, Field 8, replace HERS with ECC Section C • revised section’s name, replace the section reference with 180.2(b)2Aiiial Section D: • revised section’s name, replace the section reference with 180.2(b)2 • Bottom note - Revised static text, removed the second exception • D06 – revised pseudo code, HSPF2=7.5 • D10 – revised pseudo code, EER2/SEER2=4.3 • D10b – revised pseudo code, EER2/SEER2=11.7 Section E: • revised section’s name, replace the section reference with 180.2(b)2aiii and 180.2(b)2Aiial • Bottom note - Revised static text, removed the exception • D06 – revised pseudo code, HSPF2=7.5 • D10 – revised pseudo code, EER2/SEER2=4.3 • D10b – revised pseudo code, EER2/SEER2=11.7 Section F: • revised section’s name, replace the section reference with 180.2(b)2Ai • Bottom note - Revised static text, removed the exception • D06 – revised pseudo code, HSPF2=7.5 • D10 – revised pseudo code, EER2/SEER2=4.3 • D10b – revised pseudo code, EER2/SEER2=11.7

LMCI	
LMCI-ELC-01-E	Section A: revised pseudo code – Added two more options Section F: new section Section G: new section
LMCI-ENV-21-H	No changes
LMCI-ENV-22-H	Section B B05 - revised field name, replaced HERS with ECC
LMCI-MCH-01a-E	Section A - A06 – revised pseudo code, add a new option the list A07 – new field, “Outdoor Design Condition Source A08 – new field, “Cooling Outdoor Design Temperature Selected (°F)” A09 – new field, “Heating Outdoor Design Temperature Selected (°F)” A10 – relocated (A07), “Calculated Dwelling Unit Sensible Cooling Load (Btu/h)” A11 – relocated (A08), “Calculated Dwelling Unit Heating Load (Btu/h)” A12 – relocated (A09), “Dwelling Unit Number of Bedrooms” A13 – relocated (A10), “calculated field:” Add a new Notes on the bottom of Table A Section B - B06, B07, B08, B09, B010, B11, B12 – revised fields numbers to B05, B06, B07, B08, B09, B10, B11 Section C - C11 – deleted - C12 – deleted Section J - J09- revised pseudo code - J12- revised pseudo code - J13- revised pseudo code Section M - revised the section’s name, replaced HERS with ECC - M04- revised pseudo code - M09- revised pseudo code Section N - revised the section’s name, replaced HERS with ECC - N03- revised pseudo code Section O - O02 -revised the static text - O07 – revised the static text - Add new subsection “Cooling and Heating Equipment (Additional requirements)”, contained a new fields (O11, O12) - O11, O12, O13, O14, O15, O16 – revised field numbers to O13, O14, O15, O16, O17, O18 Section P – New
LMCI-MCH-01b-E	Section A - A06 – revised pseudo code, add a new option the list A07 – new field, “Outdoor Design Condition Source (See Section 150.0(h)2” A08 – new field, “Cooling Outdoor Design Temperature Selected (°F)” A09 – new field, “Heating Outdoor Design Temperature Selected (°F)” A10 – relocated (A07), “Calculated Dwelling Unit Sensible Cooling Load (Btu/h)” A11 – relocated (A08), “Calculated Dwelling Unit Heating Load (Btu/h)” A12 – relocated (A09), “Dwelling Unit Number of Bedrooms” A13 – relocated (A10), “calculated field:” Add a new Notes on the bottom of Table A Section B

LMCI	
	• B10 – revised pseudo code • Logic Table ○ revised table’s name, replace HERS with ECC ○ Logic Table, Field 8, replace HERS with ECC Section F • F11 – revised pseudo code • F12 – revised pseudo code Section G • G11- revised pseudo code • G13- revised pseudo code • G14- revised pseudo code • G15- revised pseudo code Section J • revised the section’s name, replaced HERS with ECC • J04- revised pseudo code • J05- revised pseudo code • J08- revised pseudo code • J09- revised pseudo code Section K • revised the section’s name, replaced HERS with ECC • K03- revised pseudo code Section L • Add new subsection “Cooling and Heating Equipment (Additional requirements)”, contained a new fields (L11, L12) • L11, L12, L13, L14, L15, L16 – revised field numbers to L13, L14, L15, L16, L17, L18 Section M – New
LMCI-MCH-01c-E	Section A • A06 – revised pseudo code, add a new option the list • A07 – new field, “Outdoor Design Condition Source (See Section 150.0(h)2” • A08 – new field, “Cooling Outdoor Design Temperature Selected (°F)” • A09 – new field, “Heating Outdoor Design Temperature Selected (°F)” • A10 – relocated (A07), “Calculated Dwelling Unit Sensible Cooling Load (Btu/h)” • A11 – relocated (A08), “Calculated Dwelling Unit Heating Load (Btu/h)” • A12 – relocated (A09), “Dwelling Unit Number of Bedrooms” • A13 – relocated (A10), “calculated field:” • Add a new Notes on the bottom of Table A Section I • I09- revised pseudo code • I11- revised pseudo code • I12- revised pseudo code Section L • revised the section’s name, replaced HERS with ECC • L06- revised pseudo code • L07- revised pseudo code • L08- revised pseudo code Section M • revised the section’s name, replaced HERS with ECC Section N • N07 – revised the static text • Add new subsection “Cooling and Heating Equipment (Additional requirements)”, contained a new fields (N11, N12) • N11, N12, N13, N14, N15, N16 – revised field numbers to N13, N14, N15, N16, N17, N18 Section O – New
LMCI-MCH-01d-E	Section A

LMCI	
	• A06 – revised pseudo code, add a new option the list • A07 – new field, “Outdoor Design Condition Source (See Section 150.0(h)2” • A08 – new field, “Cooling Outdoor Design Temperature Selected (°F)” • A09 – new field, “Heating Outdoor Design Temperature Selected (°F)” • A10 – relocated (A07), “Calculated Dwelling Unit Sensible Cooling Load (Btu/h)” • A11 – relocated (A08), “Calculated Dwelling Unit Heating Load (Btu/h)” • A12 – relocated (A09), “Dwelling Unit Number of Bedrooms” • A13 – relocated (A10), “calculated field:” • Add a new Notes on the bottom of Table A Section B • B05 – deleted • B06, B07, B08, B09, B010, B11, B12 – revised fields numbers to B05, B06, B07, B08, B09, B10, B11 Section C • C11 – deleted • C12 – deleted Section D • D06 – revised pseudo code Section E • E09 – revised pseudo code • Logic Table ○ revised table’s name, replace HERS with ECC ○ Logic Table, Field 8, replace HERS with ECC Section L • L09- revised pseudo code • L13- revised pseudo code • L14- revised pseudo code Section O • revised the section’s name, replaced HERS with ECC • O04- revised pseudo code • O05- revised pseudo code • O10- revised pseudo code Section P • revised the section’s name, replaced HERS with ECC • P04- revised pseudo code Section Q • Q07 – revised the static text • Add new subsection “Cooling and Heating Equipment (Additional requirements)”, contained a new fields (Q11, Q12) • Q11, Q12, Q13, Q14, Q15, Q16 – revised field numbers to Q13, Q14, Q15, Q16, Q17, Q18 Section S – New
LMCI-MCH-20-H	New - Simplified Form
LMCI-MCH-21-H	Section C • C01 – Added “duct” to static text Section D • D01 – added the reference “RA3.1.4.1.3”
LMCI-MCH-22-H	New - Simplified Form
CF2R-MCH-23-H	New - Simplified Form
CF2R-MCH-24-H	New - Simplified Form
CF2R-MCH-25-H	New - Simplified Form
LMCI-MCH-26-H	Section A • A05 – revised pseudo code, replaced HERS with ECC • A06 – revised pseudo code, replaced HERS with ECC

LMCI	
LMCI-MCH-27-H	- remove letter “b” from form’s number – CF3R-MCH-27b-H - Top note - revised the static text Section A A08 – new field, deleted previous A08 calculation field. - A09 - revised field number to A10 Section D (€) - revised section number to D - revised the top note Section E (Ð) - revised section number to E Section F (€) - revised section number to F Section G – new section Section H – new section Section I – new section Section J (F) - revised the section label to J - J01 – revised pseudo code Section K (L) - revised the section label to K - K01, K02, K03 and K04 – revised the static text K05 – deleted - K06 – revised field numbers to K05; revised the static text - K07 – revised field numbers to K06; revised the static text - K08 – revised field numbers to K07; revised the static text - K09 – revised field numbers to K08 Section L (H) - revised the section label to L - Top note - revised the static text - L01 - revised the static text L02 – new field - L02 – revised field numbers to L03; revised the static text - L03 – revised field numbers to L04; revised the static text - L04 – revised field numbers to L05; revised the static text
LMCI-MCH-28-H	No changes
LMCI-MCH-29-H	Section B - B04 – revised pseudo code, replaced HERS with ECC Section C - C04 – revised pseudo code, replaced HERS with ECC Section D - D04 – revised pseudo code, replaced HERS with ECC
LMCI-MCH-32-H	Section B - revised the static text in Table 160.2-E - removed “Nonenclosed kitchen” field from Table 160.2-F Section C - C09 – revised pseudo code, D2 to E2 Section E: - Renamed Section letter from D2 to E Section F: - Renamed Section letter from E to F
LMCI-MCH-33-H	No changes
LMCI-PLB-01-E	Form title – removed “NonHERS” from the form title Section D

LMCI	
	• D04 – new field • D05 – new field Section E • E04 – new field • E05 – new field Section G • G03 – revised some of the static text • G04 – revised some of the static text • G06 – revised the static text • G07 – new static text Section H – new Section I – new
LMCI-LMCI-02-E	Section F • revised the section’s name to “Mandatory Measures for Single Dwelling Systems. Removed all Domestic Hot Water Distribution • F03 – revised the some of the static text • F04 – revised the some of the static text • F05 – new static text requirement Section G • revised the section’s name to “Compact Hot Water Distribution (RA4.4.6)”. Removed (CHWDS) Section H • revised the section’s name to “Central Parallel Piping Requirements (RA4.4.4), removed (PP) Section K • revised the section’s name to “Recirculation Non-Demand Controls Requirements (RA4.4.8)”. Removed (R-ND) Section L • revised the section’s name to “Demand Recirculation; Manual Control (RA4.4.9)/Sensor Control Requirements (RA4.4.10)”. Removed (R-DRmc) and (RDRsc) • P03 – revised the static text
LMCI-PLB-03-E	Section B • B01 – revised the static text • B03 – revised the static text • B04 – deleted • B05 – revised field number to B04 Section C • C01 – revised the static text • C02 – new static text requirement • C02 – revised field number to C03 and revised the static text • C03 – revised field numbers to C04 • C04 – revised field number to C05 and revised the static text Section D – new Section E – new Section F (D) • revised the section label to F • F01 – revised the static text • F04 – revised the static text • F05 – revised the static text Section G (E) • revised the section label to G Section H (F) • revised the section label to H
LMCI-PLB-21-E	Form name – removed “ HERS ” from the form title

LMCI	
	Section B - removed HERS from section's name Section B2 - removed HERS from section's name Section C - removed HERS from section's name Section C2 - removed HERS from section's name Section D - removed HERS from section's name - D03 – revised pseudo code D04 – new D05 – new D06 – new Section E - removed HERS from section's name E04 – new E05 – new E06 – new Section F - removed HERS from section's name Section G - G03 – revised some of the static text - G04– revised some of the static text - G06 – revised the static text G07 – new static text Section H – new Section I – new Section J – new
LMCI-PLB-22-E	Form title – removed “HERS” from the form title Section A - removed HERS from section's name - A10 - revised pseudo code Section A2 - removed HERS from section's name - A2.07– revised pseudo code - removed HERS from section's name. Section B - removed HERS from section's name. Section B2 - removed HERS from section's name. Section C - removed HERS from section's name. Section D - removed HERS from section's name. Section F - F03 – revised the some of the static text - F04 – revised the some of the static text F05 – new static text requirement Section G - removed HERS from section's name - G13 – revised pseudocode Section H

LMCI	
	- revised the section's name to "Compact Hot Water Distribution (RA4.4.6)". Removed (CHWDS) Section I - removed HERS from section's name. - Added reference "RA3.6.9" to section's name Section J - revised the section's name to "Verified Pipe Insulation for Central Systems (RA3.6.2)", removed HERS - J01 - revised pseudo code J02 - new Section K - revised the section's name to "Verified Central Parallel Piping Requirements (PP-H) (RA3.6.4), removed HERS - revised top pseudo code Section L - revised the section's name to "Central Parallel Piping Requirements (RA4.4.4), removed (PP) - Top note - revised pseudo code Section N - revised top pseudo code N04 - deleted Section O - revised the section's name to "Recirculation Non-Demand Controls Requirements (RA4.4.8)". Removed (R-ND) Section P - revised the section's name to "Demand Recirculation; Manual Control (RA4.4.9)/Sensor Control Requirements (RA4.4.10)". Removed (R-DRmc) and (RDRse) - P03 – revised the static text Section Q - removed HERS from section's name - revised top pseudo code - Q01 – revised pseudo code, replaced HERS with ECC

LMCV	
LMCV-ENV-21-H	Section L revised the section's name to replaced HERS with ECC.
LMCV-ENV-22-H	Section N revised the section's name to replaced HERS with ECC.
LMCV-EXC-20-H	Section M revised the section's name, replaced HERS with ECC
LMCV-MCH-20-H	New - Simplified Form
LMCV-MCH-21-H	Section C - C01 – Added "duct" to static text Section D - D01 – added the reference "RA3.1.4.1.3" Section E - revised the section's name to replaced HERS with ECC.
LMCV-MCH-22-H	New - Simplified Form
LMCI-MCH-24-H	New - Simplified Form
LMCV-MCH-25-H	New - Simplified Form
LMCI-MCH-26-H	Section G Signature field – revised LMCC to LMCI

LMCV	
	Section K revised the section's name to replaced HERS with ECC
LMCV-MCH-27-H	- remove letter "b" from form's number – CF3R-MCH-27b-H - Tope note - revised the static text Section A A08 – new field - A08 – - revised field number to A09 - revised pseudo code – removed letter "b" - A09 – revised field number to A10 Section B - revised field name Section D (C2) - revised section letter to E Section F (E) - revised the section letter to F Section G – new section Section H (F) - revised section letter to H - H01 – revised pseudo code Section I (G) - revised the section's name to replaced HERS with ECC
LMCV-MCH-28-H	Section F revised the section's name to replaced HERS with ECC.
LMCV-MCH-29-H	Section B - B04 – revised pseudo code, replaced HERS with ECC Section C - C04 – revised pseudo code, replaced HERS with ECC Section D - D04 – revised pseudo code, replaced HERS with ECC Section F - revised the section's name to replaced HERS with ECC
LMCV-MCH-32-H	- Top note - revised the static text Section B - B09 – revised pseudo code Section D - Renamed Section letter from C2 to D D05 – revised pseudo code Section E - renamed Section letter from D2 to E - revised section's name, replaced HERS with ECC E01 – revised pseudo code
LMCV-MCH-33-H	Section D D043– revised pseudo code, replaced HERS with ECC
LMCV-PLB-21-E	Form name – removed "HERS" from the form title Section B - removed HERS from section's name Section B2 - removed HERS from section's name Section C - removed HERS from section's name Section C2 - removed HERS from section's name

LMCV	
	Section D - removed HERS from section's name - D03 – revised pseudo code D04 – new D05 – new D06 – new Section E - removed HERS from section's name E04 – new E05 – new E06 – new Section F - removed HERS from section's name Section G - G03 – revised some of the static text - G04– revised some of the static text - G06 – revised the static text G07 – new static text Section H – new Section I – new Section J – new Section K (†) - revised the section letter to K - removed HERS from section's name
LMCV-PLB-22-H	Form title – removed “HERS” from the form title Section A - removed HERS from section's name - A10 - revised pseudo code Section A2 - removed HERS from section's name - A2.07– revised pseudo code Section B - removed HERS from section's name. Section B2 - removed HERS from section's name. Section C - removed HERS from section's name. Section D - removed HERS from section's name. Section F - F03 – revised the some of the static text - F04 – revised the some of the static text F05 – new static text requirement - F05 – revised field numbers to F06 - F06 – revised field numbers to F07 Section G - removed HERS from section's name - G13 – revised pseudocode Section H - revised the section's name to “Compact Hot Water Distribution (RA4.4.6)”. Removed (CHWDS) Section I - removed HERS from section's name.

LMCV

- Added reference “**RA3.6.9**” to section’s name

Section J

- revised the section’s name to “Verified Pipe Insulation **for Central Systems** (RA3.6.2)”, removed ~~HERS~~
- J01 - revised pseudo code
- **J02 – new static text requirement**
- J02 – revised field numbers to **J03**
- J03 – revised field numbers to **J04**

Section K

- revised the section’s name to “Verified **Central** Parallel Piping Requirements (PP-H) (RA3.6.4), removed ~~HERS~~
- revised top pseudo code

Section L

- revised the section’s name to “**Central** Parallel Piping Requirements (RA4.4.4), removed ~~(PP)~~
- Top note - revised pseudo code

Section N

- revised top pseudo code
- **N04 - deleted**

Section O

- revised the section’s name to “Recirculation Non-Demand Controls Requirements (RA4.4.8)”. Removed (~~R-ND~~)

Section P

- revised the section’s name to “Demand Recirculation; Manual Control (RA4.4.9)/Sensor Control Requirements (RA4.4.10)”. Removed (~~R-DRme~~) and (~~RDRse~~)
- P03 – revised the static text

Section Q

- removed ~~HERS~~ from section’s name
- revised top pseudo code
- Q01 – revised pseudo code, replaced HERS with **ECC**

Section R

- removed ~~HERS~~ from section’s name