



Autor:

Danny Calle

Materia:

Programacion Orientada a Objetos

Carrera;

Segundo de Desarrollo de Software

Tema:

Conexión a Base de Datos

Docente:


Jostin Vacacela

Cuenca – Ecuador

Entregable

- Proyecto funcionando
- Archivo `.env` configurado
- Evidencia de conexión (captura o ejecución)


Proyecto Funcionando



The screenshot shows a Visual Studio Code editor with a Prisma schema file open. The schema defines a database with two models: `User` and `Post`. The `User` model has fields `id` (integer, auto-incrementing), `email` (string, unique), `name` (string), and `posts` (array of `Post` objects). The `Post` model has fields `id` (integer, auto-incrementing), `title` (string), `content` (string), `published` (boolean, default false), `author` (user object), and `authorId` (integer, foreign key to `User.id`).

The terminal window shows the output of the `prisma migrate dev --name init` command. It indicates that the Prisma schema was loaded from `prisma/schema.prisma`, the datasource was configured to connect to a PostgreSQL database at `localhost:5432`, and the migration `20200417143731_init` was successfully applied. The final message states: "Your database is now in sync with your schema."


.env configurado



The screenshot shows a `.env` file in a VS Code editor. The file contains configuration for the Prisma development environment, including the database URL and the Prisma CLI command to run the migration.

```
1 # Environment variables declared in this file are NOT automatically loaded by Prisma.
2 # Please add 'import "dotenv/config";' to your 'prisma.config.ts' file, or use the Prisma CLI with Bun
3 # to load environment variables from .env files: https://pris.ly/prisma-config-env-vars.
4
5 # Prisma supports the native connection string format for PostgreSQL, MySQL, SQLite, SQL Server, MongoDB and CockroachDB.
6 # See the documentation for all the connection string options: https://pris.ly/d/connection-strings
7
8 # The following 'prisma-postgres' URL is similar to the URL produced by running a local Prisma Postgres
9 # server with the 'prisma dev' CLI command, when not choosing any non-default ports or settings. The API key, unlike the
10 # one found in a remote Prisma Postgres URL, does not contain any sensitive information.
11
12 DATABASE_URL="postgresql://postgres:holal23@localhost:5432/tarea"
```

Evidencia de Conexión



Link

<https://github.com/calleScc/tarea1.git>