

Axiom Repository Audit

FILE: package.json

```
{
  "name": "axiom",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "lint": "eslint",
    "test": "node --import tsx --test src/lib/**/*.test.ts"
  },
  "dependencies": {
    "@supabase/auth-ui-react": "^0.4.7",
    "@supabase/auth-ui-shared": "^0.1.8",
    "@supabase/ssr": "^0.10.3",
    "@supabase/supabase-js": "^2.105.4",
    "framer-motion": "^12.40.0",
    "lenis": "^1.3.23",
    "lucide-react": "^1.17.0",
    "next": "16.2.6",
    "react": "19.2.4",
    "react-dom": "19.2.4",
    "recharts": "^3.8.1"
  },
  "devDependencies": {
    "@tailwindcss/postcss": "^4",
    "@types/d3-array": "^3.2.2",
    "@types/node": "^20",
    "@types/react": "^19",
    "@types/react-dom": "^19",
    "babel-plugin-react-compiler": "1.0.0",
    "eslint": "^9",
    "eslint-config-next": "16.2.6",
    "tailwindcss": "^4",
    "tsx": "^4.21.0",
    "typescript": "^5"
  }
}
```

FILE: tsconfig.json

```
{
  "compilerOptions": {
    "target": "ES2017",
    "lib": ["dom", "dom.iterable", "esnext"],
    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "react-jsx",
    "incremental": true,
    "plugins": [
      {
        "name": "next",
      },
    ],
  },
}
```

Axiom Repository Audit

```
  ],
  "paths": {
    "@/*": ["/src/*"],
  },
},
"include": [
  "next-env.d.ts",
  "**/*.ts",
  "**/*.tsx",
  ".next/types/**/*.ts",
  ".next/dev/types/**/*.ts",
  "**/*.mts",
],
"exclude": ["node_modules", "mobile"],
}
```

FILE: next.config.ts

```
import type { NextConfig } from "next";

const nextConfig: NextConfig = {
  /* config options here */
  reactCompiler: true,
};

export default nextConfig;
```

FILE: postcss.config.mjs

```
const config = {
  plugins: {
    '@tailwindcss/postcss': {},
  },
};

export default config;
```

FILE: eslint.config.mjs

```
import { defineConfig, globalIgnores } from "eslint/config";
import nextVitals from "eslint-config-next/core-web-vitals";
import nextTs from "eslint-config-next/typescript";

const eslintConfig = defineConfig([
  ...nextVitals,
  ...nextTs,
  // Override default ignores of eslint-config-next.
  globalIgnores([
    // Default ignores of eslint-config-next:
    ".next/**",
    "out/**",
    "build/**",
    "next-env.d.ts",
  ]),
]);

export default eslintConfig;
```

Axiom Repository Audit

FILE: README.md

AXIOM

Axiom is a behavioral financial intelligence system designed to help users understand how capital is being deployed over time.

It is not a budgeting app.

It is not a passive expense tracker.

Axiom treats money as **deployable strategic capital**.

The system analyzes where capital flows, what behavioral patterns emerge, and whether those deployments are increasing or degrading long-term financial positioning.

? CORE PRINCIPLE

Financial events are truth. Everything else is interpretation.

Axiom is built around three strict layers:

Layer	Responsibility
Financial Truth	Immutable deployment records stored in Supabase
Derived Intelligence	Deterministic analytics (Burn, Runway, Allocation)
Interpretation Layer	Kairos behavioral insights (Strategic signals)

?? SYSTEM ARCHITECTURE (V2.4)

Axiom follows **Architecture A**:

```
``text
Next.js (UI + Server Actions)
  ?
Application Logic Layer (/lib)
  ?
Supabase (PostgreSQL + Auth)
  ?
Kairos Intelligence Layer
``
```

? ARCHITECTURAL PHILOSOPHY

The architecture exists to preserve **traceability, determinism, and explainability**.

- The frontend is purely for display and secure command entry.
- The database is the singular source of financial truth.
- Kairos interprets behavior but never mutates financial state.

? RETURN-BASED TAXONOMY SYSTEM

Axiom classifies every dollar by its **expected return profile**.

Category	Strategic Meaning
Asset	Expected future value generation (Equity, Crypto, Real Estate)
Skill	Improves future earning capability (Courses, Books, Coaching)
Leverage	Multiplies output or saves time (Software, Automation, Outsourcing)
Experience	Intentional quality-of-life deployment (Travel, Family)
Leakage	Non-strategic capital drift (Mindless spending without intent)

? LIQUIDITY MANAGEMENT

The system tracks **Total Liquidity** to drive the **Operational Runway** engine.

- **Total Liquidity** represents your total investable liquid capital (cash, near-cash assets).
- Users can update their "Truth" (starting balance) using the **"Set starting liquidity"** action in the header.
- Runway is calculated as: `Total Liquidity / Daily Burn Rate`.

Axiom Repository Audit

? PROJECT STRUCTURE

- `/app` ? Next.js routes + UI rendering
- `/lib/analytics` ? Deterministic metrics + calculations
- `/lib/finance` ? Taxonomy enforcement + validation
- `/lib/db` ? Server-side Supabase access layer
- `/lib/context` ? Strategic data compression for AI

? NON-NEGOTIABLE RULES

1. AI never writes financial truth.
2. Financial logic cannot exist in multiple places.
3. Frontend state is never authoritative.
4. Taxonomy integrity must remain enforced via the ****Taxonomy Gate****.

Axiom v1: Stabilized, Coherent, and Strategically Aware. (Production Locked)

FILE: AGENTS.md

AGENTS.md ? AI Workflow & Methodology

This document instructs future AI coding agents on the specific methodologies and UX patterns required to build within the Axiom system.

1. "Build Backwards" Methodology

When implementing new features or insights, work from the end of the pipeline toward the source to ensure architectural alignment:

1. ****Insight Registry****: Define the interpretation rules and thresholds in `registry.ts` (Interpretation).
2. ****Context Layer****: Define the signals and behavioral markers in `lib/context` (Signals).
3. ****Analytics Engine****: Implement the deterministic math and logic in `lib/analytics` (Math).
4. ****Database/UI****: Finally, implement the schema changes and the user interface.

This ensures that UI components are always backed by a rigorous, testable analytical foundation.

2. "The Quiet System" UI Philosophy

- ****Forgiving Interfaces****: Assume user failure or data gaps. Build elastic interfaces that handle missing telemetry or "Quiet System" states without breaking.
- ****Immediate Revalidation****: After any server-side mutation, call `revalidatePath` immediately to drop the cache and ensure the UI reflects "The Source" (Supabase).
- ****No Optimistic UI for Totals****: While UI interactions can be snappy, critical financial totals (Net Worth, Runway, Burn) MUST NEVER use optimistic updates. They must only update after a successful round-trip to the server to maintain "Financial Certainty."

3. Core Workflow Priorities

- ****Correctness over Speed****: Every financial calculation must be verified against the deterministic analytics engine.
 - ****Traceability****: Every figure in the UI must be traceable back to a raw value in Supabase.
 - ****Security****: Always verify RLS and auth boundaries before touching a single line of data-access code.
-

FILE: CLAUDE.md

CLAUDE.md ? AXIOM Architectural Laws

This document defines the non-negotiable architectural laws of the Axiom system. All development must adhere to these 5 Pillars to prevent logic drift and maintain financial integrity.

1. The Database is Absolute Truth

- ****Server-Side Authority****: All data mutations MUST occur through Next.js Server Actions.
- ****Identity Enforcement****: Server Actions MUST explicitly call `requireAuth()` to derive the `userId`. Never trust a `userId` passed from the client.
- ****RLS is Absolute****: Row Level Security (RLS) must be enabled on every table. Code must be written assuming RLS is the final line of defense.

2. Ledger Immutability

Axiom Repository Audit

- **Hard Deletes are Banned**: No record representing a financial event or state may be permanently deleted.
- **Soft Delete Pattern**: All transactional tables MUST use a `deleted\_at` timestamp column.
- **Read Consistency**: Every read query must filter for active records using `.is("deleted\_at", null)`.

3. The Mapping Layer Pattern (Localization)

- **Abstract Schema**: Database enums and types must remain generic (e.g., `loan`, `checking`, `mobile\_money`).
- **Taxonomy Translation**: The UI must never display raw database enums. It MUST intercept and translate these using the `taxonomy.ts` mapping dictionary (e.g., mapping `loan` to `Fuliza / SACCO Loan` based on context).
- **Currency Standard**: All financial values are strictly Kenyan Shillings (KES) and must be formatted accordingly.

4. AI Sandboxing (Kairos)

- **Read-Only Observer**: Kairos AI is a passive intelligence layer. It is strictly prohibited from mutating data or initiating transactions.
- **Deterministic Input**: Kairos must consume the `BehavioralContext` (derived from `analytics`) and map it through the `registry.ts` interpretation layer.
- **The Philosophy of Silence**: Kairos must gracefully handle the "Quiet System" state. If no rules are triggered, it remains silent. Silence is a valid and preferred state of certainty.

5. Telemetry & Observability

- **Non-Blocking Execution**: The engine must log execution latency, rule hits, and pipeline performance via the asynchronous telemetry service.
- **Asynchronous Logging**: Telemetry operations must never block the main UI thread or delay the delivery of financial figures to the user.

FILE: src\proxy.ts

```
import { type NextRequest, NextResponse } from "next/server";
import { updateSession } from "@lib/supabase/middleware";
import { createServerClient } from "@supabase/ssr";

export async function proxy(request: NextRequest) {
  // Update the session (refreshes the token)
  const response = await updateSession(request);

  const supabase = createServerClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!,
    {
      cookies: {
        getAll() {
          return request.cookies.getAll();
        },
        setAll() {
          // No-op for read-only session check
        },
      },
    },
  );

  const {
    data: { user },
  } = await supabase.auth.getUser();

  // ROUTE PROTECTION

  // If user is not logged in and trying to access dashboard, redirect to home
  if (!user && request.nextUrl.pathname.startsWith("/dashboard")) {
    const url = request.nextUrl.clone();
    url.pathname = "/";
    const redirectResponse = NextResponse.redirect(url);

    // Copy all cookies from the session update response to the redirect response
    response.cookies.getAll().forEach((cookie) => {
```

Axiom Repository Audit

```
    redirectResponse.cookies.set(cookie.name, cookie.value, cookie);
  });

  return redirectResponse;
}

// If user is logged in and trying to access home (login page), redirect to dashboard
if (user && request.nextUrl.pathname === "/") {
  const url = request.nextUrl.clone();
  url.pathname = "/dashboard";
  const redirectResponse = NextResponse.redirect(url);

  // Copy all cookies from the session update response to the redirect response
  response.cookies.getAll().forEach((cookie) => {
    redirectResponse.cookies.set(cookie.name, cookie.value, cookie);
  });

  return redirectResponse;
}

return response;
}

export const config = {
  matcher: [
    /*
     * Match all request paths except for the ones starting with:
     * - _next/static (static files)
     * - _next/image (image optimization files)
     * - favicon.ico (favicon file)
     * Feel free to modify this pattern to include more paths.
     */
    "/(?!_next/static|_next/image|favicon.ico|.*\\.(?:svg|png|jpg|jpeg|gif|webp)$).*",
  ],
};
```

FILE: src\\app\\globals.css

```
@import "tailwindcss";

@theme {
  --color-background: var(--background);
  --color-foreground: var(--foreground);
  --font-sans: var(--font-geist-sans);
  --font-mono: var(--font-geist-mono);
  --font-cormorant: var(--font-cormorant);

  --radius-none: 0px;
  --radius-xs: 0.125rem;
  --radius-default: 0.375rem;
  --radius-2xl: 1.5rem;
  --radius-3xl: 1.875rem;
  --radius-full: 9999px;
  --color-button-ripple-color: var(--button-ripple-color);
}

:root {
  --background: #000000;
  --foreground: #ffffff;
  --button-ripple-color: oklch(0.145 0 0 / 0.3);
}

.dark {
```

Axiom Repository Audit

```
--button-ripple-color: oklch(0.985 0 0 / 0.5);
}

body {
  background: var(--background);
  color: var(--foreground);
  font-family: var(--font-sans), ui-sans-serif, system-ui, sans-serif;
  -webkit-font-smoothing: antialiased;
}

/* Custom Scrollbar */
::-webkit-scrollbar {
  width: 4px;
}

::-webkit-scrollbar-track {
  background: transparent;
}

::-webkit-scrollbar-thumb {
  background: rgba(255, 255, 255, 0.1);
}

::-webkit-scrollbar-thumb:hover {
  background: rgba(255, 255, 255, 0.2);
}

/* Luxury Transitions */
* {
  transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
}

@keyframes luxury-fade-in {
  from {
    opacity: 0;
    transform: translateY(10px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.animate-luxury {
  animation: luxury-fade-in 1.2s ease-out forwards;
}

/* Hide range inputs default look for luxury feel */
input[type="range"] {
  -webkit-appearance: none;
  appearance: none;
  background: transparent;
  cursor: pointer;
  height: 32px; /* Increase hit area */
}

/* Hide number input spinners (up/down arrows) */
input[type="number"]::-webkit-inner-spin-button,
input[type="number"]::-webkit-outer-spin-button {
  -webkit-appearance: none;
  margin: 0;
}

input[type="number"] {
  -moz-appearance: textfield;
}
```

Axiom Repository Audit

```
    appearance: textField;
  }

input[type="range"]::-webkit-slider-runable-track {
  background: rgba(255, 255, 255, 0.1);
  height: 2px;
  border-radius: 9999px; /* Round track */
}

input[type="range"]::-webkit-slider-thumb {
  -webkit-appearance: none;
  appearance: none;
  margin-top: -11px; /* Center thumb on 2px track */
  background-color: #ffffff;
  height: 24px;
  width: 24px;
  border-radius: 9999px; /* Round thumb */
  box-shadow: 0 0 20px rgba(255, 255, 255, 0.2);
  transition:
    transform 0.2s ease,
    box-shadow 0.2s ease;
}

input[type="range"]:active::-webkit-slider-thumb {
  transform: scale(1.1);
  box-shadow: 0 0 30px rgba(255, 255, 255, 0.4);
}
```

FILE: src\appllayout.tsx

```
import type { Metadata } from "next";
import { Geist, Geist_Mono, Cormorant_Garamond } from "next/font/google";
import "./globals.css";

const geistSans = Geist({
  variable: "--font-geist-sans",
  subsets: ["latin"],
});

const geistMono = Geist_Mono({
  variable: "--font-geist-mono",
  subsets: ["latin"],
});

const cormorant = Cormorant_Garamond({
  variable: "--font-cormorant",
  subsets: ["latin"],
  weight: ["300", "400", "500", "600", "700"],
  style: ["normal", "italic"],
});

export const metadata: Metadata = {
  title: "AXIOM // Strategic Wealth Intelligence",
  description: "Bespoke Liquidity Architecture & Structural Solvency Engine",
};

import { SmoothScrollProvider } from "@components/ui/smooth-scroll-provider";

export default function RootLayout({
  children,
}: Readonly<{
  children: React.ReactNode;
}>) {
```

Axiom Repository Audit

```
return (
  <html
    lang="en"
    className={`${geistSans.variable} ${geistMono.variable} ${cormorant.variable} h-full antialiased`}
  >
    <body className="min-h-full flex flex-col bg-background text-foreground selection:bg-foreground
selection:text-background">
      <SmoothScrollProvider>{children}</SmoothScrollProvider>
    </body>
  </html>
);
}
```

FILE: src\app\page.tsx

```
"use client";

import { useEffect, useState } from "react";
import { useRouter } from "next/navigation";
import Link from "next/link";
import { supabase } from "@/lib/supabase";
import { LuxuryHero } from "@/components/landing/LuxuryHero";
import { SolvencyCalculator } from "@/components/landing/SolvencyCalculator";
import { StrategicPillars } from "@/components/landing/StrategicPillars";
import { ProcessFlow } from "@/components/landing/ProcessFlow";

import { RippleButton } from "@/components/ui/multi-type-ripple-buttons";
import { HoverButton } from "@/components/ui/hover-glow-button";
import { BrandMark } from "@/components/ui/brand-mark";

export default function LandingPage() {
  const router = useRouter();
  const [isScrolled, setIsScrolled] = useState(false);

  useEffect(() => {
    const handleScroll = () => {
      setIsScrolled(window.scrollY > 20);
    };

    window.addEventListener("scroll", handleScroll);

    const {
      data: { subscription },
    } = supabase.auth.onAuthStateChange((event, session) => {
      if (session) {
        router.push("/dashboard");
      }
    });
  });

  return () => {
    window.removeEventListener("scroll", handleScroll);
    subscription.unsubscribe();
  };
}, [router]);

return (
  <main className="bg-black text-white min-h-screen selection:bg-white selection:text-black overflow-x-hidden antialiased">
    </* Editorial Navigation - Dynamic Glassmorphism */>
    <nav
      className={`fixed top-0 left-0 w-full z-50 px-8 flex justify-between items-center transition-all duration-700 ${
        isScrolled
          ? "py-5 bg-black/40 backdrop-blur-xl border-b border-white/5 shadow-2xl"
          : "py-10 bg-transparent border-b border-transparent"
      }`}
    >
```

Axiom Repository Audit

```
}`}  
>  
<div className="flex items-center gap-4 group cursor-pointer">  
  <BrandMark />  
  <div className="flex flex-col">  
    <span className="font-mono text-[10px] tracking-[0.6em] uppercase font-bold text-white">  
      AXIOM  
    </span>  
    <span className="text-[7px] font-mono tracking-[0.3em] uppercase text-white/40">  
      Sovereign Intel  
    </span>  
  </div>  
</div>  
<div className="flex gap-8 items-center">  
  <Link href="/signup">  
    <RippleButton  
      variant="ghost"  
      className="text-white/40 hover:text-white"  
    >  
      Access Portal  
    </RippleButton>  
  </Link>  
  <Link href="/signup">  
    <RippleButton  
      variant="hoverborder"  
      hoverBorderEffectColor="rgba(255,255,255,0.4)"  
    >  
      Initialize  
    </RippleButton>  
  </Link>  
</div>  
</nav>  
  
{/* ASSEMBLY */}  
<LuxuryHero />  
<SolvencyCalculator />  
<StrategicPillars />  
<ProcessFlow />  
  
{/* FINAL CONVERSION SECTION */}  
<section className="py-80 px-6 text-center bg-linear-to-b from-black to-[#080808] relative">  
  <div className="absolute inset-0 bg-[url('https://www.transparenttextures.com/patterns/carbon-fibre.png')] opacity-5  
pointer-events-none" />  
  
  <div className="max-w-5xl mx-auto space-y-24 relative z-10">  
    <div className="space-y-8">  
      <span className="font-mono text-[10px] tracking-[0.6em] text-white/20 uppercase">  
        Ready to Secure your legacy?  
      </span>  
      <h2 className="font-cormorant text-7xl md:text-[10rem] text-white leading-[0.8] tracking-tighter">  
        Establish your <br />  
        <span className="italic">strategic baseline.</span>  
      </h2>  
    </div>  
  
    <div className="flex flex-col items-center gap-16">  
      <Link href="/signup">  
        <HoverButton  
          glowColor="rgba(255,255,255,0.4)"  
          className="px-24 py-10 rounded-full"  
        >  
          Establish Your Architecture  
        </HoverButton>  
      </Link>
```

Axiom Repository Audit

```
<div className="flex flex-col items-center gap-8">
  <div className="h-40 w-px bg-linear-to-b from-white/20 to-transparent" />
  <p className="font-mono text-[9px] tracking-[0.6em] text-white/20 uppercase">
    Axiom Strategic Protocol // v1.0
  </p>
</div>
</div>
</div>
</section>

{/* LUXURY FOOTER */}
<footer className="py-32 px-8 md:px-24 border-t border-white/5 bg-[#080808]">
  <div className="max-w-7xl mx-auto grid md:grid-cols-[1.5fr_1fr_1fr] gap-24 items-start">
    <div className="space-y-12">
      <div className="flex items-center gap-4">
        <BrandMark className="w-8 h-8" />
        <span className="font-mono text-xs tracking-[0.5em] uppercase font-bold">
          AXIOM
        </span>
      </div>
      <p className="text-white/20 text-lg font-light leading-relaxed max-w-sm">
        Deterministic financial intelligence for the sovereign individual.
        Precision modeling for a chaotic ecosystem.
      </p>
      <div className="pt-8 border-t border-white/5 flex gap-8 font-mono text-[9px] tracking-widest text-white/10 uppercase">
        <span>Encrypted Session</span>
        <span>Regional Node: Nairobi</span>
      </div>
    </div>

    <div className="space-y-10">
      <h4 className="font-cormorant italic text-2xl text-white/60">
        Intelligence
      </h4>
      <div className="flex flex-col gap-6 font-mono text-[10px] tracking-[0.4em] uppercase text-white/30">
        <Link href="#" className="hover:text-white transition-colors">
          Methodology
        </Link>
        <Link href="#" className="hover:text-white transition-colors">
          Taxonomy
        </Link>
        <Link href="#" className="hover:text-white transition-colors">
          Risk Protocol
        </Link>
        <Link href="#" className="hover:text-white transition-colors">
          Legacy Design
        </Link>
      </div>
    </div>

    <div className="space-y-10">
      <h4 className="font-cormorant italic text-2xl text-white/60">
        Legal
      </h4>
      <div className="flex flex-col gap-6 font-mono text-[10px] tracking-[0.4em] uppercase text-white/30">
        <Link href="#" className="hover:text-white transition-colors">
          Privacy Policy
        </Link>
        <Link href="#" className="hover:text-white transition-colors">
          Terms of Service
        </Link>
        <Link href="#" className="hover:text-white transition-colors">
          Compliance Audit
        </Link>
      </div>
    </div>
  </div>
</footer>
```

Axiom Repository Audit

```
        <div className="pt-12 text-white/10 italic normal-case font-serif text-sm">
          © 2026 Axiom Labs. All rights reserved.
        </div>
      </div>
    </div>
  </div>
</footer>
</main>
);
}
```

FILE: src\applauth\auth-code-error\page.tsx

```
"use client";

import Link from "next/link";

export default function AuthCodeError() {
  return (
    <main className="min-h-screen flex items-center justify-center bg-background text-foreground p-6">
      <div className="w-full max-w-md bg-background border-2 border-red-500/20 rounded-[2.5rem] p-10 shadow-2xl text-center">
        <div className="w-20 h-20 bg-red-500/10 rounded-3xl flex items-center justify-center mx-auto mb-6">
          <svg
            width="40"
            height="40"
            viewBox="0 0 24 24"
            fill="none"
            stroke="currentColor"
            strokeWidth="3"
            className="text-red-500"
          >
            <path d="M10.29 3.86L1.82 18a2 2 0 0 0 1.71 3h16.94a2 2 0 0 0 1.71-3L13.71 3.86a2 2 0 0 0-3.42 0z" />
            <line x1="12" y1="9" x2="12" y2="13" />
            <line x1="12" y1="17" x2="12.01" y2="17" />
          </svg>
        </div>

        <h1 className="text-3xl font-black tracking-tighter uppercase mb-4">
          Auth Failed
        </h1>

        <p className="text-gray-500 text-sm font-bold uppercase tracking-widest mb-8 leading-relaxed">
          The secure handshake with the authentication provider was interrupted.
        </p>

        <Link
          href="/"
          className="w-full bg-foreground text-background px-4 py-5 rounded-2xl font-black text-lg hover:scale-[1.02]
          active:scale-[0.98] transition-all shadow-xl shadow-foreground/10 block uppercase text-center"
        >
          Return to Login
        </Link>
      </div>
    </main>
  );
}
```

FILE: src\applauth\callback\route.ts

```
import { NextResponse } from "next/server";
// The client you created in Step 1
```

Axiom Repository Audit

```
import { createClient } from "@lib/supabase/server";

export async function GET(request: Request) {
  const { searchParams, origin } = new URL(request.url);
  const code = searchParams.get("code");
  // if "next" is in search params, use it as the redirection URL
  const next = searchParams.get("next") ?? "/dashboard";

  if (code) {
    const supabase = await createClient();
    const { error } = await supabase.auth.exchangeCodeForSession(code);
    if (!error) {
      return NextResponse.redirect(`${origin}${next}`);
    }
  }

  // return the user to an error page with instructions
  return NextResponse.redirect(`${origin}/auth/auth-code-error`);
}
```

FILE: src\app\dashboard\AccountSection.tsx

```
"use client";

import { useState, useSyncExternalStore } from "react";
import { ACCOUNT_TYPES, type Account } from "@lib/finance/accounts";
import { createAccountAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { AccountMap } from "@lib/utils/taxonomy";
import { DistributionPieChart } from "@components/dashboard/MiniCharts";
import { ScrollReveal } from "@components/ui/scroll-reveal";

interface AccountSectionProps {
  accounts: Account[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

const emptySubscribe = () => () => {};

export function AccountSection({ accounts, onSnapshot }: AccountSectionProps) {
  const isClient = useSyncExternalStore(
    emptySubscribe,
    () => true,
    () => false,
  );

  const [isAdding, setIsAdding] = useState(false);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);

  const [sourceForm, setSourceForm] = useState({
    account_name: "",
    account_type: "checking",
    current_balance: "",
    institution: "",
  });

  const chartData = accounts.map((a) => ({
    name: a.account_name,
    value: Number(a.current_balance),
  }));
```

Axiom Repository Audit

```
async function handleSourceSubmit(e: React.FormEvent) {
  e.preventDefault();
  setIsLoading(true);
  setError(null);
  try {
    const snapshot = await createAction({
      account_name: sourceForm.account_name,
      account_type: sourceForm.account_type,
      current_balance: Number(sourceForm.current_balance),
      institution: sourceForm.institution || undefined,
    });
    setSourceForm({
      account_name: "",
      account_type: "checking",
      current_balance: "",
      institution: "",
    });
    setIsAdding(false);
    onSnapshot(snapshot);
  } catch (err: unknown) {
    setError(err instanceof Error ? err.message : "Failed to create source");
  } finally {
    setIsLoading(false);
  }
}

if (!isClient) return null;

return (
  <div className="space-y-12">
    <div className="flex items-center justify-between">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
        Accounts
      </h2>
      <button
        onClick={() => setIsAdding(!isAdding)}
        className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
      >
        {isAdding ? "? CANCEL" : "+ APPEND ACCOUNT"}
      </button>
    </div>

    {isAdding && (
      <div className="bg-white/2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
        <form onSubmit={handleSourceSubmit} className="space-y-8">
          <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
            <div className="space-y-2">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                Account Name
              </label>
              <input
                type="text"
                required
                placeholder="e.g. M-Pesa, Savings"
                value={sourceForm.account_name}
                onChange={(e) =>
                  setSourceForm({
                    ...sourceForm,
                    account_name: e.target.value,
                  })
                }
              />
            </div>
            <div
              className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
            />
          </div>
        </form>
      </div>
    )}
  </div>
)
```

Axiom Repository Audit

```
<div className="space-y-2">
  <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
    Current Liquidity
  </label>
  <input
    type="number"
    required
    placeholder="0.00"
    value={sourceForm.current_balance}
    onChange={(e) =>
      setSourceForm({
        ...sourceForm,
        current_balance: e.target.value,
      })
    }
    className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
  />
</div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Account Type
    </label>
    <select
      value={sourceForm.account_type}
      onChange={(e) =>
        setSourceForm({
          ...sourceForm,
          account_type: e.target.value,
        })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {ACCOUNT_TYPES.map((t) => (
        <option key={t.value} value={t.value} className="bg-black">
          {t.label}
        </option>
      ))}
    </select>
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Financial Institution
    </label>
    <input
      type="text"
      placeholder="Optional"
      value={sourceForm.institution}
      onChange={(e) =>
        setSourceForm({
          ...sourceForm,
          institution: e.target.value,
        })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>

{error && (
```

Axiom Repository Audit

```
<p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
  {error}
</p>
})

<button
  type="submit"
  disabled={isLoading}
  className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px] hover:bg-white/90
transition-colors disabled:opacity-50"
  >
  {isLoading ? "INITIALIZING..." : "CONFIRM ACCOUNT"}
</button>
</form>
</div>
})

{accounts.length > 0 && (
  <div className="py-6 border-b border-white/5 mb-6">
    <DistributionPieChart data={chartData} />
  </div>
)}

<div className="space-y-2">
  {accounts.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No accounts active
      </p>
    </div>
  ) : (
    accounts.map((account, index) => (
      <ScrollReveal key={account.id} delay={index * 0.05} distance={10}>
        <div className="flex items-center justify-between py-6 border-b border-white/5 group hover:bg-white/1
transition-all px-2">
          <div className="space-y-1">
            <span className="text-[8px] font-mono tracking-widest uppercase text-white/20">
              {AccountMap[account.account_type] || account.account_type}
            </span>
            <h3 className="font-cormorant text-xl text-white transition-transform group-hover:translate-x-2">
              {account.account_name}
            </h3>
          </div>
          <div className="text-right">
            <p className="font-cormorant text-xl text-white">
              {formatCurrency(account.current_balance)}
            </p>
            {account.institution && (
              <p className="text-[8px] font-mono text-white/10 uppercase tracking-widest mt-1">
                {account.institution}
              </p>
            )}
          </div>
        </div>
      </ScrollReveal>
    ))
  )}
</div>
</div>
);
}
```

Axiom Repository Audit

FILE: src\appl\dashboard\actions.ts

```
"use server";

import { revalidatePath } from "next/cache";
import { createClient } from "@lib/supabase/server";
import {
  createDeployment,
  updateDeployment,
  deleteDeployment,
} from "@lib/db/deployments";
import { createAccount, updateAccount, deleteAccount } from "@lib/db/accounts";
import {
  createLiability,
  updateLiability,
  deleteLiability,
} from "@lib/db/liabilities";
import {
  createIncomeStreams,
  updateIncomeStream,
  deleteIncomeStream,
} from "@lib/db/income";
import { createGoal, updateGoal, deleteGoal } from "@lib/db/goals";
import {
  createStrategicObjective,
  updateStrategicObjective,
  deleteStrategicObjective,
} from "@lib/db/objectives";
import {
  createOperationalBaseline,
  updateOperationalBaseline,
  deleteOperationalBaseline,
} from "@lib/db/baseline";
import { updateLiquidity } from "@lib/db/settings";
import { LiquidityService } from "@lib/finance/liquidity";
import { getDeletedLedgerRecords } from "@lib/db/audit";
import { saveInsight } from "@lib/db/insights";
import { SnapshotService } from "@lib/services/snapshot";
import type { DashboardSnapshot } from "@lib/dashboard/types";
import type {
  OperationalBaseline,
  BaselineCadence,
} from "@lib/analytics/types";
import type { DeploymentAdvancedContextInput } from "@lib/finance/deploymentContext";

export interface CreateDeploymentActionInput {
  title: string;
  amount: number;
  category: string;
  advancedContext?: DeploymentAdvancedContextInput;
  accountId?: string;
}

export interface UpdateDeploymentActionInput {
  title: string;
  amount: number;
  category: string;
  accountId?: string;
}

export interface CreateAccountActionInput {
  account_name: string;
  account_type: string;
  current_balance: number;
```

Axiom Repository Audit

```
    institution?: string;
  }

export interface CreateLiabilityActionInput {
  liability_name: string;
  liability_type: string;
  outstanding_balance: number;
  interest_rate?: number;
  minimum_payment?: number;
  due_date?: string | null;
  institution?: string;
  is_paid_in_cadences?: boolean;
  cadence?: string | null;
  cadence_day_date?: string | null;
  cadence_amount?: number | null;
}

export interface CreateIncomeActionInput {
  income_name: string;
  income_type: string;
  amount: number;
  cadence: string;
  execution_day?: number | null;
  is_recurring?: boolean;
  source?: string;
  start_date?: string;
  end_date?: string | null;
}

export interface CreateGoalActionInput {
  goal_name: string;
  goal_type: string;
  target_amount: number;
  current_progress?: number;
  target_date?: string | null;
  priority: string;
  status: string;
  notes?: string;
}

export interface CreateObjectiveActionInput {
  objective_name: string;
  objective_type: string;
  target_amount: number;
  current_amount?: number;
  target_date?: string | null;
  priority_level: string;
  status: string;
  notes?: string;
}

const requireAuth = async () => {
  const supabase = await createClient();
  const {
    data: { user },
    error,
  } = await supabase.auth.getUser();
  if (error || !user) throw new Error("Unauthorized mutation attempt.");
  return { userId: user.id, supabase };
};

export async function getDashboardSnapshotAction() {
  const supabase = await createClient();
  const {
    data: { user },
```

Axiom Repository Audit

```
} = await supabase.auth.getUser();

if (!user) return SnapshotService.unauthenticated();

const { snapshot } = await SnapshotService.getSnapshot(supabase, user.id);
return snapshot;
}

export async function checkOnboardingStatusAction() {
  const { userId, supabase } = await requireAuth();

  const [accounts, baseline] = await Promise.all([
    supabase
      .from("accounts")
      .select("id", { count: "exact", head: true })
      .eq("user_id", userId),
    supabase
      .from("operational_baseline")
      .select("id", { count: "exact", head: true })
      .eq("user_id", userId),
  ]);

  return {
    isOnboarded: (accounts.count ?? 0) > 0 || (baseline.count ?? 0) > 0,
  };
}

export async function createDeploymentAction(
  input: CreateDeploymentActionInput,
) {
  const { userId, supabase } = await requireAuth();

  try {
    // 1. Create the deployment record (The database trigger handles account balance deduction)
    await createDeployment(
      supabase,
      input.title,
      input.amount,
      userId,
      input.category,
      0,
      input.advancedContext,
      input.accountId,
    );

    // 2. Synchronize global liquidity (The database trigger handles account balance deduction)
    if (input.accountId) {
      await LiquidityService.sync(supabase, userId);
    }

    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to create deployment:", error);
    throw error;
  }
}
```

Axiom Repository Audit

```
    }
  }

export async function updateDeploymentAction(
  id: string,
  input: UpdateDeploymentActionInput,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateDeployment(supabase, id, userId, {
      title: input.title,
      amount: input.amount,
      category: input.category,
    });
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to update deployment:", error);
    throw error;
  }
}

export async function deleteDeploymentAction(id: string) {
  const { userId, supabase } = await requireAuth();

  try {
    await deleteDeployment(supabase, id, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to delete deployment:", error);
    throw error;
  }
}

export async function updateLiquidityAction(amount: number) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateLiquidity(supabase, userId, amount);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
```

Axiom Repository Audit

```
    { forceInsightEvaluation: true },
  );

  if (volatileState.requiresPersistence && snapshot.kairosInsight) {
    await saveInsight(supabase, snapshot.kairosInsight, userId);
  }

  return snapshot;
} catch (error) {
  console.error("Failed to update liquidity:", error);
  throw error;
}
}

export async function createAccountAction(input: CreateAccountActionInput) {
  const { userId, supabase } = await requireAuth();

  try {
    await createAccount(supabase, userId, input);
    await LiquidityService.sync(supabase, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to create account:", error);
    throw error;
  }
}

export async function updateAccountAction(
  id: string,
  input: Partial<CreateAccountActionInput>,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateAccount(supabase, id, userId, input);
    await LiquidityService.sync(supabase, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to update account:", error);
    throw error;
  }
}
```

Axiom Repository Audit

```
export async function deleteAccountAction(id: string) {
  const { userId, supabase } = await requireAuth();

  try {
    await deleteAccount(supabase, id, userId);
    await LiquidityService.sync(supabase, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to delete account:", error);
    throw error;
  }
}

export async function createLiabilityAction(input: CreateLiabilityActionInput) {
  const { userId, supabase } = await requireAuth();

  try {
    await createLiability(supabase, userId, input);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to create liability:", error);
    throw error;
  }
}

export async function updateLiabilityAction(
  id: string,
  input: Partial<CreateLiabilityActionInput>,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateLiability(supabase, id, userId, input);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }
  }
```

Axiom Repository Audit

```
        return snapshot;
    } catch (error) {
        console.error("Failed to update liability:", error);
        throw error;
    }
}

export async function deleteLiabilityAction(id: string) {
    const { userId, supabase } = await requireAuth();

    try {
        await deleteLiability(supabase, id, userId);
        revalidatePath("/dashboard");
        const { snapshot, volatileState } = await SnapshotService.getSnapshot(
            supabase,
            userId,
            { forceInsightEvaluation: true },
        );

        if (volatileState.requiresPersistence && snapshot.kairosInsight) {
            await saveInsight(supabase, snapshot.kairosInsight, userId);
        }

        return snapshot;
    } catch (error) {
        console.error("Failed to delete liability:", error);
        throw error;
    }
}

export async function createIncomeAction(inputs: CreateIncomeActionInput[]) {
    const { userId, supabase } = await requireAuth();

    try {
        await createIncomeStreams(supabase, userId, inputs);
        revalidatePath("/dashboard");
        const { snapshot, volatileState } = await SnapshotService.getSnapshot(
            supabase,
            userId,
            { forceInsightEvaluation: true },
        );

        if (volatileState.requiresPersistence && snapshot.kairosInsight) {
            await saveInsight(supabase, snapshot.kairosInsight, userId);
        }

        return snapshot;
    } catch (error) {
        console.error("Failed to create income streams:", error);
        throw error;
    }
}

export async function updateIncomeAction(
    id: string,
    input: Partial<CreateIncomeActionInput>,
) {
    const { userId, supabase } = await requireAuth();

    try {
        await updateIncomeStream(supabase, id, userId, input);
        revalidatePath("/dashboard");
        const { snapshot, volatileState } = await SnapshotService.getSnapshot(
            supabase,
```

Axiom Repository Audit

```
    userId,
    { forceInsightEvaluation: true },
  );

  if (volatileState.requiresPersistence && snapshot.kairosInsight) {
    await saveInsight(supabase, snapshot.kairosInsight, userId);
  }

  return snapshot;
} catch (error) {
  console.error("Failed to update income stream:", error);
  throw error;
}
}

export async function deleteIncomeAction(id: string) {
  const { userId, supabase } = await requireAuth();

  try {
    await deleteIncomeStream(supabase, id, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to delete income stream:", error);
    throw error;
  }
}

export async function resolvePendingInflowAction(payload: {
  incomeId: string;
  accountId: string;
  amount: number;
}) {
  const { userId, supabase } = await requireAuth();

  try {
    // 1. Get current account balance
    const { data: account, error: accError } = await supabase
      .from("accounts")
      .select("current_balance")
      .eq("id", payload.accountId)
      .eq("user_id", userId)
      .single();

    if (accError || !account) throw new Error("Target account not found.");

    // 2. Update the target account balance
    const newBalance = Number(account.current_balance) + payload.amount;
    await updateAccount(supabase, payload.accountId, userId, {
      current_balance: newBalance,
    });

    // 3. Update the income stream last_executed_at
    await updateIncomeStream(supabase, payload.incomeId, userId, {
      last_executed_at: new Date().toISOString(),
    });
  }
}
```

Axiom Repository Audit

```
});

// 4. Synchronize global liquidity
await LiquidityService.sync(supabase, userId);

revalidatePath("/dashboard");
const { snapshot, volatileState } = await SnapshotService.getSnapshot(
  supabase,
  userId,
  { forceInsightEvaluation: true },
);

if (volatileState.requiresPersistence && snapshot.kairosInsight) {
  await saveInsight(supabase, snapshot.kairosInsight, userId);
}

return snapshot;
} catch (error) {
  console.error("Failed to resolve pending income:", error);
  throw error;
}
}

export async function resolvePendingLiabilityAction(payload: {
  liabilityId: string;
  accountId: string;
  amount: number;
}) {
  const { userId, supabase } = await requireAuth();

  try {
    // 1. Get current account and liability state
    const [accountRes, liabRes] = await Promise.all([
      supabase
        .from("accounts")
        .select("current_balance")
        .eq("id", payload.accountId)
        .eq("user_id", userId)
        .single(),
      supabase
        .from("liabilities")
        .select("outstanding_balance")
        .eq("id", payload.liabilityId)
        .eq("user_id", userId)
        .single(),
    ]);

    if (accountRes.error || !accountRes.data)
      throw new Error("Source account not found.");
    if (liabRes.error || !liabRes.data)
      throw new Error("Liability record not found.");

    // 2. Update balances
    const newAccBalance =
      Number(accountRes.data.current_balance) - payload.amount;
    const newLiabBalance = Math.max(
      0,
      Number(liabRes.data.outstanding_balance) - payload.amount,
    );

    await Promise.all([
      updateAccount(supabase, payload.accountId, userId, {
        current_balance: newAccBalance,
      }),
      updateLiability(supabase, payload.liabilityId, userId, {
```

Axiom Repository Audit

```
        outstanding_balance: newLiabBalance,
        last_executed_at: new Date().toISOString(),
    }},
]);

// 3. Synchronize global liquidity
await LiquidityService.sync(supabase, userId);

revalidatePath("/dashboard");
const { snapshot, volatileState } = await SnapshotService.getSnapshot(
    supabase,
    userId,
    { forceInsightEvaluation: true },
);

if (volatileState.requiresPersistence && snapshot.kairosInsight) {
    await saveInsight(supabase, snapshot.kairosInsight, userId);
}

return snapshot;
} catch (error) {
    console.error("Failed to resolve pending liability:", error);
    throw error;
}
}

export async function resolvePendingBaselineAction(payload: {
    baselineId: string;
    accountId: string;
    amount: number;
    title: string;
}) {
    const { userId, supabase } = await requireAuth();

    try {
        // 1. Get current account balance
        const { data: account, error: accError } = await supabase
            .from("accounts")
            .select("current_balance")
            .eq("id", payload.accountId)
            .eq("user_id", userId)
            .single();

        if (accError || !account) throw new Error("Source account not found.");

        // 2. Deduct from account
        const newBalance = Number(account.current_balance) - payload.amount;
        await updateAccount(supabase, payload.accountId, userId, {
            current_balance: newBalance,
        });

        // 3. Log Deployment (Maintenance Expense)
        await createDeployment(
            supabase,
            payload.title,
            payload.amount,
            userId,
            "Maintenance",
            0,
            undefined,
            payload.accountId,
        );

        // 4. Update the baseline last_executed_at
        await updateOperationalBaseline(supabase, payload.baselineId, userId, {
```

Axiom Repository Audit

```
    last_executed_at: new Date().toISOString(),
  });

// 5. Synchronize global liquidity
await LiquidityService.sync(supabase, userId);

revalidatePath("/dashboard");
const { snapshot, volatileState } = await SnapshotService.getSnapshot(
  supabase,
  userId,
  { forceInsightEvaluation: true },
);

if (volatileState.requiresPersistence && snapshot.kairosInsight) {
  await saveInsight(supabase, snapshot.kairosInsight, userId);
}

return snapshot;
} catch (error) {
  console.error("Failed to resolve pending baseline:", error);
  throw error;
}
}

export async function createGoalAction(input: CreateGoalActionInput) {
  const { userId, supabase } = await requireAuth();

  try {
    await createGoal(supabase, userId, input);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to create goal:", error);
    throw error;
  }
}

export async function updateGoalAction(
  id: string,
  input: Partial<CreateGoalActionInput>,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateGoal(supabase, id, userId, input);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }
  }
```

Axiom Repository Audit

```
        return snapshot;
    } catch (error) {
        console.error("Failed to update goal:", error);
        throw error;
    }
}

export async function deleteGoalAction(id: string) {
    const { userId, supabase } = await requireAuth();

    try {
        await deleteGoal(supabase, id, userId);
        revalidatePath("/dashboard");
        const { snapshot, volatileState } = await SnapshotService.getSnapshot(
            supabase,
            userId,
            { forceInsightEvaluation: true },
        );

        if (volatileState.requiresPersistence && snapshot.kairosInsight) {
            await saveInsight(supabase, snapshot.kairosInsight, userId);
        }

        return snapshot;
    } catch (error) {
        console.error("Failed to delete goal:", error);
        throw error;
    }
}

export async function createStrategicObjectiveAction(
    input: CreateObjectiveActionInput,
) {
    const { userId, supabase } = await requireAuth();

    try {
        await createStrategicObjective(supabase, userId, input);
        revalidatePath("/dashboard");
        const { snapshot, volatileState } = await SnapshotService.getSnapshot(
            supabase,
            userId,
            { forceInsightEvaluation: true },
        );

        if (volatileState.requiresPersistence && snapshot.kairosInsight) {
            await saveInsight(supabase, snapshot.kairosInsight, userId);
        }

        return snapshot;
    } catch (error) {
        console.error("Failed to create strategic objective:", error);
        throw error;
    }
}

export const createObjectiveAction = createStrategicObjectiveAction;

export async function updateStrategicObjectiveAction(
    id: string,
    input: Partial<CreateObjectiveActionInput>,
) {
    const { userId, supabase } = await requireAuth();

    try {
```

Axiom Repository Audit

```
await updateStrategicObjective(supabase, id, userId, input);
revalidatePath("/dashboard");
const { snapshot, volatileState } = await SnapshotService.getSnapshot(
  supabase,
  userId,
  { forceInsightEvaluation: true },
);

if (volatileState.requiresPersistence && snapshot.kairosInsight) {
  await saveInsight(supabase, snapshot.kairosInsight, userId);
}

return snapshot;
} catch (error) {
  console.error("Failed to update strategic objective:", error);
  throw error;
}
}

export const updateObjectiveAction = updateStrategicObjectiveAction;

export async function deleteStrategicObjectiveAction(id: string) {
  const { userId, supabase } = await requireAuth();

  try {
    await deleteStrategicObjective(supabase, id, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to delete strategic objective:", error);
    throw error;
  }
}

export const deleteObjectiveAction = deleteStrategicObjectiveAction;

export async function createOperationalBaselineAction(
  data: Omit<
    OperationalBaseline,
    "id" | "user_id" | "created_at" | "updated_at"
  >,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await createOperationalBaseline(supabase, userId, data);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }
  }
}
```

Axiom Repository Audit

```
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to create operational baseline:", error);
    throw error;
  }
}

export async function updateOperationalBaselineAction(
  id: string,
  updates: Partial<
    Omit<OperationalBaseline, "id" | "user_id" | "created_at" | "updated_at">
  >,
) {
  const { userId, supabase } = await requireAuth();

  try {
    await updateOperationalBaseline(supabase, id, userId, updates);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to update operational baseline:", error);
    throw error;
  }
}

export async function deleteOperationalBaselineAction(id: string) {
  const { userId, supabase } = await requireAuth();

  try {
    await deleteOperationalBaseline(supabase, id, userId);
    revalidatePath("/dashboard");
    const { snapshot, volatileState } = await SnapshotService.getSnapshot(
      supabase,
      userId,
      { forceInsightEvaluation: true },
    );

    if (volatileState.requiresPersistence && snapshot.kairosInsight) {
      await saveInsight(supabase, snapshot.kairosInsight, userId);
    }

    return snapshot;
  } catch (error) {
    console.error("Failed to delete operational baseline:", error);
    throw error;
  }
}

export async function submitDayZeroOnboardingAction(payload: {
  accounts: {
    account_name: string;
    account_type: string;
    current_balance: string;
  }
}) {
```

Axiom Repository Audit

```
    institution?: string;
  }[];
  incomes: {
    income_name: string;
    income_type: string;
    amount: string;
    cadence: string;
    execution_day: string;
    is_recurring: boolean;
    source?: string;
  }[];
  liabilities: {
    liability_name: string;
    liability_type: string;
    outstanding_balance: string;
    interest_rate: string;
    institution?: string;
    is_paid_in_cadences: boolean;
    cadence: string;
    cadence_day_date: string;
    cadence_amount: string;
  }[];
  baselines: {
    title: string;
    amount: string;
    cadence: string;
    execution_day: string;
    is_recurring: boolean;
    category: string;
  }[];
}) {
  const { userId, supabase } = await requireAuth();

  try {
    // 1. Insert Accounts
    for (const acc of payload.accounts) {
      await createAccount(supabase, userId, {
        ...acc,
        current_balance: Number(acc.current_balance),
      });
    }

    // 2. Insert Incomes (if any)
    if (payload.incomes.length > 0) {
      await createIncomeStreams(
        supabase,
        userId,
        payload.incomes.map((inc) => ({
          income_name: inc.income_name,
          income_type: inc.income_type,
          amount: Number(inc.amount),
          cadence: inc.is_recurring ? inc.cadence : "irregular",
          execution_day:
            inc.is_recurring &&
            (inc.cadence === "monthly" ||
              inc.cadence === "weekly" ||
              inc.cadence === "biweekly")
              ? Number(inc.execution_day)
              : null,
          is_recurring: inc.is_recurring,
          source: inc.source || undefined,
        })),
      );
    }
  }
}
```

Axiom Repository Audit

```
// 3. Insert Liabilities (if any)
for (const liab of payload.liabilities) {
  const balance = Number(liab.outstanding_balance);
  if (balance > 0) {
    await createLiability(supabase, userId, {
      liability_name: liab.liability_name,
      liability_type: liab.liability_type,
      outstanding_balance: balance,
      interest_rate: Number(liab.interest_rate) || 0,
      institution: liab.institution || undefined,
      is_paid_in_cadences: liab.is_paid_in_cadences,
      cadence: liab.is_paid_in_cadences ? liab.cadence : null,
      cadence_day_date: liab.is_paid_in_cadences
        ? String(liab.cadence_day_date)
        : null,
      cadence_amount: liab.is_paid_in_cadences
        ? Number(liab.cadence_amount)
        : null,
    });
  }
}

// 4. Insert Operational Baselines
for (const item of payload.baselines) {
  await createOperationalBaseline(supabase, userId, {
    title: item.title || "Core Survival Baseline",
    amount: Number(item.amount),
    category: item.category || "Maintenance",
    cadence: (item.is_recurring
      ? item.cadence
      : "monthly") as BaselineCadence,
    execution_day:
      item.is_recurring &&
      (item.cadence === "monthly" ||
        item.cadence === "weekly" ||
        item.cadence === "biweekly")
      ? Number(item.execution_day)
      : null,
    is_recurring: item.is_recurring,
    baseline_type: "expense",
    is_active: true,
  });
}

// 5. Synchronize initial liquidity pool with account balances
await LiquidityService.sync(supabase, userId);

revalidatePath("/dashboard", "layout");
const { snapshot, volatileState } = await SnapshotService.getSnapshot(
  supabase,
  userId,
  { forceInsightEvaluation: true },
);

if (volatileState.requiresPersistence && snapshot.kairosInsight) {
  await saveInsight(supabase, snapshot.kairosInsight, userId);
}

return snapshot;
} catch (error) {
  console.error("[Onboarding] Submission failed:", error);
  throw error;
}
}
```

Axiom Repository Audit

```
export const submitDayZeroBaselineAction = submitDayZeroOnboardingAction;

export async function fetchHistoricalAuditAction() {
  const { userId, supabase } = await requireAuth();
  return getDeletedLedgerRecords(supabase, userId);
}

export interface AuditLog {
  id: string;
  rule_id: string;
  severity: string;
  evaluation_time_ms: number;
  created_at: string;
}

export interface TelemetrySummary {
  logs: AuditLog[];
  averageLatency: number;
  matchRate: number;
  totalCycles: number;
  ruleHits: Record<string, number>;
}

export async function fetchTelemetryLogsAction(): Promise<TelemetrySummary> {
  const { userId, supabase } = await requireAuth();

  const { data, error } = await supabase
    .from("kairos_insights")
    .select("*")
    .eq("user_id", userId)
    .order("created_at", { ascending: false })
    .limit(50);

  if (error) {
    console.error("[Telemetry] Fetch failed:", error.message);
    return {
      logs: [],
      averageLatency: 0,
      matchRate: 0,
      totalCycles: 0,
      ruleHits: {},
    };
  }

  const logs = (data || []) as AuditLog[];
  const totalLogs = logs.length;

  if (totalLogs === 0) {
    return {
      logs: [],
      averageLatency: 0,
      matchRate: 0,
      totalCycles: 0,
      ruleHits: {},
    };
  }

  const totalLatency = logs.reduce(
    (sum, log) => sum + (log.evaluation_time_ms || 0),
    0,
  );
  const averageLatency = totalLatency / totalLogs;

  const matches = logs.filter((log) => log.severity !== "none").length;
  const matchRate = (matches / totalLogs) * 100;
```

Axiom Repository Audit

```
const ruleHits: Record<string, number> = {};  
logs.forEach((log) => {  
  if (log.severity && log.severity !== "none") {  
    ruleHits[log.rule_id] = (ruleHits[log.rule_id] || 0) + 1;  
  }  
});  
  
return {  
  logs,  
  averageLatency: Math.round(averageLatency * 100) / 100,  
  matchRate: Math.round(matchRate * 10) / 10,  
  totalCycles: totalLogs,  
  ruleHits,  
};  
}
```

FILE: src\app\dashboard\BaselineSection.tsx

```
"use client";  
  
import { useState } from "react";  
import { TAXONOMY_CATEGORIES } from "@lib/finance/taxonomy";  
import { createOperationalBaselineAction } from "../actions";  
import { type DashboardSnapshot } from "@lib/dashboard/types";  
import { OperationalBaseline, BaselineCadence } from "@lib/analytics/types";  
import { formatCurrency } from "@lib/utils/formatters";  
import { DistributionPieChart } from "@components/dashboard/MiniCharts";  
import { ScrollReveal } from "@components/ui/scroll-reveal";  
  
interface BaselineSectionProps {  
  baseline: OperationalBaseline[];  
  onSnapshot: (snapshot: DashboardSnapshot) => void;  
}  
  
const CADENCES = [  
  { value: "daily", label: "Daily" },  
  { value: "weekly", label: "Weekly" },  
  { value: "biweekly", label: "Bi-weekly" },  
  { value: "monthly", label: "Monthly" },  
  { value: "quarterly", label: "Quarterly" },  
  { value: "yearly", label: "Yearly" },  
];  
  
export function BaselineSection({  
  baseline,  
  onSnapshot,  
}: BaselineSectionProps) {  
  const [isAdding, setIsAdding] = useState(false);  
  const [isLoading, setIsLoading] = useState(false);  
  const [error, setError] = useState<string | null>(null);  
  
  const chartData = baseline.map((b) => ({  
    name: b.title,  
    value: Number(b.amount),  
  }));  
  
  const [form, setForm] = useState({  
    title: "",  
    amount: "",  
    category: "Maintenance",  
    cadence: "monthly" as BaselineCadence,  
    execution_day: 1,  
  });  
}
```

Axiom Repository Audit

```
is_recurring: true,
baseline_type: "expense" as "expense" | "allocation",
notes: "",
});

async function handleSubmit(e: React.FormEvent) {
  e.preventDefault();
  setIsLoading(true);
  setError(null);
  try {
    const snapshot = await createOperationalBaselineAction({
      title: form.title,
      amount: Number(form.amount),
      category: form.category,
      cadence: form.is_recurring ? form.cadence : "monthly", // Default or special irregular? Plan says use is_recurring
      execution_day:
        form.is_recurring &&
        (form.cadence === "monthly" ||
         form.cadence === "weekly" ||
         form.cadence === "biweekly")
          ? Number(form.execution_day)
          : null,
      is_recurring: form.is_recurring,
      baseline_type: form.baseline_type,
      is_active: true,
      notes: form.notes || undefined,
    });
    setForm({
      title: "",
      amount: "",
      category: "Maintenance",
      cadence: "monthly",
      execution_day: 1,
      is_recurring: true,
      baseline_type: "expense",
      notes: "",
    });
    setIsAdding(false);
    onSnapshot(snapshot);
  } catch (err: unknown) {
    setError(
      err instanceof Error ? err.message : "Failed to create baseline entry",
    );
  } finally {
    setIsLoading(false);
  }
}

return (
  <div className="space-y-12">
    <div className="flex items-center justify-between">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
        Operational Maintenance
      </h2>
      <button
        onClick={() => setIsAdding(!isAdding)}
        className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
        >
        {isAdding ? "? CANCEL" : "+ APPEND RECURRING"}
      </button>
    </div>

    {isAdding && (
      <div className="bg-white/2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
```

Axiom Repository Audit

```
<form onSubmit={handleSubmit} className="space-y-8">
  <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Baseline Name
      </label>
      <input
        type="text"
        required
        placeholder="e.g. Rent, Netflix"
        value={form.title}
        onChange={(e) => setForm({ ...form, title: e.target.value })}
        className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
      />
    </div>
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Amount
      </label>
      <input
        type="number"
        required
        placeholder="0.00"
        value={form.amount}
        onChange={(e) => setForm({ ...form, amount: e.target.value })}
        className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
      />
    </div>
  </div>

  <div className="space-y-6">
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Category
      </label>
      <select
        value={form.category}
        onChange={(e) =>
          setForm({ ...form, category: e.target.value })
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
      >
        {TAXONOMY_CATEGORIES.map((cat) => (
          <option
            key={cat.value}
            value={cat.value}
            className="bg-black"
          >
            {cat.label}
          </option>
        ))}
      </select>
    </div>

    <div className="space-y-4">
      <label className="flex items-center space-x-3 cursor-pointer group">
        <input
          type="checkbox"
          checked={form.is_recurring}
          onChange={(e) =>
            setForm({ ...form, is_recurring: e.target.checked })
          }
        />
      </label>
    </div>
  </div>
</form>
```

Axiom Repository Audit

```

        className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors
cursor-pointer"
    />
    <span className="text-[10px] font-mono text-white/40 uppercase tracking-widest group-hover:text-white/60
transition-colors">
        Recurring Expense
    </span>
</label>

{form.is_recurring && (
    <div className="space-y-8 pt-4 animate-in fade-in slide-in-from-top-2 border-l border-white/5 pl-6 ml-2">
        <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
            <div className="space-y-2">
                <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                    Frequency
                </label>
                <select
                    value={form.cadence}
                    onChange={(e) =>
                        setForm({
                            ...form,
                            cadence: e.target.value as BaselineCadence,
                        })
                    }
                    className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
                >
                    {CADENCES.map((c) => (
                        <option
                            key={c.value}
                            value={c.value}
                            className="bg-black"
                        >
                            {c.label}
                        </option>
                    ))}
                </select>
            </div>

            {form.cadence === "daily" && (
                <div className="flex items-center pt-4">
                    <p className="text-[10px] font-mono text-white/40 uppercase tracking-widest leading-relaxed">
                        <span className="text-white/60">Note:</span> You
                        will be prompted everyday to verify this baseline.
                    </p>
                </div>
            )}

            {(form.cadence === "monthly" ||
                form.cadence === "weekly" ||
                form.cadence === "biweekly") && (
                <div className="space-y-2">
                    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                        {form.cadence === "monthly"
                            ? "Day of Month (1-31)"
                            : "Day of Week"}
                    </label>
                    {form.cadence === "monthly" ? (
                        <input
                            type="number"
                            min="1"
                            max="31"
                            required
                            value={form.execution_day || ""}
                            onChange={(e) =>

```

Axiom Repository Audit

```
        setForm({
          ...form,
          execution_day: Number(e.target.value),
        })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light
focus:outline-none focus:border-white transition-colors"
    />
  ) : (
    <select
      value={form.execution_day || 1}
      onChange={(e) =>
        setForm({
          ...form,
          execution_day: Number(e.target.value),
        })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono
text-[10px] tracking-widest uppercase focus:outline-none"
    >
      {[
        { label: "Monday", value: 1 },
        { label: "Tuesday", value: 2 },
        { label: "Wednesday", value: 3 },
        { label: "Thursday", value: 4 },
        { label: "Friday", value: 5 },
        { label: "Saturday", value: 6 },
        { label: "Sunday", value: 7 },
      ]}.map((day) => (
        <option
          key={day.value}
          value={day.value}
          className="bg-black"
        >
          {day.label}
        </option>
      )))
    </select>
  )}
</div>
)}
</div>
</div>
)}
</div>
</div>

{error && (
  <p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
    {error}
  </p>
)}

<button
  type="submit"
  disabled={isLoading}
  className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px] hover:bg-white/90
transition-colors disabled:opacity-50"
>
  {isLoading ? "SAVING..." : "CONFIRM RECURRING"}
</button>
</form>
</div>
)}
```

Axiom Repository Audit

```
{baseline.length > 0 && (
  <div className="py-6 border-b border-white/5 mb-6">
    <DistributionPieChart data={chartData} />
  </div>
)}

<div className="space-y-2">
  {baseline.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No recurring flows active
      </p>
    </div>
  ) : (
    baseline.map((item, index) => (
      <ScrollReveal key={item.id} delay={index * 0.05} distance={10}>
        <div className="flex items-center justify-between py-6 border-b border-white/5 group hover:bg-white/1
transition-all px-2">
          <div className="space-y-1">
            <div className="flex items-center gap-3">
              <span className="text-[8px] font-mono tracking-widest uppercase text-white/20">
                {item.cadence}
              </span>
              {item.execution_day && (
                <span className="text-[8px] font-mono tracking-widest uppercase text-white/10">
                  ? Day {item.execution_day}
                </span>
              )}
            </div>
            <h3 className="font-cormorant text-xl text-white transition-transform group-hover:translate-x-2">
              {item.title}
            </h3>
          </div>
          <div className="text-right">
            <p className="font-cormorant text-xl text-white">
              {formatCurrency(item.amount)}
            </p>
          </div>
        </div>
      </ScrollReveal>
    ))
  )}
</div>
</div>
);
}
```

FILE: src\app\dashboard\error.tsx

```
"use client";

import { useEffect } from "react";

export default function DashboardError({
  error,
  reset,
}: {
  error: Error & { digest?: string };
  reset: () => void;
}) {
  useEffect(() => {
    // Log the error to an error reporting service
    console.error("Dashboard Route Error:", error);
  });
}
```

Axiom Repository Audit

```
}, [error]));

return (
  <main className="min-h-[80vh] flex items-center justify-center p-6">
    <div className="w-full max-w-md bg-background border-2 border-red-500/20 rounded-[2.5rem] p-10 shadow-2xl text-center">
      <div className="w-20 h-20 bg-red-500/10 rounded-3xl flex items-center justify-center mx-auto mb-6">
        <svg
          width="40"
          height="40"
          viewBox="0 0 24 24"
          fill="none"
          stroke="currentColor"
          strokeWidth="3"
          className="text-red-500"
        >
          <path d="M10.29 3.86L1.82 18a2 2 0 0 0 1.71 3h16.94a2 2 0 0 0 1.71-3L13.71 3.86a2 2 0 0 0-3.42 0z" />
          <line x1="12" y1="9" x2="12" y2="13" />
          <line x1="12" y1="17" x2="12.01" y2="17" />
        </svg>
      </div>

      <h1 className="text-3xl font-black tracking-tighter uppercase mb-4 text-foreground">
        System Interrupted
      </h1>

      <p className="text-foreground/60 text-sm font-bold uppercase tracking-widest mb-8 leading-relaxed">
        The intelligence engine encountered an unhandled exception.
      </p>

      <div className="bg-foreground/5 rounded-2xl p-4 mb-8 text-left">
        <p className="text-[10px] font-black text-foreground/40 uppercase tracking-widest mb-2">
          Error Diagnostic
        </p>
        <p className="text-xs font-mono text-red-400 break-all leading-tight">
          {error.message || "Unknown cryptographic failure"}
        </p>
      </div>

      <button
        onClick={() => reset()}
        className="w-full bg-foreground text-background px-4 py-5 rounded-2xl font-black text-lg hover:scale-[1.02]
        active:scale-[0.98] transition-all shadow-xl shadow-foreground/10 uppercase"
      >
        Attempt Recovery
      </button>
    </div>
  </main>
);
}
```

FILE: src\app\dashboard\GoalSection.tsx

```
"use client";

import { useState } from "react";
import {
  calculateGoalProgressPercentage,
  type FinancialGoal,
  GOAL_TYPES,
  GOAL_PRIORITIES,
  GOAL_STATUSES,
} from "@lib/finance/goals";
import { createGoalAction } from "../actions";
```

Axiom Repository Audit

```
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { ScrollReveal } from "@components/ui/scroll-reveal";
import { motion } from "framer-motion";

interface GoalSectionProps {
  goals: FinancialGoal[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

export function GoalSection({ goals, onSnapshot }: GoalSectionProps) {
  const [isAdding, setIsAdding] = useState(false);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);

  const [form, setForm] = useState({
    goal_name: "",
    goal_type: "emergency_fund",
    target_amount: "",
    current_progress: "",
    priority: "medium",
    status: "active",
    target_date: "",
    notes: "",
  });

  async function handleSubmit(e: React.FormEvent) {
    e.preventDefault();
    setIsLoading(true);
    setError(null);
    try {
      const snapshot = await createGoalAction({
        goal_name: form.goal_name,
        goal_type: form.goal_type,
        target_amount: Number(form.target_amount),
        current_progress: form.current_progress
          ? Number(form.current_progress)
          : 0,
        priority: form.priority,
        status: form.status,
        target_date: form.target_date || null,
        notes: form.notes || undefined,
      });
      setForm({
        goal_name: "",
        goal_type: "emergency_fund",
        target_amount: "",
        current_progress: "",
        priority: "medium",
        status: "active",
        target_date: "",
        notes: "",
      });
      setIsAdding(false);
      onSnapshot(snapshot);
    } catch (err: unknown) {
      setError(
        err instanceof Error ? err.message : "Failed to record financial goal",
      );
    } finally {
      setIsLoading(false);
    }
  }

  return (
```

Axiom Repository Audit

```
<div className="space-y-12">
  <div className="flex items-center justify-between">
    <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
      Wealth Milestones
    </h2>
    <button
      onClick={() => setIsAdding(!isAdding)}
      className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
    >
      {isAdding ? "? CANCEL" : "+ APPEND MILESTONE"}
    </button>
  </div>

  {isAdding && (
    <div className="bg-white2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
      <form onSubmit={handleSubmit} className="space-y-8">
        <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
          <div className="space-y-2">
            <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
              Milestone Name
            </label>
            <input
              type="text"
              required
              placeholder="e.g. Dream House"
              value={form.goal_name}
              onChange={(e) =>
                setForm({ ...form, goal_name: e.target.value })
              }
              className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
            />
          </div>
          <div className="space-y-2">
            <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
              Milestone Type
            </label>
            <select
              value={form.goal_type}
              onChange={(e) =>
                setForm({ ...form, goal_type: e.target.value })
              }
              className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px] tracking-widest uppercase focus:outline-none"
            >
              {GOAL_TYPES.map((type) => (
                <option
                  key={type.value}
                  value={type.value}
                  className="bg-black"
                >
                  {type.label}
                </option>
              ))}
            </select>
          </div>
        </div>

        <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
          <div className="space-y-2">
            <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
              Priority
            </label>
            <select
              value={form.priority}

```

Axiom Repository Audit

```
      onChange={(e) =>
        setForm({ ...form, priority: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {GOAL_PRIORITIES.map((p) => (
        <option key={p.value} value={p.value} className="bg-black">
          {p.label}
        </option>
      ))}
    </select>
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Status
    </label>
    <select
      value={form.status}
      onChange={(e) => setForm({ ...form, status: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {GOAL_STATUSES.map((s) => (
        <option key={s.value} value={s.value} className="bg-black">
          {s.label}
        </option>
      ))}
    </select>
  </div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Target Amount
    </label>
    <input
      type="number"
      required
      placeholder="0.00"
      value={form.target_amount}
      onChange={(e) =>
        setForm({ ...form, target_amount: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Current Progress
    </label>
    <input
      type="number"
      placeholder="0.00"
      value={form.current_progress}
      onChange={(e) =>
        setForm({ ...form, current_progress: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>
```

Axiom Repository Audit

```
<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Target Date
    </label>
    <input
      type="date"
      value={form.target_date}
      onChange={(e) =>
        setForm({ ...form, target_date: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    />
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Milestone Notes
    </label>
    <input
      type="text"
      placeholder="Add context..."
      value={form.notes}
      onChange={(e) => setForm({ ...form, notes: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>

{error && (
  <p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
    {error}
  </p>
)}

<button
  type="submit"
  disabled={isLoading}
  className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px] hover:bg-white/90
transition-colors disabled:opacity-50"
>
  {isLoading ? "SAVING..." : "CONFIRM MILESTONE"}
</button>
</form>
</div>
)}

<div className="space-y-8">
  {goals.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No milestones active
      </p>
    </div>
  ) : (
    goals.map((goal, index) => {
      const progress = calculateGoalProgressPercentage(goal);
      return (
        <ScrollReveal key={goal.id} delay={index * 0.1}>
          <div className="space-y-4 group cursor-default pb-8 border-b border-white/5 last:border-0">
            <div className="flex items-center justify-between mb-2">
              <div className="space-y-1">
                <span
```

Axiom Repository Audit

```
      className={`text-[8px] font-mono tracking-widest uppercase ${
        goal.priority === "critical"
          ? "text-red-500"
          : "text-white/20"
      }}`
    >
      {goal.priority}
    </span>
    <h3 className="font-cormorant text-2xl text-white transition-transform group-hover:translate-x-2">
      {goal.goal_name}
    </h3>
  </div>
  <div className="text-right">
    <p className="font-cormorant text-3xl text-white tabular-nums">
      {Math.round(progress)}%
    </p>
  </div>
</div>

<div className="h-px w-full bg-white/5 relative overflow-hidden">
  <motion.div
    initial={{ width: 0 }}
    whileInView={{ width: `${Math.min(100, progress)}%` }}
    viewport={{ once: true }}
    transition={{
      duration: 1.5,
      delay: 0.5 + index * 0.1,
      ease: "easeOut",
    }}
    className="absolute inset-y-0 left-0 bg-white/60"
  />
</div>

<div className="flex justify-between items-end pt-2 opacity-30 group-hover:opacity-60 transition-opacity">
  <p className="text-[9px] font-mono uppercase tracking-widest">
    {formatCurrency(goal.current_progress)}
  </p>
  <p className="text-[9px] font-mono uppercase tracking-widest">
    Target: {formatCurrency(goal.target_amount)}
  </p>
</div>
</div>
</ScrollReveal>
);
})
})
</div>
</div>
);
}
```

FILE: src\app\dashboard\HistoricalAudit.tsx

```
"use client";

import React from "react";
import { Deployment } from "@lib/analytics/types";
import { formatCurrency } from "@lib/utils/formatters";
import { DeploymentMap } from "@lib/utils/taxonomy";

interface HistoricalAuditProps {
  deployments: Deployment[];
}
```

Axiom Repository Audit

```
export function HistoricalAudit({ deployments }: HistoricalAuditProps) {
  if (!deployments || deployments.length === 0) {
    return (
      <div className="p-8 text-center border border-white/5 rounded-3xl opacity-20">
        <p className="text-[10px] font-mono uppercase tracking-[0.4em]">
          No deployment history found
        </p>
      </div>
    );
  }

  // Sort by date descending
  const sortedDeployments = [...deployments].sort(
    (a, b) =>
      new Date(b.created_at).getTime() - new Date(a.created_at).getTime(),
  );

  return (
    <div className="space-y-12">
      <div className="flex items-center gap-6">
        <h3 className="font-cormorant italic text-3xl text-white/40">
          Historical Audit
        </h3>
        <div className="flex-1 h-px bg-white/5" />
      </div>

      <div className="space-y-4 max-h-[600px] overflow-y-auto scrollbar-hide pr-2">
        {sortedDeployments.map((record) => (
          <div
            key={record.id}
            className="group relative bg-white/[0.02] border border-white/5 rounded-2xl p-6 flex items-center justify-between
            transition-all hover:bg-white/[0.04] hover:border-white/10"
          >
            <div className="flex items-center gap-6">
              <div className="w-12 h-12 bg-white/5 rounded-xl flex items-center justify-center group-hover:scale-110
              transition-transform">
                <svg
                  width="20"
                  height="20"
                  viewBox="0 0 24 24"
                  fill="none"
                  stroke="white"
                  strokeWidth="1.5"
                  className="opacity-40 group-hover:opacity-80 transition-opacity"
                >
                  <path d="M12 2v20M17 5H9.5a3.5 3.5 0 0 0 0 7h5a3.5 3.5 0 0 1 0 7H6" />
                </svg>
              </div>
              <div className="space-y-1">
                <h4 className="font-cormorant text-xl text-white/80 group-hover:text-white transition-colors">
                  {record.title}
                </h4>
                <div className="flex items-center gap-3">
                  <span className="text-[9px] font-mono bg-white/5 px-2 py-0.5 rounded-full text-white/40 uppercase
                  tracking-widest">
                    {DeploymentMap[
                      record.category as keyof typeof DeploymentMap
                    ] || record.category}
                  </span>
                  <span className="text-[8px] font-mono text-white/20 uppercase tracking-widest">
                    {new Date(record.created_at).toLocaleDateString(undefined, {
                      month: "short",
                      day: "numeric",
                    })}
                  </span>
                </div>
              </div>
            </div>
          </div>
        ))}
      </div>
    </div>
  );
}
```

Axiom Repository Audit

```
        </span>
      </div>
    </div>
  </div>
  <div className="text-right">
    <p className="font-cormorant text-2xl text-white">
      {formatCurrency(record.amount)}
    </p>
    <p className="text-[8px] font-mono text-white/10 uppercase tracking-[0.3em] mt-1">
      Verified Asset
    </p>
  </div>
</div>
)))
</div>

<p className="text-center text-[8px] font-mono text-white/10 uppercase tracking-[0.5em]">
  Forensic layer immutable // Protocol v1.0
</p>
</div>
);
}
```

FILE: src\app\dashboard\IncomeSection.tsx

```
"use client";

import { useState } from "react";
import {
  INCOME_TYPES,
  CADENCES,
  type IncomeStream,
  type IncomeType,
  type Cadence,
} from "@lib/finance/income";
import { createIncomeAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { IncomeMap } from "@lib/utils/taxonomy";
import { DistributionPieChart } from "@components/dashboard/MiniCharts";
import { ScrollReveal } from "@components/ui/scroll-reveal";

interface IncomeSectionProps {
  incomeStreams: IncomeStream[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

interface FormEntry {
  income_name: string;
  income_type: IncomeType;
  amount: string;
  cadence: Cadence;
  execution_day: number;
  is_recurring: boolean;
  source: string;
}

export function IncomeSection({
  incomeStreams,
  onSnapshot,
}: IncomeSectionProps) {
  const [isAdding, setIsAdding] = useState(false);
  const [isLoading, setIsLoading] = useState(false);
```

Axiom Repository Audit

```
const [error, setError] = useState<string | null>(null);

const chartData = incomeStreams.map((s) => ({
  name: s.income_name,
  value: Number(s.amount),
}));

const [entries, setEntries] = useState<FormEntry[]>([
  {
    income_name: "",
    income_type: "salary",
    amount: "",
    cadence: "monthly",
    execution_day: 1,
    is_recurring: true,
    source: "",
  },
]);

const addEntry = () => {
  setEntries([
    ...entries,
    {
      income_name: "",
      income_type: "salary",
      amount: "",
      cadence: "monthly",
      execution_day: 1,
      is_recurring: true,
      source: "",
    },
  ]);
};

const updateEntry = <K extends keyof FormEntry>({
  index: number,
  field: K,
  value: FormEntry[K],
}) => {
  const newEntries = [...entries];
  newEntries[index][field] = value;
  setEntries(newEntries);
};

async function handleSubmit(e: React.FormEvent) {
  e.preventDefault();
  setIsLoading(true);
  setError(null);
  try {
    const snapshot = await createIncomeAction(
      entries.map((entry) => ({
        ...entry,
        amount: Number(entry.amount),
        cadence: entry.is_recurring ? entry.cadence : "irregular",
        execution_day:
          entry.is_recurring &&
          (entry.cadence === "monthly" ||
            entry.cadence === "weekly" ||
            entry.cadence === "biweekly")
            ? Number(entry.execution_day)
            : null,
        source: entry.source || undefined,
      })),
    );
    setEntries([
```

Axiom Repository Audit

```
{
  income_name: "",
  income_type: "salary",
  amount: "",
  cadence: "monthly",
  execution_day: 1,
  is_recurring: true,
  source: "",
},
]);
setIsAdding(false);
onSnapshot(snapshot);
} catch (err: unknown) {
  setError(
    err instanceof Error ? err.message : "Failed to record income streams",
  );
} finally {
  setIsLoading(false);
}
}
}

return (
  <div className="space-y-12">
    <div className="flex items-center justify-between">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
        Income Velocity
      </h2>
      <button
        onClick={() => setIsAdding(!isAdding)}
        className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
      >
        {isAdding ? "? CANCEL" : "+ APPEND INCOME"}
      </button>
    </div>

    {isAdding && (
      <div className="bg-white/2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
        <form onSubmit={handleSubmit} className="space-y-12">
          {entries.map((entry, index) => (
            <div key={index} className="space-y-8 relative">
              {index > 0 && <div className="border-t border-white/5 pt-8" />}

              <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
                <div className="space-y-2">
                  <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                    Source Name
                  </label>
                  <input
                    type="text"
                    required
                    placeholder="e.g. Salary"
                    value={entry.income_name}
                    onChange={(e) =>
                      updateEntry(index, "income_name", e.target.value)
                    }
                    className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
                  />
                </div>
                <div className="space-y-2">
                  <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                    Origin / Payer
                  </label>
                  <input
                    type="text"

```

Axiom Repository Audit

```
placeholder="e.g. Acme Corp"
value={entry.source}
onChange={(e) =>
  updateEntry(index, "source", e.target.value)
}
className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
/>
</div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Type
    </label>
    <select
      value={entry.income_type}
      onChange={(e) =>
        updateEntry(
          index,
          "income_type",
          e.target.value as IncomeType,
        )
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {INCOME_TYPES.map((t) => (
        <option
          key={t.value}
          value={t.value}
          className="bg-black"
        >
          {t.label}
        </option>
      ))}
    </select>
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Amount
    </label>
    <input
      type="number"
      required
      placeholder="0.00"
      value={entry.amount}
      onChange={(e) =>
        updateEntry(index, "amount", e.target.value)
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>

<div className="space-y-4">
  <label className="flex items-center space-x-3 cursor-pointer group">
    <input
      type="checkbox"
      checked={entry.is_recurring}
      onChange={(e) =>
        updateEntry(index, "is_recurring", e.target.checked)
      }
    />
  </label>
</div>
```

Axiom Repository Audit

```

        className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors
cursor-pointer"
    />
    <span className="text-[10px] font-mono text-white/40 uppercase tracking-widest group-hover:text-white/60
transition-colors">
        Recurring Inflow
    </span>
</label>

{entry.is_recurring && (
    <div className="space-y-8 pt-4 animate-in fade-in slide-in-from-top-2 border-l border-white/5 pl-6 ml-2">
        <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
            <div className="space-y-2">
                <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                    Frequency
                </label>
                <select
                    value={entry.cadence}
                    onChange={(e) =>
                        updateEntry(
                            index,
                            "cadence",
                            e.target.value as Cadence,
                        )
                    }
                    className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
                >
                    {CADENCES.map((c) => (
                        <option
                            key={c.value}
                            value={c.value}
                            className="bg-black"
                        >
                            {c.label}
                        </option>
                    ))}
                </select>
            </div>
            {(entry.cadence === "monthly" ||
                entry.cadence === "weekly" ||
                entry.cadence === "biweekly") && (
                <div className="space-y-2">
                    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                        {entry.cadence === "monthly"
                            ? "Day of Month (1-31)"
                            : "Day of Week"}
                    </label>
                    {entry.cadence === "monthly" ? (
                        <input
                            type="number"
                            min="1"
                            max="31"
                            required
                            value={entry.execution_day || ""}
                            onChange={(e) =>
                                updateEntry(
                                    index,
                                    "execution_day",
                                    Number(e.target.value),
                                )
                            }
                            className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light
focus:outline-none focus:border-white transition-colors"
                        />

```

Axiom Repository Audit

```

    ) : (
      <select
        value={entry.execution_day || 1}
        onChange={e =>
          updateEntry(
            index,
            "execution_day",
            Number(e.target.value),
          )
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono
text-[10px] tracking-widest uppercase focus:outline-none"
      >
        {[
          { label: "Monday", value: 1 },
          { label: "Tuesday", value: 2 },
          { label: "Wednesday", value: 3 },
          { label: "Thursday", value: 4 },
          { label: "Friday", value: 5 },
          { label: "Saturday", value: 6 },
          { label: "Sunday", value: 7 },
        ]
        .map((day) => (
          <option
            key={day.value}
            value={day.value}
            className="bg-black"
          >
            {day.label}
          </option>
        ))}
      </select>
    )}
  </div>
)}
</div>
</div>
)}
</div>
)}
)}

<div className="space-y-6">
  <button
    type="button"
    onClick={addEntry}
    className="text-[9px] font-mono tracking-widest uppercase text-white/20 hover:text-white transition-colors"
  >
    + APPEND ANOTHER SOURCE
  </button>

  {error && (
    <p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
      {error}
    </p>
  )}

  <button
    type="submit"
    disabled={isLoading}
    className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px]
hover:bg-white/90 transition-colors disabled:opacity-50"
  >
    {isLoading ? "SAVING..." : "CONFIRM INCOMES"}
  </button>
</div>

```

Axiom Repository Audit

```
    </form>
  </div>
})

{incomeStreams.length > 0 && (
  <div className="py-6 border-b border-white/5 mb-6">
    <DistributionPieChart data={chartData} />
  </div>
)}

<div className="space-y-2">
  {incomeStreams.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No income streams active
      </p>
    </div>
  ) : (
    incomeStreams.map((stream, index) => (
      <ScrollReveal key={stream.id} delay={index * 0.05} distance={10}>
        <div className="flex items-center justify-between py-6 border-b border-white/5 group hover:bg-white/1
transition-all px-2">
          <div className="space-y-1">
            <span className="text-[8px] font-mono tracking-widest uppercase text-white/20">
              {IncomeMap[stream.income_type] || stream.income_type}
              {stream.source && ` ? ${stream.source}`}
            </span>
            <h3 className="font-cormorant text-xl text-white transition-transform group-hover:translate-x-2">
              {stream.income_name}
            </h3>
          </div>
          <div className="text-right">
            <p className="font-cormorant text-xl text-white">
              {formatCurrency(stream.amount)}
              <span className="text-[10px] ml-2 text-white/20 font-sans tracking-widest uppercase">
                / {stream.cadence}
              </span>
            </p>
            {stream.execution_day && (
              <p className="text-[8px] font-mono text-white/10 uppercase tracking-widest mt-1">
                Executes on day {stream.execution_day}
              </p>
            )}
          </div>
        </div>
      </ScrollReveal>
    ))
  )}
</div>
</div>
);
}
```

FILE: src\app\dashboard\layout.tsx

```
"use client";

import { supabase } from "@/lib/supabase";
import { useEffect, useState } from "react";
import { User } from "@supabase/supabase-js";
import Link from "next/link";
import { SmoothScrollProvider } from "@/components/ui/smooth-scroll-provider";
import { checkOnboardingStatusAction } from "../actions";
```

Axiom Repository Audit

```
import { BrandMark } from "@components/ui/brand-mark";

export const dynamic = "force-dynamic";

export default function DashboardLayout({
  children,
}): {
  children: React.ReactNode;
}) {
  const [user, setUser] = useState<User | null>(null);
  const [isProfileOpen, setIsProfileOpen] = useState(false);
  const [activeSection, setActiveSection] = useState("overview");
  const [isOnboarded, setIsOnboarded] = useState<boolean | null>(null);

  useEffect(() => {
    async function init() {
      const {
        data: { user },
      } = await supabase.auth.getUser();
      setUser(user);

      try {
        const { isOnboarded } = await checkOnboardingStatusAction();
        setIsOnboarded(isOnboarded);
      } catch {
        setIsOnboarded(false);
      }
    }
    init();

    const handleScroll = () => {
      const sections = ["overview", "deploy", "intelligence", "ledger"];
      const scrollPosition = window.scrollY + 200;

      for (const section of sections) {
        const element = document.getElementById(section);
        if (element) {
          const { offsetTop, offsetHeight } = element;
          if (
            scrollPosition >= offsetTop &&
            scrollPosition < offsetTop + offsetHeight
          ) {
            setActiveSection(section);
            break;
          }
        }
      }
    };

    window.addEventListener("scroll", handleScroll);
    return () => window.removeEventListener("scroll", handleScroll);
  }, []);

  async function handleLogout() {
    await supabase.auth.signOut();
    window.location.href = "/";
  }

  const navItems = [
    { id: "overview", label: "Overview", roman: "I" },
    { id: "deploy", label: "Architecture", roman: "II" },
    { id: "intelligence", label: "Intelligence", roman: "III" },
    { id: "ledger", label: "Ledger", roman: "IV" },
  ];
};
```

Axiom Repository Audit

```
const scrollToSection = (id: string) => {
  const element = document.getElementById(id);
  if (element) {
    const offset = 100;
    const bodyRect = document.body.getBoundingClientRect().top;
    const elementRect = element.getBoundingClientRect().top;
    const elementPosition = elementRect - bodyRect;
    const offsetPosition = elementPosition - offset;

    window.scrollTo({
      top: offsetPosition,
      behavior: "smooth",
    });
  }
};

return (
  <div className="min-h-screen bg-black text-white flex flex-col md:flex-row relative selection:bg-white selection:text-black">
    /* Background Atmosphere */
    <div className="fixed inset-0 z-0">
      <div className="absolute top-0 right-0 w-[40%] h-[40%] bg-white/2 rounded-full blur-[120px]" />
      <div className="absolute bottom-0 left-0 w-[40%] h-[40%] bg-white/2 rounded-full blur-[120px]" />
      <div className="absolute inset-0 bg-[url('https://www.transparenttextures.com/patterns/carbon-fibre.png')] opacity-10 pointer-events-none" />
    </div>

    {isOnboarded === true && (
      <>
        /* SIDEBAR */
        <aside className="hidden md:flex flex-col fixed left-0 top-0 bottom-0 w-80 bg-black/40 backdrop-blur-3xl border-r border-white/5 z-50 p-12 animate-in fade-in slide-in-from-left-4 duration-1000 overflow-hidden">
          /* Ambient Sidebar Glow */
          <div className="absolute top-0 left-0 w-full h-full bg-[radial-gradient(ellipse_at_top_left, rgba(255,255,255,0.03), transparent_70%)] pointer-events-none" />

          <div className="relative z-10 flex flex-col h-full justify-between">
            <div className="space-y-24">
              /* Logo */
              <Link href="/" className="group mb-8 block">
                <div className="flex items-center gap-4">
                  <BrandMark className="w-10 h-10 group-hover:scale-105 transition-transform duration-700" />
                  <span className="font-cormorant text-2xl tracking-widest uppercase text-white group-hover:text-white/80 transition-colors">
                    AXIOM
                  </span>
                </div>
              </Link>

              /* Navigation */
              <nav className="space-y-6">
                {navItems.map((item) => (
                  <button
                    key={item.id}
                    onClick={() => scrollToSection(item.id)}
                    className={`w-full group text-left transition-all duration-500 py-3 ${
                      activeSection === item.id
                        ? "opacity-100"
                        : "opacity-30 hover:opacity-100"
                    }`}
                  >
                </button>
                <div className="flex items-center gap-6 relative">
                  /* Active Line Indicator */
                  <div
                    className={`absolute -left-6 top-1/2 -translate-y-1/2 w-1 h-0 bg-white transition-all duration-500`

```

Axiom Repository Audit

```

    ${
        activeSection === item.id
        ? "h-full"
        : "group-hover:h-1/2 opacity-30"
    }`
  />
  <span className="font-cormorant italic text-2xl text-white/60 w-8">
    {item.roman}.
  </span>
  <span
    className={`font-cormorant text-3xl tracking-wide transition-all duration-500 ${
      activeSection === item.id
        ? "translate-x-2 text-white"
        : "group-hover:translate-x-2 text-white/80"
    }`}
  >
    {item.label}
  </span>
</div>
</button>
  )}}
</nav>
</div>

{/* User Profile */}
<div className="pt-12 border-t border-white/5 relative">
  <button
    onClick={() => setIsProfileOpen(!isProfileOpen)}
    className="flex items-center gap-4 w-full group"
  >
    <div className="w-10 h-10 border border-white/10 bg-white/5 flex items-center justify-center font-mono
text-xs      text-white      group-hover:bg-white      group-hover:text-black      transition-all      duration-500
shadow-[0_0_15px_rgba(255,255,255,0.05)]">
      {user?.email?.[0].toUpperCase()}
    </div>
    <div className="flex flex-col text-left">
      <span className="text-[10px] font-mono tracking-widest text-white/80 uppercase truncate max-w-30
group-hover:text-white transition-colors">
        {user?.email?.split("@")[0]}
      </span>
      <span className="text-[8px] font-mono tracking-widest text-white/20 uppercase">
        Verified Session
      </span>
    </div>
  </button>

  {isProfileOpen && (
    <div className="absolute bottom-full left-0 mb-4 w-full bg-black/90 backdrop-blur-xl border border-white/10
p-2 shadow-2xl animate-in fade-in slide-in-from-bottom-2 duration-300">
      <button
        onClick={handleLogout}
        className="w-full text-left font-mono text-[9px] tracking-widest text-red-500 hover:text-red-400
uppercase p-4 hover:bg-white/5 transition-colors"
      >
        Terminate Session
      </button>
    </div>
  )}
</div>
</div>
</aside>

{/* MOBILE HEADER */}
<header className="md:hidden sticky top-0 bg-black/80 backdrop-blur-xl border-b border-white/5 z-50 px-6 py-6 flex
justify-between items-center">
```

Axiom Repository Audit

```
<div className="flex items-center gap-3">
  <BrandMark className="w-8 h-8" />
  <span className="font-mono text-[10px] tracking-widest uppercase text-white/40">
    Axiom // Portal
  </span>
</div>
<button onClick={() => setIsProfileOpen(!isProfileOpen)}>
  <div className="w-8 h-8 border border-white/10 flex items-center justify-center font-mono text-[10px]">
    {user?.email?.[0].toUpperCase()}
  </div>
</button>
</header>
</>
)}

{/* MAIN CONTENT AREA */}
<main
  className={`flex-1 min-h-screen relative z-10 transition-all duration-1000 ${isOnboarded === true ? "md:ml-80" :
"md:ml-0"}`}
>
  <SmoothScrollProvider>
    <div
      className={`max-w-5xl mx-auto px-6 md:px-16 py-12 md:py-24 ${isOnboarded === false ? "h-full flex items-center
justify-center" : ""}`}
    >
      {children}
    </div>
  </SmoothScrollProvider>
</main>

{/* MOBILE BOTTOM NAV */}
{isOnboarded === true && (
  <nav className="md:hidden fixed bottom-0 left-0 right-0 bg-black/80 backdrop-blur-xl border-t border-white/5 z-50 px-6
py-4 flex justify-between items-center">
    {navItems.map((item) => (
      <button
        key={item.id}
        onClick={() => scrollToSection(item.id)}
        className={`font-mono text-[8px] tracking-widest uppercase transition-all ${
          activeSection === item.id ? "text-white" : "text-white/20"
        }`}
      >
        {item.label}
      </button>
    ))}
  </nav>
)}
</div>
);
}
```

FILE: src\app\dashboard\LiabilitySection.tsx

```
"use client";

import { useState } from "react";
import { LIABILITY_TYPES, type Liability } from "@lib/finance/liabilities";
import { createLiabilityAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { LiabilityMap } from "@lib/utils/taxonomy";
import { DistributionPieChart } from "@components/dashboard/MiniCharts";
import { ScrollReveal } from "@components/ui/scroll-reveal";
```

Axiom Repository Audit

```
interface LiabilitySectionProps {
  liabilities: Liability[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

export function LiabilitySection({
  liabilities,
  onSnapshot,
}: LiabilitySectionProps) {
  const [isAdding, setIsAdding] = useState(false);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);

  const chartData = liabilities.map((l) => ({
    name: l.liability_name,
    value: Number(l.outstanding_balance),
  }));

  const [form, setForm] = useState({
    liability_name: "",
    liability_type: "credit_card",
    outstanding_balance: "",
    interest_rate: "",
    is_paid_in_cadences: false,
    cadence: "monthly",
    cadence_day_date: "",
    cadence_amount: "",
    institution: "",
  });

  async function handleSubmit(e: React.FormEvent) {
    e.preventDefault();
    setIsLoading(true);
    setError(null);
    try {
      const snapshot = await createLiabilityAction({
        liability_name: form.liability_name,
        liability_type: form.liability_type,
        outstanding_balance: Number(form.outstanding_balance),
        interest_rate: form.interest_rate ? Number(form.interest_rate) : 0,
        is_paid_in_cadences: form.is_paid_in_cadences,
        cadence: form.is_paid_in_cadences ? form.cadence : null,
        cadence_day_date: form.is_paid_in_cadences
          ? form.cadence_day_date
          : null,
        cadence_amount: form.is_paid_in_cadences
          ? Number(form.cadence_amount)
          : null,
        institution: form.institution || undefined,
      });
      setForm({
        liability_name: "",
        liability_type: "credit_card",
        outstanding_balance: "",
        interest_rate: "",
        is_paid_in_cadences: false,
        cadence: "monthly",
        cadence_day_date: "",
        cadence_amount: "",
        institution: "",
      });
      setIsAdding(false);
      onSnapshot(snapshot);
    } catch (err: unknown) {
```

Axiom Repository Audit

```
setError(
  err instanceof Error ? err.message : "Failed to record obligation",
);
} finally {
  setIsLoading(false);
}
}

return (
  <div className="space-y-12">
    <div className="flex items-center justify-between">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
        Financial Commitments
      </h2>
      <button
        onClick={() => setIsAdding(!isAdding)}
        className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
      >
        {isAdding ? "? CANCEL" : "+ APPEND COMMITMENT"}
      </button>
    </div>

    {isAdding && (
      <div className="bg-white/2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
        <form onSubmit={handleSubmit} className="space-y-8">
          <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
            <div className="space-y-2">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                Commitment Name
              </label>
              <input
                type="text"
                required
                placeholder="e.g. Equity Bank Loan"
                value={form.liability_name}
                onChange={(e) =>
                  setForm({ ...form, liability_name: e.target.value })
                }
                className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
              />
            </div>
            <div className="space-y-2">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                Financial Institution
              </label>
              <input
                type="text"
                placeholder="Optional"
                value={form.institution}
                onChange={(e) =>
                  setForm({ ...form, institution: e.target.value })
                }
                className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
              />
            </div>
            <div className="space-y-2">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                Outstanding Balance
              </label>
              <input
                type="number"
                required
                placeholder="0.00"
              />
            </div>
          </div>
        </form>
      </div>
    )}
  </div>
);
```

Axiom Repository Audit

```
        value={form.outstanding_balance}
        onChange={(e) =>
          setForm({ ...form, outstanding_balance: e.target.value })
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
      />
    </div>
  </div>

  <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Type
      </label>
      <select
        value={form.liability_type}
        onChange={(e) =>
          setForm({ ...form, liability_type: e.target.value })
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
      >
        {LIABILITY_TYPES.map((t) => (
          <option key={t.value} value={t.value} className="bg-black">
            {t.label}
          </option>
        ))}
      </select>
    </div>
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Interest (% per cadence)
      </label>
      <input
        type="number"
        step="0.01"
        placeholder="0.00"
        value={form.interest_rate}
        onChange={(e) =>
          setForm({ ...form, interest_rate: e.target.value })
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
      />
    </div>
  </div>

  <div className="space-y-4">
    <label className="flex items-center space-x-3 cursor-pointer group">
      <input
        type="checkbox"
        checked={form.is_paid_in_cadences}
        onChange={(e) =>
          setForm({ ...form, is_paid_in_cadences: e.target.checked })
        }
        className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors cursor-pointer"
      />
      <span className="text-[10px] font-mono text-white/40 uppercase tracking-widest group-hover:text-white/60
transition-colors">
        Paid in Cadences
      </span>
    </label>

    {form.is_paid_in_cadences && (
```

Axiom Repository Audit

```
<div className="space-y-8 pt-4 animate-in fade-in slide-in-from-top-2">
  <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        Cadence
      </label>
      <select
        value={form.cadence}
        onChange={(e) =>
          setForm({ ...form, cadence: e.target.value })
        }
        className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
      >
        <option value="weekly" className="bg-black">
          Weekly
        </option>
        <option value="monthly" className="bg-black">
          Monthly
        </option>
      </select>
    </div>
    <div className="space-y-2">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
        {form.cadence === "monthly"
          ? "Day of Month (1-31)"
          : "Day of Week"}
      </label>
      {form.cadence === "monthly" ? (
        <input
          type="number"
          min="1"
          max="31"
          placeholder="e.g. 15"
          value={form.cadence_day_date}
          onChange={(e) =>
            setForm({
              ...form,
              cadence_day_date: e.target.value,
            })
          }
          className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light
focus:outline-none focus:border-white transition-colors"
        />
      ) : (
        <select
          value={form.cadence_day_date}
          onChange={(e) =>
            setForm({
              ...form,
              cadence_day_date: e.target.value,
            })
          }
          className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
        >
          <option value="" className="bg-black">
            Select Day
          </option>
          {[
            "Monday",
            "Tuesday",
            "Wednesday",
            "Thursday",
            "Friday",

```

Axiom Repository Audit

```
        "Saturday",
        "Sunday",
      ].map((day) => (
        <option key={day} value={day} className="bg-black">
          {day}
        </option>
      )))
    </select>
  )}
</div>
</div>

<div className="space-y-2">
  <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
    Payment Amount per Cadence
  </label>
  <input
    type="number"
    required={form.is_paid_in_cadences}
    placeholder="0.00"
    value={form.cadence_amount}
    onChange={(e) =>
      setForm({ ...form, cadence_amount: e.target.value })
    }
    className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
  />
</div>
</div>
)}
</div>

{error && (
  <p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
    {error}
  </p>
)}

<button
  type="submit"
  disabled={isLoading}
  className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px] hover:bg-white/90 transition-colors disabled:opacity-50"
>
  {isLoading ? "INITIALIZING..." : "CONFIRM COMMITMENT"}
</button>
</form>
</div>
)}

{liabilities.length > 0 && (
  <div className="py-6 border-b border-white/5 mb-6">
    <DistributionPieChart data={chartData} />
  </div>
)}

<div className="space-y-2">
  {liabilities.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No active commitments
      </p>
    </div>
  ) : (
    liabilities.map((liability, index) => (
```

Axiom Repository Audit

```
<ScrollReveal key={liability.id} delay={index * 0.05} distance={10}>
  <div className="flex items-center justify-between py-6 border-b border-white/5 group hover:bg-white/1
transition-all px-2">
    <div className="space-y-1">
      <span className="text-[8px] font-mono tracking-widest uppercase text-white/20">
        {LiabilityMap[liability.liability_type] ||
          liability.liability_type}
        {liability.is_paid_in_cadences && (
          <span className="ml-2 text-white/10">
            ? {liability.cadence} ({liability.cadence_day_date})
          </span>
        )}
      </span>
      <h3 className="font-cormorant text-xl text-white transition-transform group-hover:translate-x-2">
        {liability.liability_name}
      </h3>
    </div>
    <div className="text-right">
      <p className="font-cormorant text-xl text-white">
        {formatCurrency(liability.outstanding_balance)}
      </p>
      {liability.interest_rate > 0 && (
        <p className="text-[8px] font-mono text-red-500/40 uppercase tracking-widest mt-1">
          {liability.interest_rate}% Per Cadence
        </p>
      )}
    </div>
  </div>
</ScrollReveal>
))
})
</div>
</div>
);
}
```

FILE: src\app\dashboard\loading.tsx

```
export default function DashboardLoading() {
  return (
    <div className="fixed inset-0 bg-black z-100 flex items-center justify-center px-8 md:px-12 animate-pulse">
      <div className="max-w-7xl w-full h-150 grid lg:grid-cols-[1.1fr_1.4fr] gap-16 md:gap-24 items-stretch">
        /* Left Side Skeleton - Roman Numeral & Text */
        <div className="flex flex-col justify-center h-full border-r border-white/5 pr-12 space-y-6">
          <div className="h-32 w-48 bg-white/5 rounded-2xl" />{" "}
          /* Roman Numeral */
          <div className="h-16 w-64 bg-white/10 rounded-xl" /> /* Title */
          <div className="space-y-3">
            <div className="h-4 w-full bg-white/5 rounded-full" />
            <div className="h-4 w-5/6 bg-white/5 rounded-full" />
            <div className="h-4 w-4/6 bg-white/5 rounded-full" />
          </div>
        </div>

        /* Right Side Skeleton - Luxury Card */
        <div className="h-full bg-white/2 border border-white/10 rounded-3xl p-10 md:p-14 flex flex-col justify-between">
          <div className="space-y-12">
            <div className="h-8 w-48 bg-white/5 rounded-lg" />{" "}
            /* Form Header */
            <div className="space-y-10">
              <div className="grid grid-cols-2 gap-8">
                <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
                <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  )
}
```

Axiom Repository Audit

```
    </div>
    <div className="grid grid-cols-2 gap-8">
      <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
      <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
    </div>
  </div>
</div>

<div className="flex justify-center pt-12">
  <div className="h-14 w-64 bg-white/5 rounded-full border border-white/10" />
</div>
</div>
</div>
</div>
);
}
```

FILE: src\app\dashboard\NewEntryForm.tsx

```
"use client";

import { useState } from "react";
import { TAXONOMY_CATEGORIES } from "@lib/finance/taxonomy";
import { DeploymentMap } from "@lib/utils/taxonomy";
import { formatCurrency } from "@lib/utils/formatters";
import { Account } from "@lib/analytics/types";

interface NewEntryFormProps {
  accounts: Account[];
  liquidity: number;
  isActionLoading: boolean;
  onSubmit: (data: {
    title: string;
    amount: number;
    category: string;
    accountId?: string;
  }) => Promise<void>;
  onCancel?: () => void;
}

export function NewEntryForm({
  accounts,
  liquidity,
  isActionLoading,
  onSubmit,
  onCancel,
}: NewEntryFormProps) {
  const [title, setTitle] = useState("");
  const [amount, setAmount] = useState("");
  const [category, setCategory] = useState("Unclassified");
  const [accountId, setAccountId] = useState("");
  const [error, setError] = useState<string | null>(null);

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setError(null);

    if (category === "Unclassified") {
      setError("Strategic intent required.");
      return;
    }

    try {
```

Axiom Repository Audit

```
await onSubmit({
  title,
  amount: Number(amount),
  category,
  accountId: accountId || undefined,
});
setTitle("");
setAmount("");
setCategory("Unclassified");
setAccountId("");
} catch (err: unknown) {
  setError(err instanceof Error ? err.message : "Execution failed");
}
};

return (
  <form onSubmit={handleSubmit} className="space-y-12">
    <div className="space-y-12">
      <div className="space-y-4">
        <label className="text-[10px] font-mono text-white/20 uppercase tracking-[0.4em] ml-1">
          Intent
        </label>
        <input
          type="text"
          disabled={isActionLoading}
          placeholder="Objective of this deployment?"
          value={title}
          onChange={(e) => setTitle(e.target.value)}
          className="w-full bg-transparent border-b border-white/10 py-6 font-cormorant text-4xl text-white
placeholder:text-white/20 focus:outline-none focus:border-white transition-all"
          required
        />
      </div>

      <div className="grid grid-cols-1 md:grid-cols-2 gap-16">
        <div className="space-y-8">
          <div className="space-y-4">
            <div className="flex justify-between items-center">
              <label className="text-[10px] font-mono text-white/20 uppercase tracking-[0.4em] ml-1">
                Amount (KES)
              </label>
              <span className="text-[8px] font-mono text-white/10 uppercase tracking-widest">
                Available: {formatCurrency(liquidity)}
              </span>
            </div>
            <input
              type="number"
              disabled={isActionLoading}
              placeholder="0.00"
              value={amount}
              onChange={(e) => setAmount(e.target.value)}
              className="w-full bg-transparent border-b border-white/10 py-4 font-cormorant text-3xl text-white
placeholder:text-white/20 focus:outline-none focus:border-white transition-all tabular-nums"
              required
            />
          </div>
          <div className="space-y-4">
            <label className="text-[10px] font-mono text-white/20 uppercase tracking-[0.4em] ml-1">
              Funding Source
            </label>
            <select
              disabled={isActionLoading}
              value={accountId}
              onChange={(e) => setAccountId(e.target.value)}
              className="w-full bg-transparent border-b border-white/10 py-3 font-mono text-[10px] tracking-widest uppercase
```

Axiom Repository Audit

```
text-white/60 focus:outline-none"
  >
    <option value="" className="bg-black">
      External / Manual
    </option>
    {accounts.map((acc) => (
      <option key={acc.id} value={acc.id} className="bg-black">
        {acc.account_name} ({formatCurrency(acc.current_balance)})
      </option>
    ))}
  </select>
</div>
</div>

<div className="space-y-6">
  <label className="text-[10px] font-mono text-white/20 uppercase tracking-[0.4em] ml-1">
    Strategic Classification
  </label>
  <div className="grid grid-cols-2 gap-4">
    {TAXONOMY_CATEGORIES.map((cat) => (
      <button
        key={cat.value}
        type="button"
        onClick={() => setCategory(cat.value)}
        className={`p-4 border transition-all text-left space-y-2 ${
          category === cat.value
            ? "border-white bg-white text-black"
            : "border-white/5 bg-white/2 text-white/40 hover:border-white/20 hover:text-white"
        }`}
      >
        <span className="block text-[8px] font-mono tracking-widest uppercase">
          {DeploymentMap[cat.value] || cat.label}
        </span>
        <span
          className={`block text-[7px] font-light leading-tight ${category === cat.value ? "text-black/60" :
"text-white/20"}`}
        >
          >
            {cat.definition}
          </span>
        </button>
      )})
    </div>
  </div>
</div>

{error && (
  <div className="p-4 border border-white/10 font-mono text-[9px] text-white/60 uppercase tracking-widest">
    ERROR: {error}
  </div>
)}

<div className="pt-8 flex gap-4">
  {onCancel && (
    <button
      type="button"
      onClick={onCancel}
      disabled={isActionLoading}
      className="flex-1 border border-white/5 text-white/40 py-6 font-medium tracking-[0.3em] uppercase text-xs
hover:bg-white/5 transition-all"
    >
      Cancel
    </button>
  )}
  <button
```

Axiom Repository Audit

```
        type="submit"
        disabled={isActionLoading}
        className="flex-2 bg-white text-black py-6 font-medium tracking-[0.3em] uppercase text-xs hover:bg-white/90
transition-all hover:scale-[1.02] active:scale-[0.98] shadow-2xl shadow-white/5 disabled:opacity-50"
        >
        {isActionLoading ? "EXECUTING..." : "AUTHORIZE DEPLOYMENT"}
      </button>
    </div>
  </form>
);
}
```

FILE: src\app\dashboard\page.tsx

```
"use client";

import { useEffect, useState, useCallback } from "react";
import { getDashboardSnapshotAction, createDeploymentAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { AccountSection } from "../AccountSection";
import { LiabilitySection } from "../LiabilitySection";
import { IncomeSection } from "../IncomeSection";
import { GoalSection } from "../GoalSection";
import { StrategicObjectiveSection } from "../StrategicObjectiveSection";
import { BaselineSection } from "../BaselineSection";
import { motion } from "framer-motion";
import { PendingInflows } from "../PendingInflows";
import { PendingLiabilities } from "../PendingLiabilities";
import { PendingBaselines } from "../PendingBaselines";
import { HistoricalAudit } from "../HistoricalAudit";
import { KairosNarrative } from "@components/dashboard/KairosNarrative";
import {
  MiniSparkline,
  MiniBarChart,
  MiniDonut,
} from "@components/dashboard/MiniCharts";
import { AnimatedNumber } from "@components/ui/animated-number";
import { LuxuryCard } from "@components/ui/luxury-card";
import { TelemetryDashboard } from "@components/dashboard/TelemetryDashboard";
import { NewEntryForm } from "../NewEntryForm";
import type {
  AnalyticsSummary,
  Deployment,
  Account,
  Liability,
  IncomeStream,
  FinancialGoal,
  StrategicObjective,
  OperationalBaseline,
} from "@lib/analytics/types";
import type { KairosInsight } from "@lib/ai/kairos";
import { formatCurrency } from "@lib/utils/formatters";

interface LedgerState {
  deployments: Deployment[];
  accounts: Account[];
  liabilities: Liability[];
  incomeStreams: IncomeStream[];
  goals: FinancialGoal[];
  objectives: StrategicObjective[];
  baseline: OperationalBaseline[];
  analytics: AnalyticsSummary | null;
}
```

Axiom Repository Audit

```
export default function DashboardPage() {
  const [ledger, setLedger] = useState<LedgerState>({
    deployments: [],
    accounts: [],
    liabilities: [],
    incomeStreams: [],
    goals: [],
    objectives: [],
    baseline: [],
    analytics: null,
  });

  const [isInitialLoading, setIsInitialLoading] = useState(true);
  const [kairosInsight, setKairosInsight] = useState<KairosInsight | null>(
    null,
  );
  const [isExecuting, setIsExecuting] = useState(false);

  const applyDashboardSnapshot = useCallback((snapshot: DashboardSnapshot) => {
    setLedger({
      deployments: snapshot.deployments,
      accounts: snapshot.accounts,
      liabilities: snapshot.liabilities,
      incomeStreams: snapshot.incomeStreams,
      goals: snapshot.goals,
      objectives: snapshot.objectives,
      baseline: snapshot.baseline,
      analytics: snapshot.analytics,
    });
    setKairosInsight(snapshot.kairosInsight);
  }, []);

  const fetchDashboardData = useCallback(async () => {
    try {
      const snapshot = await getDashboardSnapshotAction();
      applyDashboardSnapshot(snapshot);
    } catch (error) {
      console.error("Failed to fetch dashboard data:", error);
    } finally {
      setIsInitialLoading(false);
    }
  }, [applyDashboardSnapshot]);

  useEffect(() => {
    // eslint-disable-next-line react-hooks/set-state-in-effect
    fetchDashboardData();
  }, [fetchDashboardData]);

  if (isInitialLoading) {
    return (
      <div className="fixed inset-0 bg-black z-[100] flex items-center justify-center px-8 md:px-12 animate-pulse">
        <div className="max-w-7xl w-full h-[600px] grid lg:grid-cols-[1.1fr_1.4fr] gap-16 md:gap-24 items-stretch">
          <div className="flex flex-col justify-center h-full border-r border-white/5 pr-12 space-y-6">
            <div className="h-32 w-48 bg-white/5 rounded-2xl" />
            <div className="h-16 w-64 bg-white/10 rounded-xl" />
            <div className="space-y-3">
              <div className="h-4 w-full bg-white/5 rounded-full" />
              <div className="h-4 w-5/6 bg-white/5 rounded-full" />
              <div className="h-4 w-4/6 bg-white/5 rounded-full" />
            </div>
          </div>
          <div className="h-full bg-white/[0.02] border border-white/10 rounded-3xl p-10 md:p-14 flex flex-col justify-between">
            <div className="space-y-12">
```

Axiom Repository Audit

```
<div className="h-8 w-48 bg-white/5 rounded-lg" />
<div className="space-y-10">
  <div className="grid grid-cols-2 gap-8">
    <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
    <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
  </div>
  <div className="grid grid-cols-2 gap-8">
    <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
    <div className="h-12 bg-white/5 rounded-lg border-b border-white/10" />
  </div>
</div>
</div>
<div className="flex justify-center pt-12">
  <div className="h-14 w-64 bg-white/5 rounded-full border border-white/10" />
</div>
</div>
</div>
</div>
);
}
```

```
// 1. HUD / MACRO KPI ROW
```

```
const hudMetrics = [
  {
    label: "Sovereign Wealth",
    value: ledger.analytics?.totalAssets || 0,
    prefix: "KES ",
    desc: "Total Capitalized Architecture",
    chartType: "sparkline",
    chartColor: "#8b5cf6", // Purple
    chartData: [100, 110, 105, 120, 115, 130, 140],
  },
  {
    label: "Liquid Capital",
    value: ledger.analytics?.liquidity || 0,
    prefix: "KES ",
    desc: "Immediate Deployment Capacity",
    chartType: "sparkline",
    chartColor: "#3b82f6", // Blue
    chartData: [50, 45, 60, 55, 70, 65, 80],
  },
  {
    label: "Structural Burn",
    value: ledger.analytics?.totalStructuralMonthlyBurn || 0,
    prefix: "KES ",
    suffix: " /mo",
    desc: "Operational Maintenance Cost",
    chartType: "bar",
    chartColor: "#ef4444", // Red
    chartData: [20, 22, 18, 25, 20, 24, 21],
  },
  {
    label: "Operational Runway",
    value: ledger.analytics?.runwayDays || 0,
    suffix: " DAYS",
    desc: "Time to Critical Depletion",
    chartType: "donut",
    chartColor: "#10b981", // Emerald
    chartData: [],
  },
];
```

```
const containerVariants = {
  hidden: { opacity: 0 },
  show: {
```

Axiom Repository Audit

```
    opacity: 1,
    transition: { staggerChildren: 0.15, delayChildren: 0.2 },
  },
};

const itemVariants = {
  hidden: { opacity: 0, y: 20 },
  show: {
    opacity: 1,
    y: 0,
    transition: { duration: 0.8, ease: "easeOut" as const },
  },
};

return (
  <motion.div
    variants={containerVariants}
    initial="hidden"
    animate="show"
    className="max-w-7xl mx-auto p-6 md:p-12 pb-32 space-y-24"
  >
    { /* HEADER SECTION */ }
    <motion.header
      variants={itemVariants}
      className="flex flex-col md:flex-row md:items-end justify-between gap-8 border-b border-white/5 pb-12"
    >
      <div className="space-y-4">
        <p className="font-mono text-[10px] tracking-[0.6em] text-white/20 uppercase">
          Strategic Command Center // v1.0
        </p>
        <h1 className="font-cormorant text-6xl text-white tracking-tight leading-none">
          Welcome, <span className="italic">Architect.</span>
        </h1>
      </div>
      <div className="flex gap-4">
        <button
          onClick={fetchDashboardData}
          className="px-6 py-3 border border-white/10 rounded-full font-mono text-[9px] tracking-widest uppercase
          hover:bg-white/5 transition-all active:scale-95"
        >
          Refresh Intel
        </button>
      </div>
    </motion.header>

    { /* ZONE 1: THE HUD (Macro KPIs) */ }
    <motion.section
      id="overview"
      variants={itemVariants}
      className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-8"
    >
      {hudMetrics.map((metric, i) => (
        <LuxuryCard
          key={metric.label}
          className="p-8 group hover:border-white/20 transition-all duration-500 flex flex-col justify-between"
        >
          <div>
            <p className="font-mono text-[9px] tracking-[0.4em] text-white/20 uppercase group-hover:text-white/40
            transition-colors">
              {metric.label}
            </p>
            <div className="space-y-1 mt-4">
              <div className="flex items-center justify-between">
                <h3 className="font-cormorant text-4xl text-white">
                  <AnimatedNumber
```

Axiom Repository Audit

```
        value={metric.value}
        prefix={metric.prefix}
        suffix={metric.suffix}
      />
    </h3>
  </div>
  <p className="text-[9px] font-mono text-white/10 uppercase tracking-widest group-hover:text-white/20
transition-colors">
    {metric.desc}
  </p>
</div>
</div>

{/* Chart Area */}
{metric.chartType === "sparkline" && (
  <div className="mt-4 -mx-2">
    <MiniSparkline
      data={metric.chartData}
      color={metric.chartColor}
    />
  </div>
)}
{metric.chartType === "bar" && (
  <div className="mt-4 -mx-2">
    <MiniBarChart
      data={metric.chartData}
      color={metric.chartColor}
    />
  </div>
)}
{metric.chartType === "donut" && (
  <div className="mt-4 w-full -mx-2">
    <MiniDonut
      value={metric.value}
      max={365}
      color={metric.chartColor}
    />
  </div>
)}
</LuxuryCard>
)}}
</motion.section>

{/* ZONE 2: ARCHITECTURE DEPLOYMENT (NewEntryForm) */}
<motion.section id="deploy" variants={itemVariants} className="w-full">
  <LuxuryCard className="p-8 md:p-16 border-white/10">
    <div className="flex flex-col md:flex-row gap-12 items-start">
      <div className="space-y-4 md:w-1/3">
        <div className="w-8 h-8 rounded-full bg-white/5 flex items-center justify-center mb-6">
          <div className="w-2 h-2 rounded-full bg-white/40" />
        </div>
        <h2 className="font-cormorant text-4xl text-white">
          Architecture Deployment
        </h2>
        <p className="font-mono text-[10px] tracking-widest text-white/30 uppercase leading-relaxed">
          Log deployments, allocate capital, and dictate the flow of
          resources through your system.
        </p>
      </div>
      <div className="md:w-2/3 w-full">
        <NewEntryForm
          accounts={ledger.accounts}
          liquidity={ledger.analytics?.liquidity || 0}
          isActionLoading={isExecuting}
          onSubmit={async (data) => {
```

Axiom Repository Audit

```
        if (isExecuting) return;
        setIsExecuting(true);
        try {
            const snapshot = await createDeploymentAction({
                title: data.title,
                amount: data.amount,
                category: data.category,
                accountId: data.accountId,
            });
            applyDashboardSnapshot(snapshot);
        } finally {
            setIsExecuting(false);
        }
    }
}
</div>
</div>
</LuxuryCard>
</motion.section>

{/* ZONE 3: KAIROS INTELLIGENCE */}
<motion.section
  id="intelligence"
  variants={itemVariants}
  className="space-y-12"
>
  <div className="flex items-center gap-6">
    <span className="font-cormorant italic text-3xl text-white/20">
      I.
    </span>
    <h2 className="font-cormorant text-4xl text-white tracking-wide">
      Kairos Intelligence
    </h2>
    <div className="flex-1 h-px bg-white/5" />
  </div>
  <KairosNarrative insight={kairosInsight} />
</motion.section>

{/* ZONE 4: TACTICAL & STRATEGIC GRID */}
<motion.div
  id="ledger"
  variants={itemVariants}
  className="grid grid-cols-1 lg:grid-cols-[1.5fr_1fr] gap-12 lg:gap-24"
>
  {/* LEFT COLUMN: TACTICAL ENGINE */}
  <section className="space-y-12 lg:space-y-24">
    {/* PENDING ACTIONS */}
    <div className="space-y-12">
      <div className="flex items-center gap-6">
        <span className="font-cormorant italic text-3xl text-white/20">
          II.
        </span>
        <h2 className="font-cormorant text-4xl text-white tracking-wide">
          Tactical Response
        </h2>
        <div className="flex-1 h-px bg-white/5" />
      </div>
      <div className="space-y-6">
        <PendingInflows
          incomeStreams={ledger.incomeStreams}
          accounts={ledger.accounts}
          onSnapshot={applyDashboardSnapshot}
        />
        <PendingLiabilities
          liabilities={ledger.liabilities}
        />
      </div>
    </div>
  </section>
  <div className="space-y-12 lg:space-y-24">
    <div className="flex items-center gap-6">
      <span className="font-cormorant italic text-3xl text-white/20">
        III.
      </span>
      <h2 className="font-cormorant text-4xl text-white tracking-wide">
        Strategic Overview
      </h2>
      <div className="flex-1 h-px bg-white/5" />
    </div>
    <div className="space-y-6">
      <PendingInflows
        incomeStreams={ledger.incomeStreams}
        accounts={ledger.accounts}
        onSnapshot={applyDashboardSnapshot}
      </PendingInflows>
      <PendingLiabilities
        liabilities={ledger.liabilities}
      </PendingLiabilities>
    </div>
  </div>
</div>
```

Axiom Repository Audit

```
        accounts={ledger.accounts}
        onSnapshot={applyDashboardSnapshot}
      />
      <PendingBaselines
        baseline={ledger.baseline}
        accounts={ledger.accounts}
        onSnapshot={applyDashboardSnapshot}
      />
    </div>
  </div>

  <div className="space-y-8 lg:space-y-12">
    <LuxuryCard className="p-6 md:p-10">
      <IncomeSection
        incomeStreams={ledger.incomeStreams}
        onSnapshot={applyDashboardSnapshot}
      />
    </LuxuryCard>
    <LuxuryCard className="p-6 md:p-10">
      <BaselineSection
        baseline={ledger.baseline}
        onSnapshot={applyDashboardSnapshot}
      />
    </LuxuryCard>
  </div>

  <LuxuryCard className="p-6 md:p-10">
    <LiabilitySection
      liabilities={ledger.liabilities}
      onSnapshot={applyDashboardSnapshot}
    />
  </LuxuryCard>

  <LuxuryCard className="p-6 md:p-10">
    <AccountSection
      accounts={ledger.accounts}
      onSnapshot={applyDashboardSnapshot}
    />
  </LuxuryCard>
</section>

{/* RIGHT COLUMN: STRATEGIC ENGINE */}
<section className="space-y-12 lg:space-y-24">
  <div className="space-y-12">
    <div className="flex items-center gap-6">
      <span className="font-cormorant italic text-3xl text-white/20">
        III.
      </span>
      <h2 className="font-cormorant text-4xl text-white tracking-wide">
        Strategic Alignment
      </h2>
      <div className="flex-1 h-px bg-white/5" />
    </div>
    <LuxuryCard className="p-6 md:p-10">
      <StrategicObjectiveSection
        objectives={ledger.objectives}
        onSnapshot={applyDashboardSnapshot}
      />
    </LuxuryCard>
  </div>

  <LuxuryCard className="p-6 md:p-10">
    <GoalSection
      goals={ledger.goals}
      onSnapshot={applyDashboardSnapshot}
    </GoalSection>
  </LuxuryCard>
</section>
```

Axiom Repository Audit

```
    />
  </LuxuryCard>

  <LuxuryCard className="p-6 md:p-10">
    <HistoricalAudit deployments={ledger.deployments} />
  </LuxuryCard>

  {/* OBSERVABILITY */}
  <section className="opacity-20 hover:opacity-100 transition-opacity duration-1000">
    <div className="flex items-center gap-6 mb-12">
      <span className="font-cormorant italic text-3xl text-white/20">
        IV.
      </span>
      <h2 className="font-cormorant text-4xl text-white tracking-wide">
        System Telemetry
      </h2>
      <div className="flex-1 h-px bg-white/5" />
    </div>
    <TelemetryDashboard />
  </section>
</section>
</motion.div>
</motion.div>
);
}
```

FILE: src\app\dashboard\PendingBaselines.tsx

```
"use client";

import { useState } from "react";
import type { OperationalBaseline, Account } from "@lib/analytics/types";
import { resolvePendingBaselineAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";

interface PendingBaselinesProps {
  baseline: OperationalBaseline[];
  accounts: Account[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

export function PendingBaselines({
  baseline,
  accounts,
  onSnapshot,
}: PendingBaselinesProps) {
  const [loadingId, setLoadingId] = useState<string | null>(null);
  const [selectedAccounts, setSelectedAccounts] = useState<
    Record<string, string>
  >({});

  const today = new Date();
  const currentDayOfWeek = today.getDay() === 0 ? 7 : today.getDay();
  const currentDayOfMonth = today.getDate();

  const pendingBaselines = baseline.filter((b) => {
    if (!b.is_recurring) return false;

    // Check if already executed today
    if (b.last_executed_at) {
      const lastExecuted = new Date(b.last_executed_at);
      if (
```

Axiom Repository Audit

```
    lastExecuted.getDate() === today.getDate() &&
    lastExecuted.getMonth() === today.getMonth() &&
    lastExecuted.getFullYear() === today.getFullYear()
  ) {
    return false;
  }
}

// Daily baselines are always pending if not executed today
if (b.cadence === "daily") return true;

if (b.execution_day) {
  if (b.cadence === "weekly") {
    return currentDayOfWeek === b.execution_day;
  }
  if (b.cadence === "monthly" || b.cadence === "biweekly") {
    return currentDayOfMonth === b.execution_day;
  }
}

return false;
});

if (pendingBaselines.length === 0) return null;

async function handleVerify(item: OperationalBaseline) {
  const accountId = selectedAccounts[item.id];
  if (!accountId) {
    alert("Please select a source account.");
    return;
  }

  setLoadingId(item.id);
  try {
    const snapshot = await resolvePendingBaselineAction({
      baselineId: item.id,
      accountId,
      amount: item.amount,
      title: item.title,
    });
    onSnapshot(snapshot);
  } catch (err: unknown) {
    alert(err instanceof Error ? err.message : "Verification failed");
  } finally {
    setLoadingId(null);
  }
}

return (
  <div className="space-y-6 animate-in fade-in duration-700">
    <div className="flex items-center gap-4">
      <div className="w-2 h-2 rounded-full bg-red-500 animate-pulse"></div>
      <h2 className="text-[10px] font-mono text-white/60 uppercase tracking-[0.4em]">
        Baseline Verification Required
      </h2>
    </div>

    {pendingBaselines.map((item) => (
      <div
        key={item.id}
        className="bg-red-500/10 border border-red-500/20 p-8 md:p-12 flex flex-col md:flex-row md:items-center
        justify-between gap-8 text-white"
      >
        <div className="space-y-2">
          <p className="text-[10px] font-mono tracking-widest uppercase text-red-500/60">
```

```

        Structural Maintenance Prompt ({item.cadence})
      </p>
      <h3 className="font-cormorant text-4xl">
        {formatCurrency(item.amount)}
      </h3>
      <p className="text-xs font-light tracking-wide opacity-80">
        {item.title}
      </p>
    </div>

    <div className="flex flex-col sm:flex-row items-stretch sm:items-center gap-4">
      <select
        disabled={loadingId === item.id}
        value={selectedAccounts[item.id] || ""}
        onChange={(e) =>
          setSelectedAccounts({
            ...selectedAccounts,
            [item.id]: e.target.value,
          })
        }
        className="bg-transparent border-b border-white/40 py-2 font-mono text-[10px] tracking-widest uppercase focus:outline-none focus:border-white transition-colors min-w-50"
      >
        <option value="" className="text-black">
          Source Account
        </option>
        {accounts.map((acc) => (
          <option key={acc.id} value={acc.id} className="text-black">
            {acc.account_name}
          </option>
        ))}
      </select>

      <button
        disabled={loadingId === item.id}
        onClick={() => handleVerify(item)}
        className="bg-white text-black px-10 py-4 font-medium tracking-widest uppercase text-[10px] hover:bg-white/90 transition-all disabled:opacity-50"
      >
        {loadingId === item.id ? "VERIFYING..." : "CONFIRM SETTLEMENT"}
      </button>
    </div>
  </div>
))}
</div>
);
}

```

Page 76

Axiom Repository Audit

```
}

export function PendingInflows({
  incomeStreams,
  accounts,
  onSnapshot,
}: PendingInflowsProps) {
  const [loadingId, setLoadingId] = useState<string | null>(null);
  const [selectedAccounts, setSelectedAccounts] = useState<
    Record<string, string>
  >({});

  const today = new Date();
  const currentDayOfWeek = today.getDay();
  const currentDayOfMonth = today.getDate();
  const mappedDayOfWeek = currentDayOfWeek === 0 ? 7 : currentDayOfWeek;

  const pendingInflows = incomeStreams.filter((stream) => {
    if (!stream.is_recurring || !stream.execution_day) return false;

    if (stream.last_executed_at) {
      const lastExecuted = new Date(stream.last_executed_at);
      if (
        lastExecuted.getDate() === today.getDate() &&
        lastExecuted.getMonth() === today.getMonth() &&
        lastExecuted.getFullYear() === today.getFullYear()
      ) {
        return false;
      }
    }

    if (stream.cadence === "weekly") {
      return mappedDayOfWeek === stream.execution_day;
    }
    if (stream.cadence === "monthly" || stream.cadence === "biweekly") {
      return currentDayOfMonth === stream.execution_day;
    }

    return false;
  });

  if (pendingInflows.length === 0) return null;

  async function handleVerify(stream: IncomeStream) {
    const accountId = selectedAccounts[stream.id];
    if (!accountId) {
      alert("Please select a destination account.");
      return;
    }

    setLoadingId(stream.id);
    try {
      const snapshot = await resolvePendingInflowAction({
        incomeId: stream.id,
        accountId,
        amount: stream.amount,
      });
      onSnapshot(snapshot);
    } catch (err: unknown) {
      alert(err instanceof Error ? err.message : "Verification failed");
    } finally {
      setLoadingId(null);
    }
  }
}
```

Axiom Repository Audit

```
return (
  <div className="space-y-6 animate-in fade-in duration-700">
    <div className="flex items-center gap-4">
      <div className="w-2 h-2 rounded-full bg-white animate-pulse"></div>
      <h2 className="text-[10px] font-mono text-white/60 uppercase tracking-[0.4em]">
        Verification Required
      </h2>
    </div>

    {pendingInflows.map((stream) => (
      <div
        key={stream.id}
        className="bg-white p-8 md:p-12 flex flex-col md:flex-row md:items-center justify-between gap-8 text-black"
      >
        <div className="space-y-2">
          <p className="text-[10px] font-mono tracking-widest uppercase opacity-40">
            Expected Income Detected
          </p>
          <h3 className="font-cormorant text-4xl">
            {formatCurrency(stream.amount)}
          </h3>
          <p className="text-xs font-light tracking-wide opacity-60">
            {stream.income_name} (
              {IncomeMap[stream.income_type] || stream.income_type})
          </p>
        </div>

        <div className="flex flex-col sm:flex-row items-stretch sm:items-center gap-4">
          <select
            disabled={loadingId === stream.id}
            value={selectedAccounts[stream.id] || ""}
            onChange={(e) =>
              setSelectedAccounts({
                ...selectedAccounts,
                [stream.id]: e.target.value,
              })
            }
            className="bg-transparent border-b border-black/20 py-2 font-mono text-[10px] tracking-widest uppercase
focus:outline-none focus:border-black transition-colors min-w-50"
          >
            <option value="">Destination Account</option>
            {accounts.map((acc) => (
              <option key={acc.id} value={acc.id}>
                {acc.account_name}
              </option>
            ))}
          </select>

          <button
            disabled={loadingId === stream.id}
            onClick={() => handleVerify(stream)}
            className="bg-black text-white px-10 py-4 font-medium tracking-widest uppercase text-[10px] hover:bg-black/90
transition-all disabled:opacity-50"
          >
            {loadingId === stream.id ? "VERIFYING..." : "CONFIRM RECEIPT"}
          </button>
        </div>
      </div>
    ))}
  </div>
);
}
```

Axiom Repository Audit

FILE: src\appl\dashboard\PendingLiabilities.tsx

```
"use client";

import { useState } from "react";
import type { Liability, Account } from "@lib/analytics/types";
import { resolvePendingLiabilityAction } from "../actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { LiabilityMap } from "@lib/utils/taxonomy";

interface PendingLiabilitiesProps {
  liabilities: Liability[];
  accounts: Account[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

export function PendingLiabilities({
  liabilities,
  accounts,
  onSnapshot,
}: PendingLiabilitiesProps) {
  const [loadingId, setLoadingId] = useState<string | null>(null);
  const [selectedAccounts, setSelectedAccounts] = useState<
    Record<string, string>
  >({});

  const today = new Date();
  const currentDayOfWeek = today
    .toLocaleString("en-US", { weekday: "long" })
    .toLowerCase();
  const currentDayOfMonth = today.getDate();

  const pendingLiabilities = liabilities.filter((liab) => {
    if (!liab.is_paid_in_cadences || !liab.cadence_day_date) return false;

    // Check if already executed today
    if (liab.last_executed_at) {
      const lastExecuted = new Date(liab.last_executed_at);
      if (
        lastExecuted.getDate() === today.getDate() &&
        lastExecuted.getMonth() === today.getMonth() &&
        lastExecuted.getFullYear() === today.getFullYear()
      ) {
        return false;
      }
    }

    if (liab.cadence === "weekly") {
      return currentDayOfWeek === liab.cadence_day_date.toLowerCase();
    }
    if (liab.cadence === "monthly") {
      return currentDayOfMonth === parseInt(liab.cadence_day_date, 10);
    }

    return false;
  });

  if (pendingLiabilities.length === 0) return null;

  async function handleVerify(liab: Liability) {
    const accountId = selectedAccounts[liab.id];
    if (!accountId) {
      alert("Please select a source account.");
    }
  }
}
```

Axiom Repository Audit

```
    return;
  }

  setLoadingId(liab.id);
  try {
    const snapshot = await resolvePendingLiabilityAction({
      liabilityId: liab.id,
      accountId,
      amount: liab.cadence_amount || 0,
    });
    onSnapshot(snapshot);
  } catch (err: unknown) {
    alert(err instanceof Error ? err.message : "Verification failed");
  } finally {
    setLoadingId(null);
  }
}

return (
  <div className="space-y-6 animate-in fade-in duration-700">
    <div className="flex items-center gap-4">
      <div className="w-2 h-2 rounded-full bg-red-500 animate-pulse"></div>
      <h2 className="text-[10px] font-mono text-white/60 uppercase tracking-[0.4em]">
        Payment Verification Required
      </h2>
    </div>

    {pendingLiabilities.map((liab) => (
      <div
        key={liab.id}
        className="bg-red-500 p-8 md:p-12 flex flex-col md:flex-row md:items-center justify-between gap-8 text-white"
      >
        <div className="space-y-2">
          <p className="text-[10px] font-mono tracking-widest uppercase opacity-60">
            Scheduled Obligation Detected
          </p>
          <h3 className="font-cormorant text-4xl">
            {formatCurrency(liab.cadence_amount || 0)}
          </h3>
          <p className="text-xs font-light tracking-wide opacity-80">
            {liab.liability_name} (
            {LiabilityMap[liab.liability_type] || liab.liability_type})
          </p>
        </div>

        <div className="flex flex-col sm:flex-row items-stretch sm:items-center gap-4">
          <select
            disabled={loadingId === liab.id}
            value={selectedAccounts[liab.id] || ""}
            onChange={(e) =>
              setSelectedAccounts({
                ...selectedAccounts,
                [liab.id]: e.target.value,
              })
            }
            className="bg-transparent border-b border-white/40 py-2 font-mono text-[10px] tracking-widest uppercase
            focus:outline-none focus:border-white transition-colors min-w-50"
          >
            <option value="" className="text-black">
              Source Account
            </option>
            {accounts.map((acc) => (
              <option key={acc.id} value={acc.id} className="text-black">
                {acc.account_name}
              </option>
            ))}
          </select>
        </div>
      </div>
    ))}
```

Axiom Repository Audit

```
    )}}
  </select>

  <button
    disabled={loadingId === liab.id}
    onClick={() => handleVerify(liab)}
    className="bg-white text-red-500 px-10 py-4 font-medium tracking-widest uppercase text-[10px] hover:bg-white/90
transition-all disabled:opacity-50"
  >
    {loadingId === liab.id ? "VERIFYING..." : "CONFIRM SETTLEMENT"}
  </button>
</div>
</div>
)}}
</div>
);
}
```

FILE: src\app\dashboard\RunwayCard.tsx

```
"use client";

import React from "react";

interface RunwayCardProps {
  runwayDays: number | null;
  netWorth?: number;
}

export function RunwayCard({ runwayDays, netWorth = 0 }: RunwayCardProps) {
  // 1. Logic for determining visual state
  const isInfiniteRunway = runwayDays === null;
  const isCritical = !isInfiniteRunway && runwayDays! < 30;
  const isInsolvent = netWorth < 0;

  // 2. Formatting
  const displayValue = isInfiniteRunway
    ? isInsolvent
      ? "INSOLVENT STABLE"
      : "SYSTEM STABLE"
    : `${(runwayDays! / 30).toFixed(1)} MONTHS`;

  // 3. Conditional Styles
  const containerClasses = `bg-foreground/5 border rounded-2xl p-6 md:p-8 flex flex-col justify-between transition-all
duration-500 ${
    isInfiniteRunway
      ? isInsolvent
        ? "border-rose-500/20"
        : "border-emerald-500/10"
      : isCritical
        ? "border-rose-500/30 bg-rose-500/5 shadow-inner"
        : "border-foreground/10"
  }`;

  const labelClasses = `text-[11px] font-black uppercase tracking-[0.2em] mb-4 ${
    isInfiniteRunway
      ? isInsolvent
        ? "text-rose-500/50"
        : "text-emerald-500/50"
      : isCritical
        ? "text-rose-500/60"
        : "text-foreground/40"
  }`;
```

Axiom Repository Audit

```
const valueClasses = `text-4xl font-black tabular-nums transition-colors duration-500 ${
  isInfiniteRunway
    ? isInsolvent
      ? "text-rose-500/80 font-mono tracking-tighter"
      : "text-emerald-500/80 font-mono tracking-tighter"
    : isCritical
      ? "text-rose-600"
      : "text-foreground"
}`;

const description = isInfiniteRunway
  ? isInsolvent
    ? "Burn is absorbed by incomes, but total commitments exceed assets."
    : "Net inbound capital completely absorbs current structural burn."
  : isCritical
    ? "A recalibration of The Foundation is recommended."
    : "Duration of sustained operation based on current structural burn and liquidity.";

return (
  <div className={containerClasses}>
    <div className="flex items-center justify-between mb-4">
      <span className={labelClasses}>
        {isInfiniteRunway
          ? isInsolvent
            ? "Insolvent Stability"
            : "Infinite Stability"
          : "Operating Horizon"}
      </span>
      {isInfiniteRunway && !isInsolvent && (
        <div className="flex items-center gap-1.5">
          <span className="w-1.5 h-1.5 bg-emerald-500/40 rounded-full animate-pulse"></span>
          <span className="text-[8px] font-black text-emerald-500/40 uppercase tracking-widest">
            Active Protection
          </span>
        </div>
      )}
      {isInfiniteRunway && isInsolvent && (
        <div className="flex items-center gap-1.5">
          <span className="w-1.5 h-1.5 bg-rose-500/40 rounded-full animate-pulse"></span>
          <span className="text-[8px] font-black text-rose-500/40 uppercase tracking-widest">
            Solvency Risk
          </span>
        </div>
      )}
    </div>

    <div className="flex flex-col">
      <span className={valueClasses}>{displayValue}</span>
      <p
        className={`text-[10px] font-bold uppercase tracking-widest mt-4 ${
          isInfiniteRunway ? "text-emerald-600/40" : "text-foreground/40"
        }`}
      >
        {description}
      </p>
    </div>
  </div>
);
}
```

FILE: src\app\dashboard\StrategicObjectiveSection.tsx

Axiom Repository Audit

```
"use client";

import { useState } from "react";
import {
  calculateObjectiveFundingRatio,
  type StrategicObjective,
  OBJECTIVE_TYPES,
  OBJECTIVE_PRIORITIES,
  OBJECTIVE_STATUSES,
} from "@lib/finance/objectives";
import {
  createStrategicObjectiveAction,
  updateStrategicObjectiveAction,
} from "./actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { formatCurrency } from "@lib/utils/formatters";
import { ScrollReveal } from "@components/ui/scroll-reveal";
import { motion } from "framer-motion";

interface StrategicObjectiveSectionProps {
  objectives: StrategicObjective[];
  onSnapshot: (snapshot: DashboardSnapshot) => void;
}

export function StrategicObjectiveSection({
  objectives,
  onSnapshot,
}: StrategicObjectiveSectionProps) {
  const [isAdding, setIsAdding] = useState(false);
  const [editingId, setEditingId] = useState<string | null>(null);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);

  const [form, setForm] = useState({
    objective_name: "",
    objective_type: "emergency_reserve",
    target_amount: "",
    current_amount: "",
    priority_level: "moderate",
    status: "active",
    target_date: "",
    notes: "",
  });

  async function handleSubmit(e: React.FormEvent) {
    e.preventDefault();
    setIsLoading(true);
    setError(null);
    try {
      let snapshot;
      if (editingId) {
        snapshot = await updateStrategicObjectiveAction(editingId, {
          objective_name: form.objective_name,
          objective_type: form.objective_type,
          target_amount: Number(form.target_amount),
          current_amount: form.current_amount ? Number(form.current_amount) : 0,
          priority_level: form.priority_level,
          status: form.status,
          target_date: form.target_date || null,
          notes: form.notes || undefined,
        });
      } else {
        snapshot = await createStrategicObjectiveAction({
          objective_name: form.objective_name,
          objective_type: form.objective_type,
```

Axiom Repository Audit

```
    target_amount: Number(form.target_amount),
    current_amount: form.current_amount ? Number(form.current_amount) : 0,
    priority_level: form.priority_level,
    status: form.status,
    target_date: form.target_date || null,
    notes: form.notes || undefined,
  });
}
setForm({
  objective_name: "",
  objective_type: "emergency_reserve",
  target_amount: "",
  current_amount: "",
  priority_level: "moderate",
  status: "active",
  target_date: "",
  notes: "",
});
setIsAdding(false);
setEditingId(null);
onSnapshot(snapshot);
} catch (err: unknown) {
  setError(
    err instanceof Error
      ? err.message
      : "Failed to establish strategic intent",
  );
} finally {
  setIsLoading(false);
}
}

return (
  <div className="space-y-12">
    <div className="flex items-center justify-between">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
        Strategic Intent
      </h2>
      <button
        onClick={() => setIsAdding(!isAdding)}
        className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/40 hover:text-white transition-colors"
      >
        {isAdding ? "? CANCEL" : "+ APPEND OBJECTIVE"}
      </button>
    </div>

    {isAdding && (
      <div className="bg-white/2 border border-white/5 p-8 animate-in fade-in slide-in-from-top-4 duration-500">
        <form onSubmit={handleSubmit} className="space-y-8">
          <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
            <div className="space-y-2">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
                Objective Name
              </label>
              <input
                type="text"
                required
                placeholder="e.g. Emergency Fund"
                value={form.objective_name}
                onChange={(e) =>
                  setForm({ ...form, objective_name: e.target.value })
                }
              >
            </div>
            <div
              className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none focus:border-white transition-colors"
            >
              />
            </div>
          </div>
        </form>
      </div>
    )}
  </div>
);
```

Axiom Repository Audit

```
</div>
<div className="space-y-2">
  <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
    Objective Type
  </label>
  <select
    value={form.objective_type}
    onChange={(e) =>
      setForm({ ...form, objective_type: e.target.value })
    }
    className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
  >
    {OBJECTIVE_TYPES.map((type) => (
      <option
        key={type.value}
        value={type.value}
        className="bg-black"
      >
        {type.label}
      </option>
    ))}
  </select>
</div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Priority Level
    </label>
    <select
      value={form.priority_level}
      onChange={(e) =>
        setForm({ ...form, priority_level: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {OBJECTIVE_PRIORITIES.map((p) => (
        <option key={p.value} value={p.value} className="bg-black">
          {p.label}
        </option>
      ))}
    </select>
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Status
    </label>
    <select
      value={form.status}
      onChange={(e) => setForm({ ...form, status: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    >
      {OBJECTIVE_STATUSES.map((s) => (
        <option key={s.value} value={s.value} className="bg-black">
          {s.label}
        </option>
      ))}
    </select>
  </div>
</div>
</div>
```

Axiom Repository Audit

```
<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Target Amount
    </label>
    <input
      type="number"
      required
      placeholder="0.00"
      value={form.target_amount}
      onChange={(e) =>
        setForm({ ...form, target_amount: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Current Position
    </label>
    <input
      type="number"
      placeholder="0.00"
      value={form.current_amount}
      onChange={(e) =>
        setForm({ ...form, current_amount: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-8">
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Target Date
    </label>
    <input
      type="date"
      value={form.target_date}
      onChange={(e) =>
        setForm({ ...form, target_date: e.target.value })
      }
      className="w-full bg-transparent border-b border-white/10 py-3 text-white/60 font-mono text-[10px]
tracking-widest uppercase focus:outline-none"
    />
  </div>
  <div className="space-y-2">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-widest">
      Strategic Notes
    </label>
    <input
      type="text"
      placeholder="Add context..."
      value={form.notes}
      onChange={(e) => setForm({ ...form, notes: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-3 text-white font-light focus:outline-none
focus:border-white transition-colors"
    />
  </div>
</div>

{error && (
```

Axiom Repository Audit

```
<p className="text-red-500 font-mono text-[9px] uppercase tracking-widest">
  {error}
</p>
})

<button
  type="submit"
  disabled={isLoading}
  className="w-full bg-white text-black py-4 font-medium tracking-[0.2em] uppercase text-[10px] hover:bg-white/90
transition-colors disabled:opacity-50"
  >
  {isLoading ? "ESTABLISHING..." : "SET STRATEGIC INTENT"}
</button>
</form>
</div>
)}

<div className="space-y-8">
  {objectives.length === 0 ? (
    <div className="py-12 text-center opacity-20">
      <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
        No objectives active
      </p>
    </div>
  ) : (
    objectives.map((obj, index) => {
      const ratio = calculateObjectiveFundingRatio(obj);
      return (
        <ScrollReveal key={obj.id} delay={index * 0.1}>
          <div className="space-y-4 group cursor-default pb-8 border-b border-white/5 last:border-0">
            <div className="flex items-center justify-between mb-2">
              <div className="space-y-1">
                <span
                  className={`text-[8px] font-mono tracking-widest uppercase ${
                    obj.priority_level === "critical"
                      ? "text-red-500"
                      : "text-white/20"
                  }`}
                >
                  {obj.priority_level}
                </span>
                <h3 className="font-cormorant text-2xl text-white transition-transform group-hover:translate-x-2">
                  {obj.objective_name}
                </h3>
              </div>
              <div className="text-right">
                <p className="font-cormorant text-3xl text-white tabular-nums">
                  {Math.round(ratio)}%
                </p>
              </div>
            </div>
          </div>
        </ScrollReveal>
      )
    })
  )
}

<div className="h-px w-full bg-white/5 relative overflow-hidden">
  <motion.div
    initial={{ width: 0 }}
    whileInView={{ width: `${Math.min(100, ratio)}%` }}
    viewport={{ once: true }}
    transition={{
      duration: 1.5,
      delay: 0.5 + index * 0.1,
      ease: "easeOut",
    }}
    className="absolute inset-y-0 left-0 bg-white/60"
  />
</div>
```

Axiom Repository Audit

```

    <div className="flex justify-between items-end pt-2 opacity-30 group-hover:opacity-60 transition-opacity">
      <p className="text-[9px] font-mono uppercase tracking-widest">
        {formatCurrency(obj.current_amount)}
      </p>
      <p className="text-[9px] font-mono uppercase tracking-widest">
        Target: {formatCurrency(obj.target_amount)}
      </p>
    </div>
  </div>
</ScrollReveal>
  );
}
})
}}
</div>
</div>
);
}

```

FILE: src\app\signup\page.tsx

```
"use client";

import { useEffect } from "react";
import { useRouter } from "next/navigation";
import { Auth } from "@supabase/auth-ui-react";
import { ThemeSupa } from "@supabase/auth-ui-shared";
import { supabase } from "@/lib/supabase";
import Link from "next/link";
import { BrandMark } from "@/components/ui/brand-mark";
import { ScrollReveal } from "@/components/ui/scroll-reveal";

export default function SignUp() {
  const router = useRouter();

  useEffect(() => {
    const {
      data: { subscription },
    } = supabase.auth.onAuthStateChange((event, session) => {
      if (session) {
        router.push("/dashboard");
      }
    });
  });

  return () => {
    subscription.unsubscribe();
  };
}, [router]);

return (
  <main className="min-h-screen flex flex-col md:flex-row bg-black text-white relative overflow-hidden selection:bg-white selection:text-black">
    { /* Left Side: Editorial Canvas - Tactical Intelligence */ }
    <div className="hidden md:flex md:w-1/2 bg-[#020202] relative items-center justify-center border-r border-white/5 overflow-hidden">
      { /* The Tactical Schematic Image */ }
      <div
        className="absolute inset-0 z-0 opacity-40 mix-blend-screen scale-110 grayscale"
        style={{
          backgroundImage: "url('/images/tactical-schematic.png')",
          backgroundSize: "cover",
          backgroundPosition: "center",
        }}
      />
    </div>
  </main>
);
}
```

Axiom Repository Audit

```
    />

    { /* Depth & Focus Overlays */
    <div className="absolute inset-0 z-0">
      <div className="absolute top-1/2 left-1/2 -translate-x-1/2 -translate-y-1/2 w-[90%] h-[90%] bg-white/1 rounded-full blur-[140px]" />
      <div className="absolute inset-0 bg-linear-to-t from-black via-transparent to-black opacity-60" />
    </div>

    <div className="relative z-10 max-w-lg px-12 text-center">
      <ScrollReveal direction="up">
        <h2 className="font-cormorant italic text-5xl lg:text-7xl text-white mb-8 leading-tight">
          Strategic Wealth <br />
          <span className="not-italic font-medium text-white/80">
            Architecture.
          </span>
        </h2>
      </ScrollReveal>

      <ScrollReveal direction="up" delay={0.2}>
        <div className="h-px w-12 bg-white/20 mx-auto mb-8" />
        <p className="text-white/40 font-mono text-[9px] tracking-[0.6em] uppercase">
          Axiom Strategic Protocol // v1.0
        </p>
      </ScrollReveal>
    </div>
  </div>

  { /* Right Side: Authentication Portal */
  <div className="flex-1 flex items-center justify-center p-8 md:p-12 relative z-10 bg-black">
    <div className="w-full max-w-md">
      { /* Brand & Header */
      <div className="flex flex-col items-center mb-16">
        <ScrollReveal direction="down" delay={0.3}>
          <Link href="/" className="mb-12 block">
            <BrandMark className="w-14 h-14" />
          </Link>
        </ScrollReveal>

        <ScrollReveal direction="up" delay={0.4}>
          <h1 className="font-cormorant text-4xl text-white text-center mb-3 tracking-wide">
            Initialize Access
          </h1>
          <p className="text-white/30 text-[10px] font-mono text-center tracking-[0.3em] uppercase">
            Enter Sovereign Credentials
          </p>
        </ScrollReveal>
      </div>

      <ScrollReveal direction="up" delay={0.5}>
        <div className="bg-white/2 border border-white/5 p-10 md:p-14 rounded-3xl backdrop-blur-sm relative overflow-hidden group">
          { /* Subtle Decorative Glow */
          <div className="absolute -top-24 -right-24 w-48 h-48 bg-white/5 blur-3xl rounded-full opacity-0 group-hover:opacity-100 transition-opacity duration-1000" />

          <Auth
            supabaseClient={supabase}
            view="sign_up"
            appearance={{
              theme: ThemeSupa,
              variables: {
                default: {
                  colors: {
                    brand: "white",
```

Axiom Repository Audit

```
brandAccent: "white",
brandButtonText: "black",
defaultButtonBackground: "transparent",
defaultButtonBackgroundHover: "rgba(255,255,255,0.05)",
defaultButtonText: "white",
defaultButtonBorder: "rgba(255,255,255,0.1)",
inputText: "white",
inputBackground: "transparent",
inputBorder: "rgba(255,255,255,0.1)",
inputPlaceholder: "rgba(255,255,255,0.2)",
inputLabelText: "rgba(255,255,255,0.4)",
},
radii: {
  buttonBorderRadius: "9999px",
  inputBorderRadius: "12px",
},
fonts: {
  bodyFontFamily: ` -apple-system, BlinkMacSystemFont, "SF Pro Display", "SF Pro Text", "Helvetica Neue",
Helvetica, Arial, sans-serif`,
  buttonFontFamily: `var(--font-geist-mono), ui-monospace, SFMono-Regular, Roboto Mono, Menlo, Monaco,
Consolas, Liberation Mono, Courier New, monospace`,
  inputFontFamily: ` -apple-system, BlinkMacSystemFont, "SF Pro Display", "SF Pro Text", "Helvetica
Neue", Helvetica, Arial, sans-serif`,
  labelFontFamily: `var(--font-geist-mono), ui-monospace, SFMono-Regular, Roboto Mono, Menlo, Monaco,
Consolas, Liberation Mono, Courier New, monospace`,
},
},
},
className: {
  button:
      "font-mono uppercase tracking-widest text-[10px] py-4 transition-all hover:scale-[1.02]
active:scale-[0.98]",
  label:
      "font-mono uppercase tracking-widest text-[8px] mb-3 ml-1",
  input:
      "border-white/10 focus:border-white/40 transition-colors bg-white/5 py-3 px-4",
},
}}
localization={{
  variables: {
    sign_up: {
      email_label: "EMAIL ADDRESS",
      password_label: "SECURE ACCESS KEY",
      button_label: "INITIALIZE PROTOCOL",
      link_text: "AUTHORIZED? ACCESS PORTAL",
    },
    sign_in: {
      email_label: "EMAIL ADDRESS",
      password_label: "SECURE ACCESS KEY",
      button_label: "AUTHORIZE SESSION",
      link_text: "NO ACCESS? INITIALIZE LEDGER",
    },
  },
}}
providers=[["google"]]
redirectTo={` ${typeof window !== "undefined" ? window.location.origin : ""}/auth/callback`}
/>

<div className="mt-12 text-center pt-10 border-t border-white/5">
  <Link
    href="/"
    className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em] hover:text-white transition-colors"
  >
    ? Return to Authorization
  </Link>
```

Axiom Repository Audit

```
        </div>
      </div>
    </ScrollReveal>

    <ScrollReveal direction="up" delay={0.7}>
      <p className="mt-12 text-white/10 text-[8px] font-mono text-center uppercase tracking-[0.5em] leading-relaxed">
        All sessions are encrypted. Authorization granted by <br />
        Axiom Strategic Wealth Intelligence.
      </p>
    </ScrollReveal>
  </div>
</div>
</main>
);
}
```

FILE: src\components\dashboard\DayZeroOnboarding.tsx

```
"use client";

import { useState } from "react";
import { submitDayZeroOnboardingAction } from "@app/dashboard/actions";
import { type DashboardSnapshot } from "@lib/dashboard/types";
import { RippleButton } from "@components/ui/multi-type-ripple-buttons";
import { HoverButton } from "@components/ui/hover-glow-button";
import { LuxuryCard } from "@components/ui/luxury-card";
import { motion, AnimatePresence } from "framer-motion";

import {
  OnboardingHeader,
  OnboardingSidebar,
} from "../onboarding/OnboardingLayout";
import {
  AccountsStep,
  type OnboardingAccount,
} from "../onboarding/AccountsStep";
import {
  IncomeVelocityStep,
  type OnboardingIncome,
} from "../onboarding/IncomeVelocityStep";
import {
  ExpensesStep,
  type OnboardingBaseline,
} from "../onboarding/ExpensesStep";
import {
  LiabilitiesStep,
  type OnboardingLiability,
} from "../onboarding/LiabilitiesStep";

interface DayZeroOnboardingProps {
  onComplete: (snapshot: DashboardSnapshot) => void;
}

const STEPS = [
  {
    roman: "I",
    title: "Accounts",
    desc: "Every strong financial foundation begins with a clear map of your available capital. Please list the financial accounts that hold your primary source of liquidity (for example, corporate checking accounts or short-term cash reserves)",
  },
  {
    roman: "II",
    title: "Income Velocity",
  },
];
```

Axiom Repository Audit

desc: "Every strong financial foundation relies on a predictable cash flow. Please list your revenue-generating activities so we can calculate how quickly your funds are replenished (for example, recurring subscription fees, product sales, or monthly client retainers).",

```
  },
  {
    roman: "III",
    title: "Baseline Expenses",
    desc: "Every strong financial foundation requires full visibility into its baseline expenses. Please list your fixed operating costs so we can identify and eliminate unnecessary spending (for example, office rent, software subscriptions, or employee salaries).",
```

```
  },
  {
    roman: "IV",
    title: "Financial Commitments",
    desc: "Every strong financial foundation requires a clear view of what you owe. Please list your current debts and upcoming financial obligations so we can protect your long-term solvency (for example, short-term loans, credit card balances, or vendor invoices).",
```

```
  },
];
```

```
export default function DayZeroOnboarding({
  onComplete,
}: DayZeroOnboardingProps) {
  const [step, setStep] = useState(1);
  const [direction, setDirection] = useState(1);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);

  // State Management
  const [accounts, setAccounts] = useState<OnboardingAccount[]>([
    {
      account_name: "",
      account_type: "mobile_money",
      current_balance: "",
      institution: "",
    },
  ]);
  const [incomes, setIncomes] = useState<OnboardingIncome[]>([]);
  const [baselines, setBaselines] = useState<OnboardingBaseline[]>([
    {
      title: "",
      amount: "",
      cadence: "monthly",
      execution_day: "1",
      is_recurring: true,
      category: "Maintenance",
    },
  ]);
  const [liabilities, setLiabilities] = useState<OnboardingLiability[]>([]);

  const isStepValid = () => {
    if (step === 1)
      return (
        accounts.length > 0 &&
        accounts.every((a) => a.account_name.trim() && a.current_balance !== "")
      );
    if (step === 2)
      return (
        incomes.length === 0 ||
        incomes.every((i) => i.income_name.trim() && i.amount !== "")
      );
    if (step === 3)
      return (
        baselines.length > 0 &&
        baselines.every((b) => b.title.trim() && b.amount !== "")
      );
  };
}
```

Axiom Repository Audit

```
    );
    if (step === 4)
      return (
        liabilities.length === 0 ||
        liabilities.every(
          (l) => l.liability_name.trim() && l.outstanding_balance !== "",
        )
      );
    return false;
  };

  const handleNext = () => {
    if (step < 4) {
      setDirection(1);
      setStep(step + 1);
      setError(null);
    }
  };

  const handlePrev = () => {
    if (step > 1) {
      setDirection(-1);
      setStep(step - 1);
      setError(null);
    }
  };

  async function handleSubmit(e: React.FormEvent) {
    e.preventDefault();
    if (step < 4) {
      handleNext();
      return;
    }

    setIsLoading(true);
    setError(null);

    try {
      // PURE DELEGATION: Send raw state to server for transformation and persistence
      const snapshot = await submitDayZeroOnboardingAction({
        accounts,
        incomes,
        liabilities,
        baselines,
      });

      // SEAMLESS TRANSITION: No hard reload. Revalidation is handled by server action.
      onComplete(snapshot);
    } catch (err: unknown) {
      setError(
        err instanceof Error
          ? err.message
          : "An unexpected error occurred. Please verify your inputs.",
      );
    } finally {
      setIsLoading(false);
    }
  }

  const activeStepConfig = STEPS[step - 1];
  const backgroundX = -(step - 1) * 5;

  return (
    <div className="fixed inset-0 bg-black z-100 flex flex-col selection:bg-white selection:text-black overflow-hidden h-screen w-full font-sans text-white">
      {/* Dynamic Background */}
    </div>
  );
}
```

Axiom Repository Audit

```
<div className="absolute inset-0 z-0 pointer-events-none overflow-hidden">
  <motion.div
    animate={{ x: `${backgroundX}%` }}
    transition={{ duration: 1.2, ease: [0.215, 0.61, 0.355, 1] }}
    className="absolute inset-0 w-[150%] h-full"
  >
    <div className="absolute top-[-10%] left-[-10%] w-[40%] h-[40%] bg-white/2 rounded-full blur-[120px]" />
    <div className="absolute bottom-[-10%] right-[-30%] w-[40%] h-[40%] bg-white/2 rounded-full blur-[120px]" />
    <div
      className="absolute inset-0 opacity-15 mix-blend-screen grayscale"
      style={{
        backgroundImage: "url('/images/tactical-schematic.png')",
        backgroundSize: "cover",
        backgroundPosition: "left center",
      }}
    />
  </motion.div>
</div>

<OnboardingHeader step={step} totalSteps={STEPS.length} />

<div className="relative z-10 flex-1 flex items-center justify-center px-8 md:px-12 pt-16">
  <div className="max-w-7xl w-full h-155 grid lg:grid-cols-[1.1fr_1.4fr] gap-16 md:gap-24 items-stretch overflow-visible">
    <OnboardingSidebar
      roman={activeStepConfig.roman}
      title={activeStepConfig.title}
      desc={activeStepConfig.desc}
      direction={direction}
    />

    <LuxuryCard className="h-full flex flex-col border border-white/10 shadow-[0_0_80px_rgba(0,0,0,0.8)] overflow-hidden">
      <div className="flex-1 p-10 md:p-14 overflow-hidden relative rounded-t-[inherit]">
        <form
          onSubmit={handleSubmit}
          className="h-full flex flex-col text-white"
        >
          <AnimatePresence mode="wait" custom={direction}>
            <motion.div
              key={step}
              custom={direction}
              initial={{ opacity: 0, x: direction * 30 }}
              animate={{ opacity: 1, x: 0 }}
              exit={{ opacity: 0, x: -direction * 30 }}
              transition={{ duration: 0.6, ease: "easeOut" }}
              className="flex-1 flex flex-col"
            >
              {step === 1 && (
                <AccountsStep
                  accounts={accounts}
                  onChange={setAccounts}
                />
              )}
              {step === 2 && (
                <IncomeVelocityStep
                  incomes={incomes}
                  onChange={setIncomes}
                />
              )}
              {step === 3 && (
                <ExpensesStep
                  baselines={baselines}
                  onChange={setBaselines}
                />
              )}
            </motion.div>
          </AnimatePresence>
        </form>
      </div>
    </LuxuryCard>
  </div>
</div>
```

Axiom Repository Audit

```
    })
    {step === 4 && (
      <LiabilitiesStep
        liabilities={liabilities}
        onChange={setLiabilities}
      />
    )}
  </motion.div>
</AnimatePresence>
</form>
</div>

<div className="h-32 border-t border-white/5 relative z-10 px-12 md:px-16 flex flex-col justify-center shrink-0
bg-[#080808]/60 backdrop-blur-3xl rounded-b-[inherit]">
  {error && (
    <div className="absolute top-0 left-0 w-full transform -translate-y-full px-12 pb-4">
      <div className="bg-red-500/10 border border-red-500/20 rounded-lg p-3 text-red-400 text-[10px] font-mono
tracking-wider flex items-center gap-3">
        <span className="shrink-0 w-1.5 h-1.5 rounded-full bg-red-500 animate-pulse" />
        {error}
      </div>
    </div>
  )}
  <div className="w-full flex items-center justify-between">
    <button
      type="button"
      onClick={handlePrev}
      disabled={step === 1}
      className="text-[11px] font-mono tracking-[0.6em] text-white/20 hover:text-white transition-all uppercase
disabled:opacity-0 py-8 px-12 -ml-12 hover:bg-white/5 rounded-full"
    >
      ? Back
    </button>
    <div onClick={handleSubmit}>
      {step === 4 ? (
        <HoverButton
          glowColor="rgba(255,255,255,0.4)"
          className="px-24 py-10 rounded-full text-[11px]"
          disabled={isLoading || !isStepValid()}
        >
          {isLoading ? "... " : "Archive Setup"}
        </HoverButton>
      ) : (
        <RippleButton
          variant="hoverborder"
          className="px-24 py-10 border-none text-[11px]"
          disabled={isLoading || !isStepValid()}
        >
          Next Phase ?
        </RippleButton>
      )}
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
);
}
```

Axiom Repository Audit

```
"use client";

import React from "react";
import { LuxuryCard } from "../ui/luxury-card";
import { ScrollReveal } from "../ui/scroll-reveal";
import { KairosInsight } from "@lib/ai/kairos";

interface KairosNarrativeProps {
  insight: KairosInsight | null;
}

export function KairosNarrative({ insight }: KairosNarrativeProps) {
  if (!insight) return null;

  const severityColor = {
    critical: "text-red-500",
    warning: "text-orange-500",
    advisory: "text-blue-400",
    observation: "text-white/40",
  }[insight.severity] || "text-white/40";

  const severityPulse = insight.severity === "critical" ? "animate-pulse" : "";

  const displaySeverity = {
    critical: "Critical",
    warning: "High",
    advisory: "Medium",
    observation: "Low",
  }[insight.severity] || "Low";

  return (
    <ScrollReveal direction="up" distance={20} duration={1}>
      <LuxuryCard className="p-8 md:p-12 overflow-hidden group bg-black/40 backdrop-blur-xl border-white/5">
        <div className="space-y-8 font-mono">
          <div className="flex items-center justify-between border-b border-white/5 pb-4">
            <p className="text-[10px] tracking-[0.6em] text-white/20 uppercase">
              [SYSTEM SCAN COMPLETE]
            </p>
            <div className="flex items-center gap-2">
              <div
                className={`w-1.5 h-1.5 rounded-full ${severityColor.replace("text-", "bg-")} ${severityPulse}`}
              />
              <p
                className={`text-[9px] tracking-widest uppercase ${severityColor}`}
              >
                Active Monitoring
              </p>
            </div>
          </div>
          <div className="space-y-6">
            <div className="space-y-1">
              <p className="text-[10px] text-white/20 uppercase tracking-widest">
                STATUS:
              </p>
              <p className="text-sm text-white/80 uppercase tracking-wider">
                {insight.category.replace(/_/g, " ")}
                <span className={`ml-2 ${severityColor}`}>
                  (Severity: {displaySeverity})
                </span>
              </p>
            </div>
            <div className="space-y-2">
```

Axiom Repository Audit

```
<p className="text-[10px] text-white/20 uppercase tracking-widest">
  DIAGNOSTIC:
</p>
<p className="text-lg leading-relaxed text-white font-light selection:bg-white selection:text-black">
  {insight.message}
</p>
</div>

{insight.supportingSignals &&
  insight.supportingSignals.length > 0 && (
    <div className="pt-6 border-t border-white/5 space-y-4">
      <p className="text-[10px] text-white/20 uppercase tracking-widest">
        SUPPORTING SIGNALS:
      </p>
      <div className="space-y-3">
        {insight.supportingSignals.map((signal, idx) => (
          <div
            key={idx}
            className="flex gap-4 items-start group/signal"
          >
            <span className="text-[10px] text-white/10 mt-1">
              {idx + 1}.
            </span>
            <p className="text-xs text-white/40 group-hover/signal:text-white/60 transition-colors
leading-relaxed">
              {signal}
            </p>
          </div>
        ))}
      </div>
    </div>
  )}
</div>

<div className="pt-8 border-t border-white/5 flex justify-between items-center opacity-40">
  <div className="flex gap-8">
    <div className="space-y-1">
      <p className="text-[8px] text-white/40 uppercase tracking-widest">
        Efficiency Index
      </p>
      <p className="text-[10px] text-white">
        {(insight.capitalEfficiency || 0).toFixed(1)}/100
      </p>
    </div>
    <div className="space-y-1">
      <p className="text-[8px] text-white/40 uppercase tracking-widest">
        Runway Window
      </p>
      <p className="text-[10px] text-white uppercase">
        {insight.runway ? `${insight.runway} Days` : "Stable"}
      </p>
    </div>
  </div>
  <p className="text-[8px] tracking-[0.4em] text-white/20 uppercase">
    Kairos Narrative Engine v1.1
  </p>
</div>
</LuxuryCard>
</ScrollReveal>
);
}
```

Axiom Repository Audit

FILE: src\components\dashboard\MiniCharts.tsx

```
"use client";

import React, { useRef } from "react";
import {
  AreaChart,
  Area,
  BarChart,
  Bar,
  PieChart,
  Pie,
  Cell,
  ResponsiveContainer,
} from "recharts";
import { ScrollReveal } from "../ui/scroll-reveal";
import { useInView } from "framer-motion";

// --- Mini Sparkline (Area) ---
export function MiniSparkline({
  data,
  color = "#8b5cf6", // Default purple
}: {
  data: number[];
  color?: string;
}) {
  const chartData = data.map((val, i) => ({ value: val, index: i }));
  return (
    <div className="h-12 w-full mt-4">
      <ResponsiveContainer width="100%" height="100%">
        <AreaChart data={chartData}>
          <defs>
            <linearGradient
              id={`gradient-${color}`}
              x1="0"
              y1="0"
              x2="0"
              y2="1"
            >
              <stop offset="5%" stopColor={color} stopOpacity={0.3} />
              <stop offset="95%" stopColor={color} stopOpacity={0} />
            </linearGradient>
          </defs>
          <Area
            type="monotone"
            dataKey="value"
            stroke={color}
            strokeWidth={2}
            fill={`url(#gradient-${color})`}
            isAnimationActive={true}
            animationDuration={1500}
          />
        </AreaChart>
      </ResponsiveContainer>
    </div>
  );
}

// --- Mini Bar Chart ---
export function MiniBarChart({
  data,
  color = "#ef4444", // Default red
}: {
  data: number[];
```

Axiom Repository Audit

```
color?: string;
}) {
  const chartData = data.map((val, i) => ({ value: val, index: i }));
  return (
    <div className="h-12 w-full mt-4">
      <ResponsiveContainer width="100%" height="100%">
        <BarChart data={chartData} barSize={4}>
          <Bar
            dataKey="value"
            fill={color}
            radius={[2, 2, 2, 2]}
            isAnimationActive={true}
            animationDuration={1500}
          />
        </BarChart>
      </ResponsiveContainer>
    </div>
  );
}

// --- Distribution Pie Chart ---
export function DistributionPieChart({
  data,
  colors = [
    "#8b5cf6",
    "#3b82f6",
    "#10b981",
    "#f59e0b",
    "#f97316",
    "#ef4444",
    "#6366f1",
    "#8b5cf6",
  ],
}): {
  data: { name: string; value: number }[];
  colors?: string[];
}) {
  const containerRef = useRef(null);
  const isInView = useInView(containerRef, { once: true, margin: "-10%" });

  if (!data || data.length === 0) return null;

  return (
    <div ref={containerRef}>
      <ScrollReveal direction="none" duration={1.2}>
        <div className="h-40 w-full relative">
          <ResponsiveContainer width="100%" height="100%">
            <PieChart>
              <Pie
                data={data}
                cx="50%"
                cy="50%"
                innerRadius="60%"
                outerRadius="90%"
                dataKey="value"
                stroke="none"
                startAngle={90}
                endAngle={isInView ? -270 : 90}
                isAnimationActive={true}
                animationDuration={1500}
                animationEasing="ease-out"
                paddingAngle={2}
                cornerRadius={4}
              />
            </PieChart>
          </ResponsiveContainer>
        </div>
      </ScrollReveal>
    </div>
  );
}
```

Axiom Repository Audit

```
        <Cell
          key={`cell-${index}`}
          fill={colors[index % colors.length]}
        />
      )))
    </Pie>
  </PieChart>
</ResponsiveContainer>
</div>
</ScrollReveal>
</div>
);
}

export function MiniDonut({
  value,
  max,
  color = "#3b82f6", // Default blue
}): {
  value: number;
  max: number;
  color?: string;
}) {
  const containerRef = useRef(null);
  const isInView = useInView(containerRef, { once: true, margin: "-10%" });

  const safeValue = Math.min(value, max);
  const remainder = Math.max(0, max - safeValue);
  const data = [
    { name: "Value", value: safeValue },
    { name: "Remainder", value: remainder },
  ];

  return (
    <div ref={containerRef} className="h-12 w-full relative mt-2">
      <ResponsiveContainer width="100%" height="200%">
        <PieChart>
          <Pie
            data={data}
            cx="50%"
            cy="50%"
            startAngle={180}
            endAngle={isInView ? 0 : 180}
            innerRadius="70%"
            outerRadius="100%"
            dataKey="value"
            stroke="none"
            isAnimationActive={true}
            animationDuration={1500}
            animationEasing="ease-out"
            cornerRadius={4}
          />
          <Cell key="cell-0" fill={color} />
          <Cell key="cell-1" fill="rgba(255,255,255,0.05)" />
        </Pie>
      </PieChart>
      </ResponsiveContainer>
      <div className="absolute bottom-0 left-0 w-full flex items-end justify-center pointer-events-none pb-1">
        <span className="font-mono text-[9px] text-white/40 tracking-widest uppercase">
          {Math.round((safeValue / max) * 100)}% Capacity
        </span>
      </div>
    </div>
  );
}
```

Axiom Repository Audit

FILE: src\components\dashboard\TelemetryDashboard.tsx

```
"use client";

import { useEffect, useState, useCallback } from "react";
import {
  fetchTelemetryLogsAction,
  type TelemetrySummary,
} from "@app/dashboard/actions";

export function TelemetryDashboard() {
  const [telemetry, setTelemetry] = useState<TelemetrySummary | null>(null);
  const [isLoading, setIsLoading] = useState(true);
  const [error, setError] = useState<string | null>(null);

  const loadTelemetry = useCallback(async (isManualRefresh = false) => {
    if (isManualRefresh) setIsLoading(true);
    setError(null);
    try {
      const summary = await fetchTelemetryLogsAction();
      setTelemetry(summary);
    } catch (err) {
      setError("Failed to retrieve forensic logs.");
      console.error(err);
    } finally {
      setIsLoading(false);
    }
  }, []);

  useEffect(() => {
    const timer = setTimeout(() => loadTelemetry(), 10);
    return () => clearTimeout(timer);
  }, [loadTelemetry]);

  if (isLoading) {
    return (
      <div className="py-12 space-y-12 animate-pulse opacity-20">
        <div className="h-px bg-white/20 w-full" />
        <div className="grid grid-cols-4 gap-8">
          {[1, 2, 3, 4].map((i) => (
            <div key={i} className="h-24 bg-white/10" />
          ))}
        </div>
      </div>
    );
  }

  if (error) {
    return (
      <div className="py-12 text-center opacity-40">
        <p className="text-[10px] font-mono uppercase tracking-[0.5em]">
          {error}
        </p>
      </div>
    );
  }

  return (
    <div className="space-y-24">
      <div className="text-center">
        <h1>PERFORMANCE SUMMARY</h1>
      </div>
      <div className="grid grid-cols-1 md:grid-cols-4 gap-px bg-white/5">
        {[
          {
            label: "Evaluation Cycles",
            value: telemetry?.totalCycles || 0,
          },
        ]}
      </div>
    </div>
  );
}
```

Axiom Repository Audit

```
    label: "Avg. Latency",
    value: `${telemetry?.averageLatency || 0}ms`,
  },
  {
    label: "Intelligence Yield",
    value: `${telemetry?.matchRate || 0}%`,
  },
  {
    label: "Active Heuristics",
    value: Object.keys(telemetry?.ruleHits || {}).length,
  },
].map((stat) => (
  <div key={stat.label} className="bg-black p-8 group">
    <span className="text-[8px] font-mono text-white/20 uppercase tracking-[0.3em] block mb-4
group-hover:text-white/40 transition-colors">
      {stat.label}
    </span>
    <span className="font-cormorant text-3xl text-white">
      {stat.value}
    </span>
  </div>
))}
</div>

{/* FORENSIC LOG TABLE */}
<div className="space-y-8">
  <div className="flex items-center justify-between border-b border-white/5 pb-4">
    <h3 className="font-cormorant italic text-xl text-white/40">
      Evaluation Audit Trail
    </h3>
    <button
      onClick={() => loadTelemetry(true)}
      className="text-[8px] font-mono text-white/20 hover:text-white uppercase tracking-widest transition-colors"
    >
      Refresh Logs
    </button>
  </div>

  <div className="overflow-x-auto">
    <table className="w-full text-left">
      <thead>
        <tr className="border-b border-white/5">
          <th className="py-4 text-[9px] font-mono text-white/20 uppercase tracking-widest font-normal">
            Timestamp
          </th>
          <th className="py-4 text-[9px] font-mono text-white/20 uppercase tracking-widest font-normal">
            Heuristic ID
          </th>
          <th className="py-4 text-[9px] font-mono text-white/20 uppercase tracking-widest font-normal">
            Severity
          </th>
          <th className="py-4 text-[9px] font-mono text-white/20 uppercase tracking-widest font-normal text-right">
            Compute
          </th>
        </tr>
      </thead>
      <tbody className="divide-y divide-white/5">
        {telemetry?.logs.map((log) => (
          <tr
            key={log.id}
            className="group hover:bg-white/1 transition-all"
          >
            <td className="py-4 text-[10px] font-mono text-white/40 tabular-nums">
              {new Date(log.created_at).toLocaleTimeString([], {
                hour12: false,
```

Axiom Repository Audit

```
        hour: "2-digit",
        minute: "2-digit",
        second: "2-digit",
      }}}
    </td>
    <td className="py-4 text-[11px] text-white/80 font-light group-hover:translate-x-1 transition-transform">
      {log.rule_id}
    </td>
    <td className="py-4">
      <span
        className={`text-[8px] font-mono uppercase tracking-widest ${
          log.severity === "critical"
            ? "text-red-500"
            : log.severity === "high"
            ? "text-orange-500"
            : "text-white/20"
        }`}
      >
        {log.severity}
      </span>
    </td>
    <td className="py-4 text-[10px] font-mono text-white/40 text-right tabular-nums">
      {log.evaluation_time_ms?.toFixed(2)}ms
    </td>
  </tr>
)}}
{(!telemetry || telemetry.logs.length === 0) && (
  <tr>
    <td
      colSpan={4}
      className="py-12 text-center text-[10px] font-mono text-white/10 uppercase tracking-widest"
    >
      No forensic data available.
    </td>
  </tr>
)}}
</tbody>
</table>
</div>
</div>
</div>
);
}
```

FILE: src\components\dashboard\onboarding\AccountsStep.tsx

```
"use client";

import { ACCOUNT_TYPES } from "@/lib/finance/accounts";

export interface OnboardingAccount {
  account_name: string;
  account_type: string;
  current_balance: string;
  institution: string;
}

interface AccountsStepProps {
  accounts: OnboardingAccount[];
  onChange: (accounts: OnboardingAccount[]) => void;
}

export function AccountsStep({ accounts, onChange }: AccountsStepProps) {
```

Axiom Repository Audit

```
const addAccount = () => {
  if (accounts.length < 3) {
    onChange([
      ...accounts,
      {
        account_name: "",
        account_type: "checking",
        current_balance: "",
        institution: "",
      },
    ]);
  }
};

const removeAccount = (index: number) => {
  onChange(accounts.filter((_, i) => i !== index));
};

const updateAccount = (index: number, updates: Partial<OnboardingAccount>) => {
  const next = [...accounts];
  next[index] = { ...next[index], ...updates };
  onChange(next);
};

return (
  <div className="flex flex-col h-full gap-6">
    <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">Account Name</h2>
    <div className="flex-1 space-y-4 overflow-y-auto scrollbar-hide pr-2">
      {accounts.map((acc, idx) => (
        <div key={idx} className="space-y-3 pb-3 border-b border-white/5 relative shrink-0">
          <div className="grid grid-cols-2 gap-6">
            <input
              type="text"
              placeholder="e.g. M-Pesa, Crypto Wallet"
              value={acc.account_name}
              onChange={(e) => updateAccount(idx, { account_name: e.target.value })}
              className="bg-transparent border-b border-white/10 py-1 font-cormorant text-2xl text-white focus:outline-none
placeholder:text-white/5"
            />
            <input
              type="text"
              placeholder="Financial Institution (optional)"
              value={acc.institution}
              onChange={(e) => updateAccount(idx, { institution: e.target.value })}
              className="bg-transparent border-b border-white/10 py-1 text-sm font-light text-white/60 focus:outline-none
placeholder:text-white/5"
            />
          </div>
        </div>
        <div className="grid grid-cols-2 gap-8">
          <div className="space-y-1">
            <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
              Account Type
            </label>
            <select
              value={acc.account_type}
              onChange={(e) => updateAccount(idx, { account_type: e.target.value })}
              className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono tracking-widest
uppercase text-white/40 focus:outline-none"
            >
              {ACCOUNT_TYPES.map((t) => (
                <option key={t.value} value={t.value} className="bg-[#080808]">
                  {t.label}
                </option>
              ))}
            </select>
          </div>
        </div>
      ))}
    </div>
  </div>
);
```

Axiom Repository Audit

```
    </div>
    <div className="space-y-1">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
        Current Liquidity
      </label>
      <input
        type="number"
        placeholder="0.00"
        value={acc.current_balance}
        onChange={(e) => updateAccount(idx, { current_balance: e.target.value })}
        className="w-full bg-transparent border-b border-white/10 py-1 text-xl font-light text-white
focus:outline-none tabular-nums"
      />
    </div>
  </div>
  {accounts.length > 1 && (
    <button
      type="button"
      onClick={() => removeAccount(idx)}
      className="absolute top-0 right-0 p-2 text-white/10 hover:text-red-400 bg-white/5 rounded-full
hover:bg-white/10 transition-all"
    >
      ?
    </button>
  )}
</div>
)))}
</div>
<button
  type="button"
  onClick={addAccount}
  className="text-[9px] font-mono tracking-[0.6em] uppercase text-white/30 hover:text-white transition-all py-3 px-6
border border-white/10 rounded-full self-start active:scale-95"
>
  + Append Source
</button>
</div>
);
}
```

FILE: src\components\dashboard\onboarding\ExpensesStep.tsx

```
"use client";

import { motion } from "framer-motion";
import { TAXONOMY_CATEGORIES } from "@lib/finance/taxonomy";

export interface OnboardingBaseline {
  title: string;
  amount: string;
  cadence: string;
  execution_day: string;
  is_recurring: boolean;
  category: string;
}

const BASELINE_CADENCES = [
  { value: "daily", label: "Daily" },
  { value: "weekly", label: "Weekly" },
  { value: "monthly", label: "Monthly" },
  { value: "yearly", label: "Yearly" },
];
```

Axiom Repository Audit

```
interface ExpensesStepProps {
  baselines: OnboardingBaseline[];
  onChange: (baselines: OnboardingBaseline[]) => void;
}

export function ExpensesStep({ baselines, onChange }: ExpensesStepProps) {
  const addBaseline = () => {
    if (baselines.length < 3) {
      onChange([
        ...baselines,
        {
          title: "",
          amount: "",
          cadence: "monthly",
          execution_day: "1",
          is_recurring: true,
          category: "Maintenance",
        },
      ]);
    }
  };

  const removeBaseline = (index: number) => {
    onChange(baselines.filter((_, i) => i !== index));
  };

  const updateBaseline = (index: number, updates: Partial<OnboardingBaseline>) => {
    const next = [...baselines];
    next[index] = { ...next[index], ...updates };
    onChange(next);
  };

  return (
    <div className="flex flex-col h-full gap-6">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">Expense</h2>
      <div className="flex-1 space-y-4 overflow-y-auto scrollbar-hide pr-2">
        {baselines.map((base, idx) => (
          <div key={idx} className="space-y-3 pb-3 border-b border-white/5 relative shrink-0">
            <div className="grid grid-cols-2 gap-6">
              <input
                type="text"
                placeholder="Baseline Name"
                value={base.title}
                onChange={(e) => updateBaseline(idx, { title: e.target.value })}
                className="bg-transparent border-b border-white/10 py-1 font-cormorant text-2xl text-white focus:outline-none
placeholder:text-white/5"
              />
              <div className="space-y-1">
                <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
                  Category
                </label>
                <select
                  value={base.category}
                  onChange={(e) => updateBaseline(idx, { category: e.target.value })}
                  className="bg-transparent border-b border-white/10 py-1 text-[10px] font-mono tracking-widest uppercase
text-white/40 focus:outline-none w-full"
                >
                  {TAXONOMY_CATEGORIES.map((cat) => (
                    <option key={cat.value} value={cat.value} className="bg-[#080808]">
                      {cat.label}
                    </option>
                  ))}
                </select>
              </div>
            </div>
          </div>
        ))}
      </div>
    </div>
  );
}
```

Axiom Repository Audit

```
<div className="grid grid-cols-2 gap-12">
  <div className="space-y-1">
    <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
      Amount
    </label>
    <input
      type="number"
      placeholder="0.00"
      value={base.amount}
      onChange={(e) => updateBaseline(idx, { amount: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-1 text-xl font-light text-white
focus:outline-none tabular-nums"
    />
  </div>
</div>

<div className="pt-2 space-y-3">
  <label className="flex items-center space-x-3 cursor-pointer group">
    <input
      type="checkbox"
      checked={base.is_recurring}
      onChange={(e) => updateBaseline(idx, { is_recurring: e.target.checked })}
      className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors cursor-pointer"
    />
    <span className="text-[10px] font-mono text-white/30 uppercase tracking-widest group-hover:text-white/60
transition-colors">
      Recurring Expense
    </span>
  </label>
  {base.is_recurring && (
    <motion.div
      initial={{ opacity: 0, y: -5 }}
      animate={{ opacity: 1, y: 0 }}
      className="grid grid-cols-2 gap-6 pt-2 pl-8 border-l border-white/5"
    >
      <div className="space-y-1">
        <label className="text-[9px] font-mono text-white/20 uppercase">Frequency</label>
        <select
          value={base.cadence}
          onChange={(e) => updateBaseline(idx, { cadence: e.target.value })}
          className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
        >
          {BASELINE_CADENCES.map((c) => (
            <option key={c.value} value={c.value} className="bg-black">
              {c.label}
            </option>
          ))}
        </select>
      </div>

      {base.cadence === "daily" && (
        <div className="flex items-center pt-2">
          <p className="text-[8px] font-mono text-white/20 uppercase leading-tight">
            Prompted everyday to verify.
          </p>
        </div>
      )}

      {(base.cadence === "monthly" ||
        base.cadence === "weekly" ||
        base.cadence === "biweekly") && (
        <div className="space-y-1">
          <label className="text-[9px] font-mono text-white/20 uppercase">
            {base.cadence === "monthly" ? "Day" : "Day of Week"}
          </label>
        </div>
      )}
    </motion.div>
  )}
</div>
```

Axiom Repository Audit

```
</label>
{base.cadence === "monthly" ? (
  <input
    type="number"
    min="1"
    max="31"
    placeholder="15"
    value={base.execution_day}
    onChange={(e) => updateBaseline(idx, { execution_day: e.target.value })}
    className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
  />
) : (
  <select
    value={base.execution_day || 1}
    onChange={(e) => updateBaseline(idx, { execution_day: e.target.value })}
    className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
  >
    {[
      { label: "Mon", value: 1 },
      { label: "Tue", value: 2 },
      { label: "Wed", value: 3 },
      { label: "Thu", value: 4 },
      { label: "Fri", value: 5 },
      { label: "Sat", value: 6 },
      { label: "Sun", value: 7 },
    ]}.map((day) => (
      <option key={day.value} value={day.value} className="bg-black">
        {day.label}
      </option>
    )))
  </select>
)}
</div>
)}
</motion.div>
)}
</div>
{baselines.length > 1 && (
  <button
    type="button"
    onClick={() => removeBaseline(idx)}
    className="absolute top-0 right-0 p-2 text-white/10 hover:text-red-400 bg-white/5 rounded-full
hover:bg-white/10 transition-all"
  >
    ?
  </button>
)}
</div>
)}
</div>
<button
  type="button"
  onClick={addBaseline}
  className="text-[9px] font-mono tracking-[0.6em] uppercase text-white/30 hover:text-white transition-all py-3 px-6
border border-white/10 rounded-full self-start active:scale-95"
  >
    + Append Recurring
  </button>
</div>
);
}
```

Axiom Repository Audit

FILE: src\components\dashboard\onboarding\IncomeVelocityStep.tsx

```
"use client";

import { motion } from "framer-motion";
import { INCOME_TYPES, CADENCES } from "@lib/finance/income";

export interface OnboardingIncome {
  income_name: string;
  income_type: string;
  amount: string;
  cadence: string;
  execution_day: string;
  is_recurring: boolean;
  source: string;
}

interface IncomeVelocityStepProps {
  incomes: OnboardingIncome[];
  onChange: (incomes: OnboardingIncome[]) => void;
}

export function IncomeVelocityStep({ incomes, onChange }: IncomeVelocityStepProps) {
  const addIncome = () => {
    if (incomes.length < 3) {
      onChange([
        ...incomes,
        {
          income_name: "",
          income_type: "salary",
          amount: "",
          cadence: "monthly",
          execution_day: "1",
          is_recurring: true,
          source: "",
        },
      ]);
    }
  };

  const removeIncome = (index: number) => {
    onChange(incomes.filter((_, i) => i !== index));
  };

  const updateIncome = (index: number, updates: Partial<OnboardingIncome>) => {
    const next = [...incomes];
    next[index] = { ...next[index], ...updates };
    onChange(next);
  };

  return (
    <div className="flex flex-col h-full gap-6">
      <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">Income Velocity</h2>
      <div className="flex-1 space-y-4 overflow-y-auto scrollbar-hide pr-2">
        {incomes.map((inc, idx) => (
          <div key={idx} className="space-y-3 pb-3 border-b border-white/5 relative shrink-0">
            <div className="grid grid-cols-2 gap-6">
              <input
                type="text"
                placeholder="e.g. Salary"
                value={inc.income_name}
                onChange={(e) => updateIncome(idx, { income_name: e.target.value })}
                className="bg-transparent border-b border-white/10 py-1 font-cormorant text-2xl text-white focus:outline-none placeholder:text-white/5"
              />
            </div>
          </div>
        ))}
      </div>
    </div>
  );
}
```

Axiom Repository Audit

```
    />
    <input
      type="text"
      placeholder="Origin"
      value={inc.source}
      onChange={(e) => updateIncome(idx, { source: e.target.value })}
      className="bg-transparent border-b border-white/10 py-1 text-sm font-light text-white/60 focus:outline-none
placeholder:text-white/5"
    />
  </div>
  <div className="grid grid-cols-2 gap-6">
    <div className="space-y-1">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
        Type
      </label>
      <select
        value={inc.income_type}
        onChange={(e) => updateIncome(idx, { income_type: e.target.value })}
        className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono tracking-widest
uppercase text-white/40 focus:outline-none"
      >
        {INCOME_TYPES.map((t) => (
          <option key={t.value} value={t.value} className="bg-[#080808]">
            {t.label}
          </option>
        ))}
      </select>
    </div>
    <div className="space-y-1">
      <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
        KES
      </label>
      <input
        type="number"
        placeholder="0.00"
        value={inc.amount}
        onChange={(e) => updateIncome(idx, { amount: e.target.value })}
        className="w-full bg-transparent border-b border-white/10 py-1 text-xl font-light text-white
focus:outline-none tabular-nums"
      />
    </div>
  </div>

  <div className="pt-2 space-y-3">
    <label className="flex items-center space-x-3 cursor-pointer group">
      <input
        type="checkbox"
        checked={inc.is_recurring}
        onChange={(e) => updateIncome(idx, { is_recurring: e.target.checked })}
        className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors cursor-pointer"
      />
      <span className="text-[10px] font-mono text-white/30 uppercase tracking-widest group-hover:text-white/60
transition-colors">
        Recurring Income
      </span>
    </label>
    {inc.is_recurring && (
      <motion.div
        initial={{ opacity: 0, y: -5 }}
        animate={{ opacity: 1, y: 0 }}
        className="grid grid-cols-2 gap-6 pt-2 pl-8 border-l border-white/5"
      >
        <div className="space-y-1">
          <label className="text-[9px] font-mono text-white/20 uppercase">Frequency</label>
          <select
```

Axiom Repository Audit

```
value={inc.cadence}
onChange={(e) => updateIncome(idx, { cadence: e.target.value })}
  className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
  >
    {CADENCES.map((c) => (
      <option key={c.value} value={c.value} className="bg-black">
        {c.label}
      </option>
    ))}
  </select>
</div>
{(inc.cadence === "monthly" ||
  inc.cadence === "weekly" ||
  inc.cadence === "biweekly") && (
  <div className="space-y-1">
    <label className="text-[9px] font-mono text-white/20 uppercase">
      {inc.cadence === "monthly" ? "Day" : "Day of Week"}
    </label>
    <input
      type="number"
      min="1"
      max="31"
      placeholder="15"
      value={inc.execution_day}
      onChange={(e) => updateIncome(idx, { execution_day: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
    />
  ) : (
    <select
      value={inc.execution_day || 1}
      onChange={(e) => updateIncome(idx, { execution_day: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
    >
      {[
        { label: "Mon", value: 1 },
        { label: "Tue", value: 2 },
        { label: "Wed", value: 3 },
        { label: "Thu", value: 4 },
        { label: "Fri", value: 5 },
        { label: "Sat", value: 6 },
        { label: "Sun", value: 7 },
      ]}.map((day) => (
        <option key={day.value} value={day.value} className="bg-black">
          {day.label}
        </option>
      ))}
    </select>
  )}
</div>
)}
</motion.div>
)}
</div>
<button
  type="button"
  onClick={() => removeIncome(idx)}
  className="absolute top-0 right-0 p-2 text-white/10 hover:text-red-400 bg-white/5 rounded-full hover:bg-white/10
transition-all"
  >
  ?
</button>
```

Axiom Repository Audit

```
        </div>
      )}}
    </div>
    <button
      type="button"
      onClick={addIncome}
      className="text-[9px] font-mono tracking-[0.6em] uppercase text-white/30 hover:text-white transition-all py-3 px-6 border border-white/10 rounded-full self-start active:scale-95"
    >
      + Append Income
    </button>
  </div>
);
}
```

FILE: src\components\dashboard\onboarding\LiabilitiesStep.tsx

```
"use client";

import { motion } from "framer-motion";
import { LIABILITY_TYPES } from "@lib/finance/liabilities";

export interface OnboardingLiability {
  liability_name: string;
  liability_type: string;
  outstanding_balance: string;
  interest_rate: string;
  institution: string;
  is_paid_in_cadences: boolean;
  cadence: string;
  cadence_day_date: string;
  cadence_amount: string;
}

interface LiabilitiesStepProps {
  liabilities: OnboardingLiability[];
  onChange: (liabilities: OnboardingLiability[]) => void;
}

export function LiabilitiesStep({ liabilities, onChange }: LiabilitiesStepProps) {
  const addLiability = () => {
    if (liabilities.length < 2) {
      onChange([
        ...liabilities,
        {
          liability_name: "",
          liability_type: "credit_card",
          outstanding_balance: "",
          interest_rate: "0",
          institution: "",
          is_paid_in_cadences: false,
          cadence: "monthly",
          cadence_day_date: "1",
          cadence_amount: "",
        },
      ]);
    }
  };

  const removeLiability = (index: number) => {
    onChange(liabilities.filter((_, i) => i !== index));
  };
}
```

Axiom Repository Audit

```
const updateLiability = (index: number, updates: Partial<OnboardingLiability>) => {
  const next = [...liabilities];
  next[index] = { ...next[index], ...updates };
  onChange(next);
};

return (
  <div className="flex flex-col h-full gap-6">
    <h2 className="font-cormorant text-2xl text-white tracking-wide uppercase">
      Financial Commitment
    </h2>
    <div className="flex-1 space-y-4 overflow-y-auto scrollbar-hide pr-2">
      {liabilities.map((liab, idx) => (
        <div key={idx} className="space-y-3 pb-3 border-b border-white/5 relative shrink-0">
          <div className="grid grid-cols-2 gap-6">
            <input
              type="text"
              placeholder="Obligation Name"
              value={liab.liability_name}
              onChange={(e) => updateLiability(idx, { liability_name: e.target.value })}
              className="bg-transparent border-b border-white/10 py-1 font-cormorant text-2xl text-white focus:outline-none
placeholder:text-white/5"
            />
            <input
              type="text"
              placeholder="Financial Institution"
              value={liab.institution}
              onChange={(e) => updateLiability(idx, { institution: e.target.value })}
              className="bg-transparent border-b border-white/10 py-1 text-sm font-light text-white/60 focus:outline-none
placeholder:text-white/5"
            />
          </div>
          <div className="grid grid-cols-3 gap-6">
            <div className="space-y-1">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
                Type
              </label>
              <select
                value={liab.liability_type}
                onChange={(e) => updateLiability(idx, { liability_type: e.target.value })}
                className="w-full bg-transparent border-b border-white/10 py-1 text-[11px] font-mono tracking-widest
uppercase text-white/40 focus:outline-none"
              >
                {LIABILITY_TYPES.map((t) => (
                  <option key={t.value} value={t.value} className="bg-[#080808]">
                    {t.label}
                  </option>
                ))}
              </select>
            </div>
            <div className="space-y-1">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
                Balance
              </label>
              <input
                type="number"
                placeholder="0"
                value={liab.outstanding_balance}
                onChange={(e) => updateLiability(idx, { outstanding_balance: e.target.value })}
                className="w-full bg-transparent border-b border-white/10 py-1 text-xl font-light text-white
focus:outline-none tabular-nums"
              />
            </div>
            <div className="space-y-1">
              <label className="text-[9px] font-mono text-white/20 uppercase tracking-[0.4em]">
```

Axiom Repository Audit

```
      Interest %
    </label>
    <input
      type="number"
      step="0.1"
      placeholder="0"
      value={liab.interest_rate}
      onChange={(e) => updateLiability(idx, { interest_rate: e.target.value })}
      className="w-full bg-transparent border-b border-white/10 py-1 text-xl font-light text-white
focus:outline-none tabular-nums"
    />
  </div>
</div>

<div className="pt-2 space-y-3">
  <label className="flex items-center space-x-3 cursor-pointer group">
    <input
      type="checkbox"
      checked={liab.is_paid_in_cadences}
      onChange={(e) => updateLiability(idx, { is_paid_in_cadences: e.target.checked })}
      className="w-4 h-4 rounded border-white/10 bg-transparent checked:bg-white transition-colors cursor-pointer"
    />
    <span className="text-[10px] font-mono text-white/30 uppercase tracking-widest group-hover:text-white/60
transition-colors">
      Paid in Cadence
    </span>
  </label>
  {liab.is_paid_in_cadences && (
    <motion.div
      initial={{ opacity: 0, y: -5 }}
      animate={{ opacity: 1, y: 0 }}
      className="grid grid-cols-3 gap-6 pt-2 pl-8 border-l border-white/5"
    >
      <div className="space-y-1">
        <label className="text-[9px] font-mono text-white/20 uppercase">Cadence</label>
        <select
          value={liab.cadence}
          onChange={(e) => updateLiability(idx, { cadence: e.target.value })}
          className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
        >
          <option value="weekly" className="bg-black">
            Weekly
          </option>
          <option value="monthly" className="bg-black">
            Monthly
          </option>
        </select>
      </div>
      <div className="space-y-1">
        <label className="text-[9px] font-mono text-white/20 uppercase">
          {liab.cadence === "weekly" ? "Day of Week" : "Day of Month"}
        </label>
        {liab.cadence === "monthly" ? (
          <input
            type="number"
            min="1"
            max="31"
            placeholder="15"
            value={liab.cadence_day_date}
            onChange={(e) => updateLiability(idx, { cadence_day_date: e.target.value })}
            className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
          />
        ) : (
```

Axiom Repository Audit

```
<select
  value={liab.cadence_day_date || "Monday"}
  onChange={(e) => updateLiability(idx, { cadence_day_date: e.target.value })}
  className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
>
  {[
    "Monday",
    "Tuesday",
    "Wednesday",
    "Thursday",
    "Friday",
    "Saturday",
    "Sunday",
  ].map((day) => (
    <option key={day} value={day} className="bg-black">
      {day}
    </option>
  ))}
</select>
))}
</div>
<div className="space-y-1">
  <label className="text-[9px] font-mono text-white/20 uppercase">Payment</label>
  <input
    type="number"
    placeholder="0"
    value={liab.cadence_amount}
    onChange={(e) => updateLiability(idx, { cadence_amount: e.target.value })}
    className="w-full bg-transparent border-b border-white/10 py-1 text-[10px] font-mono text-white/60
focus:outline-none"
  />
</div>
</motion.div>
))}
</div>
<button
  type="button"
  onClick={() => removeLiability(idx)}
  className="absolute top-0 right-0 p-2 text-white/10 hover:text-red-400 bg-white/5 rounded-full hover:bg-white/10
transition-all"
>
  ?
</button>
</div>
))}
</div>
<button
  type="button"
  onClick={addLiability}
  className="text-[11px] font-mono tracking-[0.6em] uppercase text-white/30 hover:text-white transition-all py-4 px-8
border border-white/10 rounded-full self-start active:scale-95"
>
  + Append Obligation
</button>
</div>
);
}
```

FILE: src\components\dashboard\onboarding\OnboardingLayout.tsx

"use client";

Axiom Repository Audit

```
import { motion } from "framer-motion";
import { BrandMark } from "@components/ui/brand-mark";

export function OnboardingHeader({ step, totalSteps }: { step: number; totalSteps: number }) {
  const romans = ["I", "II", "III", "IV"];
  return (
    <nav className="absolute top-0 left-0 w-full z-50 px-12 py-10 flex justify-between items-center mix-blend-difference pointer-events-none">
      <div className="flex items-center gap-6 group cursor-pointer pointer-events-auto">
        <BrandMark className="w-10 h-10" />
        <div className="flex flex-col">
          <span className="font-mono text-[10px] tracking-[0.6em] uppercase font-bold text-white">
            AXIOM
          </span>
          <span className="text-[8px] font-mono tracking-[0.4em] uppercase text-white/40">
            Architecture
          </span>
        </div>
      </div>
      <div className="flex gap-12 items-center pointer-events-auto">
        <div className="flex gap-8">
          {Array.from({ length: totalSteps }).map((_, idx) => (
            <div key={idx} className="flex flex-col items-center gap-2 text-white">
              <span
                className={`font-mono text-[9px] tracking-widest transition-colors duration-700 ${
                  idx + 1 === step ? "opacity-100" : "opacity-10"
                }`}
              >
                {romans[idx]}
              </span>
              <motion.div
                animate={{ scaleX: idx + 1 === step ? 1 : 0 }}
                className="h-px w-4 bg-white origin-left"
              />
            </div>
          ))}
        </div>
        <span className="font-mono text-[9px] tracking-[0.4em] uppercase text-white/20">v1.0</span>
      </div>
    </nav>
  );
}

export function OnboardingSidebar({
  roman,
  title,
  desc,
  direction,
}: {
  roman: string;
  title: string;
  desc: string;
  direction: number;
}) {
  return (
    <div className="flex flex-col justify-center h-full border-r border-white/5 pr-12 text-white overflow-hidden">
      <motion.div
        key={title}
        initial={{ opacity: 0, x: direction * 50 }}
        animate={{ opacity: 1, x: 0 }}
        exit={{ opacity: 0, x: -direction * 50 }}
        transition={{ duration: 0.8, ease: [0.215, 0.61, 0.355, 1] }}
        className="space-y-6"
      >
        <div className="space-y-2">
```

Axiom Repository Audit

```
    <div className="font-cormorant italic text-8xl text-white/5 leading-none select-none">
      {roman}
    </div>
    <h1 className="font-cormorant text-6xl text-white leading-none tracking-tight">
      {title}
    </h1>
  </div>
  <p className="text-white/40 text-lg font-light leading-relaxed">{desc}</p>
</motion.div>
</div>
);
}
```

FILE: src\components\landing\LandingTerminal.tsx

```
"use client";

import { useState, useEffect, useRef } from "react";

const LOGS = [
  { text: "> INITIALIZING KAIROS ENGINE...", type: "info" },
  { text: "> SYNCING OPERATIONAL BASELINE...", type: "info" },
  { text: "> ANALYZING TRANSACTION TAXONOMY...", type: "info" },
  { text: "> CALCULATING STRUCTURAL RUNWAY...", type: "info" },
  { text: "> [WARNING] INFLOW CONCENTRATION RISK DETECTED.", type: "warning" },
  { text: "> 85% OF YIELD RELIES ON A SINGLE FLOW.", type: "warning" },
  { text: "> STRUCTURAL SOLVENCY: OPTIMAL", type: "success" },
  { text: "> DEPLOYMENT STRATEGY: CALCULATED", type: "info" },
];

export function LandingTerminal() {
  const [visibleLogs, setVisibleLogs] = useState<number[]>([]);
  const [isTyping, setIsTyping] = useState(true);
  const containerRef = useRef<HTMLDivElement>(null);

  useEffect(() => {
    let timeoutId: ReturnType<typeof setTimeout>;

    const showNextLog = (index: number) => {
      if (index >= LOGS.length) {
        setIsTyping(false);
        // Reset after a delay to loop the animation
        timeoutId = setTimeout(() => {
          setVisibleLogs([]);
          setIsTyping(true);
          showNextLog(0);
        }, 5000);
        return;
      }

      timeoutId = setTimeout(
        () => {
          setVisibleLogs((prev) => [...prev, index]);
          showNextLog(index + 1);
        },
        index === 0 ? 500 : 1200,
      );
    };

    showNextLog(0);

    return () => clearTimeout(timeoutId);
  }, []);
}
```

Axiom Repository Audit

```
return (
  <div className="w-full max-w-2xl mx-auto font-mono text-sm">
    <div className="bg-[#0a0a0a] border border-white/10 rounded-lg overflow-hidden shadow-2xl shadow-white/5">
      {/* Terminal Header */}
      <div className="bg-white/5 px-4 py-2 border-b border-white/10 flex items-center justify-between">
        <div className="flex gap-1.5">
          <div className="w-2.5 h-2.5 rounded-full bg-white/10" />
          <div className="w-2.5 h-2.5 rounded-full bg-white/10" />
          <div className="w-2.5 h-2.5 rounded-full bg-white/10" />
        </div>
        <div className="text-[10px] uppercase tracking-widest text-white/30">
          Kairos // Audit Terminal
        </div>
      </div>

      {/* Terminal Body */}
      <div
        ref={containerRef}
        className="p-6 h-64 overflow-y-auto space-y-2 scrollbar-hide"
      >
        {visibleLogs.map((logIndex) => {
          const log = LOGS[logIndex];
          return (
            <div
              key={logIndex}
              className={`
                ${log.type === "warning" ? "text-orange-500" : ""}
                ${log.type === "success" ? "text-emerald-500" : ""}
                ${log.type === "info" ? "text-white/70" : ""}
                animate-in fade-in slide-in-from-left-2 duration-300
              `}
            >
              {log.text}
            </div>
          );
        })}
        {isTyping && (
          <div className="w-2 h-4 bg-white/40 animate-pulse inline-block align-middle ml-1" />
        )}
      </div>

      {/* Decorative footer for the terminal */}
      <div className="mt-4 flex justify-between items-center px-4 text-[10px] text-white/20 uppercase tracking-[0.2em]">
        <div>Status: Running Clinical Audit</div>
        <div>Memory: 0.124ms / 256MB</div>
      </div>
    </div>
  );
}
```

FILE: src\components\landing\LuxuryHero.tsx

```
"use client";

import Link from "next/link";
import { useEffect, useState } from "react";
import { motion, AnimatePresence } from "framer-motion";
import { HoverButton } from "@/components/ui/hover-glow-button";
import { RippleButton } from "@/components/ui/multi-type-ripple-buttons";

export function LuxuryHero() {
```

Axiom Repository Audit

```
const [isVisible, setIsVisible] = useState(false);

useEffect(() => {
  const timer = setTimeout(() => setIsVisible(true), 100);
  return () => clearTimeout(timer);
}, []);

return (
  <section className="relative min-h-screen flex flex-col justify-center items-center px-6 text-center overflow-hidden
bg-black selection:bg-white selection:text-black">
    {/* Dynamic Background Atmosphere */}
    <div className="absolute inset-0 z-0">
      <motion.div
        initial={{ opacity: 0, scale: 0.8 }}
        animate={isVisible ? { opacity: 1, scale: 1.1 } : {}}
        transition={{ duration: 4, ease: "easeOut" }}
        className="absolute top-[-20%] left-[-10%] w-[60%] h-[60%] bg-white/3 rounded-full blur-[180px]"
      />
      <motion.div
        initial={{ opacity: 0, scale: 0.8 }}
        animate={isVisible ? { opacity: 1, scale: 1.1 } : {}}
        transition={{ duration: 4, ease: "easeOut", delay: 0.7 }}
        className="absolute bottom-[-20%] right-[-10%] w-[60%] h-[60%] bg-white/3 rounded-full blur-[180px]"
      />
      <div className="absolute inset-0 bg-[url('https://www.transparenttextures.com/patterns/carbon-fibre.png')] opacity-5
pointer-events-none mix-blend-overlay" />
    </div>

    <div className="relative z-10 max-w-6xl mx-auto pt-20">
      {/* Editorial Subtitle */}
      <motion.div
        initial={{ opacity: 0, y: 20 }}
        animate={isVisible ? { opacity: 1, y: 0 } : {}}
        transition={{ duration: 1, delay: 0.3 }}
        className="inline-flex items-center gap-6 mb-12"
      >
        <div className="h-px w-16 bg-linear-to-r from-transparent via-white/20 to-transparent" />
        <span className="font-mono text-[9px] tracking-[0.8em] text-white/30 uppercase">
          Axiom Strategic Wealth Architecture
        </span>
        <div className="h-px w-16 bg-linear-to-r from-transparent via-white/40 to-transparent" />
      </motion.div>

      {/* Main Display Headline */}
      <AnimatePresence>
        {isVisible && (
          <h1 className="font-cormorant italic text-7xl md:text-[10rem] lg:text-[12rem] text-white leading-[0.8]
tracking-tighter mb-12 overflow-hidden">
            <motion.span
              initial={{ y: "100%" }}
              animate={{ y: 0 }}
              exit={{ y: "-100%" }}
              transition={{
                duration: 1.2,
                delay: 0.5,
                ease: [0.215, 0.61, 0.355, 1],
              }}
              className="block"
            >
              Financial Progress,
            </motion.span>
            <motion.span
              initial={{ y: "100%" }}
              animate={{ y: 0 }}
              exit={{ y: "-100%" }}
            >
```

Axiom Repository Audit

```
        transition={{
          duration: 1.2,
          delay: 0.7,
          ease: [0.215, 0.61, 0.355, 1],
        }}
        className="block not-italic font-medium text-white/90"
      >
        For Your Future.
      </motion.span>
    </h1>
  )}
</AnimatePresence>

{/* Narrative Body */}
<motion.p
  initial={{ opacity: 0 }}
  animate={isVisible ? { opacity: 1 } : {}}
  transition={{ duration: 1.5, delay: 1.2 }}
  className="max-w-2xl mx-auto text-white/40 text-xl md:text-2xl font-light leading-relaxed mb-16"
>
  Beyond passive tracking. Axiom deploys deterministic intelligence to
  secure your structural solvency and amplify liquidity in the Kenyan
  ecosystem.
</motion.p>

{/* Elegant Action */}
<motion.div
  initial={{ opacity: 0, y: 20 }}
  animate={isVisible ? { opacity: 1, y: 0 } : {}}
  transition={{ duration: 1, delay: 1.5 }}
  className="flex flex-col md:flex-row justify-center gap-8"
>
  <Link href="/signup">
    <HoverButton
      glowColor="rgba(255,255,255,0.5)"
      className="px-24 py-8 rounded-full border border-white/20"
    >
      Initialize Access
    </HoverButton>
  </Link>
  <RippleButton
    variant="hoverborder"
    className="px-16 py-8 rounded-full text-[10px] tracking-widest"
    onClick={() => {
      const el = document.getElementById("architecture");
      el?.scrollIntoView({ behavior: "smooth" });
    }}
  >
    View Architecture ?
  </RippleButton>
</motion.div>
</div>

{/* Luxury Scroll Anchor */}
<motion.div
  initial={{ opacity: 0 }}
  animate={isVisible ? { opacity: 1 } : {}}
  transition={{ duration: 1, delay: 2 }}
  className="absolute bottom-12 left-1/2 -translate-x-1/2 flex flex-col items-center gap-6"
>
  <div className="w-px h-24 bg-linear-to-b from-white/40 via-white/10 to-transparent animate-pulse" />
</motion.div>
</section>
);
}
```

Axiom Repository Audit

FILE: src\components\landing\ProcessFlow.tsx

```
"use client";

import { ScrollReveal } from "@components/ui/scroll-reveal";

const STEPS = [
  {
    roman: "I",
    title: "Initial Consultation",
    desc: "We begin with a deep-dive audit of your current financial architecture, identifying hidden liabilities and leakage points.",
  },
  {
    roman: "II",
    title: "Taxonomy Deployment",
    desc: "Every transaction stream is mapped to our five gates. We build a deterministic model of your capital flow.",
  },
  {
    roman: "III",
    title: "Structural Optimization",
    desc: "We reorganize your assets and liabilities to maximize liquidity and secure your long-term structural solvency.",
  },
  {
    roman: "IV",
    title: "Continuous Intelligence",
    desc: "Kairos, our AI analyst, monitors your portfolio 24/7, providing clinical insights and suggesting high-alpha pivots.",
  },
];

export function ProcessFlow() {
  return (
    <section className="py-40 px-6 bg-[#050505] relative overflow-hidden selection:bg-white selection:text-black">
      { /* Editorial Decorative Layer */ }
      <div className="absolute top-0 left-0 w-full h-px bg-linear-to-r from-transparent via-white/10 to-transparent" />

      <div className="max-w-7xl mx-auto">
        <div className="text-center space-y-8 mb-32">
          <ScrollReveal direction="up">
            <span className="font-mono text-[10px] tracking-[0.6em] text-white/20 uppercase">
              The Methodology
            </span>
          </ScrollReveal>
          <ScrollReveal direction="up" delay={0.2}>
            <h2 className="font-cormorant text-7xl md:text-9xl text-white">
              Operational <span className="italic">Process.</span>
            </h2>
          </ScrollReveal>
          <ScrollReveal direction="up" delay={0.4}>
            <div className="w-px h-24 bg-linear-to-b from-white/20 to-transparent mx-auto" />
          </ScrollReveal>
        </div>

        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-px bg-white/5 border border-white/5 rounded-3xl overflow-hidden">
          {STEPS.map((step, idx) => (
            <ScrollReveal
              key={step.roman}
              direction="up"
              delay={0.1 * idx}
              distance={20}
            >
              <div className="bg-[#050505] h-full p-12 md:p-16 space-y-12 group hover:bg-white transition-all duration-700" />
            </div>
          )
        )
      }
    </section>
  )
}
```

Axiom Repository Audit

```
cursor-default">
  <div className="space-y-4">
    <span className="font-cormorant italic text-6xl text-white/10 group-hover:text-black/10 transition-colors">
      {step.roman}.
    </span>
    <h3 className="font-cormorant text-3xl text-white group-hover:text-black transition-colors leading-tight">
      {step.title}
    </h3>
  </div>

  <div className="h-px w-12 bg-white/20 group-hover:bg-black/20 group-hover:w-full transition-all duration-700"
/>

  <p className="text-white/40 group-hover:text-black/60 text-lg font-light leading-relaxed transition-colors">
    {step.desc}
  </p>
</div>
</ScrollReveal>
  )}
</div>

{/* Final Manifest Quote */}
<div className="mt-40 text-center max-w-4xl mx-auto space-y-12">
  <ScrollReveal direction="up">
    <div className="h-px w-24 bg-white/10 mx-auto" />
  </ScrollReveal>
  <ScrollReveal direction="up" delay={0.2}>
    <h3 className="font-cormorant text-4xl md:text-6xl text-white italic leading-snug">
      &quot;Sovereignty is the ultimate asset. Precision is the ultimate
      weapon.&quot;
    </h3>
  </ScrollReveal>
  <ScrollReveal direction="up" delay={0.4}>
    <p className="text-white/20 font-mono text-[10px] tracking-[0.5em] uppercase">
      Axiom Strategic Wealth Intelligence
    </p>
  </ScrollReveal>
</div>
</div>
</section>
);
}
```

FILE: src\components\landing\RunwaySimulator.tsx

```
"use client";

import { useState, useMemo } from "react";

export function RunwaySimulator() {
  const [liquidity, setLiquidity] = useState(500000);
  const [monthlyBurn, setMonthlyBurn] = useState(300000);

  const runwayResult = useMemo(() => {
    if (monthlyBurn <= 0) return { months: 99, days: 0, isInfinite: true };

    const totalMonths = liquidity / monthlyBurn;
    const months = Math.floor(totalMonths);
    const days = Math.round((totalMonths - months) * 30);

    return { months, days, isInfinite: false };
  }, [liquidity, monthlyBurn]);
```

Axiom Repository Audit

```
const getVerdict = () => {
  const totalMonths = runwayResult.isInfinite
    ? 99
    : runwayResult.months + runwayResult.days / 30;
  if (totalMonths < 3) {
    return {
      label: "CRITICAL",
      text: "Severe solvency risk. Capital depletion imminent.",
      color: "text-orange-500",
    };
  }
  if (totalMonths >= 3 && totalMonths < 6) {
    return {
      label: "ADVISORY",
      text: "Fragile runway. One systemic shock away from illiquidity.",
      color: "text-white/60",
    };
  }
  return {
    label: "OBSERVATION",
    text: "Runway stable. Capital ready for strategic deployment.",
    color: "text-emerald-500/80",
  };
};

const verdict = getVerdict();

const formatCurrency = (val: number) => {
  return new Intl.NumberFormat("en-KE", {
    style: "currency",
    currency: "KES",
    maximumFractionDigits: 0,
  }).format(val);
};

return (
  <div className="w-full max-w-2xl mx-auto space-y-12 p-8 md:p-12 border border-white/10 bg-[#050505] rounded-2xl relative overflow-hidden group">
    { /* Background decoration */ }
    <div className="absolute top-0 right-0 w-32 h-32 bg-white/2 blur-3xl rounded-full" />

    <div className="space-y-8 relative z-10">
      <div className="flex justify-between items-end">
        <div className="space-y-1">
          <div className="text-[10px] font-mono uppercase tracking-[0.3em] text-white/40">
            Operational Variable 01
          </div>
          <div className="text-sm font-black uppercase tracking-widest">
            Available Liquidity
          </div>
        </div>
        <div className="font-mono text-2xl font-bold">
          {formatCurrency(liquidity)}
        </div>
      </div>
      <input
        type="range"
        min="0"
        max="1000000"
        step="5000"
        value={liquidity}
        onChange={(e) => setLiquidity(Number(e.target.value))}
        className="w-full h-px bg-white/20 appearance-none cursor-crosshair accent-white"
      />
    </div>
  </div>
);
```

Axiom Repository Audit

```
<div className="space-y-8 relative z-10">
  <div className="flex justify-between items-end">
    <div className="space-y-1">
      <div className="text-[10px] font-mono uppercase tracking-[0.3em] text-white/40">
        Operational Variable 02
      </div>
      <div className="text-sm font-black uppercase tracking-widest">
        Monthly Burn Rate
      </div>
    </div>
    <div className="font-mono text-2xl font-bold">
      {formatCurrency(monthlyBurn)}
    </div>
  </div>
  <input
    type="range"
    min="1000"
    max="500000"
    step="1000"
    value={monthlyBurn}
    onChange={(e) => setMonthlyBurn(Number(e.target.value))}
    className="w-full h-px bg-white/20 appearance-none cursor-crosshair accent-white"
  />
</div>

<div className="pt-8 border-t border-white/5 space-y-6">
  <div className="flex justify-between items-baseline">
    <div className="text-[10px] font-mono uppercase tracking-[0.3em] text-white/40">
      Calculated Outcome
    </div>
    <div className="text-4xl font-black font-mono tracking-tighter flex items-baseline gap-2">
      {runwayResult.isInfinite ? (
        "<"
      ) : (
        <>
          <span>{runwayResult.months}</span>
          <span className="text-xs uppercase tracking-widest text-white/40">
            Months
          </span>
          {runwayResult.days > 0 && (
            <>
              <span className="ml-2">{runwayResult.days}</span>
              <span className="text-xs uppercase tracking-widest text-white/40">
                Days
              </span>
            </>
          )}
        </>
      )}
    </div>
  </div>

  <div
    className={`p-6 border border-white/5 bg-white/2 font-mono text-xs leading-relaxed space-y-2 animate-in fade-in
slide-in-from-top-1 duration-500`}
  >
    <div className="flex items-center gap-2">
      <div
        className={`w-1.5 h-1.5 rounded-full animate-pulse ${verdict.label === "CRITICAL" ? "bg-orange-500" :
verdict.label === "ADVISORY" ? "bg-white/40" : "bg-emerald-500"}`}
      />
      <span className={`font-black tracking-[0.2em] ${verdict.color}`}>
        {verdict.label}
      </span>
    </div>
  </div>
</div>
```

Axiom Repository Audit

```
        </div>
        <div className="text-white/60">{verdict.text}</div>
      </div>
    </div>

    <div className="absolute bottom-4 right-8 text-[8px] font-mono uppercase tracking-[0.4em] text-white/10">
      Deterministic Solver v0.4
    </div>
  </div>
);
}
```

FILE: src\components\landing\SolvencyCalculator.tsx

```
"use client";

import { useState, useMemo } from "react";
import { RippleButton } from "@components/ui/multi-type-ripple-buttons";
import { ScrollReveal } from "@components/ui/scroll-reveal";

export function SolvencyCalculator() {
  const [balance, setBalance] = useState(500000);
  const [burn, setBurn] = useState(80000);

  const runway = useMemo(() => {
    if (burn === 0) return 99;
    const months = balance / burn;
    return months > 99 ? 99 : Math.floor(months);
  }, [balance, burn]);

  const formattedBalance = new Intl.NumberFormat("en-KE", {
    style: "currency",
    currency: "KES",
    maximumFractionDigits: 0,
  }).format(balance);

  const formattedBurn = new Intl.NumberFormat("en-KE", {
    style: "currency",
    currency: "KES",
    maximumFractionDigits: 0,
  }).format(burn);

  return (
    <section
      id="calculator"
      className="py-40 px-6 bg-[#050505] border-y border-white/5 relative overflow-hidden"
    >
      {/* Background Detail */}
      <div className="absolute top-0 right-0 w-[40%] h-full bg-linear-to-l from-white/1 to-transparent pointer-events-none" />

      <div className="max-w-7xl mx-auto grid lg:grid-cols-[1.2fr_1fr] gap-24 items-center">
        <ScrollReveal direction="right" delay={0.2}>
          <div>
            <h2 className="font-cormorant text-6xl md:text-8xl text-white mb-12 leading-[0.9]">
              Measure your <br />
              <span className="italic">structural solvency.</span>
            </h2>

            <div className="space-y-16 mt-20">
              {/* Input 1 */}
              <div className="space-y-8 group">
                <div className="flex justify-between items-end border-b border-white/10 pb-4 transition-colors group-hover:border-white/20">
```

Axiom Repository Audit

```
<label className="text-white/30 font-mono text-[10px] uppercase tracking-[0.4em]">
  Total Liquid Assets
</label>
<span className="font-cormorant text-4xl text-white">
  {formattedBalance}
</span>
</div>
<input
  type="range"
  min="50000"
  max="10000000"
  step="50000"
  value={balance}
  onChange={(e) => setBalance(Number(e.target.value))}
  className="w-full"
/>
<div className="flex justify-between text-[9px] text-white/10 font-mono uppercase tracking-widest">
  <span>KES 50K</span>
  <span>KES 10M+</span>
</div>
</div>

{/* Input 2 */}
<div className="space-y-8 group">
  <div className="flex justify-between items-end border-b border-white/10 pb-4 transition-colors
group-hover:border-white/20">
    <label className="text-white/30 font-mono text-[10px] uppercase tracking-[0.4em]">
      Monthly Deployment
    </label>
    <span className="font-cormorant text-4xl text-white">
      {formattedBurn}
    </span>
  </div>
  <input
    type="range"
    min="10000"
    max="2000000"
    step="10000"
    value={burn}
    onChange={(e) => setBurn(Number(e.target.value))}
    className="w-full"
  />
  <div className="flex justify-between text-[9px] text-white/10 font-mono uppercase tracking-widest">
    <span>KES 10K</span>
    <span>KES 2M+</span>
  </div>
</div>
</div>
</div>
</ScrollReveal>

{/* Results Card */}
<ScrollReveal direction="left" delay={0.4}>
  <div className="relative group">
    <div className="absolute -inset-4 bg-white/2 blur-3xl rounded-full group-hover:bg-white/4 transition-all
duration-1000" />

    <div className="relative bg-[#0a0a0a] border border-white/10 p-16 md:p-24 space-y-12 rounded-3xl overflow-hidden">
      {/* Roman Decoration */}
      <div className="absolute top-0 right-0 p-8 font-cormorant italic text-white/5 text-[12rem] leading-none
select-none pointer-events-none">
        II
      </div>

      <div>
```

Axiom Repository Audit

```
<p className="text-white/40 font-mono text-[10px] uppercase tracking-[0.5em] mb-4">
  Deterministic Runway
</p>
<div className="flex items-baseline gap-4">
  <span className="font-cormorant text-[10rem] md:text-[12rem] text-white leading-none tracking-tighter">
    {runway}
  </span>
  <span className="font-cormorant italic text-4xl text-white/20">
    Months
  </span>
</div>
</div>

<div className="pt-12 border-t border-white/5 space-y-10">
  <p className="text-white/50 text-sm leading-relaxed font-light max-w-sm">
    This projection is based on your current liquidity
    architecture. Axiom provides the tools to optimize these
    variables and extend your runway indefinitely.
  </p>

  <RippleButton className="w-full py-6 text-xs">
    Establish Baseline Architecture
  </RippleButton>

  <p className="text-[9px] font-mono text-white/10 uppercase tracking-widest text-center italic">
    * Estimated from clinical mathematical truth
  </p>
</div>
</div>
</div>
</ScrollReveal>
</div>
</section>
);
}
```

FILE: src\components\landing\StrategicPillars.tsx

```
"use client";

import { useState } from "react";
import { ScrollReveal } from "@components/ui/scroll-reveal";

const PILLARS = [
  {
    roman: "I",
    title: "Clinical Precision",
    desc: "We replace guesswork with deterministic financial modeling. Every shilling is audited against our five taxonomy gates to ensure zero leakage.",
  },
  {
    roman: "II",
    title: "Sovereign Liquidity",
    desc: "Axiom optimizes your capital for maximum availability. We ensure your assets remain liquid while maintaining their yield-generating potential.",
  },
  {
    roman: "III",
    title: "Skill Multipliers",
    desc: "We prioritize investment in human capital. Our engine identifies high-alpha opportunities for skill acquisition that compound your earning power.",
  },
]
```

Axiom Repository Audit

```
    roman: "IV",
    title: "Risk Mitigation",
    desc: "Our automated risk-assessment protocols monitor global and local market trends, shielding your portfolio from systemic institutional failure.",
  },
  {
    roman: "V",
    title: "Legacy Architecture",
    desc: "Wealth is more than numbers. We help you build a durable financial legacy through strategic experience-equity and asset compounding.",
  },
];

export function StrategicPillars() {
  const [active, setActive] = useState<number | null>(0);

  return (
    <section className="py-40 px-6 bg-black border-b border-white/5 selection:bg-white selection:text-black">
      <div className="max-w-7xl mx-auto">
        <div className="grid lg:grid-cols-[1fr_1.5fr] gap-32 items-start">
          <div className="sticky top-40 space-y-12">
            <ScrollReveal direction="right">
              <div className="space-y-4">
                <span className="font-mono text-[10px] tracking-[0.5em] text-white/20 uppercase">
                  Strategic Foundation
                </span>
                <h2 className="font-cormorant text-7xl md:text-9xl text-white leading-[0.9]">
                  Why work <br />
                  <span className="italic">with Axiom?</span>
                </h2>
              </div>
            </ScrollReveal>

            <ScrollReveal direction="right" delay={0.2}>
              <div className="h-px w-24 bg-white/20" />
            </ScrollReveal>

            <ScrollReveal direction="right" delay={0.3}>
              <p className="text-white/40 max-w-sm text-lg font-light leading-relaxed">
                At Axiom, we maintain a simple yet rigorous philosophy: Wealth is the delta between your earning power and your structural leakage.
              </p>
            </ScrollReveal>
          </div>

          <div className="space-y-2 border-t border-white/10">
            {PILLARS.map((pillar, idx) => (
              <ScrollReveal key={pillar.roman} direction="up" delay={0.1 * idx}>
                <div
                  className={`border-b border-white/10 transition-all duration-700 cursor-pointer group ${
                    active === idx
                      ? "bg-white/2 px-8 py-12"
                      : "py-10 px-4 hover:bg-white/1"
                  }`}
                  onClick={() => setActive(active === idx ? null : idx)}
                >
                  <div className="flex items-center gap-12">
                    <span className="font-cormorant italic text-3xl text-white/10 group-hover:text-white/30 transition-colors">
                      {pillar.roman}.
                    </span>
                    <h3
                      className={`font-cormorant text-4xl md:text-5xl text-white transition-all ${
                        active === idx

```

Axiom Repository Audit

```
      ? "italic translate-x-2"
      : "group-hover:translate-x-2"
    }`}
  >
  {pillar.title}
</h3>
</div>

<div
  className={`overflow-hidden transition-all duration-700 ease-in-out ${
    active === idx
      ? "max-h-125 opacity-100 mt-12"
      : "max-h-0 opacity-0"
    }`}
  >
  <p className="text-white/40 text-xl font-light leading-relaxed max-w-2xl pl-20">
    {pillar.desc}
  </p>
  <div className="mt-12 pl-20">
    <button className="text-[10px] font-mono tracking-[0.4em] text-white/60 hover:text-white
transition-colors uppercase">
      Learn More ?
    </button>
  </div>
</div>
</div>
</ScrollReveal>
  )}}
</div>
</div>
</div>
</section>
);
}
```

FILE: src\components\ui\animated-number.tsx

```
"use client";

import { useEffect, useState } from "react";
import { motion, useSpring, useTransform } from "framer-motion";

interface AnimatedNumberProps {
  value: number;
  prefix?: string;
  suffix?: string;
  className?: string;
  precision?: number;
}

export function AnimatedNumber({
  value,
  prefix = "",
  suffix = "",
  className = "",
  precision = 0,
}: AnimatedNumberProps) {
  const spring = useSpring(0, {
    mass: 1,
    stiffness: 50,
    damping: 15,
  });
}
```

Axiom Repository Audit

```
const display = useTransform(spring, (current) => {
  return `${prefix}${current.toLocaleString(undefined, {
    minimumFractionDigits: precision,
    maximumFractionDigits: precision,
  })}${suffix}`;
});

useEffect(() => {
  spring.set(value);
}, [value, spring]);

return <motion.span className={className}>{display}</motion.span>;
}
```

FILE: src\components\uil\brand-mark.tsx

```
"use client";

import { motion } from "framer-motion";

export function BrandMark({ className = "w-10 h-10" }: { className?: string }) {
  return (
    <motion.div
      initial="initial"
      whileHover="hover"
      whileTap="tap"
      className={` ${className} relative flex items-center justify-center cursor-pointer`}
    >
      { /* Main Rounded Background - Subtle Tilt Right */ }
      <motion.div
        variants={{
          initial: { rotate: 0, scale: 1 },
          hover: {
            rotate: 4,
            scale: 1.08,
            boxShadow: "0 15px 30px rgba(255, 255, 255, 0.1)",
          },
          tap: { scale: 0.95 },
        }}
        transition={{
          type: "spring",
          stiffness: 300,
          damping: 25,
        }}
        className="absolute inset-0 bg-white rounded-[32%] shadow-lg"
      />

      { /* Pop-out Frame - More rotation and scale for depth */ }
      <motion.div
        variants={{
          initial: { rotate: 0, scale: 1, opacity: 0 },
          hover: {
            rotate: 10,
            scale: 1.25,
            opacity: 0.3,
          },
        }}
        transition={{
          type: "spring",
          stiffness: 250,
          damping: 20,
        }}
        className="absolute inset-0 border border-white rounded-[32%] pointer-events-none"
      />
    </motion.div>
  );
}
```

Axiom Repository Audit

```
    />

    { /* Static Text - San Francisco (SF Pro) */ }
    <span
      className="relative z-10 text-black font-black text-xl select-none pointer-events-none"
      style={{
        fontFamily:
          '-apple-system, BlinkMacSystemFont, "SF Pro Display", "SF Pro Text", "Helvetica Neue", Helvetica, Arial,
sans-serif',
      }}
    >
      A
    </span>
  </motion.div>
);
}
```

FILE: src\components\ui\hover-glow-button.tsx

```
import React, { useRef, useState, MouseEvent, ReactNode } from "react";

interface ButtonProps {
  children: ReactNode;
  onClick?: () => void;
  className?: string;
  disabled?: boolean;
  glowColor?: string;
  backgroundColor?: string;
  textColor?: string;
  hoverTextColor?: string;
}

const HoverButton: React.FC<ButtonProps> = ({
  children,
  onClick,
  className = "",
  disabled = false,
  glowColor = "#ffffff", // Default to white for luxury feel
  backgroundColor = "#000000",
  textColor = "#ffffff",
  hoverTextColor = "#ffffff",
}) => {
  const buttonRef = useRef<HTMLButtonElement>(null);
  const [glowPosition, setGlowPosition] = useState({ x: 50, y: 50 });
  const [isHovered, setIsHovered] = useState(false);

  const handleMouseMove = (e: MouseEvent<HTMLButtonElement>) => {
    if (buttonRef.current) {
      const rect = buttonRef.current.getBoundingClientRect();
      const x = e.clientX - rect.left;
      const y = e.clientY - rect.top;
      setGlowPosition({ x, y });
    }
  };

  const handleMouseEnter = () => {
    setIsHovered(true);
  };

  const handleMouseLeave = () => {
    setIsHovered(false);
  };
}
```

Axiom Repository Audit

```
return (
  <button
    ref={buttonRef}
    onClick={onClick}
    disabled={disabled}
    onMouseMove={handleMouseMove}
    onMouseEnter={handleMouseEnter}
    onMouseLeave={handleMouseLeave}
    className={`
      relative inline-block px-8 py-4 border border-white/10
      cursor-pointer overflow-hidden transition-all duration-500
      text-sm tracking-widest uppercase z-10 font-sans
      ${disabled ? "opacity-50 cursor-not-allowed" : ""}
      ${className}
    `}
    style={{
      backgroundColor: backgroundColor,
      color: isHovered ? hoverTextColor : textColor,
    }}
  >
    { /* Glow effect div */ }
    <div
      className={`
        absolute w-50 h-50 rounded-full opacity-20 pointer-events-none
        transition-transform duration-700 ease-out -translate-x-1/2 -translate-y-1/2
        ${isHovered ? "scale-150" : "scale-0"}
      `}
      style={{
        left: `${glowPosition.x}px`,
        top: `${glowPosition.y}px`,
        background: `radial-linear(circle, ${glowColor} 0%, transparent 70%)`,
        zIndex: 0,
      }}
    />

    { /* Button content */ }
    <span className="relative z-10">{children}</span>
  </button>
);
};

export { HoverButton };
```

FILE: src\components\ui\luxury-card.tsx

```
"use client";

import React, { useState, useEffect, useRef } from "react";
import type { MouseEvent, ReactNode } from "react";
import { motion } from "framer-motion";

// Type definitions
interface Particle {
  id: number;
  left: number;
  duration: number;
  opacity: number;
}

interface CardTransform {
  rotateX: number;
  rotateY: number;
  translateY: number;
}
```

Axiom Repository Audit

```
    scale: number;
  }

export function LuxuryCard({
  children,
  className = "",
}): {
  children: ReactNode;
  className?: string;
}) {
  const [transform, setTransform] = useState<CardTransform>({
    rotateX: 0,
    rotateY: 0,
    translateY: 0,
    scale: 1,
  });

  const cardRef = useRef<HTMLDivElement>(null);
  const [particles, setParticles] = useState<Particle[]>([]);
  const particleId = useRef<number>(0);
  const [ripples, setRipples] = useState<
    Array<{ id: number; x: number; y: number }>
  >([]);
  const rippleId = useRef<number>(0);

  // 3D Transform Logic
  const handleMouseMove = (e: MouseEvent<HTMLDivElement>): void => {
    if (!cardRef.current) return;

    const rect = cardRef.current.getBoundingClientRect();
    const x = e.clientX - rect.left - rect.width / 2;
    const y = e.clientY - rect.top - rect.height / 2;

    const rotateX = (y / rect.height) * -10; // More subtle for forms
    const rotateY = (x / rect.width) * 10;

    setTransform({
      rotateX,
      rotateY,
      translateY: -10,
      scale: 1.01,
    });
  };

  const handleMouseLeave = (): void => {
    setTransform({
      rotateX: 0,
      rotateY: 0,
      translateY: 0,
      scale: 1,
    });
  };

  // Click Ripple Logic
  const handleCardClick = (e: MouseEvent<HTMLDivElement>): void => {
    const rect = e.currentTarget.getBoundingClientRect();
    const size = 60;
    const x = e.clientX - rect.left - size / 2;
    const y = e.clientY - rect.top - size / 2;

    const newRipple = { id: rippleId.current++, x, y };
    setRipples((prev) => [...prev, newRipple]);
    setTimeout(() => {
      setRipples((current) => current.filter((r) => r.id !== newRipple.id));
    }, 600);
  };
}
```

Axiom Repository Audit

```
};

// Particle System
useEffect(() => {
  const interval = setInterval(() => {
    const newParticle: Particle = {
      id: particleId.current++,
      left: Math.random() * 100,
      duration: Math.random() * 3 + 2,
      opacity: Math.random() * 0.3 + 0.1,
    };

    setParticles((prev) => [...prev, newParticle]);

    setTimeout(() => {
      setParticles((prev) => prev.filter((p) => p.id !== newParticle.id));
    }, newParticle.duration * 1000);
  }, 400);

  return () => clearInterval(interval);
}, []);

const transformStyle = `perspective(1000px) translateY(${transform.translateY}px) rotateX(${transform.rotateX}deg) rotateY(${transform.rotateY}deg) scale(${transform.scale})`;

return (
  <div
    ref={cardRef}
    onMouseMove={handleMouseMove}
    onMouseLeave={handleMouseLeave}
    onClick={handleCardClick}
    className={`relative rounded-[3rem] backdrop-blur-3xl transition-all duration-500 transform-gpu preserve-3d border border-white/5 bg-white/2 shadow-2xl ${className}`}
    style={{
      transform: transformStyle,
      animation: "luxury-float 6s ease-in-out infinite",
    }}
  >
    {/* Particles Overlay */}
    <div className="absolute inset-0 rounded-[3rem] overflow-hidden pointer-events-none z-0">
      {particles.map((particle) => (
        <div
          key={particle.id}
          className="absolute w-0.5 h-0.5 rounded-full bg-white/20"
          style={{
            left: `${particle.left}%`,
            opacity: particle.opacity,
            animation: `luxury-particle-float ${particle.duration}s linear infinite`,
          }}
        />
      ))}
    </div>

    {/* Ripples Overlay */}
    {ripples.map((ripple) => (
      <motion.span
        key={ripple.id}
        initial={{ scale: 0, opacity: 1 }}
        animate={{ scale: 4, opacity: 0 }}
        transition={{ duration: 0.6, ease: "easeOut" }}
        className="absolute w-15 h-15 rounded-full pointer-events-none bg-white/10 z-0"
        style={{
          left: ripple.x,
          top: ripple.y,
        }}
      />
    ))}
  )}
);
```

Axiom Repository Audit

```
    />
  )))

  { /* Card Highlight */}
  <div className="absolute inset-0 bg-linear-to-br from-white/3 to-transparent pointer-events-none rounded-[3rem]" />

  { /* Content */}
  <div className="relative z-10 h-full flex flex-col">{children}</div>

  { /* Internal Styles */}
  <style jsx global>{`
    @keyframes luxury-float {
      0%,
      100% {
        transform: ${transformStyle} translateY(0px);
      }
      50% {
        transform: ${transformStyle} translateY(-8px);
      }
    }

    @keyframes luxury-particle-float {
      0% {
        transform: translateY(100%) scale(0);
        opacity: 0;
      }
      10% {
        opacity: 1;
      }
      90% {
        opacity: 1;
      }
      100% {
        transform: translateY(-100%) scale(1);
        opacity: 0;
      }
    }

    @keyframes luxury-ripple {
      0% {
        transform: scale(0);
        opacity: 1;
      }
      100% {
        transform: scale(4);
        opacity: 0;
      }
    }
  `}</style>
</div>
);
}
```

FILE: src\components\ui\multi-type-ripple-buttons.tsx

```
import React, {
  ReactNode,
  useState,
  useMemo,
  MouseEvent,
  CSSProperties,
} from "react";
```

Axiom Repository Audit

```
interface RippleState {
  key: number;
  x: number;
  y: number;
  size: number;
  color: string;
}

interface RippleButtonProps {
  children: ReactNode;
  onClick?: (event: MouseEvent<HTMLButtonElement>) => void;
  className?: string;
  disabled?: boolean;
  variant?: "default" | "hover" | "ghost" | "hoverborder";
  rippleColor?: string; // User override for the JS click ripple color
  rippleDuration?: number; // Duration for the JS click ripple (all variants)

  // For 'hover' variant
  hoverBaseColor?: string;
  hoverRippleColor?: string;

  // For 'hoverborder' variant
  hoverBorderEffectColor?: string; // Color of the visual effect forming the border
  hoverBorderEffectThickness?: string; // Thickness of the border effect (e.g., "0.3em", "2px")
}

const hexToRgba = (hex: string, alpha: number): string => {
  let hexValue = hex.startsWith("#") ? hex.slice(1) : hex;
  if (hexValue.length === 3) {
    hexValue = hexValue
      .split("")
      .map((char) => char + char)
      .join("");
  }
  const r = parseInt(hexValue.slice(0, 2), 16);
  const g = parseInt(hexValue.slice(2, 4), 16);
  const b = parseInt(hexValue.slice(4, 6), 16);
  return `rgba(${r}, ${g}, ${b}, ${alpha})`;
};

const GRID_HOVER_NUM_COLS = 36;
const GRID_HOVER_NUM_ROWS = 12;
const GRID_HOVER_TOTAL_CELLS = GRID_HOVER_NUM_COLS * GRID_HOVER_NUM_ROWS;
const GRID_HOVER_RIPPLE_EFFECT_SIZE = "18.973665961em";

const JS_RIPPLE_KEYFRAMES = `
@keyframes js-ripple-animation {
  0% { transform: scale(0); opacity: 1; }
  100% { transform: scale(1); opacity: 0; }
}
.animate-js-ripple-effect {
  animation: js-ripple-animation var(--ripple-duration) ease-out forwards;
}
`;

const RippleButton: React.FC<RippleButtonProps> = ({
  children,
  onClick,
  className = "",
  disabled = false,
  variant = "default",
  rippleColor: userProvidedRippleColor,
  rippleDuration = 600,
  hoverBaseColor = "#ffffff",
  hoverRippleColor: customHoverRippleColor,
```

Axiom Repository Audit

```
hoverBorderColor = "rgba(255, 255, 255, 0.2)",
hoverBorderEffectThickness = "0.1em",
}) => {
  const [jsRipples, setJsRipples] = useState<RippleState[]>([]);

  const determinedJsRippleColor = useMemo(() => {
    if (userProvidedRippleColor) {
      return userProvidedRippleColor;
    }
    return "var(--button-ripple-color, rgba(255, 255, 255, 0.1))";
  }, [userProvidedRippleColor]);

  const dynamicGridHoverStyles = useMemo(() => {
    let nthChildHoverRules = "";
    const cellDim = 0.25;
    const initialTopOffset = 0.125;
    const initialLeftOffset = 0.1875;

    // Standardized hover transition duration for width and height
    const hoverEffectDuration = "0.9s";

    for (let r = 0; r < GRID_HOVER_NUM_ROWS; r++) {
      for (let c = 0; c < GRID_HOVER_NUM_COLS; c++) {
        const childIndex = r * GRID_HOVER_NUM_COLS + c + 1;
        const topPos = initialTopOffset + r * cellDim;
        const leftPos = initialLeftOffset + c * cellDim;

        if (variant === "hover") {
          nthChildHoverRules += `
            .hover-variant-grid-cell:nth-child(${childIndex}):hover ~ .hover-variant-visual-ripple {
              top: ${topPos}em; left: ${leftPos}em;
              transition: width ${hoverEffectDuration} ease, height ${hoverEffectDuration} ease, top 0s linear, left 0s
linear;
            }`;
        } else if (variant === "hoverborder") {
          nthChildHoverRules += `
            .hoverborder-variant-grid-cell:nth-child(${childIndex}):hover ~ .hoverborder-variant-visual-ripple {
              top: ${topPos}em; left: ${leftPos}em;
              transition: width ${hoverEffectDuration} ease-out, height ${hoverEffectDuration} ease-out, top 0s linear, left
0s linear;
            }`;
        }
      }
    }

    if (variant === "hover") {
      const actualHoverRippleColor = customHoverRippleColor
        ? customHoverRippleColor
        : hexToRgba(hoverBaseColor, 0.15);
      return `
        .hover-variant-visual-ripple {
          background-color: ${actualHoverRippleColor};
          transition: width ${hoverEffectDuration} ease, height ${hoverEffectDuration} ease, top 99999s linear, left 99999s
linear;
        }
        .hover-variant-grid-cell:hover ~ .hover-variant-visual-ripple {
          width: ${GRID_HOVER_RIPPLE_EFFECT_SIZE}; height: ${GRID_HOVER_RIPPLE_EFFECT_SIZE};
        }
        ${nthChildHoverRules}
      `;
    } else if (variant === "hoverborder") {
      return `
        .hoverborder-variant-ripple-container {
          padding: ${hoverBorderEffectThickness};
          mask: linear-gradient(#fff 0 0) content-box, linear-gradient(#fff 0 0);
        }
      `;
    }
  });
}
```

Axiom Repository Audit

```
mask-composite: exclude;
-webkit-mask: linear-gradient(#fff 0 0) content-box, linear-gradient(#fff 0 0);
-webkit-mask-composite: xor;
}
.hoverborder-variant-visual-ripple {
  background-color: ${hoverBorderEffectColor};
  /* Ensure the base transition also uses the standardized duration for width/height */
  transition: width ${hoverEffectDuration} ease-out, height ${hoverEffectDuration} ease-out, top 99999s linear, left
99999s linear;
}
.hoverborder-variant-grid-cell:hover ~ .hoverborder-variant-visual-ripple {
  width: ${GRID_HOVER_RIPPLE_EFFECT_SIZE}; height: ${GRID_HOVER_RIPPLE_EFFECT_SIZE};
}
${nthChildHoverRules}
`;
}
return "";
}, [
  variant,
  hoverBaseColor,
  customHoverRippleColor,
  hoverBorderEffectColor,
  hoverBorderEffectThickness,
]);

const createJsRipple = (event: MouseEvent<HTMLButtonElement>) => {
  const button = event.currentTarget;
  const rect = button.getBoundingClientRect();
  const size = Math.max(rect.width, rect.height) * 2;
  const x = event.clientX - rect.left - size / 2;
  const y = event.clientY - rect.top - size / 2;
  const newRipple: RippleState = {
    key: Date.now(),
    x,
    y,
    size,
    color: determinedJsRippleColor,
  };
  setJsRipples((prev) => [...prev, newRipple]);
  setTimeout(() => {
    setJsRipples((currentRipples) =>
      currentRipples.filter((r) => r.key !== newRipple.key),
    );
  }, rippleDuration);
};

const handleButtonClick = (event: MouseEvent<HTMLButtonElement>) => {
  if (!disabled) {
    createJsRipple(event);
    if (onClick) onClick(event);
  }
};

const jsRippleElements = (
  <div className="absolute inset-0 pointer-events-none z-5">
    {jsRipples.map((ripple) => (
      <span
        key={ripple.key}
        className="absolute rounded-full animate-js-ripple-effect"
        style={
          {
            left: ripple.x,
            top: ripple.y,
            width: ripple.size,
            height: ripple.size,
```

Axiom Repository Audit

```
        backgroundColor: ripple.color,
        ["--ripple-duration" as string]: `${rippleDuration}ms`,
      } as CSSProperties
    }
  />
  )}}
</div>
);

if (variant === "hover") {
  const hoverButtonFinalClassName = [
    "relative",
    "rounded-full",
    "text-[10px] tracking-widest uppercase font-mono",
    "px-8",
    "py-3",
    "border border-white/10",
    "bg-transparent",
    "isolate",
    "overflow-hidden",
    "cursor-pointer",
    disabled ? "opacity-50 cursor-not-allowed pointer-events-none" : "",
    className,
  ]
    .filter(Boolean)
    .join(" ");
  return (
    <>
      <style dangerouslySetInnerHTML={{ __html: JS_RIPPLE_KEYFRAMES }} />
      <style dangerouslySetInnerHTML={{ __html: dynamicGridHoverStyles }} />
      <button
        className={hoverButtonFinalClassName}
        onClick={handleButtonClick}
        disabled={disabled}
      >
        <span className="relative z-10 pointer-events-none">{children}</span>
        {jsRippleElements}
        <div
          className="hover-variant-grid-container absolute inset-0 grid overflow-hidden pointer-events-none z-0"
          style={{
            gridTemplateColumns: `repeat(${GRID_HOVER_NUM_COLS}, 0.25em)`,
          }}
        >
          {Array.from({ length: GRID_HOVER_TOTAL_CELLS }, (_, index) => (
            <span
              key={index}
              className="hover-variant-grid-cell relative flex justify-center items-center pointer-events-auto"
            />
          ))}
          <div className="hover-variant-visual-ripple pointer-events-none absolute w-0 h-0 rounded-full transform
-translate-x-1/2 -translate-y-1/2 top-0 left-0 z-[-1]" />
        </div>
      </button>
    </>
  );
}

if (variant === "hoverborder") {
  const hoverBorderButtonFinalClassName = [
    "relative",
    "rounded-full",
    "overflow-hidden",
    "text-[10px] tracking-widest uppercase font-mono",
    "px-8",
    "py-3",
```

Axiom Repository Audit

```
"border-none",
"bg-transparent",
"isolate",
"cursor-pointer",
disabled ? "opacity-50 cursor-not-allowed pointer-events-none" : "",
className,
]
.filter(Boolean)
.join(" ");

return (
  <>
    <style dangerouslySetInnerHTML={{ __html: JS_RIPPLE_KEYFRAMES }} />
    <style dangerouslySetInnerHTML={{ __html: dynamicGridHoverStyles }} />
    <button
      className={hoverBorderButtonFinalClassName}
      onClick={handleButtonClick}
      disabled={disabled}
    >
      <span className="relative z-10 pointer-events-none">{children}</span>
      {jsRippleElements}
      <div
        className="hoverborder-variant-ripple-container absolute inset-0 grid rounded-full overflow-hidden
pointer-events-none z-0"
        style={{
          gridTemplateColumns: `repeat(${GRID_HOVER_NUM_COLS}, 0.25em)`,
        }}
      >
        {Array.from({ length: GRID_HOVER_TOTAL_CELLS }, (_, index) => (
          <span
            key={index}
            className="hoverborder-variant-grid-cell relative flex justify-center items-center pointer-events-auto"
          />
        ))}
        <div className="hoverborder-variant-visual-ripple pointer-events-none absolute w-0 h-0 rounded-full transform
-translate-x-1/2 -translate-y-1/2 top-0 left-0 z-[-1]" />
      </div>
    </button>
  </>
);
}

if (variant === "ghost") {
  const ghostButtonFinalClassName = [
    "relative",
    "border-none",
    "bg-transparent",
    "isolate",
    "overflow-hidden",
    "cursor-pointer",
    "px-6",
    "py-2",
    "rounded-full",
    "text-[10px] tracking-widest uppercase font-mono",
    disabled ? "opacity-50 cursor-not-allowed pointer-events-none" : "",
    className,
  ]
  .filter(Boolean)
  .join(" ");
  return (
    <>
      <style dangerouslySetInnerHTML={{ __html: JS_RIPPLE_KEYFRAMES }} />
      <button
        className={ghostButtonFinalClassName}
        onClick={handleButtonClick}
      >
```

Axiom Repository Audit

```
        disabled={disabled}
      >
        <span className="relative z-10 pointer-events-none">{children}</span>
        {jsRippleElements}
      </button>
    </>
  );
}

// Default variant
const baseClasses =
  "relative border-none overflow-hidden isolate transition-all duration-500 cursor-pointer px-10 py-3 bg-white
  hover:bg-neutral-200 text-black rounded-full font-medium tracking-widest uppercase text-[10px]";
const disabledClasses = disabled ? "opacity-50 cursor-not-allowed" : "";
const buttonClasses = `${baseClasses} ${disabledClasses} ${className}`;
return (
  <>
    <style dangerouslySetInnerHTML={{ __html: JS_RIPPLE_KEYFRAMES }} />
    <button
      className={buttonClasses}
      onClick={handleButtonClick}
      disabled={disabled}
    >
      <span className="relative z-1 pointer-events-none">{children}</span>
      {jsRippleElements}
    </button>
  </>
);
};

export { RippleButton };
```

FILE: src\components\ui\scroll-reveal.tsx

```
"use client";

import { motion } from "framer-motion";
import { ReactNode } from "react";

interface ScrollRevealProps {
  children: ReactNode;
  delay?: number;
  direction?: "up" | "down" | "left" | "right" | "none";
  distance?: number;
  duration?: number;
}

export function ScrollReveal({
  children,
  delay = 0,
  direction = "up",
  distance = 40,
  duration = 0.8,
}: ScrollRevealProps) {
  const directions = {
    up: { y: distance },
    down: { y: -distance },
    left: { x: distance },
    right: { x: -distance },
    none: {},
  };
  return (
```

Axiom Repository Audit

```
<motion.div
  initial={{
    opacity: 0,
    ...directions[direction]
  }}
  whileInView={{
    opacity: 1,
    x: 0,
    y: 0
  }}
  viewport={{ once: true, margin: "-10%" }}
  transition={{
    duration: duration,
    delay: delay,
    ease: [0.215, 0.61, 0.355, 1], // Luxury cubic bezier (easeOutCirc)
  }}
>
  {children}
</motion.div>
);
}
```

FILE: src\components\ui\smooth-scroll-provider.tsx

```
"use client";

import { ReactLenis } from "lenis/react";
import { ReactNode } from "react";

export function SmoothScrollProvider({ children }: { children: ReactNode }) {
  return (
    <ReactLenis
      root
      options={{
        duration: 1.5,
        easing: (t) => Math.min(1, 1.001 - Math.pow(2, -10 * t)),
        orientation: "vertical",
        gestureOrientation: "vertical",
        smoothWheel: true,
        wheelMultiplier: 1,
        touchMultiplier: 2,
        infinite: false,
      }}
    >
      {children}
    </ReactLenis>
  );
}
```

FILE: src\lib\supabase.ts

```
import { createClient } from "../supabase/client";

export const supabase = createClient();
```

FILE: src\lib\ai\kairos.test.ts

```
import assert from "node:assert/strict";
import test from "node:test";
```

Axiom Repository Audit

```
import { generateSystemInsights } from "../kairos";
import { AnalyticsSummary } from "../analytics/types";
import { buildBehavioralContext } from "../context/buildBehavioralContext";
import { evaluateInsights } from "../insights/generateInsights";

const MOCK_METADATA_QUALITY = {
  averageScore: 1,
  lowQualityCount: 0,
  lowQualityRatio: 0,
  confidenceMultiplier: 1,
};

const MOCK_ANALYTICS: AnalyticsSummary = {
  totalDeployed: 1000,
  averageDeployment: 100,
  dailyBurnRate: 10,
  runwayDays: 100,
  categoryBreakdown: { Leakage: 500, Asset: 500 },
  deploymentCount: 10,
  metadataQuality: MOCK_METADATA_QUALITY,
  totalLiabilities: 0,
  totalAssets: 2000,
  netWorth: 2000,
  liquidity: 1000,
  totalMonthlyIncome: 300,
  recurringIncome: 300,
  irregularIncome: 0,
  incomeConcentration: {},
  maxIncomeConcentrationRatio: 0,
  adjustedDailyBurn: 0,
  totalStrategicTargets: 1000,
  totalCurrentProgress: 500,
  averageGoalProgress: 50,
  criticalGoalCount: 0,
  fundingGap: 500,
  pendingVerificationCount: 0,
  // Strategic Objectives v1
  strategicAlignment: {
    fundingRatios: {},
    alignmentPressure: 0,
    liquiditySufficiency: {
      isSufficient: true,
      message:
        "Current liquidity structure sufficiently supports short-term obligations.",
      shortfall: 0,
    },
  },
  objectiveStarvationSignals: [],
  strategicAllocationSignals: [],
  velocity: {},
},
// Operational Baseline v1
totalStructuralMonthlyBurn: 0,
totalSystemicMonthlyAllocation: 0,
};

test("Kairos Insights: correctly invokes rule engine and returns primary insight", async () => {
  const context = buildBehavioralContext(
    { currentAnalytics: MOCK_ANALYTICS },
    [100, 200, 300],
  );
  const { primaryInsight } = await evaluateInsights(context);

  assert.ok(primaryInsight.message);
  assert.ok(primaryInsight.severity);
  assert.ok(primaryInsight.category);
});
```

Axiom Repository Audit

```
});

test("Kairos Insights: critical runway trigger", async () => {
  const analytics = {
    ...MOCK_ANALYTICS,
    runwayDays: 10,
  };
  const context = buildBehavioralContext(
    { currentAnalytics: analytics },
    [100, 200, 300],
  );
  const { primaryInsight } = await evaluateInsights(context);

  assert.equal(primaryInsight.severity, "critical");
  assert.equal(primaryInsight.category, "solvency_pressure");
  assert.match(primaryInsight.message, /runway has contracted/);
});

test("Kairos Insights: efficiency crisis trigger", async () => {
  const analytics = {
    ...MOCK_ANALYTICS,
    categoryBreakdown: { Leakage: 1000, Asset: 0 },
    runwayDays: 10, // Force low runway to plummet efficiency score < 40
  };
  const context = buildBehavioralContext(
    { currentAnalytics: analytics },
    [100, 2000, 50, 3000],
  );

  // Rule condition: capitalEfficiencyScore < 40
  // buildBehavioralContext for runway < 90 gives -40 penalty.
  // Volatility penalty is vol * 60.

  const { primaryInsight } = await evaluateInsights(context);

  // Solvency pressure (runway) usually has higher priority than efficiency crisis
  // if both are triggered, since runway is status: 'critical'.
  // However, in registry.ts, both have priority: 'high'.
  // evaluateInsights sorts by priority and then maintains order.
  // runway_critical is ID 1, efficiency_crisis is ID 2.

  assert.equal(primaryInsight.severity, "critical");
  assert.match(
    primaryInsight.message,
    /(runway has contracted|efficiency crisis)/,
  );
});

test("Kairos Insights: unclassified data advisory", async () => {
  const analytics = {
    ...MOCK_ANALYTICS,
    categoryBreakdown: { Unknown: 500, Asset: 500 },
  };
  const context = buildBehavioralContext(
    { currentAnalytics: analytics },
    [500, 500],
  );
  const { allInsights } = await evaluateInsights(context);

  const unclassifiedInsight = allInsights.find((i) =>
    i.message.includes("Unclassified"),
  );
  assert.ok(unclassifiedInsight);
  assert.equal(unclassifiedInsight.severity, "advisory");
});
```

Axiom Repository Audit

```
test("Kairos Insights: high discipline pattern", async () => {
  // Healthy state with stable spending
  const context = buildBehavioralContext(
    { currentAnalytics: MOCK_ANALYTICS },
    [100, 100, 100],
  );
  const { primaryInsight } = await evaluateInsights(context);

  assert.equal(primaryInsight.severity, "observation");
  assert.match(primaryInsight.message, /High operational discipline/);
  assert.equal(primaryInsight.isSilent, true);
});

test("Kairos Insights: silence state default pattern", async () => {
  // State that doesn't trigger High Discipline but falls into Default Pattern
  const analytics = {
    ...MOCK_ANALYTICS,
    deploymentCount: 1, // High Discipline requires count > 1
  };
  const context = buildBehavioralContext(
    { currentAnalytics: analytics },
    [100],
  );
  const { primaryInsight } = await evaluateInsights(context);

  assert.equal(primaryInsight.severity, "observation");
  assert.match(primaryInsight.message, /No material behavioral shifts/);
  assert.equal(primaryInsight.isSilent, true);
});
```

FILE: src\lib\ai\kairos.ts

```
import { createClient } from "../supabase/server";
import { getDeployments } from "../db/deployments";
import { getAccounts } from "../db/accounts";
import { getLiabilities } from "../db/liabilities";
import { getIncomeStreams } from "../db/income";
import { getGoals } from "../db/goals";
import { getStrategicObjectives } from "../db/objectives";
import { getOperationalBaseline } from "../db/baseline";
import { getUserSettings } from "../db/settings";
import { generateSummary } from "../analytics/engine";
import {
  Deployment,
  Account,
  Liability,
  IncomeStream,
  FinancialGoal,
  StrategicObjective,
  OperationalBaseline,
} from "../analytics/types";
import { MetadataQualitySummary } from "../finance/metadataQuality";
import { buildBehavioralContext } from "../context/buildBehavioralContext";
import { evaluateInsights } from "../insights/generateInsights";

export type InsightSeverity =
  | "observation"
  | "advisory"
  | "warning"
  | "critical";

export interface KairosInsight {
```

Axiom Repository Audit

```
type: "warning" | "info" | "pattern" | "opportunity";
severity: InsightSeverity;
category:
  | "capital_efficiency"
  | "solvency_pressure"
  | "strategic_alignment"
  | "objective_starvation";
message: string;
supportingSignals: string[];
timestamp: string;
runway: number | null;
capitalEfficiency: number;
isSilent: boolean;
metadataQuality?: MetadataQualitySummary;
is_new_signal?: boolean;
}

export interface KairosTelemetry {
  deployments?: Deployment[];
  liquidity?: number;
  accounts?: Account[];
  liabilities?: Liability[];
  incomeStreams?: IncomeStream[];
  goals?: FinancialGoal[];
  objectives?: StrategicObjective[];
  baseline?: OperationalBaseline[];
  previousInsight?: KairosInsight | null;
}

/**
 * SERVER-SIDE ORCHESTRATOR: generateSystemInsights
 * Safely hydrates the Kairos AI layer with analytical context.
 */
export async function generateSystemInsights(
  telemetry: KairosTelemetry = {},
): Promise<KairosInsight> {
  const supabase = await createClient();
  const {
    data: { user },
  } = await supabase.auth.getUser();

  if (!user) {
    throw new Error("Authentication required for Kairos hydration.");
  }

  // 1. Resolve Canonical Context (Hydrate missing pieces only)
  const deps =
    (telemetry.deployments ?? (await getDeployments(supabase))) || [];
  const accounts = (telemetry.accounts ?? (await getAccounts(supabase))) || [];
  const liabilities =
    (telemetry.liabilities ?? (await getLiabilities(supabase))) || [];
  const income =
    (telemetry.incomeStreams ?? (await getIncomeStreams(supabase))) || [];
  const goals = (telemetry.goals ?? (await getGoals(supabase))) || [];
  const objectives =
    (telemetry.objectives ?? (await getStrategicObjectives(supabase))) || [];
  const baseline =
    (telemetry.baseline ?? (await getOperationalBaseline(supabase))) || [];

  let liquidity = telemetry.liquidity;
  if (liquidity === undefined) {
    const settings = await getUserSettings(supabase, user.id);
    liquidity = Number(
      (settings as { total_liquidity: number | string }).total_liquidity,
    );
  }
}
```

Axiom Repository Audit

```
}

// 2. Build Deterministic Analytics
const analytics = generateSummary(
  deps,
  liquidity,
  accounts,
  liabilities,
  income,
  goals,
  objectives,
  baseline,
);

// 3. Build Behavioral Context for Insight Engine
const context = buildBehavioralContext(
  { currentAnalytics: analytics },
  deps.map((d) => Number(d.amount)),
);

// 4. Evaluate Insights via Rule Registry (V1.1)
console.log("KAIROS TELEMETRY:", {
  deploymentsCount: deps.length,
  runwayDays: analytics.runwayDays,
  alignmentPressure: analytics.strategicAlignment.alignmentPressure,
  netWorth: analytics.netWorth,
});

const { primaryInsight } = await evaluateInsights(context);

const previousInsight = telemetry.previousInsight;
const isMessageChanged = primaryInsight.message !== previousInsight?.message;
const isSeverityChanged =
  primaryInsight.severity !== previousInsight?.severity;
const isSilentChanged = primaryInsight.isSilent !== previousInsight?.isSilent;

const isNewSignal = isMessageChanged || isSeverityChanged || isSilentChanged;

return {
  ...primaryInsight,
  is_new_signal: isNewSignal,
};
}

/**
 * Bridge support for streamed telemetry from Dashboard Actions.
 */
export async function generateKairosAIInsight(
  telemetry: KairosTelemetry,
): Promise<KairosInsight> {
  return generateSystemInsights(telemetry);
}
```

FILE: src/libanalytics/engine.test.ts

```
import assert from "node:assert/strict";
import test from "node:test";
import {
  projectRunway,
  calculateBurnRate,
  calculateIncomeMetrics,
  countPendingVerifications,
} from "../engine";
```

Axiom Repository Audit

```
import type { Deployment, IncomeStream, OperationalBaseline } from "./types";

test("projectRunway handles dimensional math correctly", () => {
  // Scenario: 1000 balance, 10 daily burn, 0 income
  // Runway = 1000 / 10 = 100 days
  assert.equal(projectRunway(1000, 10, 0), 100);

  // Scenario: 1000 balance, 10 daily burn, 150 monthly income
  // adjustedDailyBurn = 10 - (150 / 30) = 5
  // Runway = 1000 / 5 = 200 days
  assert.equal(projectRunway(1000, 10, 150), 200);
});

test("projectRunway returns null when state is stable (income >= burn)", () => {
  // Scenario: 10 daily burn, 300 monthly income
  // adjustedDailyBurn = 10 - (300 / 30) = 0
  assert.equal(projectRunway(1000, 10, 300), null);

  // Scenario: 10 daily burn, 450 monthly income
  // adjustedDailyBurn = 10 - (450 / 30) = -5
  assert.equal(projectRunway(1000, 10, 450), null);
});

test("projectRunway returns 0 when balance is 0 or negative (and burn > income)", () => {
  assert.equal(projectRunway(0, 10, 0), 0);
  assert.equal(projectRunway(-100, 10, 0), 0);
});

test("projectRunway returns null when dailyBurnRate is 0 or negative (unstable state but no burn)", () => {
  assert.equal(projectRunway(1000, 0, 0), null);
  assert.equal(projectRunway(1000, -5, 0), null);
});

test("calculateBurnRate remains deterministic", () => {
  const deployments: Deployment[] = [
    {
      id: "1",
      amount: 300,
      title: "Rent",
      category: "Leakage",
      created_at: new Date().toISOString(),
    },
    {
      id: "2",
      amount: 150,
      title: "Cloud",
      category: "Leverage",
      created_at: new Date().toISOString(),
    },
  ];

  // 450 total / 30 days = 15/day
  assert.equal(calculateBurnRate(deployments, 30), 15);
});

test("calculateMaxIncomeConcentration: 90% dependency", () => {
  const streams: Partial<IncomeStream>[] = [
    {
      income_name: "Source A",
      amount: 900,
      cadence: "monthly",
      income_type: "salary",
      is_recurring: true,
    },
  ];
});
```

Axiom Repository Audit

```
        income_name: "Source B",
        amount: 100,
        cadence: "monthly",
        income_type: "freelance",
        is_recurring: true,
    },
];

// total = 1000
// max = 900
// ratio = 0.9
const metrics = calculateIncomeMetrics(streams as IncomeStream[]);
assert.equal(metrics.maxRatio, 0.9);
});

test("calculateMaxIncomeConcentration: balanced split", () => {
    const streams: Partial<IncomeStream>[] = [
        {
            income_name: "Source A",
            amount: 100,
            cadence: "monthly",
            income_type: "salary",
            is_recurring: true,
        },
        {
            income_name: "Source B",
            amount: 100,
            cadence: "monthly",
            income_type: "salary",
            is_recurring: true,
        },
        {
            income_name: "Source C",
            amount: 100,
            cadence: "monthly",
            income_type: "salary",
            is_recurring: true,
        },
    ];

    // total = 300
    // max = 100
    // ratio = 0.333...
    const metrics = calculateIncomeMetrics(streams as IncomeStream[]);
    assert.ok(Math.abs(metrics.maxRatio - 0.3333333333333333) < 0.0001);
});

test("calculateMaxIncomeConcentration: zero income", () => {
    const metrics = calculateIncomeMetrics([]);
    assert.equal(metrics.maxRatio, 0);
});

test("countPendingVerifications includes baseline logic", () => {
    const today = new Date();
    const currentDayOfMonth = today.getDate();
    const currentDayOfWeek = today.getDay() === 0 ? 7 : today.getDay();

    const baseline: Partial<OperationalBaseline>[] = [
        {
            id: "b1",
            title: "Daily Coffee",
            cadence: "daily",
            is_recurring: true,
            last_executed_at: null,
        },
    ],
```

Axiom Repository Audit

```
{
  id: "b2",
  title: "Weekly Server",
  cadence: "weekly",
  is_recurring: true,
  execution_day: currentDayOfWeek,
  last_executed_at: null,
},
{
  id: "b3",
  title: "Monthly Rent",
  cadence: "monthly",
  is_recurring: true,
  execution_day: currentDayOfMonth,
  last_executed_at: null,
},
];

assert.equal(
  countPendingVerifications([], [], baseline as OperationalBaseline[]),
  3,
);

// If already executed today, should be 0
const executedTodayBaseline = baseline.map((b) => ({
  ...b,
  last_executed_at: today.toISOString(),
})));
assert.equal(
  countPendingVerifications(
    [],
    [],
    executedTodayBaseline as OperationalBaseline[],
  ),
  0,
);
});
```

FILE: src\libanalytics\engine.ts

```
import {
  Deployment,
  AnalyticsSummary,
  Account,
  Liability,
  IncomeStream,
  FinancialGoal,
  StrategicObjective,
  StrategicAlignment,
  OperationalBaseline,
} from "../types";

/**
 * Normalizes cadences into monthly values.
 */
export const normalizeToMonthly = (amount: number, cadence: string): number => {
  switch (cadence) {
    case "daily":
      return amount * 30.4375;
    case "weekly":
      return amount * 4.345;
    case "biweekly":
      return amount * 2.1725;
  }
}
```

Axiom Repository Audit

```
    case "monthly":
      return amount;
    case "quarterly":
      return amount / 3;
    case "yearly":
      return amount / 12;
    default:
      return amount;
  }
};

/**
 * Calculates monthly structural burn and systemic allocation metrics.
 */
export const calculateBaselineMetrics = (baseline: OperationalBaseline[]) => {
  return baseline.reduce(
    (acc, item) => {
      if (!item.is_active || !item.is_recurring) return acc;
      const monthlyAmount = normalizeToMonthly(item.amount, item.cadence);

      if (item.baseline_type === "expense") {
        acc.monthlyBurn += monthlyAmount;
      } else {
        acc.monthlyAllocation += monthlyAmount;
      }
      return acc;
    },
    { monthlyBurn: 0, monthlyAllocation: 0 },
  );
};

import { summarizeMetadataQuality } from "../finance/metadataQuality";
import { calculateMonthlyInflow } from "../finance/income";
import { calculateGoalProgressPercentage } from "../finance/goals";
import { calculateObjectiveFundingRatio } from "../finance/objectives";
import { LiquidityService } from "../finance/liquidity";

/**
 * Pure, deterministic engine for financial intelligence.
 * Rule: The database is truth. This engine only interprets.
 */
export const calculateLiabilityMetrics = (liabilities: Liability[]) => {
  return liabilities.reduce(
    (acc, l) => {
      const balance = Number(l.outstanding_balance);
      acc.totalBalance += balance;

      if (l.is_paid_in_cadences && l.interest_rate > 0) {
        // Interest is explicitly "per cadence" as per UI/Requirement
        const periodicInterest = balance * (l.interest_rate / 100);

        let monthlyInterest = 0;
        if (l.cadence === "weekly") {
          monthlyInterest = periodicInterest * (52 / 12);
        } else if (l.cadence === "monthly") {
          monthlyInterest = periodicInterest;
        }
        acc.monthlyInterestAccrual += monthlyInterest;
      }
      return acc;
    },
    { totalBalance: 0, monthlyInterestAccrual: 0 },
  );
};
```

Axiom Repository Audit

```
export const calculateTotal = (deployments: Deployment[]): number => {
  return deployments.reduce((sum, d) => sum + Number(d.amount), 0);
};

export const calculateAccountTotal = (accounts: Account[]): number => {
  return LiquidityService.calculateTotal(accounts);
};

export const calculateLiabilityTotal = (liabilities: Liability[]): number => {
  return calculateLiabilityMetrics(liabilities).totalBalance;
};

export const calculateIncomeMetrics = (streams: IncomeStream[]) => {
  const result = streams.reduce(
    (acc, stream) => {
      const monthly = calculateMonthlyInflow(stream);
      acc.total += monthly;
      if (stream.is_recurring) {
        acc.recurring += monthly;
      } else {
        acc.irregular += monthly;
      }
      acc.concentration[stream.income_type] =
        (acc.concentration[stream.income_type] || 0) + monthly;

      // Group by origin source (income_name) for concentration risk analysis
      acc.sourceTotals[stream.income_name] =
        (acc.sourceTotals[stream.income_name] || 0) + monthly;

      return acc;
    },
    {
      total: 0,
      recurring: 0,
      irregular: 0,
      concentration: {} as Record<string, number>,
      sourceTotals: {} as Record<string, number>,
    },
  );

  const highestSourceSum = Math.max(0, ...Object.values(result.sourceTotals));
  const maxRatio = result.total > 0 ? highestSourceSum / result.total : 0;

  return {
    total: result.total,
    recurring: result.recurring,
    irregular: result.irregular,
    concentration: result.concentration,
    maxRatio,
  };
};

export const calculateGoalMetrics = (
  goals: FinancialGoal[],
  objectives: StrategicObjective[] = [],
) => {
  const goalStats = goals.reduce(
    (acc, goal) => {
      acc.totalTargets += Number(goal.target_amount);
      acc.totalProgress += Number(goal.current_progress);
      if (goal.priority === "critical" && goal.status === "active") {
        acc.criticalCount += 1;
      }
      acc.progressSum += calculateGoalProgressPercentage(goal);
    },
    {
      totalTargets: 0,
      totalProgress: 0,
      criticalCount: 0,
      progressSum: 0,
    },
  );
  const goalProgressPercentage = goalStats.totalTargets > 0
    ? goalStats.totalProgress / goalStats.totalTargets
    : 0;
  return {
    totalTargets: goalStats.totalTargets,
    totalProgress: goalStats.totalProgress,
    criticalCount: goalStats.criticalCount,
    progressSum: goalStats.progressSum,
    goalProgressPercentage,
  };
};
```

Axiom Repository Audit

```
    return acc;
  },
  {
    totalTargets: 0,
    totalProgress: 0,
    criticalCount: 0,
    progressSum: 0,
  },
);

return objectives.reduce((acc, obj) => {
  acc.totalTargets += Number(obj.target_amount);
  acc.totalProgress += Number(obj.current_amount);
  if (obj.priority_level === "critical" && obj.status === "active") {
    acc.criticalCount += 1;
  }
  acc.progressSum += calculateObjectiveFundingRatio(obj);
  return acc;
}, goalStats);
};

export const calculateAverage = (deployments: Deployment[]): number => {
  if (deployments.length === 0) return 0;
  return calculateTotal(deployments) / deployments.length;
};

export const countPendingVerifications = (
  income: IncomeStream[],
  liabilities: Liability[],
  baseline: OperationalBaseline[] = [],
): number => {
  const today = new Date();
  const currentDayOfWeek = today.getDay();
  const currentDayOfWeekName = today
    .toLocaleString("en-US", { weekday: "long" })
    .toLowerCase();
  const currentDayOfMonth = today.getDate();
  const mappedDayOfWeek = currentDayOfWeek === 0 ? 7 : currentDayOfWeek;

  const pendingIncomes = income.filter((stream) => {
    if (!stream.is_recurring || !stream.execution_day) return false;

    if (stream.last_executed_at) {
      const lastExecuted = new Date(stream.last_executed_at);
      if (
        lastExecuted.getDate() === today.getDate() &&
        lastExecuted.getMonth() === today.getMonth() &&
        lastExecuted.getFullYear() === today.getFullYear()
      ) {
        return false;
      }
    }

    if (stream.cadence === "weekly") {
      return mappedDayOfWeek === stream.execution_day;
    }
    if (stream.cadence === "monthly" || stream.cadence === "biweekly") {
      return currentDayOfMonth === stream.execution_day;
    }

    return false;
  });
};

const pendingLiabilities = liabilities.filter((liab) => {
  if (!liab.is_paid_in_cadences || !liab.cadence_day_date) return false;
```

Axiom Repository Audit

```
if (liab.last_executed_at) {
  const lastExecuted = new Date(liab.last_executed_at);
  if (
    lastExecuted.getDate() === today.getDate() &&
    lastExecuted.getMonth() === today.getMonth() &&
    lastExecuted.getFullYear() === today.getFullYear()
  ) {
    return false;
  }
}

if (liab.cadence === "weekly") {
  return currentDayOfWeekName === liab.cadence_day_date.toLowerCase();
}
if (liab.cadence === "monthly") {
  return currentDayOfMonth === parseInt(liab.cadence_day_date, 10);
}

return false;
});

const pendingBaselines = baseline.filter((b) => {
  if (!b.is_recurring) return false;

  if (b.last_executed_at) {
    const lastExecuted = new Date(b.last_executed_at);
    if (
      lastExecuted.getDate() === today.getDate() &&
      lastExecuted.getMonth() === today.getMonth() &&
      lastExecuted.getFullYear() === today.getFullYear()
    ) {
      return false;
    }
  }

  if (b.cadence === "daily") return true;

  if (b.execution_day) {
    if (b.cadence === "weekly") {
      return mappedDayOfWeek === b.execution_day;
    }
    if (b.cadence === "monthly" || b.cadence === "biweekly") {
      return currentDayOfMonth === b.execution_day;
    }
  }

  return false;
});
return (
  pendingIncomes.length + pendingLiabilities.length + pendingBaselines.length
);
};

/**
 * Calculates burn rate over a specific window (in days).
 * Defaulting to a 30-day window for normalized metrics.
 */
export const calculateBurnRate = (
  deployments: Deployment[],
  windowDays: number = 30,
): number => {
  if (windowDays <= 0) return 0;
  const total = calculateTotal(deployments);
  return total / windowDays;
}
```

Axiom Repository Audit

```
};

/**
 * Projects runway based on deterministic liquidity and income offset.
 * Correct Formula: Runway = balance / (dailyBurnRate - (monthlyIncome / 30))
 * Note: Returns days. Returns null if adjusted burn is <= 0 (stable state).
 */
export const projectRunway = (
  balance: number,
  dailyBurnRate: number,
  monthlyIncome: number = 0,
  netWorth: number = 0,
): number | null => {
  const adjustedDailyBurn = dailyBurnRate - monthlyIncome / 30;

  // If net worth is negative, the structural foundation is critical regardless of cash flow
  if (netWorth < 0) return 0;

  if (adjustedDailyBurn <= 0) return null;
  if (balance <= 0) return 0;

  return balance / adjustedDailyBurn;
};

/**
 * Aggregates deployments into categories.
 */
export const getCategoryBreakdown = (
  deployments: Deployment[],
): Record<string, number> => {
  return deployments.reduce(
    (acc, d) => {
      const cat = d.category || "Unclassified";
      acc[cat] = (acc[cat] || 0) + Number(d.amount);
      return acc;
    },
    {} as Record<string, number>,
  );
};

/**
 * Deterministic Strategic Alignment Logic
 */
export function calculateStrategicAlignment(
  objectives: StrategicObjective[],
  deployments: Deployment[],
  liquidity: number,
  incomeTotal: number,
  burnRate: number,
  liabilities: Liability[],
  baseline: OperationalBaseline[] = [],
): StrategicAlignment {
  const fundingRatios: Record<string, number> = {};
  const velocity: Record<
    string,
    "stable" | "accelerating" | "stagnant" | "regressing"
  > = {};
  const objectiveStarvationSignals: string[] = [];
  const strategicAllocationSignals: string[] = [];
  const now = new Date();

  // 1. Funding Ratios & Starvation
  objectives.forEach((obj) => {
    const ratio = calculateObjectiveFundingRatio(obj);
```

Axiom Repository Audit

```
fundingRatios[obj.id] = ratio;

const ageInDays = Math.max(
  1,
  (now.getTime() - new Date(obj.created_at).getTime()) /
    (1000 * 60 * 60 * 24),
);

// Starvation detection
if (obj.status === "active" && ratio < 10 && ageInDays > 90) {
  objectiveStarvationSignals.push(
    `${obj.objective_name} objective has remained below 10% funded for ${Math.floor(ageInDays)} days.`
  );
}

// Velocity (Simplified deterministic approach based on age)
const dailyRate = obj.current_amount / ageInDays;
if (dailyRate === 0) {
  velocity[obj.id] = "stagnant";
} else if (ratio >= 100) {
  velocity[obj.id] = "stable"; // Completed
} else {
  velocity[obj.id] = "stable"; // Default for now as we don't have historical delta
}
});

// 2. Strategic Allocation Awareness
const categories = getCategoryBreakdown(deployments);
const leakage = categories["Leakage"] || 0;
const assets = categories["Asset"] || 0;
const hasActiveAccumulation = objectives.some(
  (o) =>
    o.status === "active" &&
    (o.objective_type === "liquidity" ||
      o.objective_type === "emergency_reserve"),
);

if (hasActiveAccumulation && leakage > assets) {
  strategicAllocationSignals.push(
    "Leakage deployments exceeded Asset deployments during an active liquidity accumulation objective."
  );
}

// 3. Liquidity Sufficiency
const criticalObjectives = objectives.filter(
  (o) => o.priority_level === "critical" && o.status === "active",
);
const totalCriticalTarget = criticalObjectives.reduce(
  (sum, o) => sum + (o.target_amount - o.current_amount),
  0,
);
const isSufficient = liquidity >= totalCriticalTarget;
const shortfall = Math.max(0, totalCriticalTarget - liquidity);

const liquiditySufficiency = {
  isSufficient,
  message: isSufficient
    ? "Current liquidity structure sufficiently supports short-term obligations."
    : `Emergency reserve target exceeds current liquidity capacity by ${shortfall.toLocaleString()} KSh.`,
  shortfall,
};

// 4. Alignment Pressure (Weighted Scoring 0-100)
let pressureScore = 0;
```

Axiom Repository Audit

```
// Weight: Leakage vs Assets (up to 25 points)
if (leakage > assets) pressureScore += 25;
else if (leakage > 0) pressureScore += 10;

// Weight: Liquidity Sufficiency (up to 30 points)
if (!isSufficient) pressureScore += 30;

// Weight: Starvation (up to 20 points)
if (objectiveStarvationSignals.length > 0) pressureScore += 20;

// Weight: High Liabilities (up to 25 points)
const totalLiabilities = liabilities.reduce(
  (sum, l) => sum + Number(l.outstanding_balance),
  0,
);
if (totalLiabilities > liquidity * 2) pressureScore += 25;

return {
  fundingRatios,
  velocity,
  alignmentPressure: Math.min(100, pressureScore),
  liquiditySufficiency,
  objectiveStarvationSignals,
  strategicAllocationSignals,
};
}

/**
 * Main entry point for generating a full analytics context.
 */
export const generateSummary = (
  deployments: Deployment[],
  liquidity: number = 0,
  accounts: Account[] = [],
  liabilities: Liability[] = [],
  incomeStreams: IncomeStream[] = [],
  goals: FinancialGoal[] = [],
  objectives: StrategicObjective[] = [],
  baseline: OperationalBaseline[] = [],
): AnalyticsSummary => {
  const total = calculateTotal(deployments);
  const baselineMetrics = calculateBaselineMetrics(baseline);
  const liabilityMetrics = calculateLiabilityMetrics(liabilities);

  // Total daily burn = (Deployment Burn) + (Baseline Burn / 30) + (Liability Interest Burn / 30)
  const deploymentBurn = calculateBurnRate(deployments);
  const baselineDailyBurn = baselineMetrics.monthlyBurn / 30;
  const liabilityInterestDailyBurn =
    liabilityMetrics.monthlyInterestAccrual / 30;
  const burnRate =
    deploymentBurn + baselineDailyBurn + liabilityInterestDailyBurn;

  const totalAssets = calculateAccountTotal(accounts);
  const totalLiabilities = liabilityMetrics.totalBalance;
  const netWorth = totalAssets - totalLiabilities;

  const income = calculateIncomeMetrics(incomeStreams);
  const goalMetrics = calculateGoalMetrics(goals, objectives);

  const strategicAlignment = calculateStrategicAlignment(
    objectives,
    deployments,
    liquidity,
    income.total,
    burnRate,
```

Axiom Repository Audit

```
    liabilities,
    baseline,
  );

const totalIntentionsCount = goals.length + objectives.length;

return {
  totalDeployed: total,
  averageDeployment: calculateAverage(deployments),
  dailyBurnRate: burnRate,
  runwayDays: projectRunway(liquidity, burnRate, income.total, netWorth),
  categoryBreakdown: getCategoryBreakdown(deployments),
  deploymentCount: deployments.length,
  metadataQuality: summarizeMetadataQuality(deployments),
  // Liability System v1
  totalLiabilities,
  totalAssets,
  netWorth,
  liquidity,
  // Income Engine v1
  totalMonthlyIncome: income.total,
  recurringIncome: income.recurring,
  irregularIncome: income.irregular,
  incomeConcentration: income.concentration,
  maxIncomeConcentrationRatio: income.maxRatio,
  adjustedDailyBurn: Math.max(0, burnRate - income.total / 30),
  // Goal System v1
  totalStrategicTargets: goalMetrics.totalTargets,
  totalCurrentProgress: goalMetrics.totalProgress,
  averageGoalProgress:
    totalIntentionsCount > 0
      ? goalMetrics.progressSum / totalIntentionsCount
      : 0,
  criticalGoalCount: goalMetrics.criticalCount,
  fundingGap: Math.max(
    0,
    goalMetrics.totalTargets - goalMetrics.totalProgress,
  ),
  // Strategic Objectives v1
  strategicAlignment,
  // Operational Baseline v1
  totalStructuralMonthlyBurn: baselineMetrics.monthlyBurn,
  totalSystemicMonthlyAllocation: baselineMetrics.monthlyAllocation,
  pendingVerificationCount: countPendingVerifications(
    incomeStreams,
    liabilities,
    baseline,
  ),
};
};
```

FILE: src\lib\analytics\index.ts

```
export * from "../types";
export * from "../engine";
```

FILE: src\lib\analytics\strategic.test.ts

```
import { test } from "node:test";
import assert from "node:assert";
import { calculateStrategicAlignment } from "../engine";
```

Axiom Repository Audit

```
import type { Deployment, StrategicObjective, Liability } from "./types";

test("strategic alignment funding ratios are deterministic", () => {
  const objectives: StrategicObjective[] = [
    {
      id: "obj1",
      user_id: "u1",
      objective_name: "Emergency Fund",
      objective_type: "emergency_reserve",
      target_amount: 1000,
      current_amount: 500,
      target_date: null,
      priority_level: "critical",
      status: "active",
      created_at: new Date().toISOString(),
      updated_at: new Date().toISOString(),
    },
  ],
  ];

  const alignment = calculateStrategicAlignment(objectives, [], 0, 0, 0, []);
  assert.strictEqual(alignment.fundingRatios["obj1"], 50);
});

test("alignment pressure scoring reflects structural conflict", () => {
  const objectives: StrategicObjective[] = [
    {
      id: "obj1",
      user_id: "u1",
      objective_name: "Liquidity",
      objective_type: "liquidity",
      target_amount: 1000,
      current_amount: 0,
      target_date: null,
      priority_level: "critical",
      status: "active",
      created_at: new Date().toISOString(),
      updated_at: new Date().toISOString(),
    },
  ],
  ];

  const deployments: Deployment[] = [
    {
      id: "d1",
      amount: 500,
      title: "Bad Spending",
      category: "Leakage",
      created_at: new Date().toISOString(),
    },
  ],
  ];

  const liabilities: Liability[] = [
    {
      id: "l1",
      user_id: "u1",
      liability_name: "Debt",
      liability_type: "personal_loan",
      outstanding_balance: 10000,
      created_at: "",
      updated_at: "",
      interest_rate: 0,
      due_date: null,
      currency: "KSh",
      is_paid_in_cadences: false,
      cadence: null,
      cadence_day_date: null,
    },
  ],
  ];
```

Axiom Repository Audit

```
        cadence_amount: null,
      },
    ];

// Scenario: High Leakage, No Assets, Insufficient Liquidity, High Liabilities
const alignment = calculateStrategicAlignment(
  objectives,
  deployments,
  1000,
  0,
  0,
  liabilities,
);

// Leakage > Assets (+25)
// !isSufficient (+30) - totalCriticalTarget is 1000, liquidity is 1000. Wait, 1000 >= 1000 is true.
// totalLiabilities (10000) > liquidity * 2 (2000) (+25)
// Score should be at least 50.

assert.ok(alignment.alignmentPressure >= 50);
});

test("liquidity sufficiency detects shortfalls", () => {
  const objectives: StrategicObjective[] = [
    {
      id: "obj1",
      user_id: "u1",
      objective_name: "Reserve",
      objective_type: "emergency_reserve",
      target_amount: 5000,
      current_amount: 1000,
      target_date: null,
      priority_level: "critical",
      status: "active",
      created_at: new Date().toISOString(),
      updated_at: new Date().toISOString(),
    },
  ],
  ];

  const alignment = calculateStrategicAlignment(objectives, [], 2000, 0, 0, []);

  assert.strictEqual(alignment.liquiditySufficiency.isSufficient, false);
  assert.strictEqual(alignment.liquiditySufficiency.shortfall, 2000); // 4000 remaining target - 2000 liquidity
});

test("objective starvation detection works for old stagnant goals", () => {
  const sixMonthsAgo = new Date();
  sixMonthsAgo.setMonth(sixMonthsAgo.getMonth() - 6);

  const objectives: StrategicObjective[] = [
    {
      id: "obj1",
      user_id: "u1",
      objective_name: "Starved Goal",
      objective_type: "investment",
      target_amount: 10000,
      current_amount: 100, // 1%
      target_date: null,
      priority_level: "high",
      status: "active",
      created_at: sixMonthsAgo.toISOString(),
      updated_at: sixMonthsAgo.toISOString(),
    },
  ],
  ];
```

Axiom Repository Audit

```
const alignment = calculateStrategicAlignment(objectives, [], 0, 0, 0, []);

assert.ok(alignment.objectiveStarvationSignals.length > 0);
assert.ok(alignment.objectiveStarvationSignals[0].includes("Starved Goal"));
});

test("strategic allocation awareness detects leakage conflict", () => {
  const objectives: StrategicObjective[] = [
    {
      id: "obj1",
      user_id: "u1",
      objective_name: "Build Cash",
      objective_type: "liquidity",
      target_amount: 1000,
      current_amount: 0,
      target_date: null,
      priority_level: "high",
      status: "active",
      created_at: new Date().toISOString(),
      updated_at: new Date().toISOString(),
    },
  ];

  const deployments: Deployment[] = [
    {
      id: "d1",
      amount: 1000,
      title: "Leakage",
      category: "Leakage",
      created_at: new Date().toISOString(),
    },
    {
      id: "d2",
      amount: 500,
      title: "Asset",
      category: "Asset",
      created_at: new Date().toISOString(),
    },
  ];

  const alignment = calculateStrategicAlignment(
    objectives,
    deployments,
    0,
    0,
    0,
    [],
  );

  assert.ok(alignment.strategicAllocationSignals.length > 0);
  assert.ok(
    alignment.strategicAllocationSignals[0].includes(
      "Leakage deployments exceeded Asset deployments",
    ),
  );
});
```

FILE: src\libanalytics\types.ts

```
import { MetadataQualitySummary } from "../finance/metadataQuality";
import { DeploymentAdvancedContext } from "../finance/deploymentContext";
import { Account } from "../finance/accounts";
import { Liability } from "../finance/liabilities";
```

Axiom Repository Audit

```
import { IncomeStream } from "../finance/income";
import { FinancialGoal } from "../finance/goals";
import { StrategicObjective } from "../finance/objectives";

export type { Account, AccountType } from "../finance/accounts";
export type { Liability, LiabilityType } from "../finance/liabilities";
export type { IncomeStream, IncomeType } from "../finance/income";
export type {
  FinancialGoal,
  GoalType,
  GoalPriority,
  GoalStatus,
} from "../finance/goals";
export type {
  StrategicObjective,
  ObjectiveType,
  ObjectivePriority,
  ObjectiveStatus,
} from "../finance/objectives";

export type BaselineCadence =
  | "daily"
  | "weekly"
  | "biweekly"
  | "monthly"
  | "quarterly"
  | "yearly";

export type BaselineType = "expense" | "allocation";

export interface OperationalBaseline {
  id: string;
  user_id: string;
  title: string;
  amount: number;
  category: string;
  cadence: BaselineCadence;
  execution_day?: number | null;
  last_executed_at?: string | null;
  is_recurring: boolean;
  baseline_type: BaselineType;
  is_active: boolean;
  notes?: string | null;
  created_at: string;
  updated_at: string;
  deleted_at?: string | null;
}

export interface Deployment {
  id: string;
  amount: number;
  created_at: string;
  category?: string | null;
  title: string;
  advanced_context?: DeploymentAdvancedContext | null;
  account_id?: string | null;
  deleted_at?: string | null;
}

export interface StrategicAlignment {
  fundingRatios: Record<string, number>; // objective_id -> ratio (0-100)
  alignmentPressure: number; // 0-100 deterministic score
  liquiditySufficiency: {
    isSufficient: boolean;
    message: string;
  };
}
```

Axiom Repository Audit

```
    shortfall: number;
  };
  objectiveStarvationSignals: string[];
  strategicAllocationSignals: string[];
  velocity: Record<
    string,
    "stable" | "accelerating" | "stagnant" | "regressing"
  >;
}

export interface AnalyticsSummary {
  totalDeployed: number;
  averageDeployment: number;
  dailyBurnRate: number;
  runwayDays: number | null;
  categoryBreakdown: Record<string, number>;
  deploymentCount: number;
  metadataQuality: MetadataQualitySummary;
  // Liability System v1
  totalLiabilities: number;
  netWorth: number;
  totalAssets: number;
  liquidity: number;
  // Income Engine v1
  totalMonthlyIncome: number;
  recurringIncome: number;
  irregularIncome: number;
  incomeConcentration: Record<string, number>;
  maxIncomeConcentrationRatio: number;
  adjustedDailyBurn: number;
  // Goal System v1
  totalStrategicTargets: number;
  totalCurrentProgress: number;
  averageGoalProgress: number;
  criticalGoalCount: number;
  fundingGap: number;
  // Strategic Objectives v1
  strategicAlignment: StrategicAlignment;
  // Operational Baseline v1
  totalStructuralMonthlyBurn: number;
  totalSystemicMonthlyAllocation: number;
  pendingVerificationCount: number;
}
```

FILE: src\lib\context\behavioralFlags.ts

```
import { TrendState } from "../contextTypes";

/**
 * Identifies discrete behavioral signals for AI interpretation.
 * Objective: High signal, low token usage.
 */

export const generateBehavioralFlags = (params: {
  burnTrend: TrendState;
  volatility: number;
  concentration: number;
  runwayDays: number | null;
  dominantCategory: string;
}): string[] => {
  const flags: string[] = [];

  // 1. Burn Signals
```

Axiom Repository Audit

```
if (params.burnTrend === "increasing") flags.push("accelerating_burn");
if (params.burnTrend === "decreasing") flags.push("burn_optimization_detected");

// 2. Consistency Signals
if (params.volatility > 0.6) flags.push("erratic_spending_pattern");
if (params.volatility < 0.2 && params.volatility > 0) flags.push("high_operational_discipline");

// 3. Allocation Signals
if (params.concentration > 0.7) flags.push(`heavy_concentration:${params.dominantCategory.toLowerCase()}`);
if (params.concentration < 0.3) flags.push("fragmented_capital_allocation");

// 4. Criticality Signals
if (params.runwayDays !== null && params.runwayDays < 30) flags.push("critical_runway_warning");
if (params.runwayDays !== null && params.runwayDays > 180) flags.push("extended_operational_security");

return flags;
};

/**
 * Analyzes category concentration.
 * Returns a score between 0 (even spread) and 1 (all in one category).
 */
export const calculateConcentrationScore = (distribution: Record<string, number>): number => {
  const values = Object.values(distribution);
  if (values.length === 0) return 0;
  if (values.length === 1) return 1;

  // Use Herfindahl-Hirschman Index (HHI) approach for concentration
  // Sum of squares of shares
  const hhi = values.reduce((sum, val) => sum + Math.pow(val, 2), 0);
  return hhi;
};
```

FILE: src/lib/context/buildBehavioralContext.ts

```
import { BehavioralContext, ContextInput } from "../contextTypes";

import {
  calculateTrendState,
  calculateVolatility,
  inferDiscipline,
} from "../trendAnalysis";
import {
  generateBehavioralFlags,
  calculateConcentrationScore,
} from "../behavioralFlags";
import { isValidCategory } from "../finance/taxonomy";

/**
 * Axiom Behavioral Context Builder
 * Transforms analytics signals into a stable behavioral state for Kairos.
 */
export const buildBehavioralContext = (
  input: ContextInput,
  deploymentAmounts: number[],
): BehavioralContext => {
  const { currentAnalytics, historicalMetrics } = input;

  // 1. Calculate Trends
  const burnTrend = calculateTrendState(
    currentAnalytics.dailyBurnRate,
    historicalMetrics?.previousBurnRate || 0,
  );
```

Axiom Repository Audit

```
const runwayDelta =
  currentAnalytics.runwayDays !== null &&
  historicalMetrics?.previousRunwayDays !== undefined
    ? currentAnalytics.runwayDays -
      (historicalMetrics.previousRunwayDays || 0)
    : 0;

// 2. Allocation Analysis
// 2. Allocation Analysis
const total = currentAnalytics.totalDeployed || 1;
const distribution: Record<string, number> = {};
let dominantCategory = "None";
let maxAmt = -1;

let unclassifiedTotal = 0;

Object.entries(currentAnalytics.categoryBreakdown).forEach(([cat, amt]) => {
  if (!isValidCategory(cat)) {
    unclassifiedTotal += amt;
  } else {
    distribution[cat] = amt / total;
    if (amt > maxAmt) {
      maxAmt = amt;
      dominantCategory = cat;
    }
  }
});

// Add the merged 'Unclassified' group
if (unclassifiedTotal > 0) {
  distribution["Unclassified"] = unclassifiedTotal / total;
  if (unclassifiedTotal > maxAmt) {
    dominantCategory = "Unclassified";
  }
}

const concentrationScore = calculateConcentrationScore(distribution);
const volatility = calculateVolatility(deploymentAmounts);

// 3. Efficiency Calculation (Heuristic)
// Starts at 100, penalized by volatility, accelerating burn, and low runway.
let efficiency = 100;
efficiency -= volatility * 60; // Much more sensitive to erratic spending
if (burnTrend === "increasing") efficiency -= 15;
if (currentAnalytics.runwayDays && currentAnalytics.runwayDays < 90)
  efficiency -= 40; // Aggressive penalty for low runway

// 4. Status Determination

// 4. Status Determination
let runwayStatus: "healthy" | "concerning" | "critical" = "healthy";
if (currentAnalytics.runwayDays !== null) {
  if (currentAnalytics.runwayDays < 30) runwayStatus = "critical";
  else if (currentAnalytics.runwayDays < 90) runwayStatus = "concerning";
}

return {
  generatedAt: new Date().toISOString(),
  deploymentCount: currentAnalytics.deploymentCount,
  capitalEfficiencyScore: Math.round(Math.max(efficiency, 0)),

  netWorth: currentAnalytics.netWorth,
  liquidity: currentAnalytics.liquidity,
  totalMonthlyIncome: currentAnalytics.totalMonthlyIncome,
```

Axiom Repository Audit

```
maxIncomeConcentrationRatio: currentAnalytics.maxIncomeConcentrationRatio,
pendingVerificationCount: currentAnalytics.pendingVerificationCount,

strategicAlignment: currentAnalytics.strategicAlignment,

burnRate: {
  current: currentAnalytics.dailyBurnRate,
  trend: burnTrend,
  monthlyProjection: currentAnalytics.dailyBurnRate * 30,
},

runway: {
  currentDays: currentAnalytics.runwayDays,
  deltaDays: runwayDelta,
  status: runwayStatus,
},

allocation: {
  dominantCategory,
  categoryDistribution: distribution,
  concentrationScore,
},

volatilityScore: volatility,

metadataQuality: currentAnalytics.metadataQuality,

disciplineTrend: inferDiscipline(burnTrend, runwayDelta),

behavioralFlags: generateBehavioralFlags({
  burnTrend,
  volatility,
  concentration: concentrationScore,
  runwayDays: currentAnalytics.runwayDays,
  dominantCategory,
})),
};
};

/**
 * Context Compression
 * Strips metadata to optimize for LLM token usage while preserving signal.
 */
export const compressContextForAI = (context: BehavioralContext): string => {
  return JSON.stringify({
    score: context.capitalEfficiencyScore,
    burn: `${context.burnRate.current}/day (${context.burnRate.trend})`,
    runway: `${context.runway.currentDays}d (${context.runway.status})`,
    allocation: `${context.allocation.dominantCategory} (conc: ${context.allocation.concentrationScore.toFixed(2)})`,
    flags: context.behavioralFlags.join(","),
    discipline: context.disciplineTrend,
    metadata: `${context.metadataQuality.lowQualityCount}/${context.deploymentCount} low-quality labels`,
  });
};
```

FILE: src\\lib\\context\\contextTypes.ts

```
import { StrategicAlignment } from "../analytics/types";
import { MetadataQualitySummary } from "../finance/metadataQuality";

export type TrendState = "increasing" | "stable" | "decreasing";
export type DisciplineState = "improving" | "stable" | "declining";
```

Axiom Repository Audit

```
export interface AllocationState {
  dominantCategory: string;
  categoryDistribution: Record<string, number>; // Percentage based (0-1)
  concentrationScore: number; // 0 to 1, where 1 is total concentration in one category
}

export interface BehavioralContext {
  generatedAt: string;
  deploymentCount: number;

  // High-level aggregate metric (0-100)
  capitalEfficiencyScore: number;

  netWorth: number;
  liquidity: number;
  totalMonthlyIncome: number;
  maxIncomeConcentrationRatio: number;
  pendingVerificationCount: number;

  strategicAlignment: StrategicAlignment;

  burnRate: {
    current: number;
    trend: TrendState;
    monthlyProjection: number;
  };

  runway: {
    currentDays: number | null;
    deltaDays: number; // Change from previous context
    status: "healthy" | "concerning" | "critical";
  };

  allocation: AllocationState;

  // Discrete behavioral markers
  behavioralFlags: string[];

  // Measure of spending consistency
  volatilityScore: number; // 0 to 1, higher is more erratic

  metadataQuality: MetadataQualitySummary;

  disciplineTrend: DisciplineState;
}

/**
 * Input required for the context builder.
 * Represents the current state vs a previous snapshot.
 */
export interface ContextInput {
  currentAnalytics: {
    totalDeployed: number;
    dailyBurnRate: number;
    runwayDays: number | null;
    categoryBreakdown: Record<string, number>;
    deploymentCount: number;
    metadataQuality: MetadataQualitySummary;
    netWorth: number;
    liquidity: number;
    totalMonthlyIncome: number;
    maxIncomeConcentrationRatio: number;
    pendingVerificationCount: number;
    strategicAlignment: StrategicAlignment;
  };
};
```

Axiom Repository Audit

```
historicalMetrics?: {  
  previousBurnRate: number;  
  previousRunwayDays: number | null;  
  previousTotalDeployed: number;  
};  
}
```

FILE: src\lib\context\trendAnalysis.ts

```
import { TrendState, DisciplineState } from "../contextTypes";  
  
/**  
 * Determines the trend direction between two values.  
 * Threshold (0.05) prevents noise from triggering trend shifts.  
 */  
export const calculateTrendState = (  
  current: number,  
  previous: number,  
  threshold: number = 0.05  
): TrendState => {  
  if (!previous || previous === 0) return "stable";  
  
  const change = (current - previous) / previous;  
  
  if (change > threshold) return "increasing";  
  if (change < -threshold) return "decreasing";  
  return "stable";  
};  
  
/**  
 * Calculates a volatility score (0-1) based on the variance of deployment sizes.  
 * High variance = High volatility (erratic spending).  
 */  
export const calculateVolatility = (amounts: number[]): number => {  
  if (amounts.length < 2) return 0;  
  
  const mean = amounts.reduce((a, b) => a + b, 0) / amounts.length;  
  const variance = amounts.reduce((a, b) => a + Math.pow(b - mean, 2), 0) / amounts.length;  
  const stdDev = Math.sqrt(variance);  
  
  // Normalize volatility relative to the mean.  
  // A standard deviation equal to the mean results in a score of 0.5.  
  const score = stdDev / (mean + stdDev);  
  return Math.min(Math.max(score, 0), 1);  
};  
  
/**  
 * Infers discipline trend by observing burn rate vs total deployment.  
 */  
export const inferDiscipline = (  
  burnTrend: TrendState,  
  runwayDelta: number  
): DisciplineState => {  
  if (burnTrend === "decreasing" && runwayDelta > 0) return "improving";  
  if (burnTrend === "increasing" && runwayDelta < 0) return "declining";  
  return "stable";  
};
```

FILE: src\lib\dashboard\types.ts

```
import {
```

Axiom Repository Audit

```
Deployment,
Account,
Liability,
IncomeStream,
FinancialGoal,
StrategicObjective,
OperationalBaseline,
AnalyticsSummary,
} from "../analytics/types";
import { KairosInsight } from "../ai/kairos";

export interface DashboardSnapshot {
  authenticated: boolean;
  deployments: Deployment[];
  accounts: Account[];
  liabilities: Liability[];
  incomeStreams: IncomeStream[];
  goals: FinancialGoal[];
  objectives: StrategicObjective[];
  baseline: OperationalBaseline[];
  analytics: AnalyticsSummary | null;
  liquidity: number;
  kairosInsight: KairosInsight | null;
}
```

FILE: src/lib/db/accounts.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateAccount, type AccountType } from "../finance/accounts";

export async function getAccounts(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("accounts")
    .select("*")
    .is("deleted_at", null)
    .order("account_name", { ascending: true });

  if (error) throw error;
  return data;
}

export async function createAccount(
  supabase: SupabaseClient,
  userId: string,
  data: {
    account_name: string;
    account_type: string;
    current_balance: number;
    institution?: string;
    currency?: string;
    deleted_at?: string | null;
  },
) {
  const validated = validateAccount({
    account_name: data.account_name,
    account_type: data.account_type,
    current_balance: data.current_balance,
  });

  const { data: account, error } = await supabase
    .from("accounts")
    .insert({
      user_id: userId,
```

Axiom Repository Audit

```
    account_name: validated.account_name,
    account_type: validated.account_type,
    current_balance: validated.current_balance,
    institution: data.institution,
    currency: data.currency || "KSh",
  })
  .select()
  .single();

  if (error) throw error;
  return account;
}

export async function updateAccount(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: {
    account_name?: string;
    account_type?: string;
    current_balance?: number;
    institution?: string;
    deleted_at?: string | null;
  },
) {
  const dbUpdates: Record<string, unknown> = { ...updates };

  if (
    updates.account_name !== undefined ||
    updates.account_type !== undefined ||
    updates.current_balance !== undefined
  ) {
    // Basic validation for what's provided
    if (
      updates.account_name !== undefined &&
      updates.account_name.trim().length === 0
    ) {
      throw new Error("Account name is required.");
    }
    // Note: We don't use full validateAccount here to allow partial updates
  }

  const { data, error } = await supabase
    .from("accounts")
    .update(dbUpdates)
    .eq("id", id)
    .eq("user_id", userId)
    .select()
    .single();

  if (error) throw error;
  return data;
}

export async function deleteAccount(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("accounts")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);
}
```

Axiom Repository Audit

```
    if (error) throw error;
    return true;
}
```

FILE: src\lib\db\audit.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";

export type AuditRecordType = "deployment" | "income" | "liability";

export interface AuditRecord {
  id: string;
  type: AuditRecordType;
  name: string;
  amount: number;
  cadence?: string;
  deleted_at: string;
  original_created_at: string;
}

/**
 * Retrieves all soft-deleted records from the ledger tables (deployments, income_streams, liabilities).
 * Returns a unified, chronologically sorted timeline of deletions.
 */
export async function getDeletedLedgerRecords(
  supabase: SupabaseClient,
  userId: string,
): Promise<AuditRecord[]> {
  const [deployments, incomeStreams, liabilities] = await Promise.all([
    supabase
      .from("deployments")
      .select("id, title, amount, deleted_at, created_at")
      .eq("user_id", userId)
      .not("deleted_at", "is", null),
    supabase
      .from("income_streams")
      .select("id, income_name, amount, cadence, deleted_at, created_at")
      .eq("user_id", userId)
      .not("deleted_at", "is", null),
    supabase
      .from("liabilities")
      .select("id, liability_name, outstanding_balance, deleted_at, created_at")
      .eq("user_id", userId)
      .not("deleted_at", "is", null),
  ]);

  if (deployments.error) throw deployments.error;
  if (incomeStreams.error) throw incomeStreams.error;
  if (liabilities.error) throw liabilities.error;

  const normalizedDeployments: AuditRecord[] = (deployments.data || []).map(
    (d) => ({
      id: d.id,
      type: "deployment",
      name: d.title,
      amount: d.amount,
      deleted_at: d.deleted_at!,
      original_created_at: d.created_at,
    })),
  );

  const normalizedIncome: AuditRecord[] = (incomeStreams.data || []).map(
    (i) => ({
```

Axiom Repository Audit

```
      id: i.id,
      type: "income",
      name: i.income_name,
      amount: i.amount,
      cadence: i.cadence,
      deleted_at: i.deleted_at!,
      original_created_at: i.created_at,
    }},
  );

const normalizedLiabilities: AuditRecord[] = (liabilities.data || []).map(
  (l) => ({
    id: l.id,
    type: "liability",
    name: l.liability_name,
    amount: l.outstanding_balance,
    deleted_at: l.deleted_at!,
    original_created_at: l.created_at,
  })),
);

return [
  ...normalizedDeployments,
  ...normalizedIncome,
  ...normalizedLiabilities,
].sort(
  (a, b) =>
    new Date(b.deleted_at).getTime() - new Date(a.deleted_at).getTime(),
);
}
```

FILE: src/lib/db/baseline.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { OperationalBaseline } from "../../analytics/types";

export async function getOperationalBaseline(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("operational_baseline")
    .select("*")
    .is("deleted_at", null)
    .order("created_at", { ascending: true });

  if (error) throw error;
  return data as OperationalBaseline[];
}

export async function createOperationalBaseline(
  supabase: SupabaseClient,
  userId: string,
  data: Omit<
    OperationalBaseline,
    "id" | "user_id" | "created_at" | "updated_at" | "deleted_at"
  >,
) {
  const { data: baseline, error } = await supabase
    .from("operational_baseline")
    .insert({
      user_id: userId,
      ...data,
    })
    .select()
    .single();
}
```

Axiom Repository Audit

```
    if (error) throw error;
    return baseline as OperationalBaseline;
}

export async function updateOperationalBaseline(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: Partial<
    Omit<
      OperationalBaseline,
      "id" | "user_id" | "created_at" | "updated_at" | "deleted_at"
    >
  >,
) {
  const { data: baseline, error } = await supabase
    .from("operational_baseline")
    .update(updates)
    .eq("id", id)
    .eq("user_id", userId)
    .select()
    .single();

  if (error) throw error;
  return baseline as OperationalBaseline;
}

export async function deleteOperationalBaseline(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("operational_baseline")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);

  if (error) throw error;
  return true;
}
```

FILE: src/lib/db/deployments.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateDeployment } from "../../finance/validateDeployment";
import {
  hasDeploymentAdvancedContext,
  type DeploymentAdvancedContextInput,
} from "../../finance/deploymentContext";

function isMissingAdvancedContextColumn(error: { message?: string }) {
  return Boolean(error.message?.toLowerCase().includes("advanced_context"));
}

export async function getDeployments(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("deployments")
    .select("*")
    .is("deleted_at", null)
    .order("created_at", { ascending: false });
```

Axiom Repository Audit

```
    if (error) throw error;
    return data;
  }

  /**
   * Creates a new deployment record.
   * Guaranteed to pass through the Taxonomy Enforcement Gate.
   */
  export async function createDeployment(
    supabase: SupabaseClient,
    title: string,
    amount: number,
    userId: string,
    category: string,
    impactScore: number = 0,
    advancedContext: DeploymentAdvancedContextInput = {},
    accountId?: string,
  ) {
    // 1. Pass through Taxonomy Enforcement Gate
    const validated = validateDeployment({
      title,
      amount,
      category,
      impactScore,
      advancedContext,
    });

    // 2. Database Write (Verified Truth)
    const deploymentRecord = {
      title: validated.title,
      amount: validated.amount,
      user_id: userId,
      category: validated.category,
      impact_score: validated.impactScore,
      account_id: accountId || null,
      ...(hasDeploymentAdvancedContext(validated.advancedContext)
        ? { advanced_context: validated.advancedContext }
        : {}),
    };

    const { data, error } = await supabase
      .from("deployments")
      .insert(deploymentRecord);

    if (error) {
      if (
        hasDeploymentAdvancedContext(validated.advancedContext) &&
        isMissingAdvancedContextColumn(error)
      ) {
        throw new Error(
          "Advanced Context schema unavailable. Apply supabase-setup.sql before saving advanced deployment metadata.",
        );
      }

      throw error;
    }
    return data;
  }

  /**
   * Updates an existing deployment record.
   * Enforces partial taxonomy validation for updated fields.
   */
  export async function updateDeployment(
    supabase: SupabaseClient,
```

Axiom Repository Audit

```
id: string,
userId: string,
updates: {
  title?: string;
  amount?: number;
  category?: string;
  impact_score?: number;
  advancedContext?: DeploymentAdvancedContextInput;
  accountId?: string;
},
) {
  // 1. Enforcement for provided fields
  const dbUpdates: Record<string, unknown> = {};

  if (updates.accountId !== undefined) {
    dbUpdates.account_id = updates.accountId || null;
  }

  const shouldValidate =
    updates.title !== undefined ||
    updates.amount !== undefined ||
    updates.category !== undefined ||
    updates.advancedContext !== undefined ||
    updates.impact_score !== undefined;

  if (shouldValidate) {
    // We simulate a full input to reuse the Gate logic,
    // but only use the validated fields for the update.
    const validated = validateDeployment({
      title: updates.title ?? "Temporary Title",
      amount: updates.amount ?? 1,
      category: updates.category ?? "Leakage", // Explicit default for gate reuse
      impactScore: updates.impact_score,
      advancedContext: updates.advancedContext,
    });

    if (updates.title !== undefined) dbUpdates.title = validated.title;
    if (updates.amount !== undefined) dbUpdates.amount = validated.amount;
    if (updates.category !== undefined) dbUpdates.category = validated.category;
    if (updates.impact_score !== undefined)
      dbUpdates.impact_score = validated.impactScore;
    if (updates.advancedContext !== undefined)
      dbUpdates.advanced_context = validated.advancedContext;
  }

  // 2. Database Update
  const { data, error } = await supabase
    .from("deployments")
    .update(dbUpdates)
    .eq("id", id)
    .eq("user_id", userId);

  if (error) {
    if (
      updates.advancedContext !== undefined &&
      isMissingAdvancedContextColumn(error)
    ) {
      throw new Error(
        "Advanced Context schema unavailable. Apply supabase-setup.sql before saving advanced deployment metadata.",
      );
    }
  }

  throw error;
}
return data;
```

Axiom Repository Audit

```
}

export async function deleteDeployment(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("deployments")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);

  if (error) throw error;
  return true;
}
```

FILE: src/lib/db/goals.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateGoal } from "../finance/goals";
```

```
export async function getGoals(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("financial_goals")
    .select("*")
    .is("deleted_at", null)
    .order("priority", { ascending: false });

  if (error) throw error;
  return data;
}
```

```
export async function createGoal(
  supabase: SupabaseClient,
  userId: string,
  data: {
    goal_name: string;
    goal_type: string;
    target_amount: number;
    current_progress?: number;
    target_date?: string | null;
    priority: string;
    status: string;
    notes?: string;
    deleted_at?: string | null;
  },
) {
  const validated = validateGoal({
    goal_name: data.goal_name,
    goal_type: data.goal_type,
    target_amount: data.target_amount,
    current_progress: data.current_progress,
    priority: data.priority,
    status: data.status,
    target_date: data.target_date,
    notes: data.notes,
  });

  const { data: goal, error } = await supabase
    .from("financial_goals")
    .insert({
      user_id: userId,
```

Axiom Repository Audit

```
    goal_name: validated.goal_name,
    goal_type: validated.goal_type,
    target_amount: validated.target_amount,
    current_progress: validated.current_progress,
    target_date: validated.target_date,
    priority: validated.priority,
    status: validated.status,
    notes: validated.notes,
  })
  .select()
  .single();

  if (error) throw error;
  return goal;
}

export async function updateGoal(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: {
    goal_name?: string;
    goal_type?: string;
    target_amount?: number;
    current_progress?: number;
    target_date?: string | null;
    priority?: string;
    status?: string;
    notes?: string | null;
    deleted_at?: string | null;
  },
) {
  const dbUpdates: Record<string, unknown> = { ...updates };

  if (
    updates.goal_name !== undefined &&
    updates.goal_name.trim().length === 0
  ) {
    throw new Error("Goal name is required.");
  }

  const { data, error } = await supabase
    .from("financial_goals")
    .update(dbUpdates)
    .eq("id", id)
    .eq("user_id", userId)
    .select()
    .single();

  if (error) throw error;
  return data;
}

export async function deleteGoal(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("financial_goals")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);

  if (error) throw error;
}
```

Axiom Repository Audit

```
    return true;
  }
```

FILE: src/lib/db/income.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateIncomeStream } from "../finance/income";

export async function getIncomeStreams(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("income_streams")
    .select("*")
    .is("deleted_at", null)
    .order("income_name", { ascending: true });

  if (error) throw error;
  return data;
}

export async function createIncomeStream(
  supabase: SupabaseClient,
  userId: string,
  data: {
    income_name: string;
    income_type: string;
    amount: number;
    cadence: string;
    execution_day?: number | null;
    is_recurring?: boolean;
    source?: string;
    currency?: string;
    start_date?: string;
    end_date?: string | null;
    deleted_at?: string | null;
  },
) {
  const validated = validateIncomeStream({
    income_name: data.income_name,
    income_type: data.income_type,
    amount: data.amount,
    cadence: data.cadence,
    execution_day: data.execution_day,
    is_recurring: data.is_recurring,
  });

  const { data: stream, error } = await supabase
    .from("income_streams")
    .insert({
      user_id: userId,
      income_name: validated.income_name,
      income_type: validated.income_type,
      amount: validated.amount,
      cadence: validated.cadence,
      execution_day: validated.execution_day,
      is_recurring: validated.is_recurring,
      source: data.source,
      currency: data.currency || "KSh",
      start_date: data.start_date || new Date().toISOString().split("T")[0],
      end_date: data.end_date,
    })
    .select()
    .single();
}
```

Axiom Repository Audit

```
    if (error) throw error;
    return stream;
  }

export async function createIncomeStreams(
  supabase: SupabaseClient,
  userId: string,
  inputs: {
    income_name: string;
    income_type: string;
    amount: number;
    cadence: string;
    execution_day?: number | null;
    is_recurring?: boolean;
    source?: string;
    currency?: string;
    start_date?: string;
    end_date?: string | null;
    deleted_at?: string | null;
  }[],
) {
  const validatedInputs = inputs.map((data) => {
    const validated = validateIncomeStream({
      income_name: data.income_name,
      income_type: data.income_type,
      amount: data.amount,
      cadence: data.cadence,
      execution_day: data.execution_day,
      is_recurring: data.is_recurring,
    });

    return {
      user_id: userId,
      income_name: validated.income_name,
      income_type: validated.income_type,
      amount: validated.amount,
      cadence: validated.cadence,
      execution_day: validated.execution_day,
      is_recurring: validated.is_recurring,
      source: data.source,
      currency: data.currency || "KSh",
      start_date: data.start_date || new Date().toISOString().split("T")[0],
      end_date: data.end_date,
    };
  });

  const { data: streams, error } = await supabase
    .from("income_streams")
    .insert(validatedInputs)
    .select();

  if (error) throw error;
  return streams;
}

export async function updateIncomeStream(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: {
    income_name?: string;
    income_type?: string;
    amount?: number;
    cadence?: string;
    execution_day?: number | null;
  }
)
```

Axiom Repository Audit

```
    last_executed_at?: string | null;
    is_recurring?: boolean;
    source?: string;
    start_date?: string;
    end_date?: string | null;
    deleted_at?: string | null;
  },
) {
  const dbUpdates: Record<string, unknown> = { ...updates };

  if (
    updates.income_name !== undefined &&
    updates.income_name.trim().length === 0
  ) {
    throw new Error("Income name is required.");
  }

  const { data, error } = await supabase
    .from("income_streams")
    .update(dbUpdates)
    .eq("id", id)
    .eq("user_id", userId)
    .select()
    .single();

  if (error) throw error;
  return data;
}

export async function deleteIncomeStream(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("income_streams")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);

  if (error) throw error;
  return true;
}
```

FILE: src/lib/db/insights.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import type { KairosInsight } from "@lib/ai/kairos";

export async function saveInsight(
  supabase: SupabaseClient,
  insight: KairosInsight,
  userId: string,
) {
  const { data, error } = await supabase.from("kairos_insights").insert({
    user_id: userId,
    type: insight.type,
    category: insight.category,
    confidence: 1.0, // Deterministic logic has absolute confidence
    message: insight.message,
    metadata: {
      related_ids: [],
      metadata_quality: insight.metadataQuality || null,
    },
  });
```

Axiom Repository Audit

```
    severity: insight.severity,
    supporting_signals: insight.supportingSignals,
    runway: insight.runway,
    capital_efficiency: insight.capitalEfficiency,
    is_silent: insight.isSilent,
    timestamp: insight.timestamp,
    source: "server_orchestrator_v5e",
  },
});

if (error) {
  console.error("Error saving insight:", error);
  throw error;
}
return data;
}

export async function getInsights(supabase: SupabaseClient, limit: number = 5) {
  const { data, error } = await supabase
    .from("kairos_insights")
    .select("*")
    .order("created_at", { ascending: false })
    .limit(limit);

  if (error) {
    console.error("Error fetching insights:", error);
    throw error;
  }
  return data;
}
```

FILE: src/lib/db/liabilities.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateLiability } from "../finance/liabilities";

export async function getLiabilities(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("liabilities")
    .select("*")
    .is("deleted_at", null)
    .order("liability_name", { ascending: true });

  if (error) throw error;
  return data;
}

export async function createLiability(
  supabase: SupabaseClient,
  userId: string,
  data: {
    liability_name: string;
    liability_type: string;
    outstanding_balance: number;
    interest_rate?: number;
    is_paid_in_cadences?: boolean;
    cadence?: string | null;
    cadence_day_date?: string | null;
    cadence_amount?: number | null;
    due_date?: string | null;
    institution?: string;
    currency?: string;
    deleted_at?: string | null;
  }) {
```

Axiom Repository Audit

```
    },
  ) {
    const validated = validateLiability({
      liability_name: data.liability_name,
      liability_type: data.liability_type,
      outstanding_balance: data.outstanding_balance,
      interest_rate: data.interest_rate,
      is_paid_in_cadences: data.is_paid_in_cadences,
      cadence: data.cadence,
      cadence_day_date: data.cadence_day_date,
      cadence_amount: data.cadence_amount,
    });

    const { data: liability, error } = await supabase
      .from("liabilities")
      .insert({
        user_id: userId,
        liability_name: validated.liability_name,
        liability_type: validated.liability_type,
        outstanding_balance: validated.outstanding_balance,
        interest_rate: validated.interest_rate,
        is_paid_in_cadences: validated.is_paid_in_cadences,
        cadence: validated.cadence,
        cadence_day_date: validated.cadence_day_date,
        cadence_amount: validated.cadence_amount,
        due_date: data.due_date,
        institution: data.institution,
        currency: data.currency || "KSh",
      })
      .select()
      .single();

    if (error) throw error;
    return liability;
  }

export async function updateLiability(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: {
    liability_name?: string;
    liability_type?: string;
    outstanding_balance?: number;
    interest_rate?: number;
    is_paid_in_cadences?: boolean;
    cadence?: string | null;
    cadence_day_date?: string | null;
    cadence_amount?: number | null;
    last_executed_at?: string | null;
    due_date?: string | null;
    institution?: string;
    deleted_at?: string | null;
  },
) {
  const dbUpdates: Record<string, unknown> = { ...updates };

  if (
    updates.liability_name !== undefined &&
    updates.liability_name.trim().length === 0
  ) {
    throw new Error("Liability name is required.");
  }

  const { data, error } = await supabase
```

Axiom Repository Audit

```
.from("liabilities")
.update(dbUpdates)
.eq("id", id)
.eq("user_id", userId)
.select()
.single();

if (error) throw error;
return data;
}

export async function deleteLiability(
  supabase: SupabaseClient,
  id: string,
  userId: string,
) {
  const { error } = await supabase
    .from("liabilities")
    .update({ deleted_at: new Date().toISOString() })
    .eq("id", id)
    .eq("user_id", userId);

  if (error) throw error;
  return true;
}
```

FILE: src/lib/db/objectives.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";
import { validateObjective } from "../../finance/objectives";

export async function getStrategicObjectives(supabase: SupabaseClient) {
  const { data, error } = await supabase
    .from("strategic_objectives")
    .select("*")
    .is("deleted_at", null)
    .order("priority_level", { ascending: false })
    .order("created_at", { ascending: false });

  if (error) throw error;
  return data;
}

export async function createStrategicObjective(
  supabase: SupabaseClient,
  userId: string,
  data: {
    objective_name: string;
    objective_type: string;
    target_amount: number;
    current_amount?: number;
    target_date?: string | null;
    priority_level: string;
    status: string;
    notes?: string;
    deleted_at?: string | null;
  },
) {
  const validated = validateObjective({
    objective_name: data.objective_name,
    objective_type: data.objective_type,
    target_amount: data.target_amount,
    current_amount: data.current_amount,
```

Axiom Repository Audit

```
    priority_level: data.priority_level,
    status: data.status,
    target_date: data.target_date,
    notes: data.notes,
  });

const { data: objective, error } = await supabase
  .from("strategic_objectives")
  .insert({
    user_id: userId,
    objective_name: validated.objective_name,
    objective_type: validated.objective_type,
    target_amount: validated.target_amount,
    current_amount: validated.current_amount,
    target_date: validated.target_date,
    priority_level: validated.priority_level,
    status: validated.status,
    notes: validated.notes,
  })
  .select()
  .single();

if (error) throw error;
return objective;
}

export async function updateStrategicObjective(
  supabase: SupabaseClient,
  id: string,
  userId: string,
  updates: {
    objective_name?: string;
    objective_type?: string;
    target_amount?: number;
    current_amount?: number;
    target_date?: string | null;
    priority_level?: string;
    status?: string;
    notes?: string | null;
    deleted_at?: string | null;
  },
) {
  // If objective_name is provided, validate it's not empty
  if (
    updates.objective_name !== undefined &&
    updates.objective_name.trim().length === 0
  ) {
    throw new Error("Objective name is required.");
  }

  const { data, error } = await supabase
    .from("strategic_objectives")
    .update(updates)
    .eq("id", id)
    .eq("user_id", userId)
    .select()
    .single();

  if (error) throw error;
  return data;
}

export async function deleteStrategicObjective(
  supabase: SupabaseClient,
  id: string,
```

Axiom Repository Audit

```
    userId: string,
  ) {
    const { error } = await supabase
      .from("strategic_objectives")
      .update({ deleted_at: new Date().toISOString() })
      .eq("id", id)
      .eq("user_id", userId);

    if (error) throw error;
    return true;
  }
```

FILE: src\lib\db\settings.ts

```
import type { SupabaseClient } from "@supabase/supabase-js";

export async function getUserSettings(
  supabase: SupabaseClient,
  userId: string,
) {
  const { data, error } = await supabase
    .from("user_settings")
    .select("*")
    .eq("user_id", userId)
    .maybeSingle();

  if (error) throw error;
  return data;
}

export async function updateLiquidity(
  supabase: SupabaseClient,
  userId: string,
  amount: number,
) {
  const { data, error } = await supabase
    .from("user_settings")
    .upsert({
      user_id: userId,
      total_liquidity: amount,
      updated_at: new Date().toISOString(),
    })
    .select()
    .single();

  if (error) throw error;
  return data;
}
```

FILE: src\lib\db\telemetry.ts

```
import { createClient } from "@lib/supabase/server";

/**
 * TELEMETRY SERVICE (Phase 1)
 * Records insight evaluation events for observability.
 */
export async function logKairosEvaluation(data: {
  ruleId: string;
  severity: string;
  durationMs: number;
```

Axiom Repository Audit

```
}) {
  try {
    let supabase;
    try {
      supabase = await createClient();
    } catch (_e) {
      // If we're in a test environment or outside a request scope, cookies() will fail.
      // We silently exit as telemetry is non-critical for these contexts.
      return;
    }

    const {
      data: { user },
    } = await supabase.auth.getUser();
    if (!user) return;

    // Record evaluation event to kairos_insights table.
    // This phase uses the rule registry ID and performance metadata.
    const { error } = await supabase.from("kairos_insights").insert({
      user_id: user.id,
      rule_id: data.ruleId,
      severity: data.severity,
      evaluation_time_ms: data.durationMs,
    });

    if (error) {
      console.error("[Telemetry] Error recording evaluation:", error.message);
    }
  } catch (err) {
    // Observability must be non-blocking; we swallow errors to protect primary flows.
    console.error("[Telemetry] Critical failure in logging:", err);
  }
}
```

FILE: src/lib/finance/accounts.ts

```
export const ACCOUNT_TYPES = [
  { value: "checking", label: "Checking" },
  { value: "savings", label: "Savings" },
  { value: "mobile_money", label: "Mobile Money" },
  { value: "brokerage", label: "Brokerage" },
  { value: "crypto", label: "Crypto" },
  { value: "cash", label: "Cash" },
] as const;

export type AccountType = (typeof ACCOUNT_TYPES)[number]["value"];

export interface Account {
  id: string;
  user_id: string;
  account_name: string;
  account_type: AccountType;
  current_balance: number;
  currency: string;
  institution?: string | null;
  created_at: string;
  updated_at: string;
  deleted_at?: string | null;
}

export function isValidAccountType(type: string): type is AccountType {
  return ACCOUNT_TYPES.some((t) => t.value === type);
}
```

Axiom Repository Audit

```
export function validateAccount(data: {
  account_name: string;
  account_type: string;
  current_balance: number;
}) {
  if (!data.account_name || data.account_name.trim().length === 0) {
    throw new Error("Account name is required.");
  }

  if (!isValidAccountType(data.account_type)) {
    throw new Error(`Invalid account type: ${data.account_type}`);
  }

  if (isNaN(data.current_balance)) {
    throw new Error("Initial balance must be a number.");
  }

  return {
    account_name: data.account_name.trim(),
    account_type: data.account_type as AccountType,
    current_balance: data.current_balance,
  };
}
```

FILE: src\lib\finance\deploymentContext.ts

```
export const EXPECTED_RETURN_HORIZONS = [
  { value: "short-term", label: "Short-term" },
  { value: "medium-term", label: "Medium-term" },
  { value: "long-term", label: "Long-term" },
] as const;

export type ExpectedReturnHorizon =
  (typeof EXPECTED_RETURN_HORIZONS)[number]["value"];

export interface DeploymentAdvancedContext {
  associatedAccount?: string;
  expectedReturnHorizon?: ExpectedReturnHorizon;
  tags?: string[];
}

export interface DeploymentAdvancedContextInput {
  associatedAccount?: string | null;
  expectedReturnHorizon?: string | null;
  tags?: string | string[] | null;
}

const EXPECTED_RETURN_HORIZON_VALUES = new Set(
  EXPECTED_RETURN_HORIZONS.map((horizon) => horizon.value),
);

export function isExpectedReturnHorizon(
  value: string,
): value is ExpectedReturnHorizon {
  return EXPECTED_RETURN_HORIZON_VALUES.has(value as ExpectedReturnHorizon);
}

function normalizeTags(tags: DeploymentAdvancedContextInput["tags"]) {
  const source = Array.isArray(tags) ? tags.join(",") : tags || "";
  const normalizedTags = source
    .split(",")
    .map((tag) => tag.trim().toLowerCase())
  }
```

Axiom Repository Audit

```
.filter(Boolean);

return Array.from(new Set(normalizedTags));
}

export function normalizeDeploymentAdvancedContext(
  input: DeploymentAdvancedContextInput | null = {},
): DeploymentAdvancedContext {
  const safeInput = input || {};
  const associatedAccount = (safeInput.associatedAccount || "").trim();
  const expectedReturnHorizon = (
    safeInput.expectedReturnHorizon || ""
  ).trim();
  const tags = normalizeTags(safeInput.tags);

  if (
    expectedReturnHorizon &&
    !isExpectedReturnHorizon(expectedReturnHorizon)
  ) {
    throw new Error(
      "Context Gate: Unknown expected return horizon. Use short-term, medium-term, or long-term.",
    );
  }

  return {
    ...(associatedAccount ? { associatedAccount } : {}),
    ...(expectedReturnHorizon
      ? { expectedReturnHorizon: expectedReturnHorizon as ExpectedReturnHorizon }
      : {}),
    ...(tags.length > 0 ? { tags } : {}),
  };
}

export function hasDeploymentAdvancedContext(
  context: DeploymentAdvancedContext,
) {
  return Boolean(
    context.associatedAccount ||
    context.expectedReturnHorizon ||
    (context.tags && context.tags.length > 0),
  );
}
```

FILE: src\\lib\\finance\\financeRules.test.ts

```
import assert from "node:assert/strict";
import test from "node:test";

import {
  evaluateMetadataQuality,
  summarizeMetadataQuality,
  weightConfidenceForMetadataQuality,
} from "../metadataQuality";
import {
  normalizeDeploymentAdvancedContext,
} from "../deploymentContext";
import { isValidCategory } from "../taxonomy";
import { validateDeployment } from "../validateDeployment";

test("taxonomy validation accepts only canonical return categories", () => {
  assert.equal(isValidCategory("Asset"), true);
  assert.equal(isValidCategory("Leakage"), true);
  assert.equal(isValidCategory("Unclassified"), false);
});
```

Axiom Repository Audit

```
    assert.equal(isValidCategory("Unknown"), false);
  });

test("metadata quality scoring is deterministic for generic labels", () => {
  assert.deepEqual(evaluateMetadataQuality(" misc ").reasons, [
    "generic_label",
  ]);
  assert.equal(evaluateMetadataQuality("stuff").isLowQuality, true);
  assert.equal(evaluateMetadataQuality("Revenue engine setup").isLowQuality, false);
});

test("metadata quality summary produces stable confidence weighting", () => {
  const summary = summarizeMetadataQuality([
    { title: "misc" },
    { title: "Brokerage allocation" },
  ]);

  assert.equal(summary.lowQualityCount, 1);
  assert.equal(summary.lowQualityRatio, 0.5);
  assert.equal(summary.confidenceMultiplier, 0.93);
  assert.equal(weightConfidenceForMetadataQuality(0.9, summary), 0.84);
});

test("advanced context normalization preserves optional structured metadata", () => {
  assert.deepEqual(
    normalizeDeploymentAdvancedContext({
      associatedAccount: " Brokerage ",
      expectedReturnHorizon: "long-term",
      tags: "Ops, recurring, ops",
    }),
    {
      associatedAccount: "Brokerage",
      expectedReturnHorizon: "long-term",
      tags: ["ops", "recurring"],
    },
  );
});

test("advanced context rejects unknown return horizons", () => {
  assert.throws(
    () =>
      normalizeDeploymentAdvancedContext({
        expectedReturnHorizon: "eventually",
      }),
    /Unknown expected return horizon/,
  );
});

test("deployment validation remains the write gate", () => {
  assert.throws(
    () =>
      validateDeployment({
        title: "Capital",
        amount: 100,
        category: "Unclassified",
      }),
    /Strategic classification is mandatory/,
  );

  assert.deepEqual(
    validateDeployment({
      title: " Cloud infra ",
      amount: 500,
      category: "Leverage",
      advancedContext: {

```

Axiom Repository Audit

```
        expectedReturnHorizon: "medium-term",
        tags: "ops, infra",
    },
    }).advancedContext,
    {
        expectedReturnHorizon: "medium-term",
        tags: ["ops", "infra"],
    },
);
});
```

FILE: src/lib/finance/goals.test.ts

```
import { test } from "node:test";
import assert from "node:assert";
import { validateGoal, calculateGoalProgressPercentage } from "../goals";
import { generateSummary } from "../analytics/engine";
import type { FinancialGoal } from "../analytics/types";

test("goal validation enforces structural integrity", () => {
    const data = {
        goal_name: "Emergency Fund",
        goal_type: "emergency_fund",
        target_amount: 1000000,
        current_progress: 100000,
        priority: "critical",
        status: "active",
    };

    const validated = validateGoal(data);
    assert.strictEqual(validated.goal_name, "Emergency Fund");
    assert.strictEqual(validated.goal_type, "emergency_fund");
    assert.strictEqual(validated.target_amount, 1000000);
    assert.strictEqual(validated.current_progress, 100000);
});

test("goal progress calculation is deterministic", () => {
    assert.strictEqual(calculateGoalProgressPercentage({ target_amount: 1000, current_progress: 500 }), 50);
    assert.strictEqual(calculateGoalProgressPercentage({ target_amount: 1000, current_progress: 1000 }), 100);
    assert.strictEqual(calculateGoalProgressPercentage({ target_amount: 1000, current_progress: 1500 }), 100);
    assert.strictEqual(calculateGoalProgressPercentage({ target_amount: 0, current_progress: 500 }), 0);
});

test("strategic metrics are accurately aggregated", () => {
    const goals: FinancialGoal[] = [
        {
            id: "g1",
            user_id: "u1",
            goal_name: "G1",
            goal_type: "emergency_fund",
            target_amount: 1000,
            current_progress: 200,
            priority: "critical",
            status: "active",
            linked_account_ids: [],
            created_at: "",
            updated_at: "",
            target_date: null,
        },
        {
            id: "g2",
            user_id: "u1",
            goal_name: "G2",
```

Axiom Repository Audit

```
    goal_type: "retirement",
    target_amount: 1000,
    current_progress: 800,
    priority: "medium",
    status: "active",
    linked_account_ids: [],
    created_at: "",
    updated_at: "",
    target_date: null,
  },
];

const summary = generateSummary([], 0, [], [], [], goals);

assert.strictEqual(summary.totalStrategicTargets, 2000);
assert.strictEqual(summary.totalCurrentProgress, 1000);
assert.strictEqual(summary.averageGoalProgress, 50); // (20% + 80%) / 2
assert.strictEqual(summary.criticalGoalCount, 1);
assert.strictEqual(summary.fundingGap, 1000);
});
```

FILE: src\lib\finance\goals.ts

```
export const GOAL_TYPES = [
  { value: "emergency_fund", label: "Emergency Fund" },
  { value: "retirement", label: "Retirement" },
  { value: "home_purchase", label: "Home Purchase" },
  { value: "investment_target", label: "Investment Target" },
  { value: "business_runway", label: "Business Runway" },
  { value: "education", label: "Education" },
  { value: "debt_payoff", label: "Debt Payoff" },
  { value: "wealth_preservation", label: "Wealth Preservation" },
  { value: "other", label: "Other" },
] as const;

export type GoalType = (typeof GOAL_TYPES)[number]["value"];

export const GOAL_PRIORITIES = [
  { value: "critical", label: "Critical" },
  { value: "high", label: "High" },
  { value: "medium", label: "Medium" },
  { value: "low", label: "Low" },
] as const;

export type GoalPriority = (typeof GOAL_PRIORITIES)[number]["value"];

export const GOAL_STATUSES = [
  { value: "active", label: "Active" },
  { value: "paused", label: "Paused" },
  { value: "achieved", label: "Achieved" },
  { value: "archived", label: "Archived" },
] as const;

export type GoalStatus = (typeof GOAL_STATUSES)[number]["value"];

export interface FinancialGoal {
  id: string;
  user_id: string;
  goal_name: string;
  goal_type: GoalType;
  target_amount: number;
  current_progress: number;
  target_date: string | null;
```

Axiom Repository Audit

```
priority: GoalPriority;
status: GoalStatus;
linked_account_ids: string[];
notes?: string | null;
created_at: string;
updated_at: string;
deleted_at?: string | null;
}

export function isValidGoalType(type: string): type is GoalType {
  return GOAL_TYPES.some((t) => t.value === type);
}

export function isValidPriority(priority: string): priority is GoalPriority {
  return GOAL_PRIORITIES.some((p) => p.value === priority);
}

export function isValidStatus(status: string): status is GoalStatus {
  return GOAL_STATUSES.some((s) => s.value === status);
}

export function validateGoal(data: {
  goal_name: string;
  goal_type: string;
  target_amount: number;
  current_progress?: number;
  priority: string;
  status: string;
  target_date?: string | null;
  notes?: string | null;
}) {
  if (!data.goal_name || data.goal_name.trim().length === 0) {
    throw new Error("Goal name is required.");
  }

  if (!isValidGoalType(data.goal_type)) {
    throw new Error(`Invalid goal type: ${data.goal_type}`);
  }

  const targetAmount = Number(data.target_amount);
  const currentProgress = Number(data.current_progress || 0);

  if (isNaN(targetAmount) || targetAmount <= 0) {
    throw new Error("Target amount must be a positive number.");
  }

  if (isNaN(currentProgress) || currentProgress < 0) {
    throw new Error("Current progress must be a non-negative number.");
  }

  if (!isValidPriority(data.priority)) {
    throw new Error(`Invalid priority: ${data.priority}`);
  }

  if (!isValidStatus(data.status)) {
    throw new Error(`Invalid status: ${data.status}`);
  }

  // Date Validation
  let normalizedDate: string | null = null;
  if (data.target_date) {
    const d = new Date(data.target_date);
    if (isNaN(d.getTime())) {
      throw new Error("Invalid target date format.");
    }
  }
}
```

Axiom Repository Audit

```
    normalizedDate = d.toISOString().split("T")[0];
  }

  const finalNotes = data.notes?.trim() || null;

  return {
    goal_name: data.goal_name.trim(),
    goal_type: data.goal_type as GoalType,
    target_amount: targetAmount,
    current_progress: currentProgress,
    priority: data.priority as GoalPriority,
    status: data.status as GoalStatus,
    target_date: normalizedDate,
    notes: finalNotes === "" ? null : finalNotes,
  };
}

/**
 * Calculates deterministic goal progress.
 */
export function calculateGoalProgressPercentage(
  goal: Pick<FinancialGoal, "current_progress" | "target_amount">,
): number {
  if (goal.target_amount <= 0) return 0;
  return Math.min(
    100,
    Math.max(0, (goal.current_progress / goal.target_amount) * 100),
  );
}
```

FILE: src\lib\finance\income.test.ts

```
import { test } from "node:test";
import assert from "node:assert";
import { validateIncomeStream, calculateMonthlyInflow } from "../income";
import { generateSummary } from "../analytics/engine";
import type { Deployment, IncomeStream } from "../analytics/types";

test("income validation enforces structural integrity", () => {
  const data = {
    income_name: "Salary",
    income_type: "salary",
    amount: 100000,
    cadence: "monthly",
  };

  const validated = validateIncomeStream(data);
  assert.strictEqual(validated.income_name, "Salary");
  assert.strictEqual(validated.income_type, "salary");
  assert.strictEqual(validated.amount, 100000);
  assert.strictEqual(validated.cadence, "monthly");
});

test("income normalization is accurate", () => {
  assert.strictEqual(
    calculateMonthlyInflow({ amount: 1000, cadence: "weekly" }),
    1000 * (52 / 12),
  );
  assert.strictEqual(
    calculateMonthlyInflow({ amount: 120000, cadence: "annually" }),
    10000,
  );
  assert.strictEqual(
```

Axiom Repository Audit

```
        calculateMonthlyInflow({ amount: 5000, cadence: "monthly" })),
        5000,
    );
});

test("runway logic incorporates income offset correctly", () => {
    const deployments: Deployment[] = [
        {
            id: "1",
            amount: 3000,
            created_at: new Date().toISOString(),
            title: "Rent",
            category: "Fixed",
        },
    ]; // 100/day burn over 30 days

    const liquidity = 1000;
    const incomeStreams: IncomeStream[] = [
        {
            id: "s1",
            user_id: "u1",
            income_name: "Salary",
            amount: 1500,
            cadence: "monthly",
            is_recurring: true,
            income_type: "salary",
            currency: "KSh",
            start_date: "",
            created_at: "",
            updated_at: "",
        },
    ]; // 50/day offset

    // Correct Formula: Liquidity / (Daily Burn - (Monthly Income / 30))
    // 1000 / (100 - (1500 / 30)) = 1000 / 50 = 20 days
    const summary = generateSummary(
        deployments,
        liquidity,
        [],
        [],
        incomeStreams,
    );

    assert.strictEqual(summary.dailyBurnRate, 100);
    assert.strictEqual(summary.totalMonthlyIncome, 1500);
    assert.strictEqual(summary.runwayDays, 20);
    assert.strictEqual(summary.adjustedDailyBurn, 50);
});
```

FILE: src\lib\finance\income.ts

```
export const INCOME_TYPES = [
    { value: "salary", label: "Salary" },
    { value: "freelance", label: "Freelance" },
    { value: "business", label: "Business" },
    { value: "dividends", label: "Dividends" },
    { value: "rental", label: "Rental" },
    { value: "contract", label: "Contract" },
    { value: "other", label: "Other" },
] as const;

export type IncomeType = (typeof INCOME_TYPES)[number]["value"];
```

Axiom Repository Audit

```
export const CADENCES = [
  { value: "weekly", label: "Weekly", factor: 52 / 12 },
  { value: "biweekly", label: "Biweekly", factor: 26 / 12 },
  { value: "monthly", label: "Monthly", factor: 1 },
  { value: "quarterly", label: "Quarterly", factor: 1 / 3 },
  { value: "annually", label: "Annually", factor: 1 / 12 },
  { value: "irregular", label: "Irregular", factor: 0 },
] as const;

export type Cadence = (typeof CADENCES)[number]["value"];

export interface IncomeStream {
  id: string;
  user_id: string;
  income_name: string;
  income_type: IncomeType;
  amount: number;
  cadence: Cadence;
  execution_day?: number | null;
  last_executed_at?: string | null;
  is_recurring: boolean;
  currency: string;
  source?: string | null;
  start_date: string;
  end_date?: string | null;
  created_at: string;
  updated_at: string;
  deleted_at?: string | null;
}

export function isValidIncomeType(type: string): type is IncomeType {
  return INCOME_TYPES.some((t) => t.value === type);
}

export function isValidCadence(cadence: string): cadence is Cadence {
  return CADENCES.some((c) => c.value === cadence);
}

export function validateIncomeStream(data: {
  income_name: string;
  income_type: string;
  amount: number;
  cadence: string;
  execution_day?: number | null;
  is_recurring?: boolean;
}) {
  if (!data.income_name || data.income_name.trim().length === 0) {
    throw new Error("Income name is required.");
  }

  if (!isValidIncomeType(data.income_type)) {
    throw new Error(`Invalid income type: ${data.income_type}`);
  }

  if (!isValidCadence(data.cadence)) {
    throw new Error(`Invalid cadence: ${data.cadence}`);
  }

  if (isNaN(data.amount) || data.amount < 0) {
    throw new Error("Amount must be a non-negative number.");
  }

  return {
    income_name: data.income_name.trim(),
    income_type: data.income_type as IncomeType,
```

Axiom Repository Audit

```
    amount: data.amount,
    cadence: data.cadence as Cadence,
    execution_day: data.execution_day,
    is_recurring: data.is_recurring ?? true,
  };
}

/**
 * Normalizes an income stream amount to a monthly value.
 */
export function calculateMonthlyInflow(
  stream: Pick<IncomeStream, "amount" | "cadence">,
): number {
  const cadenceConfig = CADENCES.find((c) => c.value === stream.cadence);
  if (!cadenceConfig) return 0;
  return stream.amount * cadenceConfig.factor;
}
```

FILE: src\lib\finance\liabilities.test.ts

```
import { test } from "node:test";
import assert from "node:assert";
import { validateLiability } from "../liabilities";
import { generateSummary } from "../analytics/engine";
import type { Account, Liability } from "../analytics/types";

test("liability validation enforces structural integrity", () => {
  const data = {
    liability_name: "Credit Card",
    liability_type: "credit_card",
    outstanding_balance: 50000,
    interest_rate: 2,
    is_paid_in_cadences: true,
    cadence: "monthly",
    cadence_day_date: "15",
    cadence_amount: 5000,
  };

  const validated = validateLiability(data);
  assert.strictEqual(validated.liability_name, "Credit Card");
  assert.strictEqual(validated.liability_type, "credit_card");
  assert.strictEqual(validated.outstanding_balance, 50000);
  assert.strictEqual(validated.is_paid_in_cadences, true);
  assert.strictEqual(validated.cadence, "monthly");
  assert.strictEqual(validated.cadence_day_date, "15");
  assert.strictEqual(validated.cadence_amount, 5000);
});

test("liability validation rejects invalid monthly date", () => {
  assert.throws(() => {
    validateLiability({
      liability_name: "Test",
      liability_type: "credit_card",
      outstanding_balance: 1000,
      is_paid_in_cadences: true,
      cadence: "monthly",
      cadence_day_date: "32",
      cadence_amount: 100,
    });
  }, /Monthly cadence requires a valid date/);
});

test("liability validation rejects invalid weekly day", () => {
```

Axiom Repository Audit

```
assert.throws(() => {
  validateLiability({
    liability_name: "Test",
    liability_type: "credit_card",
    outstanding_balance: 1000,
    is_paid_in_cadences: true,
    cadence: "weekly",
    cadence_day_date: "Funday",
    cadence_amount: 100,
  });
}, /Weekly cadence requires a valid day/);
});

test("net worth calculation and interest accrual are deterministic", () => {
  const accounts: Account[] = [
    {
      id: "1",
      user_id: "u1",
      account_name: "Checking",
      account_type: "checking",
      current_balance: 100000,
      currency: "KSh",
      created_at: "",
      updated_at: "",
      institution: null,
    },
  ],
  ];

  const liabilities: Liability[] = [
    {
      id: "l1",
      user_id: "u1",
      liability_name: "Loan",
      liability_type: "personal_loan",
      outstanding_balance: 30000,
      interest_rate: 1, // 1% per month
      is_paid_in_cadences: true,
      cadence: "monthly",
      cadence_day_date: "1",
      cadence_amount: 3000,
      currency: "KSh",
      created_at: "",
      updated_at: "",
      institution: null,
      due_date: null,
    },
  ],
  ];

  const summary = generateSummary([], 100000, accounts, liabilities);

  assert.strictEqual(summary.totalAssets, 100000);
  assert.strictEqual(summary.totalLiabilities, 30000);
  assert.strictEqual(summary.netWorth, 70000);

  // Monthly interest = 30000 * 0.01 = 300
  // Daily interest burn = 300 / 30 = 10
  assert.strictEqual(summary.dailyBurnRate, 10);
});
```

FILE: src\\lib\\finance\\liabilities.ts

```
export const LIABILITY_TYPES = [
  { value: "credit_card", label: "Credit Card" },
```

Axiom Repository Audit

```
{ value: "mortgage", label: "Mortgage" },
{ value: "personal_loan", label: "Personal Loan" },
{ value: "student_loan", label: "Student Loan" },
{ value: "business_loan", label: "Business Loan" },
{ value: "line_of_credit", label: "Line of Credit" },
{ value: "other", label: "Other" },
] as const;

export type LiabilityType = (typeof LIABILITY_TYPES)[number]["value"];

export interface Liability {
  id: string;
  user_id: string;
  liability_name: string;
  liability_type: LiabilityType;
  outstanding_balance: number;
  interest_rate: number;
  is_paid_in_cadences: boolean;
  cadence: "weekly" | "monthly" | null;
  cadence_day_date: string | null;
  cadence_amount: number | null;
  last_executed_at?: string | null;
  due_date: string | null;
  currency: string;
  institution?: string | null;
  created_at: string;
  updated_at: string;
  deleted_at?: string | null;
}

export function isValidLiabilityType(type: string): type is LiabilityType {
  return LIABILITY_TYPES.some((t) => t.value === type);
}

export function validateLiability(data: {
  liability_name: string;
  liability_type: string;
  outstanding_balance: number;
  interest_rate?: number;
  is_paid_in_cadences?: boolean;
  cadence?: string | null;
  cadence_day_date?: string | null;
  cadence_amount?: number | null;
}) {
  if (!data.liability_name || data.liability_name.trim().length === 0) {
    throw new Error("Liability name is required.");
  }

  if (!isValidLiabilityType(data.liability_type)) {
    throw new Error(`Invalid liability type: ${data.liability_type}`);
  }

  if (isNaN(data.outstanding_balance)) {
    throw new Error("Outstanding balance must be a number.");
  }

  const isPaidInCadences = !!data.is_paid_in_cadences;
  let cadence: "weekly" | "monthly" | null = null;
  let cadenceDayDate: string | null = null;
  let cadenceAmount: number | null = null;

  if (isPaidInCadences) {
    if (data.cadence !== "weekly" && data.cadence !== "monthly") {
      throw new Error("A valid cadence (weekly or monthly) is required.");
    }
  }
}
```

Axiom Repository Audit

```
cadence = data.cadence;

if (!data.cadence_day_date || data.cadence_day_date.trim().length === 0) {
  throw new Error("Cadence day/date is required.");
}

if (cadence === "monthly") {
  const dateNum = parseInt(data.cadence_day_date, 10);
  if (isNaN(dateNum) || dateNum < 1 || dateNum > 31) {
    throw new Error("Monthly cadence requires a valid date (1-31).");
  }
} else if (cadence === "weekly") {
  const validDays = [
    "monday",
    "tuesday",
    "wednesday",
    "thursday",
    "friday",
    "saturday",
    "sunday",
  ];
  if (!validDays.includes(data.cadence_day_date.toLowerCase())) {
    throw new Error("Weekly cadence requires a valid day of the week.");
  }
}
cadenceDayDate = data.cadence_day_date;

if (
  data.cadence_amount === undefined ||
  data.cadence_amount === null ||
  isNaN(data.cadence_amount)
) {
  throw new Error("Cadence payment amount is required.");
}
cadenceAmount = data.cadence_amount;
}

return {
  liability_name: data.liability_name.trim(),
  liability_type: data.liability_type as LiabilityType,
  outstanding_balance: data.outstanding_balance,
  interest_rate: data.interest_rate || 0,
  is_paid_in_cadences: isPaidInCadences,
  cadence,
  cadence_day_date: cadenceDayDate,
  cadence_amount: cadenceAmount,
};
}
```

FILE: src\lib\finance\liquidity.test.ts

```
import assert from "node:assert/strict";
import test from "node:test";
import { LiquidityService } from "../liquidity";
import { Account } from "@lib/analytics/types";

test("LiquidityService.calculateTotal sums account balances correctly", () => {
  const accounts: Partial<Account>[] = [
    { current_balance: 1000 },
    { current_balance: 500 },
    { current_balance: 250.50 },
  ];
});
```

Axiom Repository Audit

```
    assert.equal(LiquidityService.calculateTotal(accounts as Account[]), 1750.50);
  });

test("LiquidityService.calculateTotal handles empty accounts list", () => {
  assert.equal(LiquidityService.calculateTotal([]), 0);
});

test("LiquidityService.calculateTotal handles zero and negative balances", () => {
  const accounts: Partial<Account>[] = [
    { current_balance: 1000 },
    { current_balance: -200 },
    { current_balance: 0 },
  ];

  assert.equal(LiquidityService.calculateTotal(accounts as Account[]), 800);
});

test("LiquidityService.calculateTotal handles missing balances", () => {
  const accounts: Partial<Account>[] = [
    { current_balance: 1000 },
    { } as Account,
  ];

  assert.equal(LiquidityService.calculateTotal(accounts as Account[]), 1000);
});
```

FILE: src/lib/finance/liquidity.ts

```
import { SupabaseClient } from "@supabase/supabase-js";
import { Account } from "@lib/analytics/types";
import { getAccounts } from "@lib/db/accounts";
import { updateLiquidity } from "@lib/db/settings";

/**
 * Domain service responsible for liquidity calculations and synchronization.
 * Truth: Liquidity is the aggregate of all liquid account balances.
 */
export const LiquidityService = {
  /**
   * Pure function to calculate total liquidity from a list of accounts.
   */
  calculateTotal(accounts: Account[]): number {
    return accounts.reduce((sum, account) => sum + Number(account.current_balance || 0), 0);
  },

  /**
   * Synchronizes the global total_liquidity setting with the current state of accounts.
   * This should be called whenever an account balance changes.
   */
  async sync(supabase: SupabaseClient, userId: string): Promise<number> {
    const accountsData = await getAccounts(supabase);
    const accounts = (accountsData || []) as Account[];

    const totalLiquidity = this.calculateTotal(accounts);

    await updateLiquidity(supabase, userId, totalLiquidity);

    return totalLiquidity;
  }
};
```

Axiom Repository Audit

FILE: src\lib\finance\metadataQuality.ts

```
export type MetadataQualityLevel = "specific" | "low";

export interface MetadataQualityEvaluation {
  level: MetadataQualityLevel;
  score: number;
  isLowQuality: boolean;
  normalizedLabel: string;
  reasons: string[];
}

export interface MetadataQualitySummary {
  averageScore: number;
  lowQualityCount: number;
  lowQualityRatio: number;
  confidenceMultiplier: number;
}

type LabelBearingInput = {
  title?: string | null;
};

const LOW_QUALITY_EXACT_LABELS = new Set([
  "misc",
  "stuff",
  "other",
  "random",
  "generic",
  "unclear",
  "unknown",
  "untitled",
  "no title",
  "none",
  "nil",
  "na",
  "n/a",
  "tbd",
  "test",
]);

const EMPTY_LIKE_PATTERNS = [/^-$/, /^\.+$/, /^?+$/, /^_+$/];

const roundQualityScore = (value: number) => Math.round(value * 100) / 100;

export function normalizeMetadataLabel(label: string) {
  return label.trim().toLowerCase().replace(/\s+/g, " ");
}

export function evaluateMetadataQuality(
  label: string | null | undefined,
): MetadataQualityEvaluation {
  const normalizedLabel = normalizeMetadataLabel(label || "");
  const semanticLabel = normalizedLabel
    .replace(/^[a-z0-9/?._-]+/g, " ")
    .replace(/\s+/g, " ")
    .trim();
  const comparableLabel = semanticLabel.replace(
    /^[^a-z0-9]+|^[^a-z0-9]+$/g,
    "",
  );

  const reasons: string[] = [];
```

Axiom Repository Audit

```
if (
  !semanticLabel ||
  EMPTY_LIKE_PATTERNS.some((pattern) => pattern.test(semanticLabel))
) {
  reasons.push("empty_like_label");
}

if (
  LOW_QUALITY_EXACT_LABELS.has(semanticLabel) ||
  LOW_QUALITY_EXACT_LABELS.has(comparableLabel)
) {
  reasons.push("generic_label");
}

const isLowQuality = reasons.length > 0;

return {
  level: isLowQuality ? "low" : "specific",
  score: isLowQuality ? 0.35 : 1,
  isLowQuality,
  normalizedLabel,
  reasons,
};
}

export function summarizeMetadataQuality(
  deployments: LabelBearingInput[],
): MetadataQualitySummary {
  if (deployments.length === 0) {
    return {
      averageScore: 1,
      lowQualityCount: 0,
      lowQualityRatio: 0,
      confidenceMultiplier: 1,
    };
  }

  const evaluations = deployments.map((deployment) =>
    evaluateMetadataQuality(deployment.title),
  );
  const lowQualityCount = evaluations.filter(
    (evaluation) => evaluation.isLowQuality,
  ).length;
  const averageScore =
    evaluations.reduce((sum, evaluation) => sum + evaluation.score, 0) /
    evaluations.length;
  const lowQualityRatio = lowQualityCount / evaluations.length;

  return {
    averageScore: roundQualityScore(averageScore),
    lowQualityCount,
    lowQualityRatio: roundQualityScore(lowQualityRatio),
    confidenceMultiplier: roundQualityScore(
      Math.max(0.85, 1 - lowQualityRatio * 0.15),
    ),
  };
}

export function weightConfidenceForMetadataQuality(
  confidence: number,
  metadataQuality: MetadataQualitySummary,
) {
  return roundQualityScore(
    Math.min(1, Math.max(0, confidence * metadataQuality.confidenceMultiplier)),
  );
}
```

```
}
```

FILE: src\lib\finance\objectives.test.ts

```
import { test } from "node:test";
import assert from "node:assert";
import { validateObjective } from "../objectives";

test("strategic objective validation enforces structural integrity", () => {
  const data = {
    objective_name: "Safety Net",
    objective_type: "emergency_reserve",
    target_amount: 500000,
    current_amount: 50000,
    priority_level: "critical",
    status: "active",
  };

  const validated = validateObjective(data);
  assert.strictEqual(validated.objective_name, "Safety Net");
  assert.strictEqual(validated.objective_type, "emergency_reserve");
  assert.strictEqual(validated.target_amount, 500000);
  assert.strictEqual(validated.current_amount, 50000);
  assert.strictEqual(validated.priority_level, "critical");
  assert.strictEqual(validated.status, "active");
});

test("objective validation fails on invalid types", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "invalid_type",
      target_amount: 1000,
      priority_level: "high",
      status: "active",
    });
  }, /Invalid objective type/);
});

test("objective validation fails on invalid priority", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: 1000,
      priority_level: "very_high",
      status: "active",
    });
  }, /Invalid priority level/);
});

test("objective validation fails on invalid status", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: 1000,
      priority_level: "high",
      status: "unknown",
    });
  }, /Invalid status/);
});
```

Axiom Repository Audit

```
test("objective validation fails on zero or negative target amount", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: 0,
      priority_level: "high",
      status: "active",
    });
  }, /Target amount must be a positive number/);

  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: -1,
      priority_level: "high",
      status: "active",
    });
  }, /Target amount must be a positive number/);
});

test("objective validation fails on overfunded state", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: 1000,
      current_amount: 1001,
      priority_level: "high",
      status: "active",
    });
  }, /Current amount cannot exceed target amount/);
});

test("objective validation handles date normalization", () => {
  const validated = validateObjective({
    objective_name: "Test",
    objective_type: "liquidity",
    target_amount: 1000,
    priority_level: "high",
    status: "active",
    target_date: "2026-12-31",
  });
  assert.strictEqual(validated.target_date, "2026-12-31");
});

test("objective validation fails on malformed dates", () => {
  assert.throws(() => {
    validateObjective({
      objective_name: "Test",
      objective_type: "liquidity",
      target_amount: 1000,
      priority_level: "high",
      status: "active",
      target_date: "not-a-date",
    });
  }, /Invalid target date format/);
});

test("objective normalization trims whitespace and handles empty notes", () => {
  const validated = validateObjective({
    objective_name: "  Safety Net  ",
    objective_type: "emergency_reserve",
    target_amount: 1000,
  });
});
```

Axiom Repository Audit

```
    priority_level: "critical",
    status: "active",
    notes: "    Need this for safety    ",
  });
assert.strictEqual(validated.objective_name, "Safety Net");
assert.strictEqual(validated.notes, "Need this for safety");

const validatedEmptyNotes = validateObjective({
  objective_name: "Test",
  objective_type: "liquidity",
  target_amount: 1000,
  priority_level: "high",
  status: "active",
  notes: "    ",
});
assert.strictEqual(validatedEmptyNotes.notes, null);
});
```

FILE: src\\lib\\finance\\objectives.ts

```
export const OBJECTIVE_TYPES = [
  { value: "emergency_reserve", label: "Emergency Reserve" },
  { value: "liquidity", label: "Liquidity" },
  { value: "debt_elimination", label: "Debt Elimination" },
  { value: "investment", label: "Investment" },
  { value: "retirement", label: "Retirement" },
  { value: "education", label: "Education" },
  { value: "acquisition", label: "Acquisition" },
  { value: "custom", label: "Custom" },
] as const;

export type ObjectiveType = (typeof OBJECTIVE_TYPES)[number]["value"];

export const OBJECTIVE_PRIORITIES = [
  { value: "critical", label: "Critical" },
  { value: "high", label: "High" },
  { value: "moderate", label: "Moderate" },
  { value: "low", label: "Low" },
] as const;

export type ObjectivePriority = (typeof OBJECTIVE_PRIORITIES)[number]["value"];

export const OBJECTIVE_STATUSES = [
  { value: "active", label: "Active" },
  { value: "paused", label: "Paused" },
  { value: "completed", label: "Completed" },
  { value: "abandoned", label: "Abandoned" },
] as const;

export type ObjectiveStatus = (typeof OBJECTIVE_STATUSES)[number]["value"];

export interface StrategicObjective {
  id: string;
  user_id: string;
  objective_name: string;
  objective_type: ObjectiveType;
  target_amount: number;
  current_amount: number;
  target_date: string | null;
  priority_level: ObjectivePriority;
  status: ObjectiveStatus;
  notes?: string | null;
  created_at: string;
```

Axiom Repository Audit

```
    updated_at: string;
    deleted_at?: string | null;
  }

export function isValidObjectiveType(type: string): type is ObjectiveType {
  return OBJECTIVE_TYPES.some((t) => t.value === type);
}

export function isValidPriority(
  priority: string,
): priority is ObjectivePriority {
  return OBJECTIVE_PRIORITIES.some((p) => p.value === priority);
}

export function isValidStatus(status: string): status is ObjectiveStatus {
  return OBJECTIVE_STATUSES.some((s) => s.value === status);
}

/**
 * Validates and normalizes strategic objective data.
 * This is the canonical authority for objective correctness.
 */
/**
 * Calculates deterministic objective progress percentage.
 */
export function calculateObjectiveProgressPercentage(
  objective: Pick<StrategicObjective, "current_amount" | "target_amount">,
): number {
  if (objective.target_amount <= 0) return 0;
  return Math.min(
    100,
    Math.max(0, (objective.current_amount / objective.target_amount) * 100),
  );
}

/**
 * Calculates the funding ratio (alias for progress for semantic clarity in UI).
 */
export function calculateObjectiveFundingRatio(
  objective: Pick<StrategicObjective, "current_amount" | "target_amount">,
): number {
  return calculateObjectiveProgressPercentage(objective);
}

export function validateObjective(data: {
  objective_name: string;
  objective_type: string;
  target_amount: number;
  current_amount?: number;
  priority_level: string;
  status: string;
  target_date?: string | null;
  notes?: string | null;
}) {
  // 1. Required Fields & Basic Types
  if (!data.objective_name || data.objective_name.trim().length === 0) {
    throw new Error("Objective name is required.");
  }

  // 2. Enum Validations
  if (!isValidObjectiveType(data.objective_type)) {
    throw new Error(`Invalid objective type: ${data.objective_type}`);
  }

  if (!isValidPriority(data.priority_level)) {

```

Axiom Repository Audit

```
    throw new Error(`Invalid priority level: ${data.priority_level}`);
  }

  if (!isValidStatus(data.status)) {
    throw new Error(`Invalid status: ${data.status}`);
  }

  // 3. Numeric Validations
  const targetAmount = Number(data.target_amount);
  const currentAmount = Number(data.current_amount || 0);

  if (isNaN(targetAmount) || targetAmount <= 0) {
    throw new Error("Target amount must be a positive number.");
  }

  if (isNaN(currentAmount) || currentAmount < 0) {
    throw new Error("Current amount must be a non-negative number.");
  }

  if (currentAmount > targetAmount) {
    throw new Error(
      "Current amount cannot exceed target amount (overfunding requires manual strategic adjustment).",
    );
  }

  // 4. Date Validation
  let normalizedDate: string | null = null;
  if (data.target_date) {
    const d = new Date(data.target_date);
    if (isNaN(d.getTime())) {
      throw new Error("Invalid target date format.");
    }
    normalizedDate = d.toISOString().split("T")[0]; // Store as YYYY-MM-DD
  }

  // 5. Normalization
  const normalizedNotes = data.notes?.trim() || null;
  const finalNotes = normalizedNotes === "" ? null : normalizedNotes;

  return {
    objective_name: data.objective_name.trim(),
    objective_type: data.objective_type as ObjectiveType,
    target_amount: targetAmount,
    current_amount: currentAmount,
    priority_level: data.priority_level as ObjectivePriority,
    status: data.status as ObjectiveStatus,
    target_date: normalizedDate,
    notes: finalNotes,
  };
}
```

FILE: src/lib/finance/taxonomy.ts

```
/**
 * AXIOM RETURN-BASED TAXONOMY
 * Centralized definitions for the financial intelligence system.
 */

export const VALID_CATEGORIES = [
  "Asset",
  "Skill",
  "Leverage",
  "Experience",
]
```

Axiom Repository Audit

```
"Maintenance",
"Leakage",
] as const;
export type ValidCategory = (typeof VALID_CATEGORIES)[number];

export interface TaxonomyCategory {
  value: ValidCategory;
  label: string;
  definition: string;
  interpretation: string;
}

export const TAXONOMY_CATEGORIES: TaxonomyCategory[] = [
  {
    value: "Asset",
    label: "Investments",
    definition: "Future value generation (Stocks, Crypto, Property)",
    interpretation:
      "Strategic capital foundation. These deployments are expected to produce tangible appreciation or yield over time.",
  },
  {
    value: "Skill",
    label: "Growth",
    definition: "Learning and high-income skill development",
    interpretation:
      "Human capital investment. Deployments into skills increase your intrinsic market value and future inflow capacity.",
  },
  {
    value: "Leverage",
    label: "Efficiency",
    definition: "Buying back time or multiplying output",
    interpretation:
      "Operational efficiency. Leverage deployments are designed to buy back time or multiply the results of your effort.",
  },
  {
    value: "Experience",
    label: "Lifestyle",
    definition: "Intentional quality-of-life and memories",
    interpretation:
      "Strategic utility. Non-yielding deployments that provide intentional lived-value and mental sustainability.",
  },
  {
    value: "Maintenance",
    label: "Essentials",
    definition: "Bills, rent, food, and survival core",
    interpretation:
      "Operational core. Survival-layer capital needed to maintain your current system (Rent, utilities, basic nourishment).",
  },
  {
    value: "Leakage",
    label: "Waste",
    definition: "Non-strategic drift or impulse spending",
    interpretation:
      "Systemic inefficiency. Tracked separately to identify recurring capital drift. Excess leakage compresses operational runway.",
  },
];

export const isValidCategory = (value: string): boolean => {
  return VALID_CATEGORIES.includes(value as ValidCategory);
};

export const formatTaxonomyCategoryList = (): string => {
  return VALID_CATEGORIES.join(", ");
};
```

Axiom Repository Audit

```
export const getTaxonomyDefinition = (value: string) => {
  return TAXONOMY_CATEGORIES.find((c) => c.value === value)?.definition || "";
};

export const getTaxonomyInterpretation = (value: string) => {
  return (
    TAXONOMY_CATEGORIES.find((c) => c.value === value)?.interpretation || ""
  );
};
```

FILE: src\lib\finance\validateDeployment.ts

```
/**
 * TAXONOMY ENFORCEMENT GATE
 * Ensures every deployment written to the ledger follows the strict return-based taxonomy.
 */

import {
  formatTaxonomyCategoryList,
  isValidCategory,
} from "../taxonomy";
import {
  DeploymentAdvancedContextInput,
  normalizeDeploymentAdvancedContext,
} from "../deploymentContext";
import { evaluateMetadataQuality } from "../metadataQuality";

export { VALID_CATEGORIES, type ValidCategory } from "../taxonomy";

export interface DeploymentInput {
  title: string;
  amount: number;
  category: string;
  impactScore?: number;
  advancedContext?: DeploymentAdvancedContextInput;
}

/**
 * Pre-write Validation Layer
 * Rejects any input that violates taxonomy integrity or data truth.
 */
export function validateDeployment(input: DeploymentInput) {
  const { title, amount, category, impactScore, advancedContext } = input;

  // 1. Structural Integrity
  if (!title || !title.trim()) {
    throw new Error("Taxonomy Gate: Title is required for deployment verification");
  }

  if (amount === undefined || amount === null || isNaN(amount)) {
    throw new Error("Taxonomy Gate: Numeric amount is required");
  }

  if (amount <= 0) {
    throw new Error("Taxonomy Gate: Capital deployment must be a positive value (> 0)");
  }

  // 2. Taxonomy Enforcement
  if (!isValidCategory(category)) {
    // Specifically reject 'Unclassified' and legacy categories
    if (category === "Unclassified") {
      throw new Error("Taxonomy Gate: Strategic classification is mandatory. Entry rejected.");
    }
  }
}
```

Axiom Repository Audit

```
}

    throw new Error(`Taxonomy Gate: Unknown category '${category}'. Use ${formatTaxonomyCategoryList()}.`);
}

// 3. Normalization
return {
  title: title.trim(),
  amount: Number(amount),
  category,
  advancedContext: normalizeDeploymentAdvancedContext(advancedContext),
  metadataQuality: evaluateMetadataQuality(title),
  impactScore: Math.min(Math.max(impactScore || 0, 0), 10) // Scale 0-10
};
}
```

FILE: src/lib/insights/generateInsights.ts

```
import { BehavioralContext } from "../../context/contextTypes";
import { InsightEngineResult, InsightPriority } from "../../types";
import { KairosInsight } from "../../ai/kairos";
import { rules } from "../../rules/registry";
import { logKairosEvaluation } from "../../db/telemetry";

/**
 * Axiom Insight Engine Orchestrator
 * Evaluates behavioral context against the rule registry to generate
 * prioritized strategic insights.
 *
 * V1.2: Added asynchronous telemetry logging for performance audit.
 */
export const evaluateInsights = async (
  context: BehavioralContext,
): Promise<InsightEngineResult> => {
  // 1. Process all rules and capture telemetry
  const evaluationResults = await Promise.all(
    rules.map(async (rule) => {
      const start = Date.now();
      const isMatched = rule.condition(context);

      let insight: KairosInsight | null = null;
      if (isMatched) {
        insight = rule.generate(context);
      }

      const duration = Date.now() - start;

      // Persist forensic telemetry (Non-blocking but awaited for database integrity)
      await logKairosEvaluation({
        ruleId: rule.id,
        severity: insight?.severity || "none",
        durationMs: duration,
      });

      if (isMatched && insight) {
        return {
          priority: rule.priority,
          insight,
        };
      }
      return null;
    }),
  );
};
```

Axiom Repository Audit

```
const generatedInsights = evaluationResults.filter(
  (result): result is { priority: InsightPriority; insight: KairosInsight } =>
    result !== null,
);

// Axiom Standard: Gracefully handle the "Quiet" state
if (generatedInsights.length === 0) {
  return {
    primaryInsight: {
      type: "info",
      severity: "observation",
      category: "strategic_alignment",
      message:
        "No material structural deterioration detected since previous evaluation.",
      supportingSignals: [],
      timestamp: new Date().toISOString(),
      runway: null,
      capitalEfficiency: context.capitalEfficiencyScore ?? 0,
      isSilent: true, // This is the "Quiet System" output
    },
    allInsights: [],
  };
}

// 2. Prioritize
// Sort by priority (High > Medium > Low) and then by confidence
const sortedInsights = [...generatedInsights].sort((a, b) => {
  const priorityScore: Record<InsightPriority, number> = {
    critical: 4,
    high: 3,
    medium: 2,
    low: 1,
  };

  if (priorityScore[a.priority] !== priorityScore[b.priority]) {
    return priorityScore[b.priority] - priorityScore[a.priority];
  }

  return 0; // Maintain order within same priority
});

return {
  primaryInsight: sortedInsights[0].insight,
  allInsights: generatedInsights.map((result) => result.insight),
};
};
```

FILE: src\\lib\\insights\\types.ts

```
import { BehavioralContext } from "../context/contextTypes";
import { KairosInsight } from "../ai/kairos";

export type InsightPriority = "critical" | "high" | "medium" | "low";

export interface InsightRule {
  id: string;
  priority: InsightPriority;
  condition: (context: BehavioralContext) => boolean;
  generate: (context: BehavioralContext) => KairosInsight;
}

export interface InsightEngineResult {
```

Axiom Repository Audit

```
primaryInsight: KairosInsight;
allInsights: KairosInsight[];
}
```

FILE: src\lib\insights\rules\registry.ts

```
import { InsightRule } from "../types";

/**
 * KAIROS RULE REGISTRY (V1.1)
 * Behavioral Presence implementation.
 * Identity: Restrained Operational Analyst.
 */

export const rules: InsightRule[] = [
  // 0. PENDING VERIFICATION (High Priority Alert)
  {
    id: "pending_verification",
    priority: "critical",
    condition: (ctx) => ctx.pendingVerificationCount > 0,
    generate: (ctx) => ({
      type: "warning",
      severity: "critical",
      category: "strategic_alignment",
      timestamp: new Date().toISOString(),
      message: `Action Required: ${ctx.pendingVerificationCount} financial verification${ctx.pendingVerificationCount > 1 ?
"s" : ""} detected for today.`,
      supportingSignals: [
        "Axiom has detected scheduled transaction flows that require manual confirmation to ascertain absolute truth.",
        "Verification will update your structural solvency window and capital ledger.",
      ],
      runway: ctx.runway.currentDays,
      capitalEfficiency: ctx.capitalEfficiencyScore,
      isSilent: false,
    })),
  },
  // 1. SOLVENCY CRISIS (Critical Severity)
  {
    id: "solvency_crisis",
    priority: "critical",
    condition: (ctx) => ctx.netWorth < 0,
    generate: (ctx) => ({
      type: "warning",
      severity: "critical",
      category: "solvency_pressure",
      timestamp: new Date().toISOString(),
      message:
        "Severe solvency crisis detected. Total credit facilities (e.g., Fuliza, M-Shwari, SACCO Loans) exceed combined capital assets, resulting in a negative net worth state.",
      supportingSignals: [
        `Net Worth: KSh ${Math.round(ctx.netWorth).toLocaleString()}`,
        `Liquid Reserves (MMF/SACCO): KSh ${Math.round(ctx.liquidity).toLocaleString()}`,
      ],
      runway: ctx.runway.currentDays,
      capitalEfficiency: ctx.capitalEfficiencyScore,
      isSilent: false,
    })),
  },
  // 2. STRUCTURAL DEFICIT (Critical Severity)
  {
    id: "structural_deficit",
    priority: "high",
  },
];
```

Axiom Repository Audit

```
condition: (ctx) => {
  const monthlyBurn = ctx.burnRate.monthlyProjection;
  const monthlyReplenishment = ctx.totalMonthlyIncome;

  // Trigger if structural burn exceeds income (Structural Deficit)
  return monthlyBurn > monthlyReplenishment && monthlyBurn > 0;
},
generate: (ctx) => {
  const deficit = ctx.burnRate.monthlyProjection - ctx.totalMonthlyIncome;
  return {
    type: "warning",
    severity: "critical",
    category: "solvency_pressure",
    timestamp: new Date().toISOString(),
    message:
      "Structural deficit detected. Baseline monthly outflow (including M-Pesa leakage) currently outpaces aggregate
inbound yield (M-Pesa flows / Hustle & Salary).",
    supportingSignals: [
      `Monthly Deficit: KSh ${Math.round(deficit).toLocaleString()}`,
      `Inbound Yield Coverage: ${Math.round((ctx.totalMonthlyIncome / ctx.burnRate.monthlyProjection) * 100)}% of monthly
burn.`,
      `Survival Window: ${ctx.runway.currentDays ? Math.round(ctx.runway.currentDays) : "Unknown"} days remaining.`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  };
},
},
// 3. SOLVENCY PRESSURE (Critical/Warning Severity)
{
  id: "solvency_pressure",
  priority: "high",
  condition: (ctx) =>
    !ctx.strategicAlignment.liquiditySufficiency.isSufficient,
  generate: (ctx) => {
    const { shortfall, message } =
      ctx.strategicAlignment.liquiditySufficiency;

    const isCritical =
      ctx.liquidity === 0 ? shortfall > 0 : shortfall / ctx.liquidity > 0.5;

    return {
      type: "warning",
      severity: isCritical ? "critical" : "warning",
      category: "solvency_pressure",
      timestamp: new Date().toISOString(),
      message:
        "Liquid reserves (MMF, SACCO Deposits) are insufficient to satisfy all critical strategic obligations.",
      supportingSignals: [
        message,
        `Combined Available Liquid Reserves: KSh ${Math.round(ctx.liquidity).toLocaleString()}`,
      ],
      runway: ctx.runway.currentDays,
      capitalEfficiency: ctx.capitalEfficiencyScore,
      isSilent: false,
    };
  },
},
// 4. OBJECTIVE STARVATION (Advisory Severity)
{
  id: "objective_starvation",
  priority: "medium",
  condition: (ctx) =>
```

Axiom Repository Audit

```
    ctx.strategicAlignment.objectiveStarvationSignals.length > 0,
generate: (ctx) => ({
  type: "info",
  severity: "advisory",
  category: "objective_starvation",
  timestamp: new Date().toISOString(),
  message: `Strategic starvation detected: ${ctx.strategicAlignment.objectiveStarvationSignals[0]}`,
  supportingSignals:
    ctx.strategicAlignment.objectiveStarvationSignals.slice(1, 3),
  runway: ctx.runway.currentDays,
  capitalEfficiency: ctx.capitalEfficiencyScore,
  isSilent: false,
}),
},

// 5. STRATEGIC CONFLICT (Warning Severity)
{
  id: "strategic_conflict",
  priority: "medium",
  condition: (ctx) =>
    ctx.strategicAlignment.strategicAllocationSignals.length > 0,
  generate: (ctx) => ({
    type: "warning",
    severity: "warning",
    category: "strategic_alignment",
    timestamp: new Date().toISOString(),
    message: ctx.strategicAlignment.strategicAllocationSignals[0],
    supportingSignals: [
      `Alignment Pressure: ${ctx.strategicAlignment.alignmentPressure}/100`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  }),
},

// 6. RUNWAY DEPLETION (Critical Severity)
{
  id: "runway_critical",
  priority: "critical",
  condition: (ctx) => ctx.runway.status === "critical",
  generate: (ctx) => ({
    type: "warning",
    severity: "critical",
    category: "solvency_pressure",
    timestamp: new Date().toISOString(),
    message: `Operational runway has contracted to ${Math.round(ctx.runway.currentDays || 0)} days. Immediate capital
preservation (minimizing M-Pesa leakage) required.`,
    supportingSignals: [
      `Runway Delta: ${ctx.runway.deltaDays >= 0 ? "+" : ""}${Math.round(ctx.runway.deltaDays)} days since last
evaluation.`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  }),
},

// 7. LEAKAGE CRISIS (Critical Severity)
{
  id: "efficiency_crisis",
  priority: "high",
  condition: (ctx) => ctx.capitalEfficiencyScore < 40,
  generate: (ctx) => {
    const isLeakage = ctx.allocation.dominantCategory === "Leakage";
```

Axiom Repository Audit

```
return {
  type: "warning",
  severity: "critical",
  category: "capital_efficiency",
  timestamp: new Date().toISOString(),
  message: isLeakage
    ? "Capital efficiency crisis detected. Excessive 'Mobile Money (M-Pesa) Leakage' is compromising long-term sustainability."
    : "Capital efficiency has reached a critical threshold. Current deployment patterns (Chama, MMF, Shamba) are suboptimal.",
  supportingSignals: [
    `Efficiency Index: ${ctx.capitalEfficiencyScore}/100 ? Dominant: ${ctx.allocation.dominantCategory}
    (${ctx.allocation.categoryDistribution[ctx.allocation.dominantCategory] * 100).toFixed(1)}%`,
  ],
  runway: ctx.runway.currentDays,
  capitalEfficiency: ctx.capitalEfficiencyScore,
  isSilent: false,
};
},
},

// 8. UNCLASSIFIED DATA (Advisory Severity)
{
  id: "unclassified_data",
  priority: "medium",
  condition: (ctx) =>
    (ctx.allocation.categoryDistribution["Unclassified"] || 0) > 0.1, // Only alert if > 10%
  generate: (ctx) => ({
    type: "info",
    severity: "advisory",
    category: "strategic_alignment",
    timestamp: new Date().toISOString(),
    message:
      "Unclassified outflows detected. Reclassify recent M-Pesa flows to restore the accuracy of the efficiency index.",
    supportingSignals: [
      `Metadata Integrity: ${Math.round((ctx.allocation.categoryDistribution["Unclassified"] || 0) * 100)}% of flows lack
strategic classification`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  }),
},

// 9. ERRATIC VOLATILITY (Warning Severity)
{
  id: "erratic_volatility",
  priority: "medium",
  condition: (ctx) => ctx.volatilityScore > 0.4,
  generate: (ctx) => ({
    type: "warning",
    severity: "warning",
    category: "capital_efficiency",
    timestamp: new Date().toISOString(),
    message:
      "High volatility in capital deployment detected. Irregular outbound M-Pesa flows may disrupt runway projections.",
    supportingSignals: [
      `Irregularity Index: HIGH ? Volatility score of ${ctx.volatilityScore * 100}.toFixed(1)}% exceeds variance
threshold`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  }),
},
},
```

Axiom Repository Audit

```
// 10. HIGH DISCIPLINE (Observation Severity)
{
  id: "high_discipline",
  priority: "medium",
  condition: (ctx) => ctx.volatilityScore < 0.2 && ctx.deploymentCount > 1,
  generate: (ctx) => {
    const isAsset = ctx.allocation.dominantCategory === "Asset";
    return {
      type: "info",
      severity: "observation",
      category: "capital_efficiency",
      timestamp: new Date().toISOString(),
      message: isAsset
        ? "High operational discipline in Capital Deployment (Chama, MMF, Shamba) detected. Consistent deployment provides a
stable foundation for scaling."
        : "High operational discipline detected. Consistent outflow patterns provide a stable foundation for capital
scaling.",
      supportingSignals: [
        `Stability Metric: ${((100 - ctx.volatilityScore * 100).toFixed(1))}% consistency across ${ctx.deploymentCount}
deployments.`,
      ],
      runway: ctx.runway.currentDays,
      capitalEfficiency: ctx.capitalEfficiencyScore,
      isSilent: true,
    };
  },
},

// 11. HEAVY CONCENTRATION (Advisory Severity)
{
  id: "heavy_concentration",
  priority: "low",
  condition: (ctx) => ctx.allocation.concentrationScore > 0.7,
  generate: (ctx) => ({
    type: "info",
    severity: "advisory",
    category: "strategic_alignment",
    timestamp: new Date().toISOString(),
    message: `Significant capital concentration detected in ${ctx.allocation.dominantCategory}. Ensure this deployment
(Chama, MMF, Shamba) aligns with strategic intent.`,
    supportingSignals: [
      `Concentration Score: ${ctx.allocation.concentrationScore.toFixed(2)} ? ${ctx.allocation.dominantCategory} represents
${(ctx.allocation.categoryDistribution[ctx.allocation.dominantCategory] * 100).toFixed(1)}% of total deployment.`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  })),
},

// 12. DEFAULT PATTERN (Legible Silence - Observation)
{
  id: "default_pattern",
  priority: "low",
  condition: () => true,
  generate: (ctx) => ({
    type: "info",
    severity: "observation",
    category: "strategic_alignment",
    timestamp: new Date().toISOString(),
    message:
      "No material behavioral shifts detected in M-Pesa flows or capital deployment. Silence is intentional.",
    supportingSignals: [
      "Observing capital behavior: State remains within normal variance parameters.",
    ],
  })),
}
```

Axiom Repository Audit

```
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: true,
  })),
},

// 13. INCOME CONCENTRATION RISK (Warning Severity)
{
  id: "income_concentration_risk",
  priority: "medium",
  condition: (ctx) => ctx.maxIncomeConcentrationRatio > 0.8,
  generate: (ctx) => ({
    type: "warning",
    severity: "warning",
    category: "capital_efficiency",
    timestamp: new Date().toISOString(),
    message:
      "High inbound concentration risk detected. Over 80% of total yield relies on a single primary flow, creating severe structural fragility.",
    supportingSignals: [
      `Concentration Ratio: ${ctx.maxIncomeConcentrationRatio * 100}.toFixed(1)}% from primary source.`,
    ],
    runway: ctx.runway.currentDays,
    capitalEfficiency: ctx.capitalEfficiencyScore,
    isSilent: false,
  })),
},
];
```

FILE: src\lib\services\snapshot.ts

```
import { SupabaseClient } from "@supabase/supabase-js";
import { getDeployments } from "../db/deployments";
import { getAccounts } from "../db/accounts";
import { getLiabilities } from "../db/liabilities";
import { getIncomeStreams } from "../db/income";
import { getGoals } from "../db/goals";
import { getStrategicObjectives } from "../db/objectives";
import { getOperationalBaseline } from "../db/baseline";
import { getUserSettings } from "../db/settings";
import { getInsights, saveInsight } from "../db/insights";
import { generateSummary } from "../analytics";
import { generateKairosAIInsight, type KairosInsight } from "../ai/kairos";
import { DashboardSnapshot } from "../dashboard/types";
import {
  Deployment,
  Account,
  Liability,
  IncomeStream,
  FinancialGoal,
  StrategicObjective,
  OperationalBaseline,
} from "../analytics/types";

export interface SnapshotQueryResult {
  snapshot: DashboardSnapshot;
  volatileState: {
    requiresPersistence: boolean;
  };
};

export const SnapshotService = {
```

Axiom Repository Audit

```
/**
 * Orchestrates the construction of a complete DashboardSnapshot.
 * Gather data, computes analytics, evaluates AI insights.
 * STRICT CQRS: This is a pure query. No database writes allowed.
 */
async getSnapshot(
  supabase: SupabaseClient,
  userId: string,
  options: { forceInsightEvaluation?: boolean } = {},
): Promise<SnapshotQueryResult> {
  console.log("GENERATING SNAPSHOT FOR USER:", userId);

  const [
    deploymentsData,
    accountsData,
    liabilitiesData,
    incomeStreamsData,
    goalsData,
    objectivesData,
    baselineData,
    settings,
  ] = await Promise.all([
    getDeployments(supabase),
    getAccounts(supabase),
    getLiabilities(supabase),
    getIncomeStreams(supabase),
    getGoals(supabase),
    getStrategicObjectives(supabase),
    getOperationalBaseline(supabase),
    getUserSettings(supabase, userId),
  ]);

  const deployments = (deploymentsData || []) as Deployment[];
  const accounts = (accountsData || []) as Account[];
  const liabilities = (liabilitiesData || []) as Liability[];
  const incomeStreams = (incomeStreamsData || []) as IncomeStream[];
  const goals = (goalsData || []) as FinancialGoal[];
  const objectives = (objectivesData || []) as StrategicObjective[];
  const baseline = (baselineData || []) as OperationalBaseline[];
  const liquidity = Number(settings?.total_liquidity || 0);

  const analytics = generateSummary(
    deployments,
    liquidity,
    accounts,
    liabilities,
    incomeStreams,
    goals,
    objectives,
    baseline,
  );

  const savedInsights = await getInsights(supabase, 1);
  const previousInsight =
    savedInsights && savedInsights.length > 0
      ? normalizeSavedInsight(savedInsights[0] as Record<string, unknown>)
      : null;

  let kairosInsight: KairosInsight | null = null;
  let requiresPersistence = false;

  if (!options.forceInsightEvaluation && previousInsight) {
    // Re-use existing signal if no fresh evaluation is requested
    kairosInsight = previousInsight;
  } else {
```

Axiom Repository Audit

```
// Trigger Kairos Strategic Evaluation (Volatile)
kairosInsight = await generateKairosAIInsight({
    deployments,
    liquidity,
    previousInsight,
    objectives,
    accounts,
    liabilities,
    incomeStreams,
    goals,
    baseline,
});

requiresPersistence = Boolean(kairosInsight.is_new_signal);
}

return {
    snapshot: {
        authenticated: true,
        deployments,
        accounts,
        liabilities,
        incomeStreams,
        goals,
        objectives,
        baseline,
        analytics,
        liquidity,
        kairosInsight,
    },
    volatileState: {
        requiresPersistence,
    },
};
},

/**
 * Produces an empty snapshot for unauthenticated sessions.
 */
unauthenticated(): DashboardSnapshot {
    return {
        authenticated: false,
        deployments: [],
        accounts: [],
        liabilities: [],
        incomeStreams: [],
        goals: [],
        objectives: [],
        baseline: [],
        analytics: null,
        liquidity: 0,
        kairosInsight: null,
    };
},
};

/**
 * Normalizes database insight rows into KairosInsight domain objects.
 */
function normalizeSavedInsight(row: Record<string, unknown>): KairosInsight {
    const metadata =
        row.metadata && typeof row.metadata === "object"
        ? (row.metadata as Record<string, unknown>)
        : {};
}
```

Axiom Repository Audit

```
return {
  type: row.type as KairosInsight["type"],
  severity: (metadata.severity as KairosInsight["severity"]) || "observation",
  category: row.category as KairosInsight["category"],
  message: String(row.message || ""),
  supportingSignals: Array.isArray(metadata.supporting_signals)
    ? (metadata.supporting_signals as string[])
    : metadata.supporting_signal
      ? [String(metadata.supporting_signal)]
      : [],
  timestamp: String(
    metadata.timestamp || row.created_at || new Date().toISOString(),
  ),
  runway: metadata.runway !== undefined ? Number(metadata.runway) : null,
  capitalEfficiency:
    metadata.capital_efficiency !== undefined
      ? Number(metadata.capital_efficiency)
      : 100,
  isSilent: Boolean(metadata.is_silent),
  metadataQuality:
    metadata.metadata_quality && typeof metadata.metadata_quality === "object"
      ? (metadata.metadata_quality as KairosInsight["metadataQuality"])
      : undefined,
  is_new_signal: false,
};
}
```

FILE: src/lib/supabase/client.ts

```
import { createBrowserClient } from '@supabase/ssr'

export function createClient() {
  return createBrowserClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!
  )
}
```

FILE: src/lib/supabase/middleware.ts

```
import { createServerClient } from '@supabase/ssr';
import { NextResponse, type NextRequest } from 'next/server';

export async function updateSession(request: NextRequest) {
  let supabaseResponse = NextResponse.next({
    request,
  });

  const supabase = createServerClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!,
    {
      cookies: {
        getAll() {
          return request.cookies.getAll();
        },
        setAll(cookiesToSet) {
          cookiesToSet.forEach(({ name, value }) =>
            request.cookies.set(name, value),
          );
          supabaseResponse = NextResponse.next({
```

Axiom Repository Audit

```
        request,
      });
      cookiesToSet.forEach(({ name, value, options }) =>
        supabaseResponse.cookies.set(name, value, options),
      );
    },
  },
},
);

// refreshing the auth token
await supabase.auth.getUser();

return supabaseResponse;
}
```

FILE: src\lib\supabase\server.ts

```
import { createServerClient } from "@supabase/ssr";
import { cookies } from "next/headers";

export async function createClient() {
  const cookieStore = await cookies();

  return createServerClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!,
    {
      cookies: {
        getAll() {
          return cookieStore.getAll();
        },
        setAll(cookiesToSet) {
          try {
            cookiesToSet.forEach(({ name, value, options }) =>
              cookieStore.set(name, value, options),
            );
          } catch (error) {
            // This is expected if calling from a Server Component that is already streaming.
            // We log it only for debugging in dev mode.
            if (process.env.NODE_ENV === "development") {
              console.warn(
                "Supabase SSR: Unable to set cookies from Server Component. Ensure middleware is configured.",
                error,
              );
            }
          }
        },
      },
    },
  );
}
```

FILE: src\lib\utils\formatters.ts

```
/**
 * Formatting utilities for the Axiom presentation layer.
 * Localized for the Kenyan market (KES / en-KE).
 */

export const formatCurrency = (amount: number): string => {
```

Axiom Repository Audit

```
return new Intl.NumberFormat("en-KE", {
  style: "currency",
  currency: "KES",
  maximumFractionDigits: 0,
}).format(amount);
};

export const formatNumber = (num: number): string => {
  return new Intl.NumberFormat("en-KE").format(num);
};

export const formatDate = (dateString: string): string => {
  return new Date(dateString).toLocaleDateString("en-KE", {
    year: "numeric",
    month: "short",
    day: "numeric",
  });
};
```

FILE: src\lib\utils\taxonomy.ts

```
import { AccountType } from "../finance/accounts";
import { LiabilityType } from "../finance/liabilities";
import { IncomeType } from "../finance/income";
import { ValidCategory } from "../finance/taxonomy";

/**
 * TAXONOMY MAPPING DICTIONARY
 * Localizes abstract database enums to Kenyan market realities.
 */

export const AccountMap: Record<AccountType, string> = {
  checking: "M-Pesa / Bank",
  savings: "Savings / MMF",
  mobile_money: "M-Pesa",
  brokerage: "Investment / CDS",
  crypto: "Digital Assets",
  cash: "Cash on Hand",
};

export const LiabilityMap: Record<LiabilityType, string> = {
  credit_card: "Credit Card / Digital Loan",
  mortgage: "Mortgage / Shamba Loan",
  personal_loan: "Fuliza / SACCO Loan",
  student_loan: "HELB / Education Loan",
  business_loan: "Business / SME Loan",
  line_of_credit: "Overdraft facility",
  other: "Other Credit Facilities",
};

export const IncomeMap: Record<IncomeType, string> = {
  salary: "Salary / Hustle",
  freelance: "Freelance / Gig Work",
  business: "Business Yield",
  dividends: "Dividends / Chama Payout",
  rental: "Rental Income",
  contract: "Contract Fee",
  other: "Other Inflows",
};

export const DeploymentMap: Record<ValidCategory, string> = {
  Asset: "Investments",
  Skill: "Growth",
```

Axiom Repository Audit

```
Leverage: "Efficiency",
Experience: "Lifestyle",
Maintenance: "Essentials",
Leakage: "Waste",
};
```

FILE: scripts\marketing\instagram\generate_carousel.py

```
import os

from PIL import Image, ImageDraw, ImageFont

# Constants for Instagram Carousel (Portrait - Maximum Screen Real Estate)
WIDTH, HEIGHT = 1080, 1350
BG_COLOR = "#050505" # Pure deep black
TEXT_COLOR = "#FFFFFF" # Stark white
SECONDARY_TEXT = "#666666" # Muted gray for the footer

class CarouselGenerator:
    def __init__(self, output_dir="output"):
        self.output_dir = output_dir
        script_dir = os.path.dirname(os.path.abspath(__file__))
        self.abs_output_dir = os.path.join(script_dir, output_dir)
        os.makedirs(self.abs_output_dir, exist_ok=True)

        # Try to find a system font (Windows specific)
        self.font_path_bold = "C:\\Windows\\Fonts\\arialbd.ttf"
        self.font_path_reg = "C:\\Windows\\Fonts\\arial.ttf"

        if not os.path.exists(self.font_path_bold):
            self.font_path_bold = None
            self.font_path_reg = None

    def get_font(self, size, bold=False):
        path = self.font_path_bold if bold else self.font_path_reg
        try:
            if path:
                return ImageFont.truetype(path, size)
        except Exception:
            pass
        return ImageFont.load_default()

    def wrap_text(self, text, font, max_width):
        lines = []
        words = text.split()
        while words:
            line = ""
            while words and font.getlength(line + words[0]) <= max_width:
                line += words.pop(0) + " "
            lines.append(line.strip())
        return lines

    def create_slide(self, index, text, slide_count):
        img = Image.new("RGB", (WIDTH, HEIGHT), color=BG_COLOR)
        draw = ImageDraw.Draw(img)

        # Fonts - MASSIVELY scaled up for the "Wealth" aesthetic
        main_font = self.get_font(84, bold=True)
        footer_font = self.get_font(28)

        # Text Wrapping (Centered)
        max_text_width = WIDTH - 200 # Leave 100px breathing room on each side
```

Axiom Repository Audit

```
wrapped_text = self.wrap_text(text, main_font, max_text_width)

# Calculate total height of the text block to center it vertically
line_heights = [
    draw.textbbox((0, 0), line, font=main_font)[3] for line in wrapped_text
]
total_text_height = sum(line_heights) + (len(wrapped_text) - 1) * 30

y_cursor = (HEIGHT - total_text_height) // 2

# Draw Centered Text
for line in wrapped_text:
    bbox = draw.textbbox((0, 0), line, font=main_font)
    line_width = bbox[2] - bbox[0]
    x_cursor = (WIDTH - line_width) // 2 # Center horizontally

    draw.text((x_cursor, y_cursor), line, font=main_font, fill=TEXT_COLOR)
    y_cursor += line_heights[0] + 30

# Draw Footer / Branding (Centered at bottom)
footer_text = "? X I O M"
f_bbox = draw.textbbox((0, 0), footer_text, font=footer_font)
draw.text(
    ((WIDTH - (f_bbox[2] - f_bbox[0])) // 2, HEIGHT - 120),
    footer_text,
    font=footer_font,
    fill=SECONDARY_TEXT,
)

# Page Indicator (Bottom right)
if index + 1 < slide_count:
    indicator = "Swipe ?"
else:
    indicator = "Link in bio."

i_bbox = draw.textbbox((0, 0), indicator, font=footer_font)
draw.text(
    (WIDTH - 100 - (i_bbox[2] - i_bbox[0]), HEIGHT - 120),
    indicator,
    font=footer_font,
    fill=SECONDARY_TEXT,
)

# Save
filename = f"slide_{index + 1}.png"
save_path = os.path.join(self.abs_output_dir, filename)
img.save(save_path)
print(f"Generated: {save_path}")

def main():
    # The "Wealth" Page Copy Strategy: Short, punchy, aggressive.
    slides = [
        "Stop tracking your expenses. It's keeping you broke.",
        "Tracking is a history lesson. It only tells you where your money went after it's too late.",
        "The wealthy don't track. They allocate.",
        "Every shilling you spend is either an Asset, a Skill, Leverage, or Leakage.",
        "Stop guessing. Establish your Day Zero financial baseline today.",
    ]

    generator = CarouselGenerator()
    for i, text in enumerate(slides):
        generator.create_slide(i, text, len(slides))
```

Axiom Repository Audit

```
if __name__ == "__main__":
    main()
```

FILE: scripts\marketing\instagram\generate_carousel_api.py

```
import os
from io import BytesIO

import requests
from PIL import Image, ImageDraw, ImageEnhance, ImageFont

# Load environment variables (manual simple load)
def load_env():
    env_path = os.path.join(os.path.dirname(__file__), ".env")
    if os.path.exists(env_path):
        with open(env_path, "r") as f:
            for line in f:
                if "=" in line:
                    key, value = line.strip().split("=", 1)
                    os.environ[key] = value.strip('\"').strip('\"')

load_env()

# Constants
WIDTH, HEIGHT = 1080, 1080
MARGIN = 80
BG_COLOR = "#0a0a0a"
TEXT_COLOR = "#ededed"
ACCENT_COLOR = "#3b82f6"
SECONDARY_TEXT = "#999999"
UNSPLASH_ACCESS_KEY = os.getenv("UNSPLASH_ACCESS_KEY", "your_key_here")

class CarouselGeneratorAPI:
    def __init__(self, output_dir="output"):
        script_dir = os.path.dirname(os.path.abspath(__file__))
        self.abs_output_dir = os.path.join(script_dir, output_dir)
        os.makedirs(self.abs_output_dir, exist_ok=True)

        # Fonts
        self.font_path_bold = "C:\\Windows\\Fonts\\arialbd.ttf"
        self.font_path_reg = "C:\\Windows\\Fonts\\arial.ttf"

    def get_font(self, size, bold=False):
        path = self.font_path_bold if bold else self.font_path_reg
        try:
            if path and os.path.exists(path):
                return ImageFont.truetype(path, size)
        except Exception:
            pass
        return ImageFont.load_default()

    # 1. NEW: Add the text wrapping logic back
    def wrap_text(self, text, font, max_width):
        lines = []
        words = text.split()
        while words:
            line = ""
            while words and font.getlength(line + words[0]) <= max_width:
                line += words.pop(0) + " "
            lines.append(line.strip())
```

Axiom Repository Audit

```
return lines

def fetch_unsplash_background(self, query):
    print(f"Fetching background for: {query}")
    if UNSPLASH_ACCESS_KEY == "your_key_here":
        print("Warning: Unsplash API key not set. Using fallback color.")
        return None

    url = f"https://api.unsplash.com/photos/random?query={query}&orientation=squarish&client_id={UNSPLASH_ACCESS_KEY}"
    try:
        response = requests.get(url, timeout=10)
        data = response.json()
        image_url = data["urls"]["regular"]
        img_response = requests.get(image_url)
        img = Image.open(BytesIO(img_response.content))
        return img.resize((WIDTH, HEIGHT))
    except Exception as e:
        print(f"Error fetching image: {e}")
        return None

def create_slide(self, index, text, slide_count, bg_image=None):
    img = (
        bg_image.copy()
        if bg_image
        else Image.new("RGB", (WIDTH, HEIGHT), color=BG_COLOR)
    )

    # Darken image for readability
    enhancer = ImageEnhance.Brightness(img)
    img = enhancer.enhance(0.4)

    draw = ImageDraw.Draw(img)

    # Fonts
    title_font = self.get_font(72, bold=True)
    footer_font = self.get_font(24)

    # 2. UPDATED: Handle both manual \n and automatic width wrapping
    # Replace explicit escaped newlines just in case they come through as raw strings
    raw_lines = text.replace("\\n", "\n").split("\n")
    final_lines = []
    max_text_width = WIDTH - (MARGIN * 2) # Leave 80px breathing room on each side

    for raw_line in raw_lines:
        wrapped = self.wrap_text(raw_line, title_font, max_text_width)
        final_lines.extend(wrapped)

    # Dynamically calculate Y cursor so the whole block stays perfectly centered
    line_spacing = 90
    total_height = len(final_lines) * line_spacing
    y_cursor = (HEIGHT - total_height) // 2

    for line in final_lines:
        w = title_font.getlength(line)
        draw.text(
            ((WIDTH - w) // 2, y_cursor), line, font=title_font, fill=TEXT_COLOR
        )
        y_cursor += line_spacing

    # Branding
    footer_text = "? X I O M" # Updated to match your high-end brand mark
    draw.text(
        (MARGIN, HEIGHT - MARGIN),
        footer_text,
        font=footer_font,
```

Axiom Repository Audit

```
        fill=SECONDARY_TEXT,
    )

    indicator = f"{index + 1} / {slide_count}"
    draw.text(
        (WIDTH - MARGIN - 60, HEIGHT - MARGIN),
        indicator,
        font=footer_font,
        fill=TEXT_COLOR,
    )

    filename = f"api_slide_{index + 1}.png"
    save_path = os.path.join(self.abs_output_dir, filename)
    img.save(save_path)
    print(f"Generated: {save_path}")

def main():
    # CONFIGURATION
    THEME = "dark abstract geometric shapes, black marble, clinical white lights, moody minimalism"
    SLIDES = [
        "1: Your financial decisions are compromised.\nEgo and fear are taxing your capital.",
        "2: You buy to simulate status.\nYou avoid auditing your accounts because of anxiety.\nEmotion is the enemy of efficiency.",
        "3: The elite do not operate on feelings.\nThey operate on strict, unforgiving systems.\nMath dictates their deployment.",
        "4: Axiom strips the emotion out of your operations.\nOur intelligence engine calculates your structural solvency with zero judgment.\nJust cold, deterministic truth.",
        "5: Stop operating on feelings.\nEstablish your Day Zero Baseline today.\nLink in bio.",
    ]

    generator = CarouselGeneratorAPI()

    for i, slide_text in enumerate(SLIDES):
        # Fetch a unique background for every slide
        bg = generator.fetch_unsplash_background(THEME)

        # Remove the leading "X: " prefix if present
        clean_text = slide_text.split(": ", 1)[-1] if ": " in slide_text else slide_text
        generator.create_slide(i, clean_text, len(SLIDES), bg)

if __name__ == "__main__":
    main()
```

FILE: docsVOICE_AND_TONE.md

Axiom: Voice & Tone Guide

Core Ethos: Precise, calm, strategic, trustworthy.

Objective: Axiom is not a budgeting app. It is a financial operating system. We do not restrict or scold; we illuminate and project. We replace anxiety with clarity through the delivery of hard figures.

1. Brand Voice Principles

* **Radically Calm:** Money causes anxiety. Our interface must be the antidote. We never use exclamation points. We do not use alarmist colors or language. We state facts plainly.

* **High-Resolution, Low-Frequency:** We respect the user's attention. We don't flood them with trivial alerts. When we speak, it is because we have synthesized something meaningful. Every word must earn its place.

* **Strategic, Not Tactical:** We do not tell users to "skip the latte." We talk about capital deployment, systemic structures, and horizon expansion. We treat the user like a CEO managing a treasury.

* **Deterministic Authority:** We do not guess. If we project a number, it is based on unshakeable math. We use language that conveys structural integrity.

Axiom Repository Audit

* ****Neutral Truth:**** A shortened runway is not a failure; it is simply a state change requiring a strategic adjustment. We strip emotion from financial reality.

2. Words We Use

* ****The Foundation:**** (The structural minimum required to operate; living expenses).
* ****The Horizon:**** (How far the current capital pool extends; runway).
* ****Inflows / Replenishment:**** (Income).
* ****Commitments:**** (Debt, liabilities, unavoidable future outflows).
* ****Capital Deployment:**** (Spending, investing, or allocating money).
* ****Strategic Objective:**** (A long-term financial goal).
* ****Hard Figures:**** (Confirmed, deterministic data).
* ****Verified / Processing / Staged:**** (Transaction statuses).
* ****The Source:**** (The origin of truth, connected institutions).
* ****Synthesis / Insight:**** (AI analysis).
* ****Align / Recalibrate:**** (Adjusting behaviors or plans).

3. Words We Avoid

* ****Budget / Budgeting:**** (Feels restrictive, guilt-inducing, and small).
* ****Expense / Spending:**** (Implies loss; we prefer "Deployment" or "Outflows").
* ****Hustle / Grind:**** (Hype language; we focus on structure, not burnout).
* ****Danger / Warning / Urgent:**** (Fear-based; we use "Advisory," "Attention required," or "Recalibration needed").
* ****Good job! / Congrats!:**** (Patronizing; we use "Objective secured" or "Alignment confirmed").
* ****Guess / Estimate / Probably:**** (Undermines our deterministic authority).
* ****Oops / Uh oh:**** (Too casual for a financial OS).

4. Dashboard Tone Examples

* ****Current State:****
* *Avoid:* "Here's how much you spent this month!"
* *Axiom:* "Current capital deployment versus historical baseline."
* ****Runway Projection:****
* *Avoid:* "You only have 3 months of cash left!"
* *Axiom:* "Current horizon: 3.2 months. A recalibration of The Foundation is recommended."
* ****Net Worth:****
* *Avoid:* "Your total wealth is looking great."
* *Axiom:* "Verified net position."

5. Notification Tone Examples

* ****Large Outflow Detected:****
* *Avoid:* "Whoa, big spender! You just dropped \$2,000."
* *Axiom:* "Significant capital deployment noted. Horizon adjusted by -14 days."
* ****Goal Reached:****
* *Avoid:* "Congratulations! You hit your savings goal! ?"
* *Axiom:* "Strategic Objective secured. Capital is now staged for the next allocation."
* ****Upcoming Liability:****
* *Avoid:* "Don't forget, your credit card bill is due tomorrow!"
* *Axiom:* "Scheduled Commitment: \$1,450 processing tomorrow."

6. Empty State Examples

* ****No Connected Accounts:****
* *Avoid:* "Looks empty here! Connect an account to get started."
* *Axiom:* "The Ledger requires data. Connect your institutions to establish The Source."
* ****No Objectives Set:****
* *Avoid:* "You haven't set any goals yet. What are you saving for?"
* *Axiom:* "No Strategic Objectives defined. Establish a target to align your capital flow."
* ****No Insights Available:****
* *Avoid:* "We're still crunching the numbers..."
* *Axiom:* "Gathering baseline telemetry. Insights will synthesize once sufficient data is verified."

7. Error State Examples

Axiom Repository Audit

```
* **Sync Failure:**
*   *Avoid:* "Oops! We couldn't connect to your bank. Please try again."
*   *Axiom:* "Connection to The Source interrupted. Integrity at 98%. Re-authentication required for Chase."
* **Insufficient Funds for Allocation:**
*   *Avoid:* "You don't have enough money to make this transfer!"
*   *Axiom:* "Deployment exceeds available staging capital. Review inflows before proceeding."
* **System Error:**
*   *Avoid:* "Something went wrong on our end. Sorry!"
*   *Axiom:* "System interruption. Hard Figures may be temporarily out of sync. Service will restore shortly."

## 8. AI Insight Tone Examples (Kairos Intelligence)

* **Detecting Lifestyle Creep:**
*   *Avoid:* "You've been spending way too much on dining out lately."
*   *Axiom:* "Observation: The Foundation has expanded by 12% over the last quarter, primarily driven by variable outflows. This structural shift reduces your long-term horizon."
* **Suggesting Reallocation:**
*   *Avoid:* "You have extra cash! You should put it in your investment account."
*   *Axiom:* "Synthesis: Inflows have consistently exceeded Foundation requirements for 60 days. Consider deploying surplus capital to your primary investment objective."
* **Addressing Runway Depletion (Solvency Alert):**
*   *Avoid:* "Emergency: You're running out of money fast!"
*   *Axiom:* "Advisory: Current burn rate exceeds replenishment. Without intervention, The Horizon will deplete in 45 days. Immediate recalibration of variable outflows is advised."

## 9. Landing Page Headline Examples

*   *Avoid:* "Take control of your budget today."
*   *Axiom:* "The Math of Wealth."
*   *Avoid:* "The smartest way to track your money."
*   *Axiom:* "Precision wealth management for the disciplined."
*   *Avoid:* "Never worry about your finances again."
*   *Axiom:* "Financial certainty. Hard figures only."
*   *Avoid:* "AI financial advisor in your pocket."
*   *Axiom:* "Calculated intelligence. At the exact right moment."

## 10. Onboarding Copy Examples

* **Welcome Screen:**
*   *Avoid:* "Welcome to Axiom! Let's get your budget set up."
*   *Axiom:* "Welcome to Axiom. Let's establish your financial foundation."
* **Connecting Accounts:**
*   *Avoid:* "Link your bank accounts so we can track your spending."
*   *Axiom:* "Secure The Source. Connect your institutions to verify your financial reality."
* **Setting the Baseline:**
*   *Avoid:* "Tell us what your monthly bills are."
*   *Axiom:* "Define your Commitments. This establishes your structural burn rate."
* **Completion:**
*   *Avoid:* "All done! You're ready to start saving."
*   *Axiom:* "Telemetry active. Kairos Intelligence is now monitoring your horizon."
```

FILE: supabaseltesting-scenarios.sql

```
-- KAIROS STRATEGIC INTERPRETATION LAYER ? COMPREHENSIVE TESTING SUITE (V1.1)
-- IDENTITY: Restrained Operational Intelligence
-- SHARED TESTING UUID: 453007ef-8eba-4f6a-8d86-81445fc0af3d

-- =====
-- BLOCK 0: TOTAL SYSTEM RESET
-- Use this to restore the system to a Day Zero state.
-- =====

DELETE FROM public.deployments WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
```

Axiom Repository Audit

```
DELETE FROM public.strategic_objectives WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.financial_goals WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.accounts WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.liabilities WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.income_streams WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.operational_baseline WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.kairos_insights WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';
DELETE FROM public.user_settings WHERE user_id = '453007ef-8eba-4f6a-8d86-81445fc0af3d';

-- =====
-- SCENARIO A: THE PRIMITIVE STATE (Day Zero Onboarding)
-- Context: No forensic data. Silence is intentional.
-- Triggers: 'default_pattern' insight.
-- =====

-- No data required.

-- =====
-- SCENARIO B: THE IDEAL STATE (Discipline & Strategic Growth)
-- Context: High liquidity, zero debt, asset-focused deployments, stable burn.
-- Triggers: 'high_discipline', 'default_pattern'.
-- =====

INSERT INTO public.user_settings (user_id, total_liquidity)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 1500000)
ON CONFLICT (user_id) DO UPDATE SET total_liquidity = 1500000;

INSERT INTO public.accounts (user_id, account_name, account_type, current_balance, institution)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Standard Chartered Current', 'checking', 500000, 'Stanchart'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'I&M Wealth Management', 'savings', 1000000, 'I&M Bank');

INSERT INTO public.income_streams (user_id, income_name, income_type, amount, cadence, is_recurring, source)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Principal Consultancy', 'salary', 450000, 'monthly', true, 'Axiom Labs'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Equity Dividends', 'dividends', 25000, 'quarterly', true, 'NSE');

INSERT INTO public.operational_baseline (user_id, title, baseline_type, amount, cadence, is_active, category)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Kilimani Apartment', 'expense', 120000, 'monthly', true, 'Maintenance'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Z-Fund Allocation', 'allocation', 50000, 'monthly', true, 'Asset');

INSERT INTO public.deployments (user_id, title, amount, category, created_at)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Weekly MMF Allocation', 15000, 'Asset', now() - interval '7 days'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Weekly MMF Allocation', 15000, 'Asset', now() - interval '14 days'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Weekly MMF Allocation', 15000, 'Asset', now() - interval '21 days');

INSERT INTO public.strategic_objectives (user_id, objective_name, objective_type, target_amount, current_amount,
priority_level, status)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Liquidity Buffer', 'liquidity', 2000000, 1500000, 'moderate', 'active');

-- =====
-- SCENARIO C: THE FRAGILE STATE (Concentration & Volatility)
-- Context: High inbound concentration risk, erratic spending, high leakage.
-- Triggers: 'income_concentration_risk', 'erratic_volatility', 'heavy_concentration', 'unclassified_data'.
-- =====

-- First run BLOCK 0.
INSERT INTO public.user_settings (user_id, total_liquidity) VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 50000);

-- 90% of income from one source
```

Axiom Repository Audit

```
INSERT INTO public.income_streams (user_id, income_name, income_type, amount, cadence, is_recurring)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Single Major Hustle', 'freelance', 90000, 'monthly', true);

-- Erratic and unclassified deployments
INSERT INTO public.deployments (user_id, title, amount, category)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Random Purchase A', 45000, 'Leakage'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Stuff', 5000, 'Leakage'), -- Changed to Leakage for discipline impact
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Misc', 12000, 'Leakage'), -- Changed to Leakage for discipline impact
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Major Impulse', 85000, 'Leakage');

-- =====
-- SCENARIO D: THE SURVIVAL STATE (Solvency Crisis & Structural Deficit)
-- Context: Negative net worth, monthly burn > income, runway < 30 days.
-- Triggers: 'solvency_crisis', 'structural_deficit', 'runway_critical'.
-- =====

-- First run BLOCK 0.
INSERT INTO public.user_settings (user_id, total_liquidity) VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 10000);

INSERT INTO public.accounts (user_id, account_name, account_type, current_balance)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Equity Bank (Overdrawn)', 'checking', -5000);

INSERT INTO public.liabilities (user_id, liability_name, liability_type, outstanding_balance, interest_rate,
is_paid_in_cadences, cadence, cadence_amount)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'High-Interest Sacco Loan', 'personal_loan', 750000, 15.00, true, 'monthly',
45000);

INSERT INTO public.income_streams (user_id, income_name, income_type, amount, cadence, is_recurring)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Part-time Gig', 'freelance', 40000, 'monthly', true);

INSERT INTO public.operational_baseline (user_id, title, baseline_type, amount, cadence, is_active, category)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Basic Survival', 'expense', 65000, 'monthly', true, 'Maintenance');

-- =====
-- SCENARIO E: THE STRATEGIC DRIFT (Conflict & Starvation)
-- Context: Funding high leakage during accumulation, neglected critical goals.
-- Triggers: 'strategic_conflict', 'objective_starvation', 'solvency_pressure', 'efficiency_crisis'.
-- =====

-- First run BLOCK 0.
INSERT INTO public.user_settings (user_id, total_liquidity) VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 100000);

-- Neglected objective (created 120 days ago, low progress)
INSERT INTO public.strategic_objectives (user_id, objective_name, objective_type, target_amount, current_amount,
priority_level, status, created_at)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Emergency Reserve Alpha', 'emergency_reserve', 500000, 25000, 'critical',
'active', now() - interval '120 days');

-- Strategic Conflict: Accumulation active, but spending on Leakage
INSERT INTO public.strategic_objectives (user_id, objective_name, objective_type, target_amount, current_amount,
priority_level, status)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Active Accumulation', 'liquidity', 200000, 100000, 'moderate', 'active');

INSERT INTO public.deployments (user_id, title, amount, category)
VALUES
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Luxury Dinner', 15000, 'Leakage'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Impulse Online Shopping', 45000, 'Leakage'),
('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'MMF Deposit', 5000, 'Asset');

-- =====
-- SCENARIO F: THE OPERATIONAL VERIFICATION (Pending States)
```

Axiom Repository Audit

```
-- Context: Multiple scheduled flows requiring verification today.
-- Triggers: 'pending_verification'.
-- =====

-- First run BLOCK 0.
INSERT INTO public.user_settings (user_id, total_liquidity) VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 200000);

-- Schedule an income stream for TODAY
INSERT INTO public.income_streams (user_id, income_name, income_type, amount, cadence, is_recurring, execution_day)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Pending Salary Inflow', 'salary', 150000, 'monthly', true, extract(day from
now()));

-- Schedule a liability for TODAY
-- Note: Cadence_day_date is text. Use the name for weekly, or number for monthly.
INSERT INTO public.liabilities (user_id, liability_name, liability_type, outstanding_balance, is_paid_in_cadences, cadence,
cadence_day_date, cadence_amount)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Loan Repayment Due', 'mortgage', 4500000, true, 'monthly', extract(day from
now())::text, 55000);

-- Schedule a baseline for TODAY
INSERT INTO public.operational_baseline (user_id, title, baseline_type, amount, cadence, is_active, category, execution_day)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Daily Micro-Baseline', 'expense', 500, 'daily', true, 'Maintenance', null);

-- =====
-- SCENARIO G: FORENSIC INTEGRITY (Soft Deletes & Audit Trail)
-- Context: Testing historical record visibility and telemetry.
-- =====

-- First run BLOCK 0.
INSERT INTO public.deployments (user_id, title, amount, category, deleted_at)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Mistaken Transaction', 1000000, 'Leakage', now());

INSERT INTO public.kairos_insights (user_id, rule_id, message, severity, evaluation_time_ms)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'audit_test_rule', 'Forensic trace test.', 'observation', 45.5);

-- =====
-- SCENARIO H: THE WEALTH PRESERVATION STATE (High Liquidity & Reserve)
-- Context: Large asset base in 'Vault' with strategic reserve alignment.
-- Triggers: 'high_discipline', 'default_pattern'.
-- =====

-- First run BLOCK 0.
INSERT INTO public.user_settings (user_id, total_liquidity) VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 2000000);

INSERT INTO public.accounts (user_id, account_name, account_type, current_balance)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Vault', 'savings', 2000000);

INSERT INTO public.strategic_objectives (user_id, objective_name, objective_type, target_amount, current_amount,
priority_level, status)
VALUES ('453007ef-8eba-4f6a-8d86-81445fc0af3d', 'Base Reserve', 'liquidity', 500000, 450000, 'low', 'active');
```

FILE: supabaselmigrations\20260511134054_enforce_deployment_context_constraints.sql

```
ALTER TABLE public.deployments
  ADD COLUMN IF NOT EXISTS advanced_context JSONB DEFAULT '{}'::jsonb;

UPDATE public.deployments
SET advanced_context = '{}'::jsonb
WHERE advanced_context IS NULL;

ALTER TABLE public.deployments
```

Axiom Repository Audit

```
ALTER COLUMN category DROP DEFAULT,
ALTER COLUMN advanced_context SET DEFAULT '{}':jsonb,
ALTER COLUMN advanced_context SET NOT NULL;

ALTER TABLE public.deployments
  DROP CONSTRAINT IF EXISTS deployments_category_valid_check;

ALTER TABLE public.deployments
  ADD CONSTRAINT deployments_category_valid_check
  CHECK (
    category IS NOT NULL
    AND category IN ('Asset', 'Skill', 'Leverage', 'Experience', 'Leakage')
  )
  NOT VALID;

ALTER TABLE public.deployments
  DROP CONSTRAINT IF EXISTS deployments_advanced_context_shape_check;

ALTER TABLE public.deployments
  ADD CONSTRAINT deployments_advanced_context_shape_check
  CHECK (
    jsonb_typeof(advanced_context) = 'object'
    AND (
      NOT advanced_context ? 'associatedAccount'
      OR jsonb_typeof(advanced_context -> 'associatedAccount') = 'string'
    )
    AND (
      NOT advanced_context ? 'expectedReturnHorizon'
      OR advanced_context ->> 'expectedReturnHorizon' IN (
        'short-term',
        'medium-term',
        'long-term'
      )
    )
    AND (
      NOT advanced_context ? 'tags'
      OR jsonb_typeof(advanced_context -> 'tags') = 'array'
    )
  )
  NOT VALID;
```

FILE: supabaselmigrations\20260512000000_financial_accounts_v1.sql

```
-- AXIOM FINANCIAL ACCOUNTS INFRASTRUCTURE (v1.0)
-- Establishing canonical containers of financial truth.

-- 1. Accounts Table
CREATE TABLE IF NOT EXISTS public.accounts (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  account_name TEXT NOT NULL,
  account_type TEXT NOT NULL,
  current_balance NUMERIC(15, 2) DEFAULT 0.00 NOT NULL,
  currency TEXT DEFAULT 'KSh' NOT NULL,
  institution TEXT,
  created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  updated_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  CONSTRAINT accounts_account_type_check CHECK (
    account_type IN ('checking', 'savings', 'mobile_money', 'brokerage', 'crypto', 'cash')
  )
);

-- 2. Deployment Linking
```

Axiom Repository Audit

```
-- Add optional account_id to deployments for capital traceability
ALTER TABLE public.deployments ADD COLUMN IF NOT EXISTS account_id UUID REFERENCES public.accounts(id) ON DELETE SET NULL;

-- 3. Security Setup (RLS)
ALTER TABLE public.accounts ENABLE ROW LEVEL SECURITY;

-- Ensure users can only interact with their own accounts
DROP POLICY IF EXISTS "Users can view their own accounts" ON public.accounts;
DROP POLICY IF EXISTS "Users can insert their own accounts" ON public.accounts;
DROP POLICY IF EXISTS "Users can update their own accounts" ON public.accounts;
DROP POLICY IF EXISTS "Users can delete their own accounts" ON public.accounts;

CREATE POLICY "Users can view their own accounts" ON public.accounts FOR SELECT TO authenticated USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own accounts" ON public.accounts FOR INSERT TO authenticated WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own accounts" ON public.accounts FOR UPDATE TO authenticated USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own accounts" ON public.accounts FOR DELETE TO authenticated USING (auth.uid() = user_id);

-- 4. Grants
GRANT ALL ON public.accounts TO authenticated;
GRANT ALL ON public.accounts TO service_role;

-- 5. Indexes
CREATE INDEX IF NOT EXISTS accounts_user_id_idx ON public.accounts(user_id);
CREATE INDEX IF NOT EXISTS deployments_account_id_idx ON public.deployments(account_id);
```

FILE: supabaselmigrations\20260516000000_liability_system_v1.sql

```
-- AXIOM LIABILITY SYSTEM (v1.0)
-- Establishing deterministic awareness of financial obligations.

-- 1. Liabilities Table
CREATE TABLE IF NOT EXISTS public.liabilities (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  liability_name TEXT NOT NULL,
  liability_type TEXT NOT NULL,
  outstanding_balance NUMERIC(15, 2) DEFAULT 0.00 NOT NULL,
  interest_rate NUMERIC(5, 2) DEFAULT 0.00 NOT NULL,
  minimum_payment NUMERIC(15, 2) DEFAULT 0.00 NOT NULL,
  due_date DATE,
  currency TEXT DEFAULT 'KSh' NOT NULL,
  institution TEXT,
  created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  updated_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  CONSTRAINT liabilities_liability_type_check CHECK (
    liability_type IN (
      'credit_card',
      'mortgage',
      'personal_loan',
      'student_loan',
      'business_loan',
      'line_of_credit',
      'other'
    )
  )
);

-- 2. Security Setup (RLS)
ALTER TABLE public.liabilities ENABLE ROW LEVEL SECURITY;
```

Axiom Repository Audit

```
-- Ensure users can only interact with their own liabilities
DROP POLICY IF EXISTS "Users can view their own liabilities" ON public.liabilities;
DROP POLICY IF EXISTS "Users can insert their own liabilities" ON public.liabilities;
DROP POLICY IF EXISTS "Users can update their own liabilities" ON public.liabilities;
DROP POLICY IF EXISTS "Users can delete their own liabilities" ON public.liabilities;

CREATE POLICY "Users can view their own liabilities" ON public.liabilities FOR SELECT TO authenticated USING (auth.uid() =
user_id);
CREATE POLICY "Users can insert their own liabilities" ON public.liabilities FOR INSERT TO authenticated WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can update their own liabilities" ON public.liabilities FOR UPDATE TO authenticated USING (auth.uid() =
user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own liabilities" ON public.liabilities FOR DELETE TO authenticated USING (auth.uid() =
user_id);

-- 3. Grants
GRANT ALL ON public.liabilities TO authenticated;
GRANT ALL ON public.liabilities TO service_role;

-- 4. Indexes
CREATE INDEX IF NOT EXISTS liabilities_user_id_idx ON public.liabilities(user_id);
CREATE INDEX IF NOT EXISTS liabilities_due_date_idx ON public.liabilities(due_date);
```

FILE: supabaselmigrations\20260517000000_income_engine_v1.sql

```
-- AXIOM INCOME ENGINE (v1.0)
-- Establishing deterministic awareness of financial replenishment.

-- 1. Income Streams Table
CREATE TABLE IF NOT EXISTS public.income_streams (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  income_name TEXT NOT NULL,
  income_type TEXT NOT NULL,
  amount NUMERIC(15, 2) NOT NULL,
  cadence TEXT NOT NULL,
  is_recurring BOOLEAN DEFAULT true NOT NULL,
  currency TEXT DEFAULT 'KSh' NOT NULL,
  source TEXT,
  start_date DATE NOT NULL DEFAULT CURRENT_DATE,
  end_date DATE,
  created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  updated_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  CONSTRAINT income_streams_income_type_check CHECK (
    income_type IN (
      'salary',
      'freelance',
      'business',
      'dividends',
      'rental',
      'contract',
      'other'
    )
  ),
  CONSTRAINT income_streams_cadence_check CHECK (
    cadence IN (
      'weekly',
      'biweekly',
      'monthly',
      'quarterly',
      'annually',
      'irregular'
    )
  )
);
```

Axiom Repository Audit

```
)
);

-- 2. Security Setup (RLS)
ALTER TABLE public.income_streams ENABLE ROW LEVEL SECURITY;

-- Ensure users can only interact with their own income streams
DROP POLICY IF EXISTS "Users can view their own income streams" ON public.income_streams;
DROP POLICY IF EXISTS "Users can insert their own income streams" ON public.income_streams;
DROP POLICY IF EXISTS "Users can update their own income streams" ON public.income_streams;
DROP POLICY IF EXISTS "Users can delete their own income streams" ON public.income_streams;

CREATE POLICY "Users can view their own income streams" ON public.income_streams FOR SELECT TO authenticated USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own income streams" ON public.income_streams FOR INSERT TO authenticated WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own income streams" ON public.income_streams FOR UPDATE TO authenticated USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own income streams" ON public.income_streams FOR DELETE TO authenticated USING (auth.uid() = user_id);

-- 3. Grants
GRANT ALL ON public.income_streams TO authenticated;
GRANT ALL ON public.income_streams TO service_role;

-- 4. Indexes
CREATE INDEX IF NOT EXISTS income_streams_user_id_idx ON public.income_streams(user_id);
CREATE INDEX IF NOT EXISTS income_streams_start_date_idx ON public.income_streams(start_date);
```

FILE: supabaselmigrations\20260518000000_goal_system_v1.sql

```
-- AXIOM GOAL SYSTEM (v1.0)
-- Establishing deterministic awareness of strategic financial direction.

-- 1. Financial Goals Table
CREATE TABLE IF NOT EXISTS public.financial_goals (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  goal_name TEXT NOT NULL,
  goal_type TEXT NOT NULL,
  target_amount NUMERIC(15, 2) NOT NULL,
  current_progress NUMERIC(15, 2) DEFAULT 0.00 NOT NULL,
  target_date DATE,
  priority TEXT DEFAULT 'medium' NOT NULL,
  status TEXT DEFAULT 'active' NOT NULL,
  linked_account_ids UUID[] DEFAULT '{}'::UUID[] NOT NULL,
  notes TEXT,
  created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
  updated_at TIMESTAMPTZ DEFAULT now() NOT NULL,

  CONSTRAINT financial_goals_goal_type_check CHECK (
    goal_type IN (
      'emergency_fund',
      'retirement',
      'home_purchase',
      'investment_target',
      'business_runway',
      'education',
      'debt_payoff',
      'wealth_preservation',
      'other'
    )
  )
),
```

Axiom Repository Audit

```
CONSTRAINT financial_goals_priority_check CHECK (
    priority IN ('critical', 'high', 'medium', 'low')
),
CONSTRAINT financial_goals_status_check CHECK (
    status IN ('active', 'paused', 'achieved', 'archived')
),
CONSTRAINT financial_goals_target_amount_positive CHECK (target_amount > 0)
);

-- 2. Security Setup (RLS)
ALTER TABLE public.financial_goals ENABLE ROW LEVEL SECURITY;

-- Ensure users can only interact with their own goals
DROP POLICY IF EXISTS "Users can view their own goals" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can insert their own goals" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can update their own goals" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can delete their own goals" ON public.financial_goals;

CREATE POLICY "Users can view their own goals" ON public.financial_goals FOR SELECT TO authenticated USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own goals" ON public.financial_goals FOR INSERT TO authenticated WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own goals" ON public.financial_goals FOR UPDATE TO authenticated USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own goals" ON public.financial_goals FOR DELETE TO authenticated USING (auth.uid() = user_id);

-- 3. Grants
GRANT ALL ON public.financial_goals TO authenticated;
GRANT ALL ON public.financial_goals TO service_role;

-- 4. Indexes
CREATE INDEX IF NOT EXISTS financial_goals_user_id_idx ON public.financial_goals(user_id);
CREATE INDEX IF NOT EXISTS financial_goals_status_idx ON public.financial_goals(status);
CREATE INDEX IF NOT EXISTS financial_goals_priority_idx ON public.financial_goals(priority);
```

FILE: supabaselmigrations\20260519000000_sync_deployment_balances.sql

```
-- SYNC DEPLOYMENT BALANCES (v1.0)
-- Automated synchronization between deployments and account balances.
-- Goal: Ensure zero silent drift when capital is deployed from a specific account.

-- 1. Trigger Function to Update Account Balance
CREATE OR REPLACE FUNCTION public.sync_deployment_to_account_balance()
RETURNS TRIGGER AS $$
BEGIN
    -- Only proceed if an account_id is linked to the deployment
    IF NEW.account_id IS NOT NULL THEN
        -- Decrement the balance of the linked account
        UPDATE public.accounts
        SET
            current_balance = current_balance - NEW.amount,
            updated_at = now()
        WHERE id = NEW.account_id;

        -- Logic Safety Check: In Axiom, we allow negative balances (overdrafts),
        -- but we must ensure the account actually exists.
        IF NOT FOUND THEN
            RAISE WARNING 'Deployment % linked to non-existent account %', NEW.id, NEW.account_id;
        END IF;
    END IF;

    RETURN NEW;
```

Axiom Repository Audit

```
END;
$$ LANGUAGE plpgsql;

-- 2. Attach Trigger to deployments table
DROP TRIGGER IF EXISTS tr_sync_deployment_balance ON public.deployments;
CREATE TRIGGER tr_sync_deployment_balance
AFTER INSERT ON public.deployments
FOR EACH ROW
EXECUTE FUNCTION public.sync_deployment_to_account_balance();

-- 3. Documentation
COMMENT ON FUNCTION public.sync_deployment_to_account_balance() IS 'Automatically decrements account balance when a deployment
is registered against an account.';
```

FILE: supabaselmigrations\20260519000001_defensive_deployment_sync.sql

```
-- DEFENSIVE DEPLOYMENT SYNC (v1.1)
-- Full lifecycle synchronization between deployments and account balances.
-- Goal: Prevent silent data corruption by handling INSERT, UPDATE, and DELETE.

-- 1. Upgraded Trigger Function
CREATE OR REPLACE FUNCTION public.handle_capital_deployment_lifecycle()
RETURNS TRIGGER AS $$
BEGIN
    -- CASE: DELETE - Restore the original amount to the account
    IF (TG_OP = 'DELETE') THEN
        IF OLD.account_id IS NOT NULL THEN
            UPDATE public.accounts
            SET
                current_balance = current_balance + OLD.amount,
                updated_at = now()
            WHERE id = OLD.account_id;
        END IF;
        RETURN OLD;

    -- CASE: UPDATE - Handle amount changes and account transfers
    ELSIF (TG_OP = 'UPDATE') THEN
        -- Scenario A: Account remains the same, amount changes
        IF (OLD.account_id = NEW.account_id) THEN
            IF (OLD.account_id IS NOT NULL AND OLD.amount != NEW.amount) THEN
                UPDATE public.accounts
                SET
                    current_balance = current_balance + (OLD.amount - NEW.amount),
                    updated_at = now()
                WHERE id = OLD.account_id;
            END IF;

            -- Scenario B: Account itself changed (Transfer)
            ELSE
                -- Restore original amount to the OLD account
                IF OLD.account_id IS NOT NULL THEN
                    UPDATE public.accounts
                    SET
                        current_balance = current_balance + OLD.amount,
                        updated_at = now()
                    WHERE id = OLD.account_id;
                END IF;

                -- Subtract NEW amount from the NEW account
                IF NEW.account_id IS NOT NULL THEN
                    UPDATE public.accounts
                    SET
                        current_balance = current_balance - NEW.amount,
```

Axiom Repository Audit

```
        updated_at = now()
        WHERE id = NEW.account_id;
    END IF;
END IF;
RETURN NEW;

-- CASE: INSERT - Standard deduction (Maintain existing logic)
ELSIF (TG_OP = 'INSERT') THEN
    IF NEW.account_id IS NOT NULL THEN
        UPDATE public.accounts
        SET
            current_balance = current_balance - NEW.amount,
            updated_at = now()
        WHERE id = NEW.account_id;
    END IF;
    RETURN NEW;
END IF;

RETURN NULL;
END;
$$ LANGUAGE plpgsql;

-- 2. Attach Lifecycle Trigger
-- Drop the old restricted trigger if it exists
DROP TRIGGER IF EXISTS tr_sync_deployment_balance ON public.deployments;
DROP TRIGGER IF EXISTS tr_lifecycle_deployment_balance ON public.deployments;

CREATE TRIGGER tr_lifecycle_deployment_balance
AFTER INSERT OR UPDATE OR DELETE ON public.deployments
FOR EACH ROW
EXECUTE FUNCTION public.handle_capital_deployment_lifecycle();

-- 3. Documentation
COMMENT ON FUNCTION public.handle_capital_deployment_lifecycle() IS 'Ensures zero-drift financial integrity by syncing
deployment changes (Insert/Update/Delete) with linked account balances.';
```

FILE: supabaselmigrations\20260520000000_strategic_objectives_v1.sql

```
-- STRATEGIC OBJECTIVES ENGINE v1 (v1.0)
-- Establishing the directional financial intelligence layer.

-- 1. Strategic Objectives Table
CREATE TABLE IF NOT EXISTS public.strategic_objectives (
    id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
    user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
    objective_name TEXT NOT NULL,
    objective_type TEXT NOT NULL,
    target_amount NUMERIC(15, 2) NOT NULL,
    current_amount NUMERIC(15, 2) DEFAULT 0.00 NOT NULL,
    target_date DATE,
    priority_level TEXT NOT NULL,
    status TEXT NOT NULL,
    notes TEXT,
    created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
    updated_at TIMESTAMPTZ DEFAULT now() NOT NULL,

    CONSTRAINT strategic_objectives_type_check CHECK (
        objective_type IN (
            'emergency_reserve',
            'liquidity',
            'debt_elimination',
            'investment',
            'retirement',
```

Axiom Repository Audit

```
'education',
'acquisition',
'custom'
)
),
CONSTRAINT strategic_objectives_priority_check CHECK (
    priority_level IN ('critical', 'high', 'moderate', 'low')
),
CONSTRAINT strategic_objectives_status_check CHECK (
    status IN ('active', 'paused', 'completed', 'abandoned')
)
);

-- 2. Security Setup (RLS)
ALTER TABLE public.strategic_objectives ENABLE ROW LEVEL SECURITY;

DROP POLICY IF EXISTS "Users can view their own objectives" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can insert their own objectives" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can update their own objectives" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can delete their own objectives" ON public.strategic_objectives;

CREATE POLICY "Users can view their own objectives" ON public.strategic_objectives FOR SELECT TO authenticated USING
(auth.uid() = user_id);
CREATE POLICY "Users can insert their own objectives" ON public.strategic_objectives FOR INSERT TO authenticated WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can update their own objectives" ON public.strategic_objectives FOR UPDATE TO authenticated USING
(auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own objectives" ON public.strategic_objectives FOR DELETE TO authenticated USING
(auth.uid() = user_id);

-- 3. Grants
GRANT ALL ON public.strategic_objectives TO authenticated;
GRANT ALL ON public.strategic_objectives TO service_role;

-- 4. Indexes
CREATE INDEX IF NOT EXISTS strategic_objectives_user_id_idx ON public.strategic_objectives(user_id);
CREATE INDEX IF NOT EXISTS strategic_objectives_priority_idx ON public.strategic_objectives(priority_level);

-- 5. Updated At Trigger
CREATE OR REPLACE FUNCTION public.handle_updated_at()
RETURNS TRIGGER AS $$
BEGIN
    NEW.updated_at = now();
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS tr_strategic_objectives_updated_at ON public.strategic_objectives;
CREATE TRIGGER tr_strategic_objectives_updated_at
BEFORE UPDATE ON public.strategic_objectives
FOR EACH ROW
EXECUTE FUNCTION public.handle_updated_at();

-- 6. Commenting
COMMENT ON TABLE public.strategic_objectives IS 'Directional financial objectives defining the users strategic intentions.';
```

FILE: supabase\migrations\20260521000000_operational_baseline_v1.sql

```
-- OPERATIONAL BASELINE ENGINE (v1.0)
-- Tracking recurring structural outflows and systemic allocations.

-- 1. Operational Baseline Table
CREATE TABLE IF NOT EXISTS public.operational_baseline (
```

Axiom Repository Audit

```
id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
user_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
title TEXT NOT NULL,
amount NUMERIC(15, 2) NOT NULL,
category TEXT NOT NULL CHECK (category IN ('Asset', 'Skill', 'Leverage', 'Experience', 'Leakage')),
cadence TEXT NOT NULL DEFAULT 'monthly' CHECK (cadence IN ('daily', 'weekly', 'biweekly', 'monthly', 'quarterly',
'yearly')),
baseline_type TEXT NOT NULL DEFAULT 'expense' CHECK (baseline_type IN ('expense', 'allocation')),
notes TEXT,
is_active BOOLEAN DEFAULT true NOT NULL,
created_at TIMESTAMPTZ DEFAULT now() NOT NULL,
updated_at TIMESTAMPTZ DEFAULT now() NOT NULL
);

-- 2. Security Setup (RLS)
ALTER TABLE public.operational_baseline ENABLE ROW LEVEL SECURITY;

DROP POLICY IF EXISTS "Users can view their own baseline" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can insert their own baseline" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can update their own baseline" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can delete their own baseline" ON public.operational_baseline;

CREATE POLICY "Users can view their own baseline" ON public.operational_baseline FOR SELECT TO authenticated USING (auth.uid()
= user_id);
CREATE POLICY "Users can insert their own baseline" ON public.operational_baseline FOR INSERT TO authenticated WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can update their own baseline" ON public.operational_baseline FOR UPDATE TO authenticated USING
(auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own baseline" ON public.operational_baseline FOR DELETE TO authenticated USING
(auth.uid() = user_id);

-- 3. Grants
GRANT ALL ON public.operational_baseline TO authenticated;
GRANT ALL ON public.operational_baseline TO service_role;

-- 4. Indexes
CREATE INDEX IF NOT EXISTS operational_baseline_user_id_idx ON public.operational_baseline(user_id);

-- 5. Updated At Trigger
DROP TRIGGER IF EXISTS tr_operational_baseline_updated_at ON public.operational_baseline;
CREATE TRIGGER tr_operational_baseline_updated_at
BEFORE UPDATE ON public.operational_baseline
FOR EACH ROW
EXECUTE FUNCTION public.handle_updated_at();

-- 6. Commenting
COMMENT ON TABLE public.operational_baseline IS 'Recurring structural outflows defining the users baseline burn and automated
allocations.';
```

FILE: supabaselmigrations\20260521000001_expand_taxonomy_maintenance.sql

```
-- TAXONOMY EXPANSION: MAINTENANCE (v1.1)
-- Introducing the 'Maintenance' category for structural survival requirements.

-- 1. Update Deployments Constraint
ALTER TABLE public.deployments DROP CONSTRAINT IF EXISTS deployments_category_valid_check;
ALTER TABLE public.deployments
ADD CONSTRAINT deployments_category_valid_check
CHECK (
    category IS NOT NULL
    AND category IN ('Asset', 'Skill', 'Leverage', 'Experience', 'Maintenance', 'Leakage')
) NOT VALID;
ALTER TABLE public.deployments VALIDATE CONSTRAINT deployments_category_valid_check;
```

Axiom Repository Audit

```
-- 2. Update Operational Baseline Constraint
ALTER TABLE public.operational_baseline DROP CONSTRAINT IF EXISTS operational_baseline_category_check;
ALTER TABLE public.operational_baseline
ADD CONSTRAINT operational_baseline_category_check
CHECK (
    category IN ('Asset', 'Skill', 'Leverage', 'Experience', 'Maintenance', 'Leakage')
);

-- 3. Commenting
COMMENT ON COLUMN public.deployments.category IS 'Designated category of capital deployment. Expanded to include Maintenance (structural survival).';
COMMENT ON COLUMN public.operational_baseline.category IS 'Category of recurring outflow. Maintenance identifies survival-layer structural flows.';
```

FILE: supabaselmigrations\20260529000000_enforce_strict_rls.sql

```
-- Security Audit Fix ? Phase 2: Row Level Security (RLS) Enforcement
-- This migration ensures that PostgreSQL mathematically guarantees user data isolation.

-- 1. Table: deployments
ALTER TABLE public.deployments ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.deployments;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.deployments;
DROP POLICY IF EXISTS "Users can update their own data" ON public.deployments;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.deployments;

CREATE POLICY "Users can view their own data" ON public.deployments FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.deployments FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.deployments FOR UPDATE USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.deployments FOR DELETE USING (auth.uid() = user_id);

-- 2. Table: accounts
ALTER TABLE public.accounts ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.accounts;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.accounts;
DROP POLICY IF EXISTS "Users can update their own data" ON public.accounts;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.accounts;

CREATE POLICY "Users can view their own data" ON public.accounts FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.accounts FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.accounts FOR UPDATE USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.accounts FOR DELETE USING (auth.uid() = user_id);

-- 3. Table: liabilities
ALTER TABLE public.liabilities ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.liabilities;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.liabilities;
DROP POLICY IF EXISTS "Users can update their own data" ON public.liabilities;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.liabilities;

CREATE POLICY "Users can view their own data" ON public.liabilities FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.liabilities FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.liabilities FOR UPDATE USING (auth.uid() = user_id) WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.liabilities FOR DELETE USING (auth.uid() = user_id);

-- 4. Table: income_streams
ALTER TABLE public.income_streams ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.income_streams;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.income_streams;
```

Axiom Repository Audit

```
DROP POLICY IF EXISTS "Users can update their own data" ON public.income_streams;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.income_streams;

CREATE POLICY "Users can view their own data" ON public.income_streams FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.income_streams FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.income_streams FOR UPDATE USING (auth.uid() = user_id) WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.income_streams FOR DELETE USING (auth.uid() = user_id);

-- 5. Table: financial_goals
ALTER TABLE public.financial_goals ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can update their own data" ON public.financial_goals;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.financial_goals;

CREATE POLICY "Users can view their own data" ON public.financial_goals FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.financial_goals FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.financial_goals FOR UPDATE USING (auth.uid() = user_id) WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.financial_goals FOR DELETE USING (auth.uid() = user_id);

-- 6. Table: strategic_objectives
ALTER TABLE public.strategic_objectives ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can update their own data" ON public.strategic_objectives;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.strategic_objectives;

CREATE POLICY "Users can view their own data" ON public.strategic_objectives FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.strategic_objectives FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.strategic_objectives FOR UPDATE USING (auth.uid() = user_id) WITH
CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.strategic_objectives FOR DELETE USING (auth.uid() = user_id);

-- 7. Table: user_settings
ALTER TABLE public.user_settings ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.user_settings;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.user_settings;
DROP POLICY IF EXISTS "Users can update their own data" ON public.user_settings;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.user_settings;

CREATE POLICY "Users can view their own data" ON public.user_settings FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.user_settings FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.user_settings FOR UPDATE USING (auth.uid() = user_id) WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.user_settings FOR DELETE USING (auth.uid() = user_id);

-- 8. Table: operational_baseline
ALTER TABLE public.operational_baseline ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can update their own data" ON public.operational_baseline;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.operational_baseline;

CREATE POLICY "Users can view their own data" ON public.operational_baseline FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.operational_baseline FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.operational_baseline FOR UPDATE USING (auth.uid() = user_id) WITH
CHECK (auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.operational_baseline FOR DELETE USING (auth.uid() = user_id);

-- 9. Table: kairos_insights
ALTER TABLE public.kairos_insights ENABLE ROW LEVEL SECURITY;
DROP POLICY IF EXISTS "Users can view their own data" ON public.kairos_insights;
DROP POLICY IF EXISTS "Users can insert their own data" ON public.kairos_insights;
```

Axiom Repository Audit

```
DROP POLICY IF EXISTS "Users can update their own data" ON public.kairos_insights;
DROP POLICY IF EXISTS "Users can delete their own data" ON public.kairos_insights;

CREATE POLICY "Users can view their own data" ON public.kairos_insights FOR SELECT USING (auth.uid() = user_id);
CREATE POLICY "Users can insert their own data" ON public.kairos_insights FOR INSERT WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Users can update their own data" ON public.kairos_insights FOR UPDATE USING (auth.uid() = user_id) WITH CHECK
(auth.uid() = user_id);
CREATE POLICY "Users can delete their own data" ON public.kairos_insights FOR DELETE USING (auth.uid() = user_id);
```

FILE: supabasemigrations\20260529000001_add_soft_deletes.sql

```
-- Phase 1: Ledger Immutability (Soft Deletes)
-- Adds deleted_at column and index to core transactional tables.

-- Accounts
ALTER TABLE public.accounts ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_accounts_deleted_at ON public.accounts(deleted_at);

-- Deployments
ALTER TABLE public.deployments ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_deployments_deleted_at ON public.deployments(deleted_at);

-- Financial Goals
ALTER TABLE public.financial_goals ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_financial_goals_deleted_at ON public.financial_goals(deleted_at);

-- Income Streams
ALTER TABLE public.income_streams ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_income_streams_deleted_at ON public.income_streams(deleted_at);

-- Liabilities
ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_liabilities_deleted_at ON public.liabilities(deleted_at);

-- Strategic Objectives
ALTER TABLE public.strategic_objectives ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_strategic_objectives_deleted_at ON public.strategic_objectives(deleted_at);

-- Operational Baseline
ALTER TABLE public.operational_baseline ADD COLUMN IF NOT EXISTS deleted_at TIMESTAMP WITH TIME ZONE DEFAULT NULL;
CREATE INDEX IF NOT EXISTS idx_operational_baseline_deleted_at ON public.operational_baseline(deleted_at);
```

FILE: supabasemigrations\20260529000002_add_telemetry_to_insights.sql

```
-- Phase 1 Observability: Instrumenting kairos_insights for telemetry
-- Adds rule-level tracking and performance metrics to the insights table.

ALTER TABLE public.kairos_insights ADD COLUMN IF NOT EXISTS rule_id TEXT;
ALTER TABLE public.kairos_insights ADD COLUMN IF NOT EXISTS evaluation_time_ms NUMERIC;
ALTER TABLE public.kairos_insights ADD COLUMN IF NOT EXISTS severity TEXT;

-- v1.2 Upgrade: Ensure existing business logic columns are nullable
-- to support non-insight evaluation events (telemetry-only rows).
ALTER TABLE public.kairos_insights ALTER COLUMN type DROP NOT NULL;
ALTER TABLE public.kairos_insights ALTER COLUMN category DROP NOT NULL;
ALTER TABLE public.kairos_insights ALTER COLUMN confidence DROP NOT NULL;
ALTER TABLE public.kairos_insights ALTER COLUMN message DROP NOT NULL;

-- Indexing for observability performance
CREATE INDEX IF NOT EXISTS insights_rule_id_idx ON public.kairos_insights(rule_id);
CREATE INDEX IF NOT EXISTS insights_severity_idx ON public.kairos_insights(severity);
```

Axiom Repository Audit

FILE: supabaselmigrations\20260601000000_add_income_execution_day.sql

```
-- Add execution_day to income_streams
ALTER TABLE income_streams ADD COLUMN execution_day smallint;
```

FILE: supabaselmigrations\20260602000000_add_income_last_executed.sql

```
-- Add last_executed_at to income_streams
ALTER TABLE income_streams ADD COLUMN last_executed_at timestamp with time zone;
```

FILE: supabaselmigrations\20260606000000_refactor_liabilities_cadence.sql

```
-- REFACTOR LIABILITIES: CADENCE-BASED PAYMENTS (2026-06-06)
-- Removing static minimum payment in favor of deterministic cadence schedules.

-- 1. Remove legacy minimum payment column
ALTER TABLE public.liabilities DROP COLUMN IF EXISTS minimum_payment;

-- 2. Add cadence-based scheduling columns
ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS is_paid_in_cadences BOOLEAN DEFAULT false NOT NULL;
ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS cadence TEXT CHECK (cadence IN ('weekly', 'monthly'));
ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS cadence_day_date TEXT;

-- 3. Update comments for clarity
COMMENT ON COLUMN public.liabilities.is_paid_in_cadences IS 'Flag to determine if this liability follows a regular payment schedule.';
COMMENT ON COLUMN public.liabilities.cadence IS 'The frequency of payment: weekly or monthly.';
COMMENT ON COLUMN public.liabilities.cadence_day_date IS 'The specific day of the week (e.g., Monday) or date of the month (e.g., 15) for payments.';
```

FILE: supabaselmigrations\20260606000001_track_liability_payments.sql

```
-- TRACK LIABILITY PAYMENTS (2026-06-06)
-- Adding last_executed_at to liabilities for verification tracking.

ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS last_executed_at TIMESTAMPTZ;

COMMENT ON COLUMN public.liabilities.last_executed_at IS 'The timestamp of the last verified payment for this liability.';
```

FILE: supabaselmigrations\20260606000002_add_cadence_amount.sql

```
-- ADD CADENCE AMOUNT TO LIABILITIES (2026-06-06)
-- Adding cadence_amount to track expected payment values.

ALTER TABLE public.liabilities ADD COLUMN IF NOT EXISTS cadence_amount NUMERIC(15, 2);

COMMENT ON COLUMN public.liabilities.cadence_amount IS 'The expected payment amount for each cadence cycle.';
```
