

OisteBio GmbH

Oberneuhofstrasse 5, 6340 Baar, Switzerland

Annex A

Mass Balance Report

February 2025 · Girardot, Colombia

Submission reference	RTF0-310825
Reporting period	February 2025 (2025-02)
Plant	Girardot, Colombia
Feedstock	ELT — End-of-Life Tyres
Product	DEV-P100 — refined pyrolysis oil
Off-taker	Crown Oil UK
Regulator	UK DfT — LCF Delivery Unit
Generated	2026-05-21T00:00:00Z

Signed for and on behalf of OisteBio GmbH

Paolo Ughetti
Managing Director

Date: _____

Executive Summary

This Annex A presents the monthly mass balance for the **February 2025** production period at the Girardot, Colombia pyrolysis facility, operated by **OisteBio GmbH**. Input feedstock is **ELT — End-of-Life Tyres**; output product is **DEV-P100 — refined pyrolysis oil**, supplied to **Crown Oil UK** under the UK DfT — LCF Delivery Unit reporting framework.

Monthly aggregate

Metric	Value
Total input (ELT)	2 648 713,00 kg
EU-grade product (DEV-P100)	923 470,60 kg / 1 211 903,68 L
PLUS-grade product	1 183 994,91 kg / 1 373 543,98 L
C14 biogenic fraction	—
Closure (output – input)	+339 864,31 kg (+12,83 %)

Mass balance closure

**RED — exceeds tolerance**

|closure| ≥ 3% — outside ISCC EU acceptance band; mass-balance reconciliation required prior to submission.

Daily Detail — February 2025

Daily mass-balance rows, sorted by date ascending. Closure shown as output minus input. Densities applied for February 2025: EU 0,7620 kg/L, PLUS 0,8620 kg/L (per product_densities table, migration 0014).

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-02-01	72 825,00	37 047,25	47 498,81	48 618,43	55 103,02	—	+47 068,98
2025-02-02	0,00	27 693,20	35 505,85	36 342,78	41 190,08	—	—
2025-02-03	44 506,00	42 823,38	54 904,47	56 198,67	63 694,29	—	+94 081,01
2025-02-04	27 185,00	42 109,90	53 989,71	55 262,34	62 633,07	—	+109 093,00
2025-02-05	128 008,00	39 554,47	50 713,36	51 908,76	58 832,20	—	±0,00
2025-02-06	83 891,00	25 922,32	33 235,38	34 018,79	38 556,12	—	±0,00
2025-02-07	102 135,00	31 559,72	40 463,16	41 416,95	46 941,02	—	±0,00
2025-02-08	78 539,00	24 268,55	31 115,06	31 848,49	36 096,36	—	±0,00
2025-02-10	128 775,00	39 791,47	51 017,22	52 219,78	59 184,71	—	±0,00
2025-02-11	137 662,00	42 537,56	54 538,01	55 823,57	63 269,16	—	±0,00
2025-02-12	136 865,00	42 291,29	54 222,26	55 500,37	62 902,86	—	±0,00
2025-02-13	92 683,00	28 639,05	36 718,53	37 584,05	42 596,91	—	±0,00
2025-02-14	137 465,00	42 476,68	54 459,97	55 743,68	63 178,62	—	±0,00
2025-02-15	140 295,00	43 351,15	55 581,14	56 891,28	64 479,28	—	±0,00
2025-02-17	131 022,00	40 485,80	51 907,42	53 130,97	60 217,43	—	±0,00
2025-02-18	136 874,00	42 294,07	54 225,83	55 504,02	62 906,99	—	±0,00
2025-02-19	139 893,00	43 226,94	55 421,88	56 728,26	64 294,52	—	±0,00
Total	2 648 713,00	923 470,60	1 183 994,91	1 211 903,68	1 373 543,98	—	+339 864,31

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-02-20	138 914,00	42 924,43	55 034,02	56 331,27	63 844,57	—	±0,00
2025-02-21	95 058,00	29 372,92	37 659,44	38 547,14	43 688,45	—	±0,00
2025-02-22	57 760,00	17 847,84	22 882,97	23 422,36	26 546,37	—	±0,00
2025-02-24	126 740,00	39 162,66	50 211,01	51 394,57	58 249,43	—	±0,00
2025-02-25	129 872,00	40 130,45	51 451,82	52 664,63	59 688,89	—	±0,00
2025-02-26	118 337,00	36 566,13	46 881,96	47 987,05	54 387,43	—	±0,00
2025-02-27	134 547,00	41 575,02	53 303,93	54 560,40	61 837,51	—	±0,00
2025-02-28	128 862,00	39 818,36	51 051,69	52 255,06	59 224,70	—	±0,00
Total	2 648 713,00	923 470,60	1 183 994,91	1 211 903,68	1 373 543,98	—	+339 864,31

By-Product Streams — February 2025

Mass balance breakdown of non-DEV-P100 streams from daily_production, summed for the reporting period. Carbon black and metal scrap are mechanically separated recovered solids; gas/syngas is the non-condensable pyrolysis vapour (process fuel + flare); H₂O is recovered process water; losses captures the unaccounted mass needed to close the daily balance.

Stream	Total (kg)	Share of input
Carbon black	385 486,71 kg	14,55 %
Metal scrap	258 826,79 kg	9,77 %
Gas / syngas	130 790,13 kg	4,94 %
H ₂ O (process water)	46 809,10 kg	1,77 %
Losses (unaccounted)	59 199,74 kg	2,24 %
Total by-product mass	881 112,49 kg	33,27 %

Supplier Breakdown — ELT Feedstock

Distribution of inbound feedstock by ISCC EU certified supplier. Shares computed as supplier total divided by aggregate monthly input.

Supplier	ISCC EU ref.	Total (kg)	Share	Proportion
ESENTTIA	C0222-000000027	1 195 122,00	45,12 %	
KAL TIRE	US201-138762024	480 426,00	18,14 %	
PYRCOM SAS	ES216-20249051	424 358,00	16,02 %	
EFFICIEN TECHNOLOGY	US201-158772025	274 945,00	10,38 %	
≤5 TON	C0222-000000026	221 462,00	8,36 %	
BOLDER INDUSTRIES	US201-120372024	52 400,00	1,98 %	
Total		2 648 713,00	100.00 %	

Methodology & References

Mass balance reconciliation per **ISCC EU** (System Document 203, chain-of-custody mass-balance method) combined with the **UK RTFO RCF pathway** (Renewable Transport Fuel Obligation Guidance, Part One — Process, and Part Two — Carbon and Sustainability). Feedstock is **ELT — End-of-Life Tyres**, classified as **100 % fossil** end-of-life material under ISCC EU 203 (Recycled Carbon Fuel category, Annex II); the C14 biogenic fraction reported above reflects radiocarbon analysis of representative production samples and is used solely as an integrity cross-check.

Volumetric conversions apply monthly product densities at 15 °C per the operator's product specifications and the densities registered in the platform product_densities table (migration 0014). For February 2025: **EU-grade 0,7620 kg/L** and **PLUS-grade 0,8620 kg/L**. Materialised view mv_mass_balance_daily applies the LATERAL lookup against the latest effective density per day.

Closure is defined as (EU output + PLUS output) – input at constant product density and rounded to the kilogram. Per ISCC EU practice, monthly deviations below 1 % are accepted without remediation; deviations between 1 % and 3 % are inspected; deviations of 3 % or more trigger a full reconciliation review prior to release of the submission bundle. The closure semaforo on page 2 reflects this tiering.

This Annex A is cryptographically anchored to the cover letter of the submission bundle via the SHA-256 digest reported in the running footer (short prefix –).

— End of Annex A —