

OisteBio GmbH

Oberneuhofstrasse 5, 6340 Baar, Switzerland

Annex A

Mass Balance Report

January 2025 · Girardot, Colombia

Submission reference	RTF0-310825
Reporting period	January 2025 (2025-01)
Plant	Girardot, Colombia
Feedstock	ELT — End-of-Life Tyres
Product	DEV-P100 — refined pyrolysis oil
Off-taker	Crown Oil UK
Regulator	UK DfT — LCF Delivery Unit
Generated	2026-05-21T00:00:00Z

Signed for and on behalf of OisteBio GmbH

Paolo Ughetti
Managing Director

Date: _____

Executive Summary

This Annex A presents the monthly mass balance for the **January 2025** production period at the Girardot, Colombia pyrolysis facility, operated by **OisteBio GmbH**. Input feedstock is **ELT — End-of-Life Tyres**; output product is **DEV-P100 — refined pyrolysis oil**, supplied to **Crown Oil UK** under the UK DfT — LCF Delivery Unit reporting framework.

Monthly aggregate

Metric	Value
Total input (ELT)	3 383 177,00 kg
EU-grade product (DEV-P100)	760 828,00 kg / 1 006 386,24 L
PLUS-grade product	1 308 624,16 kg / 1 528 766,54 L
C14 biogenic fraction	—
Closure (output – input)	–339 863,81 kg (–10,05 %)

Mass balance closure



RED — exceeds tolerance

|closure| ≥ 3% — outside ISCC EU acceptance band; mass-balance reconciliation required prior to submission.

Daily Detail — January 2025

Daily mass-balance rows, sorted by date ascending. Closure shown as output minus input. Densities applied for January 2025: EU 0,7560 kg/L, PLUS 0,8560 kg/L (per product_densities table, migration 0014).

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-01-02	34 540,00	—	—	—	—	—	—34 540,00
2025-01-03	86 702,00	—	—	—	—	—	—86 702,00
2025-01-04	50 690,00	30 310,50	52 134,06	40 093,25	60 904,28	—	+70 552,01
2025-01-06	86 490,00	34 295,00	58 987,40	45 363,76	68 910,51	—	+50 689,97
2025-01-07	167 713,00	37 658,00	64 771,76	49 812,17	75 667,94	—	—17 081,07
2025-01-08	159 202,00	35 023,25	60 239,99	46 327,05	70 373,82	—	—19 109,02
2025-01-09	150 452,00	36 308,75	62 451,05	48 027,45	72 956,83	—	—5 217,07
2025-01-10	136 241,00	36 728,75	63 173,45	48 583,00	73 800,76	—	+10 673,94
2025-01-11	109 238,00	—	—	—	—	—	—109 238,00
2025-01-13	166 210,00	39 573,00	68 065,56	52 345,24	79 515,84	—	—7 918,08
2025-01-14	160 599,00	36 972,25	63 592,27	48 905,09	74 290,04	—	—12 709,97
2025-01-15	167 138,00	35 303,50	60 722,02	46 697,75	70 936,94	—	—25 923,94
2025-01-16	149 100,00	37 061,25	63 745,35	49 022,82	74 468,87	—	—854,94
2025-01-17	153 082,00	34 210,50	58 842,06	45 251,98	68 740,72	—	—16 240,01
2025-01-18	102 330,00	—	—	—	—	—	—102 330,00
2025-01-20	161 358,00	38 310,00	65 893,20	50 674,60	76 978,04	—	—8 117,92
2025-01-21	0,00	38 177,00	65 664,44	50 498,68	76 710,79	—	—
Total	3 383 177,00	760 828,00	1 308 624,16	1 006 386,24	1 528 766,54	—	—339 863,81

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-01-22	152 465,00	35 498,25	61 056,99	46 955,36	71 328,26	—	—10 472,06
2025-01-23	156 433,00	37 994,00	65 349,68	50 256,61	76 343,08	—	—4 456,93
2025-01-24	161 848,00	35 100,75	60 373,29	46 429,56	70 529,54	—	—21 445,02
2025-01-25	108 706,00	—	—	—	—	—	—108 706,00
2025-01-27	142 639,00	36 528,75	62 829,45	48 318,45	73 398,89	—	+3 475,97
2025-01-28	153 252,00	40 080,75	68 938,89	53 016,86	80 536,09	—	+7 071,05
2025-01-29	160 860,00	35 659,75	61 334,77	47 168,98	71 652,77	—	—18 220,93
2025-01-30	159 309,00	38 313,00	65 898,36	50 678,57	76 984,07	—	—6 056,93
2025-01-31	146 580,00	31 721,00	54 560,12	41 959,00	63 738,46	—	—19 695,95
Total	3 383 177,00	760 828,00	1 308 624,16	1 006 386,24	1 528 766,54	—	—339 863,81

By-Product Streams — January 2025

Mass balance breakdown of non-DEV-P100 streams from daily_production, summed for the reporting period. Carbon black and metal scrap are mechanically separated recovered solids; gas/syngas is the non-condensable pyrolysis vapour (process fuel + flare); H₂O is recovered process water; losses captures the unaccounted mass needed to close the daily balance.

Stream	Total (kg)	Share of input
Carbon black	426 063,68 kg	12,59 %
Metal scrap	286 071,33 kg	8,46 %
Gas / syngas	144 557,32 kg	4,27 %
H ₂ O (process water)	51 736,30 kg	1,53 %
Losses (unaccounted)	65 431,20 kg	1,93 %
Total by-product mass	973 859,83 kg	28,79 %

Supplier Breakdown — ELT Feedstock

Distribution of inbound feedstock by ISCC EU certified supplier. Shares computed as supplier total divided by aggregate monthly input.

Supplier	ISCC EU ref.	Total (kg)	Share	Proportion
ESENTTIA	C0222-000000027	1 549 811,00	45,81 %	
BIOWASTE	PL21990602701	1 152 775,00	34,07 %	
LITOPLAS	C0222-000000026	600 286,00	17,74 %	
≤5 TON	—	80 305,00	2,37 %	
Total		3 383 177,00	100.00 %	

Methodology & References

Mass balance reconciliation per **ISCC EU** (System Document 203, chain-of-custody mass-balance method) combined with the **UK RTFO RCF pathway** (Renewable Transport Fuel Obligation Guidance, Part One — Process, and Part Two — Carbon and Sustainability). Feedstock is **ELT — End-of-Life Tyres**, classified as **100 % fossil** end-of-life material under ISCC EU 203 (Recycled Carbon Fuel category, Annex II); the C14 biogenic fraction reported above reflects radiocarbon analysis of representative production samples and is used solely as an integrity cross-check.

Volumetric conversions apply monthly product densities at 15 °C per the operator's product specifications and the densities registered in the platform product_densities table (migration 0014). For January 2025: **EU-grade 0,7560 kg/L** and **PLUS-grade 0,8560 kg/L**. Materialised view mv_mass_balance_daily applies the LATERAL lookup against the latest effective density per day.

Closure is defined as (EU output + PLUS output) – input at constant product density and rounded to the kilogram. Per ISCC EU practice, monthly deviations below 1 % are accepted without remediation; deviations between 1 % and 3 % are inspected; deviations of 3 % or more trigger a full reconciliation review prior to release of the submission bundle. The closure semaforo on page 2 reflects this tiering.

This Annex A is cryptographically anchored to the cover letter of the submission bundle via the SHA-256 digest reported in the running footer (short prefix –).

— End of Annex A —