

OisteBio GmbH

Oberneuhofstrasse 5, 6340 Baar, Switzerland

Annex A

Mass Balance Report

July 2025 · Girardot, Colombia

Submission reference	RTF0-310825
Reporting period	July 2025 (2025-07)
Plant	Girardot, Colombia
Feedstock	ELT — End-of-Life Tyres
Product	DEV-P100 — refined pyrolysis oil
Off-taker	Crown Oil UK
Regulator	UK DfT — LCF Delivery Unit
Generated	2026-05-21T00:00:00Z

Signed for and on behalf of OisteBio GmbH

Paolo Ughetti
Managing Director

Date: _____

Executive Summary

This Annex A presents the monthly mass balance for the **July 2025** production period at the Girardot, Colombia pyrolysis facility, operated by **OisteBio GmbH**. Input feedstock is **ELT — End-of-Life Tyres**; output product is **DEV-P100 — refined pyrolysis oil**, supplied to **Crown Oil UK** under the UK DfT — LCF Delivery Unit reporting framework.

Monthly aggregate

Metric	Value
Total input (ELT)	3 778 672,00 kg
EU-grade product (DEV-P100)	1 144 937,62 kg / 1 479 247,56 L
PLUS-grade product	1 510 007,72 kg / 1 733 648,35 L
C14 biogenic fraction	—
Closure (output – input)	±0,00 kg (±0,00 %)

Mass balance closure



GREEN — within tolerance

|closure| < 1% — passes ISCC EU mass-balance integrity threshold without remediation.

Daily Detail — July 2025

Daily mass-balance rows, sorted by date ascending. Closure shown as output minus input. Densities applied for July 2025: EU 0,7740 kg/L, PLUS 0,8710 kg/L (per product_densities table, migration 0014).

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-07-01	142 164,00	43 075,69	56 810,63	55 653,35	65 224,60	—	±0,00
2025-07-02	149 075,00	45 169,72	59 572,36	58 358,82	68 395,36	—	±0,00
2025-07-03	131 827,00	39 943,58	52 679,83	51 606,69	60 482,01	—	±0,00
2025-07-04	142 728,00	43 246,58	57 036,01	55 874,14	65 483,37	—	±0,00
2025-07-05	127 754,00	38 709,46	51 052,20	50 012,22	58 613,32	—	±0,00
2025-07-07	141 110,00	42 756,33	56 389,44	55 240,74	64 741,03	—	±0,00
2025-07-08	149 332,00	45 247,60	59 675,06	58 459,43	68 513,27	—	±0,00
2025-07-09	153 499,00	46 510,20	61 340,25	60 090,69	70 425,08	—	±0,00
2025-07-10	137 432,00	41 641,90	54 919,66	53 800,90	63 053,57	—	±0,00
2025-07-11	145 415,00	44 060,75	58 109,77	56 926,03	66 716,16	—	±0,00
2025-07-12	144 214,00	43 696,84	57 629,84	56 455,87	66 165,14	—	±0,00
2025-07-14	152 311,00	46 150,23	60 865,51	59 625,62	69 880,03	—	±0,00
2025-07-15	148 954,00	45 133,06	59 524,00	58 311,45	68 339,84	—	±0,00
2025-07-16	138 838,00	42 067,91	55 481,52	54 351,31	63 698,64	—	±0,00
2025-07-17	137 491,00	41 659,77	54 943,24	53 824,00	63 080,64	—	±0,00
2025-07-18	149 873,00	45 411,52	59 891,25	58 671,21	68 761,48	—	±0,00
2025-07-19	123 856,00	37 528,37	49 494,51	48 486,26	56 824,92	—	±0,00
Total	3 778 672,00	1 144 937,62	1 510 007,72	1 479 247,56	1 733 648,35	—	±0,00

Date	Input (kg)	EU (kg)	PLUS (kg)	EU (L)	PLUS (L)	C14 (%)	Closure (kg)
2025-07-21	137 174,00	41 563,72	54 816,56	53 699,90	62 935,20	—	±0,00
2025-07-22	136 960,00	41 498,88	54 731,04	53 616,12	62 837,02	—	±0,00
2025-07-23	141 351,00	42 829,35	56 485,75	55 335,08	64 851,60	—	±0,00
2025-07-24	131 788,00	39 931,76	52 664,24	51 591,43	60 464,11	—	±0,00
2025-07-25	131 003,00	39 693,91	52 350,55	51 284,12	60 103,96	—	±0,00
2025-07-26	111 795,00	33 873,89	44 674,77	43 764,71	51 291,36	—	±0,00
2025-07-28	149 239,00	45 219,42	59 637,89	58 423,02	68 470,60	—	±0,00
2025-07-29	137 199,00	41 571,30	54 826,55	53 709,69	62 946,67	—	±0,00
2025-07-30	143 850,00	43 586,55	57 484,38	56 313,37	65 998,14	—	±0,00
2025-07-31	142 440,00	43 159,32	56 920,92	55 761,39	65 351,23	—	±0,00
Total	3 778 672,00	1 144 937,62	1 510 007,72	1 479 247,56	1 733 648,35	—	±0,00

By-Product Streams — July 2025

Mass balance breakdown of non-DEV-P100 streams from daily_production, summed for the reporting period. Carbon black and metal scrap are mechanically separated recovered solids; gas/syngas is the non-condensable pyrolysis vapour (process fuel + flare); H₂O is recovered process water; losses captures the unaccounted mass needed to close the daily balance.

Stream	Total (kg)	Share of input
Carbon black	516 610,68 kg	13,67 %
Metal scrap	317 049,46 kg	8,39 %
Gas / syngas	160 211,17 kg	4,24 %
H ₂ O (process water)	57 338,73 kg	1,52 %
Losses (unaccounted)	72 516,62 kg	1,92 %
Total by-product mass	1 123 726,67 kg	29,74 %

Supplier Breakdown — ELT Feedstock

Distribution of inbound feedstock by ISCC EU certified supplier. Shares computed as supplier total divided by aggregate monthly input.

Supplier	ISCC EU ref.	Total (kg)	Share	Proportion
ESENTTIA	C0222-000000027	1 011 935,00	26,78 %	
KAL TIRE	US201-138762025	768 656,00	20,34 %	
BOLDER INDUSTRIES	US201-120372025	756 298,00	20,01 %	
EFFICIEN TECHNOLOGY	US201-158772025	589 919,00	15,61 %	
≤5 TON	—	427 307,00	11,31 %	
PYRCOM SAS	ES216-20249051	224 557,00	5,94 %	
Total		3 778 672,00	100.00 %	

Methodology & References

Mass balance reconciliation per **ISCC EU** (System Document 203, chain-of-custody mass-balance method) combined with the **UK RTFO RCF pathway** (Renewable Transport Fuel Obligation Guidance, Part One — Process, and Part Two — Carbon and Sustainability). Feedstock is **ELT — End-of-Life Tyres**, classified as **100 % fossil** end-of-life material under ISCC EU 203 (Recycled Carbon Fuel category, Annex II); the C14 biogenic fraction reported above reflects radiocarbon analysis of representative production samples and is used solely as an integrity cross-check.

Volumetric conversions apply monthly product densities at 15 °C per the operator's product specifications and the densities registered in the platform product_densities table (migration 0014). For July 2025: **EU-grade 0,7740 kg/L** and **PLUS-grade 0,8710 kg/L**. Materialised view mv_mass_balance_daily applies the LATERAL lookup against the latest effective density per day.

Closure is defined as (EU output + PLUS output) – input at constant product density and rounded to the kilogram. Per ISCC EU practice, monthly deviations below 1 % are accepted without remediation; deviations between 1 % and 3 % are inspected; deviations of 3 % or more trigger a full reconciliation review prior to release of the submission bundle. The closure semaforo on page 2 reflects this tiering.

This Annex A is cryptographically anchored to the cover letter of the submission bundle via the SHA-256 digest reported in the running footer (short prefix –).

— End of Annex A —