

Manual de Instalación Opener

Requisitos:

- A mac / linux / unix kind of operating system
- JRuby 1.7.9+
- Python 2.6+
- Java 1.7+
- Perl 5+ (Viene instalado en linux)
- libarchive

1. Instalar JDK 7

```
$ sudo add-apt-repository ppa:webupd8team/java
$ sudo apt-get update
$ sudo apt-get install oracle-java7-installer
```

2. Instalar rvm

```
$ sudo apt-get install build-essential libssl-dev libreadline5 libreadline5-dev zlib1g zlib1g-dev curl
$ \curl -sSL https://get.rvm.io | bash -s -- --ignore-dotfiles
$ echo "source $HOME/.rvm/scripts/rvm" >> ~/.bash_profile
```

3. Instalar jruby

```
$ rvm install jruby
$ export PATH=~/.jruby/bin:$PATH
$ rvm use jruby
$ ruby -v
```

```
calosh@chigo:~$ ruby -v
jruby 9.0.5.0 (2.2.3) 2016-01-26 7bee00d Java HotSpot(TM) 64-Bit Server VM 24.80
-b11 on 1.7.0_80-b15 +jit [linux-amd64]
```

4. Instalar libarchive

```
$ tar xzf libarchive-2.7.0.tar.gz
$ cd libarchive-2.7.0
$ ./configure
$ make
$ make check
$ make install
```

5. Instalar python-lxml

```
sudo apt-get install build-essential python-dev python-setuptools
sudo apt-get install libxml2-dev libxslt-dev
sudo apt-get install python-lxml
```

6. Instalar Servicios de Opener

```
gem update --system → En el caso de tener un error Instalar ruby gem
gem install bundler
gem install opener-language-identifier
gem install opener-tokenizer
gem install opener-pos-tagger
gem install opener-tree-tagger
gem install opener-polarity-tagger
```

```
gem install opener-property-tagger
gem install opener-constituent-parser
gem install opener-ner
gem install opener-coreference
gem install opener-ned
gem install opener-opinion-detector
gem install opener-opinion-detector-basic
gem install opener-kaf2json
gem install opener-outlet
gem install opener-scorer
```

Ejemplo

Ejecutar los servicios

```
language-identifier-server
tokenizer-server -p 9293
pos-tagger-server -p 9294
polarity-tagger-server -p 9295
opinion-detector-basic-server -p 9296
kaf2json-server -p 9297
```

```
calosh@chigo:~$ language-identifier-server
Puma starting in single mode...
* Version 3.4.0 (jruby 9.0.5.0 - ruby 2.2.3), codename: Owl Bowl Brawl
* Min threads: 0, max threads: 16
* Environment: development
* Listening on tcp://0.0.0.0:9292
Use Ctrl-C to stop
```

Codigo python

```
# -*- coding: utf-8 -*-
import urllib
# language-identifier
params = {}
params['input'] = 'Puede que una actitud positiva no resuelva todos tus problemas, pero molestará a suficientes personas para que el esfuerzo merezca la pena'
params['kaf']='true'
params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9292/", params)
#tokenizer
s = f.read()
params = {}
params['input']=s
params['kaf']='true'
params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9293/", params)
# pos-tagger
s = f.read()
params = {}
params['input']=s
params['kaf']='true'
params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9294/", params)
# polarity-tagger
s = f.read()
params = {}
params['input']=s
params['kaf']='true'
```

```

params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9295/", params)
# opinion-detector-basic
s = f.read()
params = {}
params['input']=s
params['kaf']='true'
params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9296/", params)
# kaf2json
s = f.read()
params = {}
params['input']=s
params['kaf']='true'
params = urllib.urlencode(params)
f = urllib.urlopen("http://localhost:9297/", params)
print f.read()

```

Resultado

```

{
  "text" : "Puede que una actitud positiva no resuelva todos tus problemas , pero molestará
a suficientes personas para que el esfuerzo merezca la pena ",
  "language" : "es",
  "terms" : {
    "t1":
    {
      "type" : "open",
      "lemma" : "poder",
      "text" : "Puede",
      "pos" : "V",
      "morphofeat" : "VMIP3S0",
      "sentiment" :
      {
        "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
        "polarity": "negative"
      }
    },
    "opinion" : "o1"
  },
  "t2":
  {
    "type" : "close",
    "lemma" : "que",
    "text" : "que",
    "pos" : "C",
    "morphofeat" : "CS"
  },
  "t3":
  {
    "type" : "close",
    "lemma" : "uno",
    "text" : "una",

```

```

        "pos"      : "D",
        "morphofeat" : "DI0FS0"
    },
    "t4":
    {
        "type"      : "open",
        "lemma"      : "actitud",
        "text"       : "actitud",
        "pos"        : "N",
        "morphofeat" : "NCFS000",
        "sentiment"  :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity" : "neutral"
        }
    },
    "opinion" : "o1"
},
    "t5":
    {
        "type"      : "open",
        "lemma"      : "positivo",
        "text"       : "positiva",
        "pos"        : "G",
        "morphofeat" : "AQ0FS0"
    },
    "t6":
    {
        "type"      : "open",
        "lemma"      : "no",
        "text"       : "no",
        "pos"        : "A",
        "morphofeat" : "RN"
    },
    "t7":
    {
        "type"      : "open",
        "lemma"      : "resolver",
        "text"       : "resuelva",
        "pos"        : "V",
        "morphofeat" : "VMSP3S0",
        "sentiment"  :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity" : "neutral"
        }
    },
    "t8":
    {

```

```

        "type"      : "close",
        "lemma"     : "todo",
        "text"      : "todos",
        "pos"       : "D",
        "morphofeat" : "DI0MP0"
    },
    "t9":
    {
        "type"      : "close",
        "lemma"     : "tu",
        "text"      : "tus",
        "pos"       : "D",
        "morphofeat" : "DP2CPS",
        "opinion"   : "o1"
    },
    "t10":
    {
        "type"      : "open",
        "lemma"     : "problema",
        "text"      : "problemas",
        "pos"       : "N",
        "morphofeat" : "NCMP000",
        "sentiment" :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity": "negative"
        }
    },
    "opinion"   : "o2"
},
    "t11":
    {
        "type"      : "close",
        "lemma"     : ",",
        "text"      : ",",
        "pos"       : "O",
        "morphofeat" : "Fc"
    },
    "t12":
    {
        "type"      : "close",
        "lemma"     : "pero",
        "text"      : "pero",
        "pos"       : "C",
        "morphofeat" : "CC"
    },
    "t13":
    {
        "type"      : "open",
        "lemma"     : "molestar",
        "text"      : "molestará",

```

```

        "pos"      : "V",
        "morphofeat" : "VMIF3S0",
        "sentiment" :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity" : "negative"
        }
    ,
        "opinion"   : "o3"
    },
    "t14":
    {
        "type"      : "close",
        "lemma"     : "a",
        "text"      : "a",
        "pos"       : "P",
        "morphofeat" : "SPS00"
    },
    "t15":
    {
        "type"      : "close",
        "lemma"     : "suficientes",
        "text"      : "suficientes",
        "pos"       : "D",
        "morphofeat" : "DI0CP0"
    },
    "t16":
    {
        "type"      : "open",
        "lemma"     : "persona",
        "text"      : "personas",
        "pos"       : "N",
        "morphofeat" : "NCFP000",
        "sentiment" :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity" : "neutral"
        }
    },
    "opinion"   : "o3"
    },
    "t17":
    {
        "type"      : "close",
        "lemma"     : "para",
        "text"      : "para",
        "pos"       : "P",
        "morphofeat" : "SPS00"
    },
    "t18":

```

```

{
    "type"      : "close",
    "lemma"     : "que",
    "text"      : "que",
    "pos"       : "C",
    "morphofeat": "CS"
},
"t19":
{
    "type"      : "close",
    "lemma"     : "el",
    "text"      : "el",
    "pos"       : "D",
    "morphofeat": "DA0MS0"
},
"t20":
{
    "type"      : "open",
    "lemma"     : "esfuerzo",
    "text"      : "esfuerzo",
    "pos"       : "N",
    "morphofeat": "NCMS000",
    "sentiment" :
    {
        "lexicon": "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
        "polarity": "positive"
    }
},
    "opinion"   : "o4"
},
"t21":
{
    "type"      : "open",
    "lemma"     : "merecer",
    "text"      : "merezca",
    "pos"       : "V",
    "morphofeat": "VMSP3S0"
},
"t22":
{
    "type"      : "close",
    "lemma"     : "el",
    "text"      : "la",
    "pos"       : "D",
    "morphofeat": "DA0FS0"
},
"t23":
{
    "type"      : "open",
    "lemma"     : "pena",
    "text"      : "pena",

```

```

        "pos"      : "N",
        "morphofeat" : "NCFS000",
        "sentiment" :
        {
            "lexicon" : "General domain lexicon for Spanish .
EHU_general_lexicon_spanish",
            "polarity" : "neutral"
        }
    ,
        "opinion"   : "o4"
    }},
    "sentiments" : {
        "s1":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "negative",
            "termId"   : "t1",
            "text"     : "Puede"
        },
        "s2":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "neutral",
            "termId"   : "t4",
            "text"     : "actitud"
        },
        "s3":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "neutral",
            "termId"   : "t7",
            "text"     : "resuelva"
        },
        "s4":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "negative",
            "termId"   : "t10",
            "text"     : "problemas"
        },
        "s5":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "negative",
            "termId"   : "t13",
            "text"     : "molestará"
        },
        "s6":
        {
            "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
            "polarity" : "neutral",
            "termId"   : "t16",

```



```

      "text" : "personas"
    },
    "s7":
    {
      "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
      "polarity" : "positive",
      "termId" : "t20",
      "text" : "esfuerzo"
    },
    "s8":
    {
      "lexicon" : "General domain lexicon for Spanish . EHU_general_lexicon_spanish",
      "polarity" : "neutral",
      "termId" : "t23",
      "text" : "pena"
    }
  }, "opinions" : {
    "o1":
    {
      "holder" : ["t9"],
      "target" : ["t4"],
      "expression" : ["t1"],
      "polarity" : "negative",
      "strength" : "-1",
      "text" : "Puede"
    },
    "o2":
    {
      "holder" : ["t9"],
      "target" : [],
      "expression" : ["t10"],
      "polarity" : "negative",
      "strength" : "-1",
      "text" : "problemas"
    },
    "o3":
    {
      "holder" : ["t9"],
      "target" : ["t16"],
      "expression" : ["t13"],
      "polarity" : "negative",
      "strength" : "-1",
      "text" : "molestará"
    },
    "o4":
    {
      "holder" : ["t9"],
      "target" : ["t23"],
      "expression" : ["t20"],
      "polarity" : "positive",
      "strength" : "1",
      "text" : "esfuerzo"
    }
  },

```

```

    "lp"      : [
{
    "name"     : "opener-sentence-splitter-es",
    "timestamp" : "2016-04-26T21:21:46Z",
    "version"  : "0.0.1",
    "layer"    : "text"
},
{
    "name"     : "opener-tokenizer-es",
    "timestamp" : "2016-04-26T21:21:46Z",
    "version"  : "1.0.1",
    "layer"    : "text"
},
{
    "name"     : "ehu-pos-es",
    "timestamp" : "2016-04-26T16:21:49-0500",
    "version"  : "1.0",
    "layer"    : "terms"
},
{
    "name"     : "VUA polarity tagger multilanguage",
    "timestamp" : "2016-04-26T16:21:59ECT",
    "version"  : "21may2014_1.2",
    "layer"    : "terms"
},
{
    "name"     : "Basic opinion detector with Pos",
    "timestamp" : "*",
    "version"  : "13may2015-2.0",
    "layer"    : "opinions"
}]
}

```

```

{
    "holder"      : ["t9"],
    "target"      : [],
    "expression"  : ["t10"],
    "polarity"    : "negative",
    "strength"    : "-1",
    "text"        : "problemas"
},
"o3":
{
    "holder"      : ["t9"],
    "target"      : ["t16"],
    "expression"  : ["t13"],
    "polarity"    : "negative",
    "strength"    : "-1",
    "text"        : "molestará"
},
"o4":
{
    "holder"      : ["t9"],
    "target"      : ["t23"],
    "expression"  : ["t20"],
    "polarity"    : "positive",
    "strength"    : "1",
    "text"        : "esfuerzo"
}},

```