Newt, the second prototype

R. S. Doiel, rsdoiel@caltech.edu

Caltech Library, Digital Library Development

2024-04-19

Goal: Answer a question.

Is Newt and "off the shelf" enough?

How I am proceeding

- ► Pick Simple = (No coding) + (Less coding)
- Avoid inventing new things
- ► Compose applications using data pipelines and templates

Off the shelf (no coding)

- ► Postgres or PostgREST
- ► Solr or OpenSearch
- ► Newt Mustache => Transform JSON into web pages
- ► Newt Router, ties it all together

Assembling it with YAML (less coding)

- GitHub YAML issue template syntax described data models
- ► YAML describes configuration, routes, pipelines
- ► Template language is now Mustache
- ► Code generation, "look Mom, no Al!"

Second prototype status

- ► A work in progress (April 2024)
- ▶ Hope to have a working prototype by June 2024
- ▶ Internal applications will serve as test bed

Is there a Demo I can run?

Not yet, hopefully soon.

What's working, what's not?

- $oxed{oxed}$ Router is implemented and working
- Mustache template engine is working
- ☐ Generator development, in progress

How do I think things will work?

- 1. Generate our app YAML
- 2. Designing our data models
- 3. Generate SQL, PostgREST config and templates
- 4. Run generated SQL
- 5. Run Newt and Test

How is the data model is described?

- ► GitHub YAML Issue Template Syntax
 - describes HTML
 - ▶ implies SQL

Step one create our YAML file

newt init app.yaml
Interactively generate app.yaml

Step two define our data models

newt modeler app.yaml
Interactively model you data

Step three, generate our code

- ► Use newt generate
 - SQL
 - PostgREST config
 - Templates
- ► Edit files if needed

Step three, generate our SQL files, config

newt generate app.yaml postgres setup >setup.sql
newt generate app.yaml postgres models >models.sql
newt generate app.yaml postgrest >postgrest.conf

Step three, generate templates

```
newt generate app.yaml mustache \
  create_form app >create_app_form.tmpl
newt generate app.yaml mustache \
  create_response app >create_app_response.tmpl
```

Step three, generate templates . . .

```
newt generate app.yaml mustache \
  update_form app >update_app_form.tmpl
newt generate app.yaml mustache \
  update_response app >update_app_response.tmpl
```

Step three, generate templates . . .

```
newt generate app.yaml mustache \
  delete_form app >delete_app_form.tmpl
newt generate app.yaml mustache \
  delete_response app >delete_app_response.tmpl
```

Step three, generate templates . . . finally

newt generate app.yaml mustache read app >read_app.tmpl
newt generate app.yaml mustache list app >list_app.tmpl

Step three, generate templates

code generation should be fully automated

Step four, run our SQL

```
createdb app
psql app -c '\i setup.sql'
psql app -c '\i models.sql'
psql app -c '\dt'
    this should be automated with the newt command
```

Step five, run newt and test

newt run app.yaml

- ▶ fire up newt, test and debug
- web browser

Insights from prototypes 1 & 2

- "Off the shelf" is simpler
- ► Large YAML structures benefit from code generation
- SQL turns people off, use a code generator
- Mustache/HTML needs a code generator
- ► Automatic "wiring up" of routes and templates is helpful

Lessons learned, so far

- Managing routes and pipelines has a cognitive price
- ► Keep your pipelines short
- ▶ Web services need a "developer" mode for debugging
- Lots of typing discourages use

What's next to wrap up prototype 2?

- ► Finish/improve the code generator
- ► Implement a data modeler
- Less typing!

Newt's challenges

- Newt is a work in progress (April 2024)
- ► Newt is missing file upload support

Unanswered Questions

- ▶ What is the minimum knowledge needed to use Newt?
- ▶ What should come out of the box with Newt?
 - ► GUI tools?
 - ► Web components?
 - ► Ready made apps?

My wish list ...

- ► SQLite 3 database support
- ▶ Visually programming would be easier than writing YAML files
- ▶ Web components for gallery, library, archive and museum metadata types
- ▶ A simple S3 protocol web service that implements storing object using OCFL

Related resources

- ► Newt https://github.com/caltechlibrary/newt
- ► Postgres https://postgres.org + PostgREST https://postgrest.org
- Mustache programming languages support
- ► Go 1.22, pattern language in HTTP handlers, see https://pkg.go.dev/net/http#hdr-Patterns

Thank you!

- This Presentation
 - pdf: https://caltechlibrary.github.io/newt/presentation2/newt-p2.pdf
 - pptx: https://caltechlibrary.github.io/newt/presentation2/newt-p2.pptx
- ► Newt Documentation https://caltechlibrary.github.io/newt
- ► Source Code: https://github.com/caltechlibrary/newt
- ► Email: rsdoiel@caltech.edu