R Notebook

Code ▾

Hide

```
library(dplyr)
```

```
Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

    filter, lag

The following objects are masked from 'package:base':

    intersect, setdiff, setequal, union
```

Hide

```
library(tidyverse)
```

```
Registered S3 methods overwritten by 'dbplyr':
  method         from
  print.tbl_lazy
  print.tbl_sql
— Attaching packages ──────────────────────────────────── tidyverse 1.3.2 —✓ ggplot
2 3.3.6     ✓ purrr   0.3.5
✓ tibble  3.1.8     ✓ stringr 1.4.1
✓ tidyr   1.2.1     ✓ forcats 0.5.2
✓ readr   2.1.3     — Conflicts ──────────────────────────────────── tidyverse_co
nflicts() —
✗ dplyr::filter() masks stats::filter()
✗ dplyr::lag()    masks stats::lag()
```

Hide

```
library(ggplot2)
```

Hide

```
data = read.csv("C:\Users\calvi\Downloads\paths.csv")
```

```
Error: '\U' used without hex digits in character string starting ""C:\U"
```

name	college	
<chr>	<chr>	▶
1 Al Harrington		

name <chr>	college <chr>	▶
2 Rashard Lewis		
3 Korleone Young		
4 Dan Gadzuric	University of California, Los Angeles	
5 Stromile Swift	Louisiana State University	
6 Ronald Curry	University of North Carolina	

6 rows | 1-3 of 21 columns

Colleges Producing the Most Top 120 NBA Players

Number of Top 100 Highschool Recruits

Histogram of Kentucky Recruit Rankings
A show of Kentucky's recruiting domination

Draft Pick by Highschool Rank
For players that were drafterd out of college

Draft Pick by Highschool Rank for Kentucky
For players that were drafterd out of college