GROWTH
SUPPLY HOUSE

SOURCE-SPECIFIC WEBSITE AUDIT

Evidence first. No inflated overall grade.

Enter a website for separate SEO, website, conversion, trust, local, and technical signals. Overall ranking waits for a comparable peer benchmark.

AUDIT STATUS

LIVE

Evidence captured · Phone icon

PERFORMANCE NOT MEASURED

COMPANY AT A GLANCE

Phone icon

We checked the submitted page. The exact captured destination is linked below.

Phone icon / Before ↗

STATUS	HTTP 404
TITLE	Phone icon
HEADINGS	0

Audit evidence

SCORECARD READY

HTTP response — ATTENTION

HTTP 404 · The page was requested directly at this address and returned this response. Final URL after any redirects: https://www.all-drain.com/sewer-line-repair-tacoma-wa

Indexing directives — OBSERVED

None captured · No indexing restriction was found. This does not confirm the page is actually indexed by Google, only that nothing is blocking it.

Canonical URL — OBSERVED

https://www.all-drain.com/dmPageNotFound · A canonical tag tells search engines which URL is the authoritative version of a page. Google treats it as a strong hint, not a guarantee, and can still choose a different URL.

Search metadata — ATTENTION

Title present · no description · This confirms a title and description exist in the code. Google often rewrites these when generating the actual search result snippet.

Contact routes — OBSERVED

1 phone link · 1 email link · 0 forms · Only clickable phone (tel:) and email (mailto:) links are counted, along with HTML forms. A phone number written as plain text, without a clickable link, will not register as a working contact route for mobile visitors.

Mobile performance — NOT MEASURED

Not measured · Google PageSpeed is not connected for this report, so mobile performance is intentionally left unmeasured rather than estimated.

SOURCE SCORECARD

Separate signals. Peer benchmark pending.

Website structure

NOT MEASURED

The page did not return a successful public HTML response.

SEO health

NOT MEASURED

The page did not return a successful public HTML response.

Local relevance

NOT MEASURED

The page did not return a successful public HTML response.

Conversion evidence

NOT MEASURED

The page did not return a successful public HTML response.

Trust evidence

NOT MEASURED

The page did not return a successful public HTML response.

Technical foundations

NOT MEASURED

The page did not return a successful public HTML response.

Overall score: not measured · commercial valuation: not measured

No percentile is issued until a comparable peer cohort is loaded. Business valuation cannot be inferred from an unsuccessful page response.

- Comparable peer URLs
- Verified Search Console or analytics data
- Revenue, lead, or valuation inputs

WHAT THE BUSINESS OWNER SEES NEXT

Evidence first. Clear actions second.

01 Fix the HTTP 404 response first — a page returning an error cannot be indexed or found by potential customers searching online.

02 Add one clear, primary heading describing the page's main service or topic — this helps both visitors and search engines quickly understand what the page offers.

03 Add a page title and meta description where missing, then check how Google actually displays this page in search results, since it may rewrite these.

04 Run this page through Google PageSpeed to measure real mobile performance before making any speed claims; this audit intentionally does not estimate it.

CAPTURED PAGE

1 images · 1 with alt text

CONTACT SIGNALS

office@all-drain.com · (206) 899-7764 · 0 forms

STRUCTURED DATA

No parseable JSON-LD captured

SEARCH DATA

Not measured · Search Console requires verified owner access