

SOURCE-SPECIFIC WEBSITE AUDIT

Evidence first. No inflated overall grade.

Enter a website for separate SEO, website, conversion, trust, local, and technical signals. Overall ranking waits for a comparable peer benchmark.

AUDIT STATUS

LIVE

Evidence captured · Air Conditioning,
Heating & Air Quality Services in
Mesquite, TX



PERFORMANCE

NOT
MEASURED

COMPANY AT A GLANCE

Air Conditioning, Heating & Air Quality Services in Mesquite, TX

We checked the submitted page. The exact captured destination is linked below.

[Air Conditioning, Heating & Air Quality Services in Mesquite, TX / Before ↗](#)

STATUS

HTTP 200

TITLE Air Conditioning, Heating & Air Quality Services in Mesquite, TX | Mesquite Heating and Air Conditioning, Inc.

HEADINGS 1

Audit evidence

SCORECARD READY

HTTP response

VERIFIED

HTTP 200 · Final response: <https://www.mesquiteheatingandair.com/>

Indexing directives

OBSERVED

None captured · No indexing directive was found in the response. This does not prove indexed status.

Canonical URL

OBSERVED

<https://www.mesquiteheatingandair.com/> · A canonical is a signal. Google can still select a different canonical URL.

Search metadata

OBSERVED

Title · description · Presence only. Google may generate a different title link or search snippet.

Contact routes

OBSERVED

1 tel: · 0 mailto: · 1 form · Only explicit tel: and mailto: links are counted. Arbitrary source text and file names are excluded.

Mobile performance

NOT MEASURED

Not measured · Google PageSpeed is not connected to this deployment, so performance is intentionally not measured.

SOURCE SCORECARD

Separate signals. Peer benchmark pending.

Website structure

70

DEVELOPING

Page structure, content coverage, responsive markup, and interaction evidence captured from public HTML.

Capped at 70: public HTML cannot prove visual usability, real mobile behavior, or completed enquiries.

SEO health

70

DEVELOPING



On-page metadata and crawl signals captured from public HTML; this is not a Google ranking.

Capped at 70: public HTML cannot prove rankings, impressions, clicks, or qualified search traffic.

Local relevance

55

WEAK



Local wording and service terminology captured from the page text; locations are not independently verified.

Capped at 55: generic wording is not independent proof of a service market or location.

Conversion evidence

65

DEVELOPING



Explicit phone, email, form, call-to-action, and button evidence captured from the page.

Capped at 65 because source HTML cannot prove above-fold visibility, form completion, call handling, or lead conversion.

Trust evidence

67

DEVELOPING



Trust language and structured-data types captured from the page; claims are not independently verified.

Capped at 69 because public HTML cannot verify licenses, reviews, awards, or outcomes.

Technical foundations

70

DEVELOPING



HTTP, HTTPS, viewport, language, canonical, crawl-file, and image-alt evidence captured from the response.

Capped at 70: speed, uptime history, crawl coverage, and real-user performance are not fully measured here.

Overall score: not measured · commercial valuation: not measured

Scores will be percentile-ranked only against comparable plumbing companies in the same market and service category. Real valuation requires financial or verified commercial inputs; website HTML alone is not enough.

Comparable peer URLs

Verified Search Console, analytics, or CRM outcomes

Revenue, lead, or valuation inputs

WHAT THE BUSINESS OWNER SEES NEXT

Evidence first. Clear actions second.

- 01** Measure mobile performance with Google PageSpeed before making speed claims; this audit will not estimate it.
- 02** Connect the verified Search Console property for actual clicks, impressions, CTR, and average position.

CAPTURED PAGE

34 images · 34 with alt text

CONTACT SIGNALS

No mailto: link captured · 972-289-7414 · 1 forms

STRUCTURED DATA

HVACBusiness, PostalAddress, AggregateRating, LocalBusiness, GeoCoordinates, City, GeoCircle, OfferCatalog, Offer, Service, OpeningHoursSpecification, Brand

SEARCH DATA

Not measured · Search Console requires verified owner access