

Reusing Model Architectures and Designs



Janani Ravi

CO-FOUNDER, LOONYCORN

www.loonycorn.com

Overview

Transfer learning with the AlexNet and Densenet models

Reusing model architectures while still training from scratch

Fine-tuning models built from similar datasets

Transfer Learning Scenarios

How similar are the old
and new datasets?

How much new training
data is available?

<ul style="list-style-type: none">• Re-use architecture• Re-calculate model weights• Re-train from scratch	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune all layers	Lots
<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fit classifier on initial layers	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune only final layers	Little
Different	Similar	

Transfer Learning Scenarios

How similar are the old
and new datasets?

How much new training
data is available?

<ul style="list-style-type: none">• Re-use architecture• Re-calculate model weights• Re-train from scratch	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune all layers	Lots
<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fit classifier on initial layers	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune only final layers	Little
Different	Similar	

Training from Scratch

How similar are the old
and new datasets?

How much new training
data is available?

<ul style="list-style-type: none">• Re-use architecture• Re-calculate model weights• Re-train from scratch	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune all layers	Lots
<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fit classifier on initial layers	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune only final layers	Little
Different	Similar	

Fine-tuning All Layers

How similar are the old
and new datasets?

How much new training
data is available?

<ul style="list-style-type: none">• Re-use architecture• Re-calculate model weights• Re-train from scratch	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune all layers	Lots
<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fit classifier on initial layers	<ul style="list-style-type: none">• Re-use architecture• Fine-tune model weights• Fine-tune only final layers	Little
Different	Similar	

Demo

**Re-use model architecture while
training it entirely from scratch**

Demo

Fine-tuning all layers of a pre-trained model while starting from original pre-trained weights

Demo

Freeing up cloud resources

Summary

Transfer learning with the AlexNet and Densenet models

Reusing model architectures while still training from scratch

Fine-tuning models built from similar datasets

Related Courses




Image Classification with PyTorch

Style Transfer with PyTorch

**Natural Language Processing with
PyTorch**