CSCI4140 - TUTORIAL 12 ASSIGNMENT 3 EXTRA

Calvin, Kam Ho Chuen (hckam@cse) 16 Apr 2015

OUTLINE

- iReserve Page from Github to OpenShift
- View Chrome LocalStorage for Debug
- Error Handling

IRESERVE PAGE FROM GITHUB TO OPENSHIFT

First git clone the iReserve Page to local machine first.

```
Calvins-MacBook-Pro:test Calvin$
Calvins-MacBook-Pro:test Calvin$
Calvins-MacBook-Pro:test Calvin$ git clone git@github.com:calvinkam/CSCI4140-iRe serve.git
```

Change to the directory, create the openshift remote repository.

```
Calvins-MacBook-Pro:CSCI4140-iReserve Calvin$
Calvins-MacBook-Pro:CSCI4140-iReserve Calvin$ git remote add openshift ssh://552
e27465973ca7d28000228@ireserve2-calkam.rhcloud.com/~/git/ireserve2.git/
```

IRESERVE PAGE FROM GITHUB TO OPENSHIFT

The remote URL can be found at Openshift project page

Source Code

ssh://552e27465973ca7d28000228@ireserve2-ca

Pass this URL to 'git clone' to copy the repository locally.

Remote Access

Ready to push the reserve branch to remote master branch!

```
Calvins-MacBook-Pro:CSCI4140-iReserve Calvin$ git push -u openshift release:mast
er --force
Counting objects: 44, done.
Delta compression using up to 4 threads.
```

VIEW CHROME LOCALSTORAGE

- You may want to view the stored data in local storage to see if they are correct.
- How to look into the storage area? ••
- Do it in a programmer way!

VIEW CHROME LOCALSTORAGE

In popup page console tool (you should know why we type the code in popup but not the webpage console...)
chrome.storage.local.get(null, function(e) {console.log(e)});

ERROR HANDLING

- In the assignment we need to handle the error handling.
- How? By using Try-Catch (Remember in your OOP lesson?)

```
try
{
    document.getElementById("userWrong").val("369");
}
catch(e)
{
    alert(e);
}
```

-END-

- Trust me, it is not that difficult:) Hope you enjoy coding that
- Good Luck to your Assignment 3
- Find me if you have any question!:)