Introduction To HTML/CSS



This certificate is proudly presented to

Cavin Khoza

> For: Introduction To HTML/CSS

> With a score of: 40/58 (68.97%)

Date: February 19, 2025



Report Summary

Name : Cavin Khoza

Your Score : 40 out of 58 (68.97%)

Correct Answers : 40 Questions Incorrect Answers : 18 Questions Unanswered : 0 Questions

Required Passing Grade (%): 60%

Time Taken : 15 mins 18 secs
Date : Feb 19, 2025

Your Result : Pass

Email : cavin.khoza@capaciti.org.za

Your Answers

Correct

- Q1) The CSS property 'font-size' is used to change the color of text.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Incorrect. The 'font-size' property in CSS is used to adjust the size of text, not its color.

Correct

- Q2) HTML stands for Hyper Text Markup Language.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! HTML stands for Hyper Text Markup Language and is used to create the structure of a webpage.

Incorrect

- Q3) Web accessibility is not important when building a website.
- A. True (Your Answer)(Incorrect)
- B. False (Correct)

Explanation:Incorrect. Web accessibility is crucial to ensure all users, including those with disabilities, can access and use a website.

Correct

- Q4) Which method is used to add new items to the end of an array in JavaScript?
- A. push() (Your Answer)(Correct)
- B. pop()
- C. shift()
- D. unshift()

Explanation: The push() method in JavaScript is used to add new items to the end of an array. It modifies the original array by adding one or more elements to the end of it and returns the new

Incorrect

- Q5) Which function is used to parse a string as JSON in JavaScript?
 - A. JSON.stringify()
- B. JSON.parse() (Correct)
- C. JSON.stringify() and JSON.parse()
- D. None of the above (Your Answer)(Incorrect)

Explanation:The JSON.parse() function in JavaScript is used to parse a JSON string and convert it into a JavaScript object. It is the counterpart to the JSON.stringify() function, which converts a JavaScript object to a JSON string.

Incorrect

- Q6) What is the default value of the 'display' property in CSS?
- A. block
- B. inline (Correct)
- C. inline-block (Your Answer)(Incorrect)
- D. none

Explanation: The default value of the 'display' property in CSS is 'inline'.

Correct

- Q7) CSS Grid is a layout system that allows you to design complex web layouts.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! CSS Grid provides a powerful layout system for creating grid-based designs on a webpage.

- Q8) What is the correct syntax for commenting in HTML?
- A. // This is a comment //
- B. <-- This is a comment -->
- C. <!- This is a comment -->

D. <!-- This is a comment --> (Your Answer)(Correct)Explanation: The correct syntax for commenting in HTML is <!-- This is a comment -->.

Incorrect

- Q9) What does DOM stand for in JavaScript?
- A. Document Object Model (Correct)
- B. Data Object Model (Your Answer)(Incorrect)
- C. Dynamic Operation Model
- D. Design Object Management

Explanation: The Document Object Model (DOM) is a programming interface for web documents. It represents the structure of a document and allows programming languages like JavaScript to manipulate it.

Correct

A.
B.
False
Explanation

Correct

- Q11) JavaScript is a markup language used to create website structure.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Correct! JavaScript is a programming language used to add interactivity and dynamic elements to a webpage.

Correct

- Q12) HTML is used to style the layout of a webpage.
 - A. True
 - B. False (Your Answer)(Correct)

Explanation:Incorrect. HTML is used for structuring the content of a webpage, while CSS is used for styling the layout.

- Q13) Which CSS property is used to change the background color of an element?
- A. color
- B. background-color (Your Answer)(Correct)
- C. text-color
- D. font-color

Explanation: The 'background-color' property in CSS is used to change the background color of an element.

Correct

- Q14) JavaScript can only be used for client-side scripting.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Incorrect. JavaScript can be used for both client-side and server-side scripting, providing dynamic functionality to web applications.

Correct

- Q15) CSS stands for Creative Style Sheets.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Incorrect. CSS stands for Cascading Style Sheets and is used to style the HTML structure of a webpage.

Incorrect

- Q16) What does the 'margin' property in CSS control?
- A. The size of the text
- B. The space inside the border of an element (Your Answer)(Incorrect)
- C. The space outside the border of an element (Correct)
- D. The color of the background

Explanation: The 'margin' property in CSS controls the space outside the border of an element.

- Q17) What is the correct HTML tag for the largest heading?
- A. <head>
- B. <h1> (Your Answer)(Correct)
- C. <heading>
- D. <big>

Explanation: The <h1> tag is used for the main heading of a web page, with <h2> through <h6> used for subheadings of decreasing size.

Incorrect

Q18) What is the correct CSS syntax to change the font color of a paragraph to red?

- A. p {text-color: red; }
- B. p {color: red; } (Correct)
- C. p {font-color: red; } (Your Answer)(Incorrect)
- D. p {font: red; }

Explanation: The correct CSS syntax to change the font color of a paragraph to red is 'p {color: red; }'.

Correct

A. B. True (Your A. False

Explanation

Correct

- Q20) Which CSS property is used to change the size of a font?
 - A. text-size
 - B. font-style
 - C. font-size (Your Answer)(Correct)
 - D. text-transform

Explanation: The 'font-size' property in CSS is used to change the size of a font.

Incorrect

Q21) Which symbol is used to select an ID in CSS?

- A. # (Correct)
- B. . (Your Answer)(Incorrect)
- C. @
- D. *

Explanation: The # symbol is used to select an ID in CSS, for example: #myID { color: blue; }.

Incorrect

- Q22) The 'flexbox' layout model in CSS is used for creating grid-based layouts.
 - A. True (Your Answer)(Incorrect)
 - B. False (Correct)

Explanation:Incorrect. The 'flexbox' layout model is used for creating flexible layouts, while CSS Grid is used for grid-based layouts.

Incorrect

- Q23) Which statement is used to perform a specific action based on a condition in JavaScript?
- A. for loop
- B. if statement (Correct)
- C. switch statement
- D. while loop (Your Answer)(Incorrect)

Explanation: The 'if' statement in JavaScript is used to execute a block of code if a specified condition is true. It allows for conditional execution based on whether the condition evaluates to true or false.

Correct

- Q24) What does the 'float' property in CSS control?
- A. The justification of text
- B. The alignment of an image
- C. The positioning of an element (Your Answer)(Correct)
- D. The indentation of text

Explanation: The 'float' property in CSS controls the positioning of an element.

- Q25) CSS stands for Computer Style Sheets.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Incorrect. CSS stands for Cascading Style Sheets, not Computer Style Sheets.

Correct

Q26) What is the correct way to comment out a single line in JavaScript?

- A. //This is a comment (Your Answer)(Correct)
- B. /*This is a comment*/
- C. 'This is a comment
- D. #This is a comment

Explanation:In JavaScript, a single-line comment can be created by using // before the comment text. This tells the JavaScript interpreter to ignore everything from // to the end of the line.

Incorrect

Q27) What is the result of 3 + '3' in JavaScript?

- A. 6 (Your Answer)(Incorrect)
- B. 33 (Correct)
- C. Error
- D. undefined

Explanation:In JavaScript, when you use the + operator with a number and a string, the number is converted to a string and concatenated with the other string. So, the result of 3 + '3' is '33'.

Correct

Q28) Which CSS property is used to make text bold?

- A. font-weight (Your Answer)(Correct)
- B. text-align
- C. font-style
- D. text-decoration

Explanation: The 'font-weight' property in CSS is used to make text bold.

Incorrect

- Q29) How do you include an external CSS file in your HTML document?
- A. <style> tag (Your Answer)(Incorrect)
- B. link> tag (Correct)
- C. <script> tag
- D. <css> tag

Explanation: You include an external CSS file in your HTML document using the link> tag.

Correct

- Q30) CSS can only be applied inline within HTML elements.
- A. True
- B. False (Your Answer)(Correct)

Explanation:Incorrect. CSS can be applied inline, internally within the <style> tag, or externally in a separate CSS file.

Incorrect

- Q31) Which CSS property is used to control the space between lines of text?
- A. text-spacing
- B. line-height (Correct)
- C. text-line
- D. line-spacing (Your Answer)(Incorrect)

Explanation: The 'line-height' property in CSS is used to control the space between lines of text.

Correct

- Q32) What is the correct CSS syntax to center align text?
- A. text-align: center; (Your Answer)(Correct)
- B. align: center;
- C. text-style: center;
- D. center-align: text;

Explanation: The correct CSS syntax to center align text is 'text-align: center;'.

- Q33) What is the correct CSS syntax to apply a shadow effect to an element?
- A. shadow: 5px 5px 5px black;
- B. element-shadow: 5px 5px 5px black;
- C. box-shadow: 5px 5px 5px black; (Your Answer)(Correct)
- D. shadow-element: 5px 5px 5px black;

Explanation: The correct CSS syntax to apply a shadow effect to an element is 'box-shadow: 5px 5px black;'.

Correct

- Q34) Which CSS property is used to create rounded corners on an element?
- A. border-round
- B. rounded-corners
- C. corner-radius
- D. border-radius (Your Answer)(Correct)

Explanation: The 'border-radius' property in CSS is used to create rounded corners on an element.

Correct

- Q35) Which property is used to change the text color in CSS?
- A. color (Your Answer)(Correct)
- B. font-color
- C. text-color
- D. background-color

Explanation: The 'color' property is used to change the text color in CSS.

Correct

- Q36) Which CSS property is used to add a shadow effect to an element's text?
- A. shadow-effect
- B. text-shadow (Your Answer)(Correct)
- C. box-shadow
- D. blur-shadow

Explanation: The 'text-shadow' property in CSS is used to add a shadow effect to an element's text.

A.
B.

False (Your Explanation

True

Correct

Q38) Which keyword is used to declare a variable in JavaScript?

- A. var (Your Answer)(Correct)
- B. let
- C. const
- D. int

Explanation:In JavaScript, the 'var' keyword is used to declare a variable. It is a global variable declaration that can be accessed from anywhere within the program.

Correct

Q39) What does CSS stand for?

- A. Cascading Style Sheets (Your Answer)(Correct)
- B. Creative Style Sheets
- C. Computer Style Sheets
- D. Colorful Style Sheets

Explanation: CSS stands for Cascading Style Sheets and is used to style web pages.

Correct

Q40) Which attribute is used to provide an image description in HTML?

- A. alt (Your Answer)(Correct)
- B. title
- C. caption
- D. description

Explanation: The 'alt' attribute is used to provide alternative text for an image in case it cannot be displayed, improving accessibility and SEO.

- Q41) What does HTML stand for?
 - A. Hyper Text Markup Language (Your Answer)(Correct)
 - B. Highly Technical Machine Learning
 - C. Home Tool Markup Language
 - D. Hyperlink and Text Markup Language

Explanation:HTML stands for Hyper Text Markup Language and is used to create content on the web.

Correct

- Q42) What does the 'position' property in CSS control?
- A. The position of the text
- B. The display mode of an element
- C. The size of the element
- D. The positioning method of an element (Your Answer)(Correct)
 Explanation: The 'position' property in CSS controls the positioning method of an element.

Correct

- Q43) Which CSS property changes the text color of an element?
- A. font-weight
- B. background-color
- C. color (Your Answer)(Correct)
- D. text-align

Explanation: The 'color' property in CSS is used to change the text color of an element.

Incorrect

- Q44) What is the output of console.log(typeof []) in JavaScript?
- A. array (Your Answer)(Incorrect)
- B. object (Correct)
- C. null
- D. undefined

Explanation:In JavaScript, the typeof operator returns the data type of its operand. When used with an empty array [], it returns 'object' because arrays are considered objects in JavaScript.

- Q45) The tag is used to link an external CSS file to an HTML document.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! The link> tag is used to link an external CSS file to apply styling to an HTML document.

Correct

- Q46) What does the 'padding' property in CSS control?
- A. The size of the text
- B. The space inside the border of an element (Your Answer)(Correct)
- C. The space outside the border of an element
- D. The color of the background

Explanation: The 'padding' property in CSS controls the space inside the border of an element.

Incorrect

- Q47) Which CSS property is used to set the height and width of an element?
- A. size
- B. height-width (Your Answer)(Incorrect)
- C. dimension
- D. width and height (Correct)

Explanation: The 'width' and 'height' properties in CSS are used to set the height and width of an element.

Correct

- Q48) The tag is used for defining the footer section of a webpage.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! The <footer> tag is used to define the footer section of a webpage, typically containing copyright information and links.

- Q49) Which event occurs when the user clicks on an HTML element in JavaScript?
- A. onchange
- B. onsubmit
- C. onclick (Your Answer)(Correct)
- D. onmouseover

Explanation: The 'onclick' event in JavaScript occurs when the user clicks on an HTML element. It is a common event used to trigger a function or script when a user interacts with a webpage by clicking on an element.

Incorrect

- Q50) An external CSS file can be linked to an HTML document using the tag.
- A. True (Your Answer)(Incorrect)
- B. False (Correct)

Explanation:Incorrect. An external CSS file is linked using the tag, while the <style> tag is used for internal CSS styles within the HTML document.

Incorrect

- Q51) What does the 'this' keyword refer to in JavaScript?
- A. The current function
- B. The parent object (Correct)
- C. The global object (Your Answer)(Incorrect)
- D. The event that triggered the function

Explanation:In JavaScript, the 'this' keyword refers to the object it belongs to. It typically points to the parent object in which it is used, whether that is a global object, a function, or an event.

Correct

- Q52) JSX is a syntax extension for JavaScript often used in React applications.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! JSX is a syntax extension used in React to easily write HTML-like code within JavaScript.

- Q53) What is the correct HTML tag for inserting a line break?
- A.

 (Your Answer)(Correct)
- B.

 B.

- C. <lb>
- D. <newline>

Explanation: The
br> tag is used to create a line break in HTML, allowing content to appear on separate lines.

Correct

- Q54) What is the correct CSS syntax to apply a background image to an element?
- A. background: image-url('image.jpg');
- B. background-image: url('image.jpg'); (Your Answer)(Correct)
- C. image: background('image.jpg');
- D. background-image-url: ('image.jpg');

Explanation: The correct CSS syntax to apply a background image to an element is 'background-image: url('image.jpg');'.

Correct

- Q55) JavaScript can be used to manipulate HTML elements on a webpage.
- A. True (Your Answer)(Correct)
- B. False

Explanation:Correct! JavaScript can be used to dynamically change, add, or remove HTML elements on a webpage for interactive user experiences.

Incorrect

- Q56) Which tag is used to define a hyperlink in HTML?
- A. <link>
- B. <a> (Correct)
- C. <ref>
- D. <url> (Your Answer)(Incorrect)

Explanation: The <a> tag is used to create hyperlinks in HTML, allowing users to navigate between different web pages.

A.

В.

True (Your False Explanation

Incorrect

Q58) Which tag is used to define an external style sheet in HTML?

- A. <stylesheet> (Your Answer)(Incorrect)
- B. link> (Correct)
- C. <style>
- D. <css>

Explanation: The < link > tag is used to define an external style sheet in HTML.