```
from __future__ import absolute_import
from __future__ import division
from __future__ import print_function
import warnings
warnings.filterwarnings('ignore')
import tensorflow as tf
import tensorflow.keras as keras
import numpy as np
import pandas as pd
data = pd.read csv('attrition.csv')
data
      Age Attrition
                        BusinessTravel
                                         DailyRate
Department \
                         Travel Rarely
0
       41
                Yes
                                              1102
Sales
       49
                 No Travel Frequently
                                               279 Research &
Development
                         Travel Rarely
                                              1373
       37
                Yes
                                                    Research &
Development
       33
                 No Travel Frequently
                                              1392
                                                    Research &
Development
       27
                 No
                         Travel Rarely
                                               591
                                                    Research &
Development
. . .
1465
                 No Travel Frequently
                                               884
                                                    Research &
       36
Development
1466
       39
                 No
                         Travel Rarely
                                               613
                                                    Research &
Development
                         Travel Rarely
                                                    Research &
1467
       27
                 No
                                               155
Development
1468
       49
                    Travel_Frequently
                 No
                                              1023
Sales
                         Travel Rarely
                                                    Research &
1469
       34
                 No
                                               628
Development
      DistanceFromHome
                        Education EducationField
                                                   EmployeeCount \
0
                                   Life Sciences
                     1
                                 2
                                                                1
1
                     8
                                 1
                                   Life Sciences
                                                                1
2
                     2
                                 2
                                                                1
                                            0ther
3
                     3
                                   Life Sciences
                                 4
                                                                1
4
                     2
                                 1
                                          Medical
                                                                1
                    23
                                 2
                                                                1
1465
                                          Medical
```

1466 1467 1468 1469	6 4 2 8	1 Medio 3 Life Scienc 3 Medio 3 Medio	ces cal	1 1 1 1
0 1 2 3 4	EmployeeNumber 1 2 4 5 7	•	action Standar 1 4 2 3 4	80 80 80 80 80
1465 1466 1467 1468 1469	2061 2062 2064 2065 2068		3 1 2 4 1	80 80 80 80 80
0 1 2 3 4 1465 1466 1467 1468 1469	StockOptionLevel 0 1 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0	TotalWorkingYears Tra 8 10 7 8 6 17 9 6 17 6	ainingTimesLas	tYear \ 0
		arsAtCompany YearsInCu 6 10 0 8 2 5 7 6 9	urrentRole \	
0 1 2 3 4	YearsSinceLastPromo	otion YearsWithCurrMa 0 1 0 3 2	anager 5 7 0 0 2	

```
1465
                              0
                                                      3
                                                      7
1466
                              1
                                                      3
                              0
1467
                                                      8
                              0
1468
                                                      2
1469
[1470 rows x 35 columns]
Y = data["Attrition"]
from sklearn import preprocessing
le = preprocessing.LabelEncoder()
data transformed = data.apply(le.fit transform)
data transformed.head()
   Age Attrition BusinessTravel DailyRate
                                                  Department
DistanceFromHome \
    23
                                            624
                                                            2
0
1
    31
                                   1
                                            113
                                                            1
7
2
    19
                                            805
                                                            1
1
3
    15
                                            820
                                                            1
                 0
2
4
     9
                                            312
                                                            1
1
               EducationField
                                EmployeeCount
                                                EmployeeNumber
   Education
0
            1
                                                               0
            0
1
                             1
                                             0
                                                               1
2
            1
                                             0
                             4
                                                               2
3
            3
                             1
                                             0
                                                               3
4
            0
                             3
                                             0
   RelationshipSatisfaction
                               StandardHours
                                               StockOptionLevel
0
                            3
                                            0
                                                                1
1
2
                            1
                                            0
                                                                0
3
                            2
                                            0
                                                                0
                            3
4
   TotalWorkingYears TrainingTimesLastYear WorkLifeBalance
YearsAtCompany
0
                    8
                                             0
                                                                0
6
1
                   10
                                             3
                                                                2
10
```

2	7	3	2	
0 3	8	3	2	
8 4	6	3	2	
2				
YearsInCurr 0 1 2 3	entRole YearsSind 4 7 0 7 2	ceLastPromotion 0 1 0 3 2	YearsWithCurrManager 5 7 0 0 2	
[5 rows x 35 c	olumns]			
<pre>X = data_transformed[["Age","BusinessTravel","DistanceFromHome","Education ","Gender","JobInvolvement","JobLevel","JobRole","JobSatisfaction","Mo nthlyRate","OverTime","PercentSalaryHike","PerformanceRating","Relatio nshipSatisfaction","RelationshipSatisfaction","StockOptionLevel","Tota lWorkingYears","TrainingTimesLastYear","WorkLifeBalance","YearsAtCompa ny","YearsInCurrentRole","YearsSinceLastPromotion","YearsWithCurrManag er"]]</pre>				
Y = data_trans	Y = data_transformed["Attrition"]			
<pre>from numpy import array from numpy import argmax from sklearn.preprocessing import LabelEncoder from sklearn.preprocessing import OneHotEncoder</pre>				
<pre>enc = preprocessing.OneHotEncoder() enc.fit(X)</pre>				
<pre>OneHotEncoder(categorical_features=None, categories=None, drop=None,</pre>				
<pre>onehotlabels = enc.transform(X).toarray() onehotlabels.shape</pre>				
(1470, 1703)				
onehotlabels				
array([[0., 0., 0.,, 0., 0., 0.],				
- ,				

```
[0., 0., 0., ..., 0., 0., 0.]
     [0., 0., 0., ..., 0., 0., 0.]
Y = np.array(Y)
x train = onehotlabels[:int(0.80*len(X))]
x test = onehotlabels[int(0.80*len(X)):]
y train = Y[:int(0.80*len(Y))]
y test = Y[int(0.80*len(Y)):]
%load ext tensorboard
from datetime import datetime
from packaging import version
import tensorflow as tf
from tensorflow import keras
model = tf.keras.models.Sequential()
model.add(tf.keras.layers.Dense(128, activation=tf.nn.relu))
model.add(tf.keras.layers.Dense(120, activation=tf.nn.relu))
model.add(tf.keras.layers.Dense(15, activation=tf.nn.relu))
# model.add(tf.keras.layers.Dense(15, activation=tf.nn.softmax))
model.compile(optimizer='adam',
          loss='sparse categorical crossentropy',
          metrics=['accuracy'])
# Define the Keras TensorBoard callback.
logdir="logs/fit/" + datetime.now().strftime("%Y%m%d-%H%M%S")
tensorboard callback = keras.callbacks.TensorBoard(log dir=logdir)
model.fit(x_train,y_train, epochs=10,callbacks=[tensorboard_callback])
Epoch 1/10
1.0504 - acc: 0.7934
Epoch 2/10
0.4367 - acc: 0.8359
Epoch 3/10
0.3247 - acc: 0.8469
Epoch 4/10
0.2087 - acc: 0.9133
Epoch 5/10
1.7940 - acc: 0.9039
```

```
Epoch 6/10
2.6919 - acc: 0.8359
Epoch 7/10
2.6919 - acc: 0.8359
Epoch 8/10
2.6919 - acc: 0.8359
Epoch 9/10
2.6919 - acc: 0.8359
Epoch 10/10
2.6919 - acc: 0.8359
<tensorflow.python.keras.callbacks.History at 0x1c38aa0990>
model.save('attrition.model')
new model = tf.keras.models.load model('attrition.model')
WARNING:tensorflow:Sequential models without an `input shape` passed
to the first layer cannot reload their optimizer state. As a result,
your model isstarting with a freshly initialized optimizer.
predictions = new model.predict(x test)
oneD predictions = [np.argmax(x) for x in predictions]
import sklearn
from sklearn.metrics import accuracy score
sklearn.metrics.accuracy score(y test, oneD predictions)
0.8537414965986394
oneD predictions
[0,
0,
1,
0,
0,
0,
0,
0,
0,
0,
1,
0,
1,
0,
```

0,		
0, 0,		
Ο,		
0,		
0,		
Ο,		
0,		
o '		
υ,		
0.		
0,		
υ,		
0.		
0,		
υ,		
1.		
υ,		
0.		
o,		
υ,		
0.		
o '		
υ,		
0, 0, 0, 0, 1, 0, 0,		
0,		
0.		
1		
Ι,		
0.		
0,		
Θ,		
0, 1, 0, 0, 1, 0,		
0,		
Ι,		
Θ		
0,		
0,		
ດ່		
Ο,		
Θ,		
o i		
Ο,		
Θ,		
o i		
Ο,		
0, 0, 0, 0, 1,		
1		
Ι,		
Θ,		
ຄ່		
0,		
Θ,		
0, 0, 0, 0, 0, 0, 0, 0, 0, 0,		
Ο,		
Θ,		
o i		
0,		
Θ,		
o.		
Ο,		
Θ,		
ຄ່		
U,		
0,		
O.		
υ,		
0.		
o,		
υ,		
0.		
0		
υ,		

```
Θ,
 1,
 0,
 1,
 Θ,
 0,
 Θ,
 Θ,
 0,
 Θ,
 0,
 Θ,
 1,
 0,
 Θ,
 0,
 0,
 0,
 Θ,
 0,
 0,
 0,
 Θ,
 0,
 0,
 0,
 Θ,
 Θ,
 0,
 Θ,
 Θ,
 0,
 Θ,
 Θ,
 0]
import keras
keras.utils.plot_model(
new_model, to_file='model.png', show_shapes=True, show_layer_names=True, expand_nested=True, dpi=300
Using TensorFlow backend.
```

dense: Dense	input:	multiple
dense. Dense	output:	multiple

dense_1: Dense	input:	multiple
dense_1. Dense	output:	multiple

dense 2: Dense	input:	multiple
dense_2. Dense	output:	multiple

<IPython.lib.display.IFrame at 0x1a365e2c50>