Status	Finished
Started	Monday, 17 August 2026, 2:31 PM
Completed	Monday, 17 August 2026, 2:46 PM
Duration	14 mins 56 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Complete

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. All the Above

b. **number of conditions to be checked**

c. **number of loops in a program**

d. **number of variables in a program**

Question **2**

Complete

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. 0

b. equal
0

c. equal

d. 1

Question **3**

Complete

Mark 1.00 out of 1.00

What is the output

```
a, b, c = 1, 3, 5

if a + b + c:

    print("Hello")

else:

    print("Know Program")
```

- a. Hello
- b. Know Program
- c. Error
- d. Compiled Successfully, No Output.

Question **4**

Complete

Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

- a. hello
- b. python
- c. hi

Question **5**

Complete

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

- a. for loop
- b. while loop
- c. if..else

Question **6**

Complete

Mark 0.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

- a. present
- b. Runtime Error
- c. absent
- d. compilation error

Question **7**

Complete

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

- a. 1
- b. 3
- c. 4
- d. 2

Question **8**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the remainder on dividing two numbers
- b. Finds the quotient on dividing two numbers
- c. Finds the product of two numbers
- d. Finds the sum of two numbers

Question **9**

Complete

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

- a. 3
- b. 2
- c. 4
- d. 0

Question **10**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- [ ] a. if (a >= 2)
- [ ] b. if (a => 22)
- [x] c. if a>=2 :

Question **11**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

- (•) a. 35
- ( ) b. 15
- ( ) c. 30
- ( ) d. 45

Question **12**

Complete

Mark 0.00 out of 1.00

What will be the output for the following code?

```
if False:
    print("1001")
else:
    print("2002")
```

- (•) a. syntax error
- ( ) b. 1001
- ( ) c. 2002

Question **13**

Complete

Mark 1.00 out of 1.00

What should be the value of num1 and num2 to get the output as "1"?

```
if((num1/num2==5) and (num1+num2)>5):
    print("1")
elif((num1-num2)<=1 or (num1%num2)==0):
    print("2")
else:
    print("3")
```

a. num1=11, num2=2

b. num1=-10,num2=2

c. num1=0, num2=5

d. num1=5, num2=1

Question **14**

Complete

Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

a. Python is easy!

b. Error

c. NO OUTPUT

Question **15**

Complete

Mark 1.00 out of 1.00

What is the output of the following code.

```
a="REC"
if a in ("rec"):
    print(a)
print(a)
```

a. REC

b. No output
REC

c. REC
REC

d. false
REC