

example

May 19, 2021

```
[1]: from GRTC import *
from sympy import symbols, sin, init_printing

init_printing()

# Defining the symbols in the coordinate system
t, r, theta, phi = symbols('t, r, theta, phi')

#Defining the coordinate system as a list
coord_sys = [t, r, theta, phi]

# Defining some extra symbols
G, m, a = symbols('G, m, a')

# Defining the diagonal components of the metric tensor
diag_comp = [-1, a**(-1), a**2, a * sin(theta)**2]
```

1 Metric Tensor

```
[2]: # Obtaining the metric tensor
mt = MetricTensor(diag_comp, coord_sys)
metric_tensor = mt.get_metriictensor()
metric_tensor
```

```
[2]: 
$$\begin{bmatrix} -1 & 0 & 0 & 0 \\ 0 & \frac{1}{a} & 0 & 0 \\ 0 & 0 & a^2 & 0 \\ 0 & 0 & 0 & a \sin^2(\theta) \end{bmatrix}$$

```

```
[3]: # Default type of the metric tensor
mt.get_metriictensor_type()
```

```
[3]: 'dd'
```

```
[4]: # Varying type 'dd' metric tensor to 'ud'
mt.vary_metriictensor_type(metric_tensor, 'ud')
```

```
[4]:
```

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

```
[5]: mt.get_metric_tensor_type()
```

```
[5]: 'ud'
```

```
[6]: # Varying type 'dd' metric tensor to 'uu'
mt.vary_metric_tensor_type(metric_tensor, 'uu')
```

```
[6]:
```

$$\begin{bmatrix} -1 & 0 & 0 & 0 \\ 0 & a & 0 & 0 \\ 0 & 0 & \frac{1}{a^2} & 0 \\ 0 & 0 & 0 & \frac{1}{a \sin^2(\theta)} \end{bmatrix}$$

```
[7]: mt.get_metric_tensor_type()
```

```
[7]: 'uu'
```

```
[8]: # Obtaining the inverse of the metric tensor directly
mt.get_inverse()
```

```
[8]:
```

$$\begin{bmatrix} -1 & 0 & 0 & 0 \\ 0 & a & 0 & 0 \\ 0 & 0 & \frac{1}{a^2} & 0 \\ 0 & 0 & 0 & \frac{1}{a \sin^2(\theta)} \end{bmatrix}$$

2 Christoffel Symbol

```
[9]: # Obtaining the Christoffel Symbol
cs = ChristoffelSymbol(diag_comp, coord_sys)
chris_symbol = cs.get_christoffelsymbol()
chris_symbol
```

```
[9]:
```

$$\left[\begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sin(\theta) \cos(\theta)}{a} \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\cos(\theta)}{\sin(\theta)} \\ 0 & 0 & \frac{\cos(\theta)}{\sin(\theta)} & 0 \end{bmatrix} \right]$$

```
[10]: # Default type of the Christoffel Symbol
cs.get_christoffelsymbol_type()
```

```
[10]: 'udd'
```

```
[11]: # Varying type 'udd' Christoffel Symbol to 'ddd'
chris_symbol03 = cs.vary_christoffelsymbol_type(chris_symbol, 'ddd')
chris_symbol03
```

$$[11]: \begin{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -a \sin(\theta) \cos(\theta) \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & a \sin(\theta) \cos(\theta) \\ 0 & 0 & a \sin(\theta) \cos(\theta) & 0 \end{bmatrix} \end{bmatrix}$$

```
[12]: cs.get_christoffelsymbol_type()
```

```
[12]: 'ddd'
```

```
[13]: # Obtaining the non-zero components of the given Christoffel Symbol for type ddd
cs.nonzero_christoffelsymbol(chris_symbol03)
```

$$\Gamma_{\theta\phi\phi} = -a \sin(\theta) \cos(\theta)$$

$$\Gamma_{\phi\theta\phi} = a \sin(\theta) \cos(\theta)$$

$$\Gamma_{\phi\phi\theta} = a \sin(\theta) \cos(\theta)$$

```
[14]: # Varying type 'udd' Christoffel Symbol to 'uud'
chris_symbol21 = cs.vary_christoffelsymbol_type(chris_symbol, 'uud')
chris_symbol21
```

$$[14]: \begin{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\cos(\theta)}{a^2 \sin(\theta)} \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\cos(\theta)}{a^2 \sin(\theta)} \\ 0 & 0 & \frac{\cos(\theta)}{a \sin^3(\theta)} & 0 \end{bmatrix} \end{bmatrix}$$

```
[15]: cs.get_christoffelsymbol_type()
```

```
[15]: 'uud'
```

```
[16]: # Varying type 'udd' Christoffel Symbol to 'uuu'
chris_symbol30 = cs.vary_christoffelsymbol_type(chris_symbol, 'uuu')
chris_symbol30
```

$$[16]: \begin{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\cos(\theta)}{a^3 \sin^3(\theta)} \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\cos(\theta)}{a^3 \sin^3(\theta)} \\ 0 & 0 & \frac{\cos(\theta)}{a^3 \sin^3(\theta)} & 0 \end{bmatrix} \end{bmatrix}$$

```
[17]: cs.get_christoffelsymbol_type()
```

```
[17]: 'uuu'
```

```
[18]: cs.nonzero_christoffelsymbol(chris_symbol30)
```

$$\Gamma_{\theta\phi\phi} = -\frac{\cos(\theta)}{a^3 \sin^3(\theta)}$$

$$\Gamma_{\phi\theta\phi} = \frac{\cos(\theta)}{a^3 \sin^3(\theta)}$$

$$\Gamma^{\phi\phi\theta} = \frac{\cos(\theta)}{a^3 \sin^3(\theta)}$$

3 Riemann Tensor

```
[19]: # Obtaining the Riemann Tensor
rt = RiemannTensor(diag_comp, coord_sys)
riemann_tensor = rt.get_riemanntensor()
riemann_tensor
```

```
[19]:
```

$$\begin{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sin^2(\theta)}{a} \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sin^2(\theta)}{a} \\ 0 & 0 & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \end{bmatrix}$$

```
[20]: # Default type of the Riemann Tensor
rt.get_riemanntensor_type()
```

```
[20]: 'uddd'
```

```
[21]: # Varying type 'uddd' Riemann Tensor to 'dddd'
riemann_tensor04 = rt.vary_riemanntensor_type(riemann_tensor, 'dddd')
riemann_tensor04
```

```
[21]:
```

[illegible]

```
[22]: rt.get_riemantensor_type()
```

```
[22]: 'dddd'
```

```
[23]: rt.nonzero_riemantensor(riemann_tensor04)
```

$$R_{\theta\theta\phi\phi} = -a \sin^2 (\theta)$$

$$R_{\theta\phi\theta\phi} = a \sin^2 (\theta)$$

$$R_{\phi\theta\phi\theta} = a \sin^2 (\theta)$$

$$R_{\phi\phi\theta\theta} = -a \sin^2 (\theta)$$

4 Ricci Tensor

```
[24]: # Obtaining the Ricci Tensor
      rit = RicciTensor(diag_comp, coord_sys)
      ricci_tensor = rit.get_riccitensor()
      ricci_tensor
```

$$[24]: \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & \frac{\sin^2(\theta)}{a} \end{bmatrix}$$

```
[25]: # Default type of the Ricci Tensor
      rit.get_riccitensor_type()
```

```
[25]: 'dd'
```

```
[26]: # Varying type 'dd' Ricci Tensor to 'uu'
      rit.vary riccitor_type(ricci_tensor, 'uu')
```

[26]:
$$\begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{1}{a^4} & 0 \\ 0 & 0 & 0 & \frac{1}{a^3 \sin^2(\theta)} \end{bmatrix}$$

[27]: `rit.get_riccitensor_type()`

[27]: 'uu'

5 Ricci Scalar

[28]: *# Obtaining the Ricci Scalar*
`rs = RicciScalar(diag_comp, coord_sys)`
`ricci_scalar = rs.get_ricciscalar()`
`ricci_scalar`

[28]:
$$\frac{2}{a^2}$$

6 Traceless Ricci Tensor

[29]: *# Obtaining the Traceless Ricci Tensor*
`trt = TracelessRicciTensor(diag_comp, coord_sys)`
`traceless_ricci_tensor = trt.get_trclss_riccitensor()`
`traceless_ricci_tensor`

[29]:
$$\begin{bmatrix} \frac{1}{2a^2} & 0 & 0 & 0 \\ 0 & -\frac{1}{2a^3} & 0 & 0 \\ 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & \frac{\sin^2(\theta)}{2a} \end{bmatrix}$$

[30]: *# Default type of the Traceless Ricci Tensor*
`trt.get_trclss_riccitensor_type()`

[30]: 'dd'

[31]: *# Varying type 'dd' Traceless Ricci Tensor to 'uu'*
`trt.vary_trclss_riccitensor_type(traceless_ricci_tensor, 'uu')`

[31]:
$$\begin{bmatrix} \frac{1}{2a^2} & 0 & 0 & 0 \\ 0 & -\frac{1}{2a} & 0 & 0 \\ 0 & 0 & \frac{1}{2a^4} & 0 \\ 0 & 0 & 0 & \frac{1}{2a^3 \sin^2(\theta)} \end{bmatrix}$$

[32]: `trt.get_trclss_riccitensor_type()`

[32]: 'uu'

7 Weyl Tensor

```
[33]: # Obtaining the Weyl Tensor
wyl = WeylTensor(diag_comp, coord_sys)
weyl_tensor = wyl.get_weyltensor()
weyl_tensor
```

```
[33]:
```

$$\begin{bmatrix} \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & -\frac{1}{3a^3} & 0 & 0 \\ \frac{1}{3a^3} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & \frac{1}{6} & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{1}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & \frac{\sin^2(\theta)}{6a} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{\sin^2(\theta)}{6a} & 0 & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & \frac{1}{3a^3} & 0 & 0 \\ -\frac{1}{3a^3} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{6a} & 0 \\ 0 & \frac{1}{6a} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sin^2(\theta)}{6a^2} \\ 0 & 0 & 0 & 0 \\ 0 & \frac{\sin^2(\theta)}{6a^2} & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & 0 & -\frac{1}{6} & 0 \\ 0 & 0 & 0 & 0 \\ \frac{1}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{1}{6a} & 0 \\ 0 & -\frac{1}{6a} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -a \sin^2(\theta) \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{a \sin^2(\theta)}{3} \\ 0 & \frac{2a \sin^2(\theta)}{3} & 0 & 0 \end{bmatrix} \\ \begin{bmatrix} 0 & 0 & 0 & -\frac{\sin^2(\theta)}{6a} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{\sin^2(\theta)}{6a} & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sin^2(\theta)}{6a^2} \\ 0 & 0 & 0 & 0 \\ 0 & -\frac{\sin^2(\theta)}{6a^2} & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{2a \sin^2(\theta)}{3} \\ 0 & \frac{a \sin^2(\theta)}{3} & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & -a \sin^2(\theta) & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \end{bmatrix}$$

```
[34]: # Default type of the Weyl Tensor
wyl.get_weyltensor_type()
```

```
[34]: 'dddd'
```

```
[35]: # Varying type 'dddd' Weyl Tensor to 'uuuu'
weyl_tensor40 = wyl.vary_weyltensor_type(weyl_tensor, 'uuuu')
weyl_tensor40
```

```
[35]:
```

$$\begin{bmatrix}
\begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & -\frac{1}{3a} & 0 & 0 \\ \frac{1}{3a} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & \frac{1}{6a^4} & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{1}{6a^4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 \\ 0 \\ 0 \\ -\frac{1}{6a^3 \sin^2(\theta)} \end{bmatrix} \\
\begin{bmatrix} 0 & \frac{1}{3a} & 0 & 0 \\ -\frac{1}{3a} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{6a^3} & 0 \\ 0 & \frac{1}{6a^3} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 \\ 0 \\ 0 \\ \frac{1}{6a^2 \sin^2(\theta)} \end{bmatrix} \\
\begin{bmatrix} 0 & 0 & -\frac{1}{6a^4} & 0 \\ 0 & 0 & 0 & 0 \\ \frac{1}{6a^4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{1}{6a^3} & 0 \\ 0 & -\frac{1}{6a^3} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{a^5 \sin^2(\theta)} \end{bmatrix} & \begin{bmatrix} 0 \\ 0 \\ 0 \\ \frac{1}{3a^5 \sin^2(\theta)} \end{bmatrix} \\
\begin{bmatrix} 0 & 0 & 0 & -\frac{1}{6a^3 \sin^2(\theta)} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{1}{6a^3 \sin^2(\theta)} & 0 & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{6a^2 \sin^2(\theta)} \\ 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{6a^2 \sin^2(\theta)} & 0 & 0 \end{bmatrix} & \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{2}{3a^5 \sin^2(\theta)} \\ 0 & 0 & \frac{1}{3a^5 \sin^2(\theta)} & 0 \end{bmatrix} & \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}
\end{bmatrix}$$

[36]: `wyl.get_weyltensor_type()`

[36]: 'uuuu'

[37]: `wyl.nonzero_weyltensor(weyl_tensor40)`

$$C^{trtr} = -\frac{1}{3a}$$

$$C^{trrt} = \frac{1}{3a}$$

$$C^{t\theta t\theta} = \frac{1}{6a^4}$$

$$C^{t\theta\theta t} = -\frac{1}{6a^4}$$

$$C^{t\phi t\phi} = \frac{1}{6a^3 \sin^2(\theta)}$$

$$C^{t\phi\phi t} = -\frac{1}{6a^3 \sin^2(\theta)}$$

$$C^{rttr} = \frac{1}{3a}$$

$$C^{rtrt} = -\frac{1}{3a}$$

$$C^{r\theta r\theta} = -\frac{1}{6a^3}$$

$$C^{r\theta\theta r} = \frac{1}{6a^3}$$

$$C^{r\phi r\phi} = -\frac{1}{6a^2 \sin^2(\theta)}$$

$$C^{r\phi\phi r} = \frac{1}{6a^2 \sin^2(\theta)}$$

$$C^{\theta t t\theta} = -\frac{1}{6a^4}$$

$$C^{\theta t\theta t} = \frac{1}{6a^4}$$

$$C^{\theta r r\theta} = \frac{1}{6a^3}$$

$$\begin{aligned}
C^{\theta r \theta r} &= -\frac{1}{6a^3} \\
C^{\theta \theta \phi \phi} &= -\frac{1}{a^5 \sin^2(\theta)} \\
C^{\theta \phi \theta \phi} &= \frac{1}{3a^5 \sin^2(\theta)} \\
C^{\theta \phi \phi \theta} &= \frac{2}{3a^5 \sin^2(\theta)} \\
C^{\phi t t \phi} &= -\frac{1}{6a^3 \sin^2(\theta)} \\
C^{\phi t \phi t} &= \frac{1}{6a^3 \sin^2(\theta)} \\
C^{\phi r r \phi} &= \frac{1}{6a^2 \sin^2(\theta)} \\
C^{\phi r \phi r} &= -\frac{1}{6a^2 \sin^2(\theta)} \\
C^{\phi \theta \theta \phi} &= \frac{2}{3a^5 \sin^2(\theta)} \\
C^{\phi \theta \phi \theta} &= \frac{1}{3a^5 \sin^2(\theta)} \\
C^{\phi \phi \theta \theta} &= -\frac{1}{a^5 \sin^2(\theta)}
\end{aligned}$$

8 Einstein Tensor

```
[38]: # Obtaining the Einstein Tensor
et = EinsteinTensor(diag_comp, coord_sys)
einstein_tensor = et.get_einsteintensor()
einstein_tensor
```

```
[38]: 
$$\begin{bmatrix} \frac{1}{a^2} & 0 & 0 & 0 \\ 0 & -\frac{1}{a^3} & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

```

```
[39]: # Default type of the Einstein Tensor
et.get_einsteintensor_type()
```

```
[39]: 'dd'
```

```
[40]: # Varying type 'dd' Einstein Tensor to 'uu'
et.vary_einsteintensor_type(einstein_tensor, 'uu')
```

```
[40]: 
$$\begin{bmatrix} \frac{1}{a^2} & 0 & 0 & 0 \\ 0 & -\frac{1}{a} & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

```

```
[41]: et.get_einsteintensor_type()
```

```
[41]: 'uu'
```

9 Kretschmann Scalar

```
[42]: ks = KretschmannScalar(diag_comp, coord_sys)
      kret_scalar = ks.get_kretschmannscalar()
      kret_scalar
```

```
[42]:  $\frac{4}{a^4}$ 
```