Scan Report

$March\ 22,\ 2025$

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "New Quick Task". The scan started at Sat Mar 22 02:48:10 2025 UTC and ended at Sat Mar 22 03:20:42 2025 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Res	ult Ov	verview																
2	Res	ults p	er Host																
	2.1	192.16	88.2.98											٠			 		
		2.1.1	Medium 135/tc	р															
		2.1.2	Low general/tcr)													 		

1 Result Overview

Host	High	Medium	Low	Log	False Positive				
192.168.2.98	0	1	1	0	0				
Total: 1	0	1	1	0	0				

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level "Log" are not shown.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 2 results selected by the filtering described above. Before filtering there were 17 results.

2 Results per Host

2.1 192.168.2.98

Host scan start Sat Mar 22 02:52:44 2025 UTC Host scan end Sat Mar 22 03:20:35 2025 UTC

Service (Port)	Threat Level
$135/{ m tcp}$	Medium
general/tcp	Low

2.1.1 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.

Quality of Detection (QoD): 80%

... continues on next page ...

... continued from previous page ... Vulnerability Detection Result Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p \hookrightarrow rotocol: Port: 49664/tcp UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49664] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49664] Annotation: Ngc Pop Key Service UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49664] Annotation: Ngc Pop Key Service UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2 Endpoint: ncacn_ip_tcp:192.168.2.98[49664] Annotation: KeyIso Port: 49665/tcp UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49665] Port: 49666/tcp UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49666] UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49666] Port: 49667/tcp UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49667] Annotation: Windows Event Log Port: 49670/tcp UUID: 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49670] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49670] Named pipe : spoolss Win32 service or process : spoolsv.exe Description: Spooler service UUID: 4a452661-8290-4b36-8fbe-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49670] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49670] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:192.168.2.98[49670] Port: 49676/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2

Endpoint: ncacn_ip_tcp:192.168.2.98[49676]

... continues on next page ...

... continued from previous page ...

Note: DCE/RPC or MSRPC services running on this host locally were identified. Re \hookrightarrow porting this list is not enabled by default due to the possible large size of \hookrightarrow this list. See the script preferences to enable this reporting.

Impact

An attacker may use this fact to gain more knowledge about the remote host.

Solution:

Solution type: Mitigation

Filter incoming traffic to this ports.

Vulnerability Detection Method

Details: DCE/RPC and MSRPC Services Enumeration Reporting

OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2022-06-03T10:17:07Z

[return to 192.168.2.98]

2.1.2 Low general/tcp

Low (CVSS: 2.6)

NVT: TCP Timestamps Information Disclosure

Summary

The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

It was detected that the host implements RFC1323/RFC7323.

The following timestamps were retrieved with a delay of 1 seconds in-between:

Packet 1: 381972153 Packet 2: 381973249

Impact

A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:

Solution type: Mitigation

To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl-p' to apply the settings at runtime.

To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.

... continues on next page ...

... continued from previous page ...

See the references for more information.

Affected Software/OS

TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight

The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method

Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.

Details: TCP Timestamps Information Disclosure

OID:1.3.6.1.4.1.25623.1.0.80091

Version used: 2023-12-15T16:10:08Z

${f References}$

url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323

url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d

→ownload/details.aspx?id=9152

url: https://www.fortiguard.com/psirt/FG-IR-16-090

[return to 192.168.2.98]

This file was automatically generated.