

maine-thesis — A LaTeX class file for the typesetting of a Masters or Doctorate Thesis at the University of Maine.*

Camden Bock[†]

Released ?

Abstract

This class provides assistance for implementing the thesis formatting requirement of the Graduate School at the University of Maine. Upon the recommendation of their committee, students may follow the style manual of a leading journal or of a professional association for the use of field-specific terminology, formulas, signs, and other features of the text, as well as formats for documenting sources. The format requirements of the graduate school must be satisfied first, even if they depart from the style manual that has been adopted. Papers that have been published in a journal or other publication and are included in the thesis must be re-formatted to adhere to these guidelines.

Contents

| | |
|--|----------|
| 1 University of Maine Thesis Typetting Requirements | 4 |
| 2 Class Usage | 5 |
| 2.1 Commands | 5 |
| 2.2 Environments | 5 |
| 2.3 Options | 6 |
| 2.3.1 Document Mode | 6 |
| 2.4 Heading Styles | 6 |
| 2.5 Caption and Spacing | 6 |
| 2.6 Page Numbering Style | 7 |
| 2.7 Other Options | 7 |
| 3 Using the Thesis Template | 7 |
| 3.1 File Structure | 7 |
| 3.2 Getting Started | 8 |
| 3.3 Other Useful Commands | 9 |

*This file describes version ?, last revised ?.

[†]E-mail: camden.bock@maine.edu

| | | |
|----------|---|-----------|
| 4 | Common Formatting Errors | 9 |
| 4.1 | Abstract Formatting Errors | 9 |
| 4.2 | Pagination Errors | 10 |
| 4.3 | Figure and Table Errors | 10 |
| 4.4 | Window and Orphan Errors | 10 |
| 4.5 | Horizontal Figures & Tables Errors | 10 |
| 4.6 | Supplemental Figures & Tables Errors | 10 |
| 4.7 | Appendices Errors | 10 |
| 4.8 | Biography Errors | 11 |
| 4.9 | Post PDF Conversion Formatting Errors | 11 |
| 4.10 | Leader Dots Errors | 11 |
| 5 | Example | 11 |
| 6 | Refactoring for V2 | 13 |
| 6.1 | File Structure and Maintenance | 13 |
| 6.2 | Package and Dependency Updates | 13 |
| 6.3 | Formatting and User Interface | 13 |
| 6.4 | Code and Variable Changes | 14 |
| 7 | Implementation of Class. Package Definition | 15 |
| 7.1 | Initial Variables | 15 |
| 8 | Declare Options | 15 |
| 8.1 | Draft Mode | 15 |
| 8.2 | Page Layout | 16 |
| 8.3 | Heading Style Options | 16 |
| 8.4 | Captions | 17 |
| 8.5 | Pagination | 17 |
| 8.6 | Spacing Modifiers | 17 |
| 8.7 | Options to pass to xcolor package | 17 |
| 8.8 | Citation style | 17 |
| 8.9 | Execution of Options | 18 |
| 8.10 | Changes Package | 18 |
| 9 | Import Required Packages | 18 |
| 9.1 | Report Class | 18 |
| 9.2 | Fonts | 18 |
| 9.3 | Table of Contents, List of Tables and List of Figures | 19 |
| 9.4 | Formatting | 19 |
| 9.5 | Numbers, Special Characters, and Chemical Formulas | 20 |
| 9.6 | References and Citations | 20 |
| 9.7 | Figures and Tables | 21 |
| 9.7.1 | Landscape Figures and Tables | 21 |
| 9.7.2 | Caption | 22 |
| 9.8 | Document Markup | 22 |
| 9.9 | Table of Contents, Titles and Headings | 23 |
| 9.10 | Other Packages | 23 |
| 9.11 | Endnotes & Footnotes | 24 |

| | |
|--|-----------|
| 10 Additional Variables | 24 |
| 10.1 Title | 24 |
| 10.2 Author Name | 24 |
| 10.3 Author's Pronouns | 24 |
| 10.4 Author's Previous Degrees | 24 |
| 10.5 Author's Current Degree | 24 |
| 10.6 Author's Current Program | 24 |
| 10.7 Author's Submission Date | 24 |
| 10.8 Advisors | 25 |
| 10.9 Committee Members | 25 |
| 10.10Dissertation Tag | 25 |
| 10.11Initialize Conditionals | 25 |
| 10.12Initialize Counts | 25 |
| 10.13Define Section Names | 25 |
| 11 Internal Mapping and Logic | 25 |
| 12 General Formatting | 26 |
| 12.1 Line Numbering on Draft Mode | 26 |
| 13 Style and Format | 27 |
| 13.1 Recommended Fonts & Point Size | 27 |
| 13.2 Geometry | 27 |
| 13.3 Additional Page Format | 28 |
| 13.4 Font Parameter | 28 |
| 13.5 Spacing for Title Page and Headings | 28 |
| 14 Caption Format | 28 |
| 15 Heading Format Definitions | 29 |
| 15.1 jDecimal Format | 32 |
| 15.2 Implement Heading from Options Flag | 32 |
| 16 Page Style | 33 |
| 16.1 Bottom of Page | 33 |
| 16.2 Empty Page | 33 |
| 16.3 Top of Page | 33 |
| 16.4 Plain Page | 33 |
| 17 Title Page Format | 33 |
| 17.1 Parameters for Make Title | 34 |
| 17.1.1 Pre Title Formatting | 34 |
| 17.1.2 Post Title Formatting | 34 |
| 17.1.3 Pre Author Formatting | 34 |
| 17.1.4 Post Author Formatting | 34 |
| 17.1.5 Title Page Hook Formatting | 34 |

| | |
|---|-----------|
| 18 Table of Contents Formatting | 36 |
| 18.1 Unlisted Sections | 36 |
| 18.2 Chapter Divisions and Subsections | 36 |
| 18.3 Table of Contents Font Specs | 36 |
| 18.4 Define Environment for Custom Thesis List | 36 |
| 18.5 Leader Dots in the Table of Contents | 36 |
| 18.5.1 Ensuring that Leaders Dots meet 5-dot-rule | 37 |
| 19 Abstract Environment | 37 |
| 19.1 Lay Abstract Environment | 38 |
| 20 Acknowledgements Environment | 39 |
| 21 Land Acknowledgements Environment | 39 |
| 21.1 Custom Land Acknowledgements | 39 |
| 21.2 Graduate School Land Acknowledgement | 39 |
| 22 Pagination | 40 |
| 22.1 Appendix | 41 |
| 22.1.1 Appendices in the Table of Contents | 41 |
| 22.1.2 Appendices Titles | 41 |
| 23 Biography Environment | 41 |
| 24 Copyright Page | 42 |
| 25 Dedication Environment | 42 |
| 26 Preface Environment | 43 |
| 27 Custom Formatting for References | 43 |
| 28 Legacy Document Markup | 43 |
| 29 Future Work: Class Development Needs | 44 |
| 29.1 Local Names and Functions | 44 |
| 29.2 Exposing Options | 44 |
| 29.3 Documentation | 44 |
| 29.4 Output Format Approval & Continual Review | 44 |
| 29.5 CTAN Availability | 44 |
| 29.6 GitLab automated Builds | 44 |
| 29.7 Overleaf Availability | 44 |
| 30 Change History | 44 |
| 31 Index | 45 |

1 University of Maine Thesis Typetting Requirements

These requirements for typesetting were retrieved from [The Graduate School at The University of Maine](#). The requirements are listed throughout the implementation section to, generally, clearly identify the intended function of sections of the class, for easy future modification.

2 Class Usage

2.1 Commands

The following is a guide to the key commands and environments used in the thesis template, listed in the order you would likely use them while writing your thesis. Each entry includes a macro block and instructions for its use.

`\title{...}` The title of your dissertation in inverted pyramid format. Use line breaks to ensure that your title is shaped as an inverted pyramid if multiple lines.

`\author{...}` Your name

`\degreesheld{...}` Degrees that you currently hold, with institutions listed. Use line breaks as needed

`\degree{...}` The name of your degree (e.g., Masters of Science)

`\program{...}` The name of your degree program

`\submitdate{...}` The date of submission (May, Dec or Aug) and the Year

`\principaladvisor[...]{...}` The name of your principal advisor. Short title in square brackets, full title in braces.

`\firstreader{...}` The name of your first committee member, who is not an advisor.

`\multipleappendicestrue` This command, located in `main.tex`, is a conditional that tells the template to use multiple appendices. If you only have one appendix, you should comment this line out.

`\preliminary` This command in `main.tex` prepares the document for the preliminary pages, such as the abstract and table of contents, which are typically numbered with Roman numerals.

`\mainmatter` This command is used in `main.tex` to signal the start of the main content of your thesis. It resets page numbering and changes the numbering style from Roman to Arabic.

`\references` This command automatically generates and formats your bibliography section using the entries in `references.bib` that have been cited in the document.

`\appendix` This command, placed at the beginning of `skeleton/appendicies.tex`, changes the chapter counter to use letters (A, B, C) instead of numbers.

2.2 Environments

- `\abstract{...}` This environment defines the abstract section. The `\input` command is used to pull the content of your abstract from the `front/abstract.tex` file.
- `\layabstract{...}` This environment is used for a non-technical abstract. The `...` should be replaced with keywords, and the content is pulled from `front/layabstract.tex`.
- `\dedication{...}` This optional environment is for your thesis dedication. The dedication text is written in `front/dedication.tex`.
- `\acknowledgements{...}` This optional environment is for your acknowledgements. The acknowledgements text is written in `front/acknowledgements.tex`.
- `\biography` This environment is for the author's biography. The content for this section is located in `front/biography.tex`.

2.3 Options

This document outlines the various options available when using the `maine-thesis.cls` document class. These options are grouped by function to help you easily configure your thesis or dissertation.

`12pt` Sets the base font size to 12 points. Replace with 10pt or 11pt as needed.

2.3.1 Document Mode

These options define the general style and layout of the document.

- `draft` Enables draft annotations and sets the font size to 10 points for faster compilation. It also adds a "DRAFT" watermark to the pages.
- `oneside` Configures the document for one-sided printing. This is the default setting.
- `twosided` Configures the document for two-sided printing, which affects page margins and headers.
- `unbound` Adjusts the left margin to 1 inch for digital submission. This is the default setting.

2.4 Heading Styles

These options control the formatting and numbering of section headings.

- `apa` Applies APA7 (American Psychological Association) heading styles.
- `chicago` Applies Chicago heading styles.
- `headings` Applies a specific set of University of Maine thesis heading styles from an earlier version of the DOCX thesis guide.
- `idecimal` Applies a decimal heading style for numbering.
- `jdecimal` Applies a justified decimal heading style for numbering. This is the default setting.

2.5 Caption and Spacing

These options modify the appearance of captions and line spacing.

`legacycaptions` Uses the previous version of caption formatting.¹

`loftspacing` Adjusts spacing in the List of Figures and List of Tables.

2.6 Page Numbering Style

These options dictate where the page numbers appear on the page.

`pagenumberbottom` Places the page number at the bottom center of the page. This is the default setting.

`pagenumbertop` Places the page number at the top of the page.

2.7 Other Options

`citestyle=style` Sets the citation style to the specified style. The default is `authoryear`, but you can pass any option to `biblatex` or `biber`. See `biblatex` and `biber` documentation for more information about citation style.

`table` Provides additional options for styling tables.

`xcdraw` Used for chemical drawing with the `xcolor` package.

3 Using the Thesis Template

This section provides an overview of the file structure and instructions for getting started with the provided LaTeX thesis template. Download the contents of this repository, and copy the contents of ‘template’ to any directory you would like to use to work on your thesis.²

3.1 File Structure

The template is organized into a modular file structure to make editing and content management more straightforward. The primary file is `main.tex`, which compiles all other sections. The main directories and key files are laid out as follows:

```
.
├── .latexmkrc
├── appendix/
│   ├── AppA.tex
│   └── AppB.tex
├── front/
│   ├── abstract.tex
│   ├── acknowledgements.tex
│   ├── biography.tex
│   ├── customlist.tex
│   └── dedication.tex
```

¹This may be deprecated in the future.

²We hope to publish on overleaf soon to make this easier

```

landacknowledgement.tex
layabstract.tex
skeleton/
  appendicies.tex
  chapters.tex
  front.tex
  metadata.tex
thesis/
  Ch1.tex
  Ch2.tex
  Ch3.tex
  figures/
    fig1.tex
  tables/
    table1.tex
    table2.tex
main.tex
references.bib

```

3.2 Getting Started

Follow these steps to customize the template for your thesis:

1. Update Your Information:

- Edit the `skeleton/metadata.tex` file to input your thesis title, author name, previously earned degrees, the degree being granted, your program, and the graduation date. You also need to list your principal advisor and committee readers.

2. Add Front Matter:

- The `skeleton/front.tex` file includes the abstract, dedication, and acknowledgements sections. You can add your content by editing the files in the `front/` directory, such as `front/abstract.tex`, `front/dedication.tex`, and `front/acknowledgements.tex`.

3. Write Your Chapters:

- The main body of your thesis is managed in the `thesis/` directory. The `skeleton/chapters.tex` file includes the sample chapters `Ch1.tex`, `Ch2.tex`, and `Ch3.tex`. You can add new chapters by creating a new `.tex` file in this directory and including it in `skeleton/chapters.tex` with the `\input{}` command.
- You can add figures and tables by creating new files in the `thesis/figures/` and `thesis/tables/` directories respectively, and then including them in your chapters.

4. Manage Appendices:

- If you have appendices, you can add them to the `appendix/` directory and include them in `skeleton/appendicies.tex`.

5. Add References:

- Your bibliography is handled by the `references.bib` file. Add your citations to this file, and the template will automatically format them in the bibliography.

6. Compile Your Document:

- The template uses `lualatex` for compilation. For a full compilation, including the bibliography, you should use a build tool like `latexmk`. You can compile the document by running the command `latexmk -pdf main.tex` in your terminal.

3.3 Other Useful Commands

If you are new to \LaTeX this will help you get started with the fundamentals.

`\input` This is a fundamental command used throughout the template to import the content of another `.tex` file into the current document.

`blindtext` Commands from the `blindtext` package are used for generating placeholder text, lists, and mathematical formulas. They are a helpful way to visualize the final layout of the document before adding your own content.

`changes` These commands from the `changes` package are very helpful for communicating and reviewing changes between versions in draft mode. See the `changes` package documentation for more information.

- `comment`
- `highlight`
- `added`
- `deleted`
- `replaced`

`\caption[...]{...}` This command adds a caption to a figure or table. The optional argument in square brackets provides a short title for the List of Figures/Tables, and the mandatory `...` provides the full caption text.

`\parencite` This command from `biblatex` is used for in-text citations. The argument is the citation key from your `references.bib` file. See `biblatex` and `biber` for more information about citation styles. `Biblatex` generally integrates well with reference managers for consistent citations. Other commands are available for providing author or year separately in text, or for numeric and other citation styles.

4 Common Formatting Errors

This section is continued from the formatting requirements page at the University of Maine's Graduate School Thesis Guide.

4.1 Abstract Formatting Errors

All abstracts must have the below information on the same page as the abstract. This information must match the title page. The only difference between the title page and the abstract is the spacing: the abstract should have single spacing for the degree information.

4.2 Pagination Errors

The Title Page through Chapter 1 should be numbered using Roman numerals (iii, iv, v,). The title page should be counted but not numbered. The Abstract will not have page numbers nor be counted. The body of the dissertation should be numbered using Arabic numbers (1, 2, 3,). The first page of the body of the text should begin with page 1. All page numbers should be either top right or bottom center.

4.3 Figure and Table Errors

Figures and tables must be placed within the text, as close to their first mention as possible.³ Figures and tables that span more than one page must be labeled on each page. Any second and subsequent page of the figure/table must include the (Continued) notation.⁴ This applies to figure captions as well as images. Each page of a figure/table must be accounted for and appropriately labeled.⁵ All figures/tables must have a unique number. They may not repeat within the dissertation.

4.4 Window and Orphan Errors

A single line cannot appear alone at the top or bottom of a page. Widow/orphan Control is an option in Word to prevent this. W/O also applies in the reference section. While a lone heading or subheading at the bottom of the page is not technically a widow/orphan, this must be moved to the next page to accompany its text.

4.5 Horizontal Figures & Tables Errors

Any figures/tables placed in a horizontal orientation must be rotated for readability. Insert a section break to rotate the page.⁶

Page numbers must be placed in the same location on all pages of the dissertation, centered, at the bottom or top of the page.⁷ Page numbers may not appear under the table/figure.

³figure placement is handled automatically by L^AT_EX

⁴this currently requires manually creating two figures to add continued to the short title

⁵please use the 'ref' and 'label' system in latex

⁶in L^AT_EX we do not use section breaks for this, but we have landscape package to support

⁷This needs clarification from the graduate school, whether the bottom is in print or digital form

4.6 Supplemental Figures & Tables Errors

Supplemental figures and tables must be placed in an appendix at the back of the dissertation.⁸ They should not be placed at the back of the chapter.

4.7 Appendices Errors

Appendices should be able to stand alone. Formatting applies to figures, tables, etc. There should be no Appendix A if there is no Appendix B. It can be labeled Appendix in this case.⁹

4.8 Biography Errors

The biography is required and will be on the last page of the document. This must be listed in the Table of Contents. The last OR only sentence must read S/He/They is/are a candidate for the <degree type> degree in <program> from the University of Maine in <month> <year>.¹⁰

4.9 Post PDF Conversion Formatting Errors

The entire document should be checked after all revisions, and before submitting to the Graduate School, to spot any inconsistencies or PDF conversion glitches.

4.10 Leader Dots Errors

Leader dots must be present in the Table of Contents, List of Figures, and List of Tables. The 5 Dot leader rule is the most common mistake. There can be no text within 5 dots of the listed page number.¹¹ For example, if a title is longer than one line, it must be broken into two lines. The top and bottom lines cannot extend any closer than the 5 spaces.

5 Example

Here is a straightforward example to illustrate how these macros, if you are building the document from scratch. We recommend that you use the provided template from GitLab or Overleaf¹².

```
1 (*example)
2 \documentclass[jdecimal, citestyle=apa, 11pt]{maine-thesis}
```

Default options 12pt and final copy Add draft for a faster compiling option with watermarks.

Include necessary packages here

⁸this requires clarification, can one appendix contain multiple figures and tables without additional prose?

⁹Appendix labeling is handled by the maine-thesis class.

¹⁰This is automatically inserted by the maine-thesis class.

¹¹While this is not handled precisely by the maine-thesis class, we have attempted to set the parameters for this to automatically occur whenever possible. Please review manually. Insert a line break when needed to correct. In a future version, the parameters for tuning for different fonts will be exposed

¹²coming soon

```

3 \usepackage{mwe}
4 \usepackage{blindtext}
    Replace contents of ... with your own information.
5 \title{An essay upon the vasomotor changes in tabes dorsalis}
    Title of thesis
6 \author{Mary Morstan}
    Author's name: First Middle Last
7 \degreesheld{Bachelor of Medicine, University of Edinburg \\\
8 Master of Surgery, University of Edinburg}
    Previously earned degree(s), institution(s) and year(s).
9 \degree{Doctor of Medicine}
    Degree to be granted
10 \program{School of Medicine}
    Degree granting department or program
11 \submitdate{May 1885}
    Month and year of graduation (do not separate with a comma)
    Advisor's [short title and name]name, long title
12 \principaladvisor[Dr. Seuss]{Dr. Seuss, Professor of Literature}
13 % %\principalshort{...}
Shortened advisor name for abstract. See guidelines for example. Should include
Dr. as title.
    If you have more than one advisor then you'll should delete the first argument
    ("[...]") above and uncomment the following commands
14 % %\secondadvisor{...}
    Include all committee members names and titles
15 \firstreader{Dr. Dolittle, Vetinary School}
16 \secondreader{Dr Watson, Medical School}
    If necessary (i.e. for a doctorate), include extra committee members. Else,
    comment out or delete any that are unnecessary
17 \thirdreader{Dr. Digory Kirke, Professor of Geography of Magical Lands}
    If the thesis has MORE than one appendix, leave the following command in.
    Else, comment it out.
18 \multipleappendicestrue
    Begin the document.
19 \begin{document}
    Tag preliminarry material and produce front matter
20 \preliminary
21 \maketitle
22 \begin{abstract}
23 \Blindtext
24 \end{abstract}
25 % Replace the ... with the list of keywords
26 \begin{layabstract}{...}

```

```

blindtext is used to generate random text for the example.
27 \blindtext
28 \end{layabstract}

Commands for the required lists
29 \tableofcontents

Sets the document spacing and pagestyle.
30 \mainmatter

Main text of the thesis. Use of the ‘input’ command will make later editing
much easier.
31 \chapter{Observations of Medicine}
32 \blindtext
33
34 \chapter{Deducatinos about Disease}
35 \blindtext

Include this before any appendices.
36 \appendix
37 \chapter{Some extras}
38 \blindtext

end the document
39 \end{document}
40 </example>

```

6 Refactoring for V2

6.1 File Structure and Maintenance

- The v1 class was a single, manually maintained `.cls` file.
- In v2, `maine-thesis.dtx`, is a single source file that generates both the class file (`maine-thesis.cls`) and its documentation. This allows for a more streamlined and automated maintenance process.
- The `dtx` file format is part of a larger build system that uses `l3build` for unpacking and generating a CTAN-ready package.

6.2 Package and Dependency Updates

- The v1 class file used older packages for a variety of tasks.
- The v2 class has been refactored to use modern packages. For example, it now uses `biblatex` with the `biber` backend for citation management[cite: 1, 3, 5]. The previous version did not specify the use of these packages and appears to have a simpler citation approach.
- New dependencies were added, including `fontspec`, `microtype`, `hyperref`, `csquotes`, `titlesec`, and `etoolbox`, which provide more robust font, typography, hyperlinking, and title formatting capabilities.

6.3 Formatting and User Interface

- The v1 class managed heading styles using a numerical counter (`\setcounter{head}`) with `\ifcase` logic.
- The v2 `maine-thesis.cls` uses named macros like `\apaheadings`, `\chicagoheadings`, and `\idecimalheadings` for a clearer and more direct way to set heading formats.
- The v2 provides a unified command for caption formatting with `\DeclareCaptionFormat{thesis}`. The original class handled captions through a redefinition of `\makecaption` and other low-level commands.
- The title page and abstract environments were completely redesigned with the `\maketitlehooka` and `\maketitlehookd` commands, allowing for more precise control over the layout.

6.4 Code and Variable Changes

- The v1 class contained deprecated commands like `\libraryrights` and `\dissacceptance`.
- The v2 class removes these deprecated commands and replaces them with a `\ClassError` message, informing the user that the Graduate School no longer requires them.
- The `\preliminary` command in the v2 version now sets the `tocdepth` and `secnumdepth` to 1, while the v1 version used a different command for this purpose (`\settocdepth{chapter}`).
- The `\appendix` command in the v2 class now uses `\gdef` to globally change `\chaptername` to “Appendix” and the chapter counter to use alphabetical characters (`\thechapter{\@Alph\c@chapter}`).

`\comment` The `comment` command is now pulled from the ‘changes’ packages with more extensive functionality. In v1.14 this command uses the `todonotes` package to create margin notes but also checks a conditional (`ifdraft`) to ensure the notes only appear in draft mode.

`\highlight` The `highlight` command is now pulled from the ‘changes’ packages with more extensive functionality. In v1.14 this command uses the `soul` package to create margin notes but also checks a conditional (`ifdraft`) to ensure the notes only appear in draft mode.

`\libraryrights`

```
41 \newcommand{\libraryrights}{%
42   \ClassError{maine-thesis}{The Graduate School no longer requires\MessageBreak
    a Library Rights Statement page}{Please remove \protect\libraryrights\space
    from your thesis.}%
43 }
```

`\dissacceptance`

```
44 \newcommand{\dissacceptance}{%
45   \ClassError{maine-thesis}{The Graduate School no longer requires\MessageBreak
    a Dissertation Acceptance page}{Please remove \protect\dissacceptance\space
    from your thesis.}%
46 }
```

7 Implementation of Class. Package Definition

```
47 (*package)
48 (@@=maine-thesis)

49 \NeedsTeXFormat{LaTeX2e}
50 \ProvidesClass{maine-thesis}[2025/09/01 v2.0 University of Maine Thesis]
```

7.1 Initial Variables

```
51 \newif\ifdraft\draftfalse
52 \newif\iftwoside\twosidefalse
53 \newif\ifmt@official\mt@officialtrue
54 \newif\ifunbound\unboundfalse
55 \newif\ifmt@legacycaptions\mt@legacycaptionsfalse
56 \newif\ifmt@loftspace\mt@loftspacefalse
57 \newcommand\docsize{}
58 \newcommand\side{oneside}
59 \newcounter{secnumdefault}
60 \setcounter{secnumdefault}{3}
61 \newcounter{head}
62 \setcounter{head}{1000}
63 \def\@margg{1.5in}
64 \def\mt@pagestyle{bottom}
```

8 Declare Options

10pt

```
65 \DeclareOption{10pt}{\renewcommand\docsize{10pt}\PassOptionsToClass{10pt}{report}}
```

11pt

```
66 \DeclareOption{11pt}{\renewcommand\docsize{11pt}\PassOptionsToClass{11pt}{report}}
```

12pt

```
67 \DeclareOption{12pt}{\renewcommand\docsize{12pt}\PassOptionsToClass{12pt}{report}}
```

8.1 Draft Mode

The ‘draft’ option enables a "draft mode" for the document. It sets the ‘ifdraft’ conditional to true, which can be used by other parts of the class to show or hide draft-specific content.

draft

```
68 \DeclareOption{draft}{\drafttrue}
```

When in draft mode, it defaults to a 10pt font size for faster compilation.

```
69   \ExecuteOptions{10pt}
```

The ‘draft’ option is passed to the underlying ‘report’ class to show draft annotations (like black squares for overfull hboxes).

```
70 \PassOptionsToClass{draft}{report}
71 \PassOptionsToPackage{draft}{changes}
```

Defines a command to display a "DRAFT" watermark or text.

```
72 \newcommand{\drafttext}{\sffamily\small{DRAFT}}
```

Sets a conditional to false, which might hide official marks.

```
73 \mt@officialfalse
74 }
```

8.2 Page Layout

These options control the page layout, specifically whether the document is for a one-sided or two-sided print. These options are standard and should be passed to the report class.

twoside

```
75 \DeclareOption{twoside}{\mt@officialfalse\unboundfalse\twosidettrue\renewcommand\side{twoside}}
```

oneside

```
76 \DeclareOption{oneside}{\mt@officialfalse\unboundfalse\renewcommand\side{oneside}\def\@margg{}}
```

The ‘unbound’ option sets the class for single-sided printing with a smaller left margin, which is suitable for documents that will not be bound.

unbound

```
77 \DeclareOption{unbound}{\mt@officialtrue\unboundtrue\def\@margg{1in}}
```

8.3 Heading Style Options

The following options allow the user to choose from different heading styles.

\HeadingStyle

```
78 \def\HeadingStyle{}
```

Define an empty macro as a placeholder

apa

```
79 \DeclareOption{apa}{
80 \setcounter{secnumdefault}{3}
81 \setcounter{head}{0}
82 \def\HeadingStyle{apa}}
```

chicago

```
83 \DeclareOption{chicago}{
84 \setcounter{secnumdefault}{3}
85 \setcounter{head}{1}
86 \def\HeadingStyle{chicago}}
```


headings

```
87 \DeclareOption{headings}{  
88   \setcounter{secnumdefault}{3}  
89   \setcounter{head}{2}  
90   \def\HeadingStyle{mainethesis}}
```

idecimal

```
91 \DeclareOption{idecimal}{  
92   \setcounter{secnumdefault}{3}  
93   \setcounter{head}{3}  
94   \def\HeadingStyle{idecimal}}
```

jdecimal

```
95 \DeclareOption{jdecimal}{  
96   \setcounter{secnumdefault}{3}  
97   \setcounter{head}{1000}  
98   \def\HeadingStyle{jdecimal}}
```

8.4 Captions

The ‘`legacycaptions`’ option changes the caption formatting.

```
99 \DeclareOption{legacycaptions}{\mt@legacycaptionstrue}
```

8.5 Pagination

These options control the placement of page numbers.

```
100 \DeclareOption{pagenumberbottom}{\def\mt@pagestyle{bottom}}  
101 \DeclareOption{pagenumbertop}{\def\mt@pagestyle{top}}
```

/subsectionPass options to report class This passes any unknown option directly to the underlying ‘report’ class. This is a catch-all to make the class compatible with standard report options.

```
102 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{report}}
```

8.6 Spacing Modifiers

The ‘`loftspacing`’ option enables a specific spacing setting.

```
103 \DeclareOption{loftspacing}{\mt@loftspacetrue\mt@officialfalse}
```

8.7 Options to pass to xcolor package

These options are specifically for the ‘xcolor’ package. They intercept the options from ‘documentclass’ and pass them to ‘xcolor’ before it’s loaded, preventing an option clash.

```
104 \DeclareOption{table}{\PassOptionsToPackage{table}{xcolor}}  
105 \DeclareOption{xcdraw}{\PassOptionsToPackage{xcdraw}{xcolor}}
```

8.8 Citation style

This defines a macro to store the citation style provided by the user.

```
106 \newcommand*{\@citestyle}{authoryear}
```

This option takes the value passed to ‘citestyle’ (e.g., ‘apa’) and redefines the ‘@citestyle’ macro with that value.

```
107 \DeclareOption{citestyle}{%
108   \renewcommand*{\@citestyle}{#1}%
109 }
```

This command sets the default citation style if none is specified.

```
110 \ExecuteOptions{citestyle=authoryear}
```

8.9 Execution of Options

This is the final execution block. It’s crucial for processing all the options that have been declared and passed.

sets the default font

```
111 \ExecuteOptions{12pt,unbound}
112 \ProcessOptions
```

8.10 Changes Package

Pass final to changes if draft is not provided as an option. This will disable related document markup.

```
113 \ifdraft{}\else{\PassOptionsToPackage{final}{changes}}\fi
```

9 Import Required Packages

Depending on your system, there are different methods for installing packages, but generally they are sourced from CTAN. If you are using Overleaf, all of these packages are installed for you by default. On Fedora, they are all included within texlive-scheme-full, which can be installed with dnf.

report 9.1 Report Class

```
114 \LoadClass[\docsize,\side]{report}[2022/07/02 v1.4n Standard LaTeX document
class]
```

9.2 Fonts

fontenc

```
115 \RequirePackage[T1]{fontenc}[2024/06/01 v2.0h Standard LaTeX package]
```

Provides the T1 font encoding, which allows for correct hyphenation of accented characters and improves overall text rendering.

fontspec

```
116 \RequirePackage{fontspec}[2022/01/15 v2.8a Font selection for XeLaTeX and
LuaLaTeX]
```

Provides advanced font selection with LuaLaTeX and XeLaTeX, allowing for the use of system fonts and OpenType/TrueType font features.

`microtype`

```
117 \RequirePackage{microtype}[2023/03/13 v3.1a Micro-typographical refinements
(RS)]
```

Enhances the appearance of justified text through micro-typographical adjustments like character protrusion and font expansion.

9.3 Table of Contents, List of Tables and List of Figures

The List of Tables and the List of Figures (if any) appear as individual pages.

A List of Tables/Figures is necessary even if there is only one table or figure.

If the text of the manuscript contains a consistent set of theorems, symbols, abbreviations, or definitions, those should be listed in a List of Theorems, Symbols, Abbreviations, or Definitions respectively. These lists are included in the Table of Contents.

- Tables/figures must be numbered and titled. Further explanatory information provided in a caption that is not part of the title should not appear on the List of Tables/Figures.
- The tables/figures are numbered separately from each other. Each group is numbered consecutively throughout the entire manuscript or by chapter using a decimal numbering system (e.g., the third table in chapter two will be Table 2.3., and the third figure in chapter two will be Figure 2.3.). The same system should be used for numbering figures AND tables.
- All tables/figures must fit into the required page margins.
- The title and caption of the table/figure are part of the text and must be the same font size and style of the body of the manuscript. It is acceptable for the font within the table/figure to be as small as 9-point font.
- Tables/figures must be placed in the text as they are mentioned. If the Table/Figure is larger than one-half of the page it must be placed on a page of its own.
- Tables/figures that extend onto a second page must be labeled Table/Figure # Continued
- Appendix tables/figures must be numbered separately (e.g., the third table in Appendix A would be numbered Table A.3.) and must be included in the List of Tables.
- Photographs must be originals or high-quality reproductions. All photographs must have captions.

`tocloft`

```
118 \RequirePackage[titles]{tocloft}[2017/08/31 v2.3i parameterised ToC, etc.,
typesetting]
```

Offers extensive customization of the table of contents, list of figures, and list of tables.

9.4 Formatting

`newunicodechar`

119 `\RequirePackage{newunicodechar}[2018/04/08 v1.2 Defining Unicode characters]`

Provides a command to define new Unicode characters, which is essential for modern typesetting.

`textcomp`

120 `\RequirePackage{textcomp}[2020/02/02 v2.0n Standard LaTeX package]`

Provides a wide range of symbols and characters not available in default LaTeX fonts, such as the trademark symbol.

`textcomp`

`nth`

121 `\RequirePackage[super]{nth}[2002/02/27]`

Adds commands for typesetting ordinal numbers (e.g., 1st, 2nd, 3rd) with correct superscripting.

`nth`

9.5 Numbers, Special Characters, and Chemical Formulas

`mhchem`

122 `\RequirePackage[version=4]{mhchem}[2021/12/31 v4.09 for typesetting chemical formulae]`

Provides an easy way to write chemical formulas and equations.

`textgreek`

123 `\RequirePackage{textgreek}[2011/10/09 v0.7 Greek symbols in text]`

Provides commands for typesetting Greek letters in text mode.

`siunitx`

124 `\RequirePackage{siunitx}[2023-03-14 v3.2.3 A comprehensive (SI) units package]`

Provides a powerful command for typesetting SI units and numbers with proper spacing and formatting.

`geometry`

125 `\RequirePackage{geometry}[2020/01/02 v5.9 Page Geometry]`

This package provides a flexible interface to control the document's page layout. Within this class, it's used to set the document margins, including the left margin based on the 'unbound' option.

9.6 References and Citations

`biblatex`

126 `\RequirePackage[backend=biber, style=\@citestyle, doi = true, autopunct = true, date=year]{biblatex}[2024/03/05 v3.19]`

A powerful package for managing bibliographies and citations.

9.7 Figures and Tables

Figures: A FIGURE is a graphic illustration (chart, graph, diagram, photo, map, or plate). Figures may be professionally prepared or drawn by the author. In either case, they must be of letter-quality print.

Figures & Tables must be placed as close as possible to their first mention in the text.¹³ If a table or figure with the caption is larger than 2/3 of a page, it must be moved to a separate page. Tables and figures referred to in the text may not be placed at the end of the chapter or the end of the dissertation.

tabularx

127 `\RequirePackage{tabularx}[2023/12/11 v2.12a]`

This package provides the ‘tabularx’ environment, which is an extension of the standard ‘tabular’ environment. It includes a new column type, ‘X’, that automatically adjusts its width to fill the specified table width. This is essential for creating tables that span the full text width of your document.

hyperref

128 `\RequirePackage{hyperref}[2023-02-07 v7.00v Hypertext links for LaTeX]`

Creates hyperlinks within the document, making the table of contents, citations, and external links clickable.

csquotes

129 `\RequirePackage{csquotes}[2022-09-14 v5.2n context-sensitive quotations (JAW)]`

Provides context-sensitive quotation facilities, automatically handling nesting and language-specific rules.

graphicx

130 `\RequirePackage{graphicx}[2021/09/16 v1.2d Enhanced LaTeX Graphics (DPC,SPQR)]`

A fundamental package for including graphics files in a document.

9.7.1 Landscape Figures and Tables

Landscape orientation figures and tables must be oriented as such by inserting a section break and rotating the page. This makes the figure/table readable in digital format.

rotating

131 `\RequirePackage{rotating}[2016/08/11 v2.16d rotated objects in LaTeX]`

Provides environments for rotating objects such as figures and tables.

lscape

132 `\RequirePackage{lscape}[2020/05/28 v3.02]`

Provides a landscape environment to rotate pages. For PDF output, the ‘pdfscape’ package is required to correctly set the page orientation.

pdfscape

133 `\RequirePackage{pdfscape}[2022-10-27 v0.13 Display of landscape pages in PDF]`

Adds PDF support to the ‘lscape’ environment, ensuring landscape pages are displayed correctly in PDF viewers.

¹³LaTeX handles this with the figure environment

9.7.2 Caption

Captions must be on the same page as the figure on the table.¹⁴ If the table exceeds one page, the caption should go on the first page and the second page will be labeled as table/figure continued.¹⁵

caption

```
134 \RequirePackage[margin=10pt,font=small,labelfont=bf,labelsep=none]{caption}[2023/03/12  
v3.6j Customizing captions (AR)]
```

Provides an interface to customize the captions of figures and tables.

float

```
135 \RequirePackage{float}[2001/11/08 v1.3d Float enhancements (AL)]
```

Provides the H placement specifier for floats, giving more precise control.

booktabs

```
136 \RequirePackage{booktabs}[2020/01/12 v1.61803398 Publication quality tables]
```

Provides commands for drawing professional-looking horizontal rules in tables.

xcolor

```
137 \RequirePackage{xcolor}[2022/06/12 v2.14 LaTeX color extensions (UK)]
```

An extended version of the ‘color’ package, providing more color models and table coloring features.

multirow

```
138 \RequirePackage{multirow}[2021/03/15 v2.8 Span multiple rows of a table]
```

Provides a command to create cells that span multiple rows in a table.

longtable

```
139 \RequirePackage{longtable}[2021-09-01 v4.17 Multi-page Table package (DPC)]
```

Provides an environment for creating tables that can span multiple pages.

9.8 Document Markup

todonotes

```
140 \RequirePackage{colorinlistoftodos}{todonotes}[2023/01/31]
```

Provides commands for adding margin notes and todo lists during drafting.

soul

```
141 \RequirePackage{soul}[2003/11/17 v2.4]
```

Provides commands for letter-spacing, underlining, and highlighting text.

lineno

```
142 \RequirePackage{lineno}[2023/01/19 line numbers on paragraphs v5.1]
```

‘lineno’ is enabled when in draft mode for easier review Adds line numbers to a document, useful during the drafting process.

¹⁴currently, we use a short title and a caption description

¹⁵currently, this must be handled manually, where the description is null for the second page.

changes

```
143 \RequirePackage[] {changes}
```

The main advantage of the changes package is its flexibility. You can define different authors with their own colors, which is great for showing who made which edits in a collaborative document. When you're ready to submit the final version of your manuscript, you don't need to manually remove all the change markup. You can simply add the final option to the package in your preamble.

The changes package provides commands to mark up text as additions, deletions, or replacements.

9.9 Table of Contents, Titles and Headings

tocbibind

```
144 \RequirePackage{tocbibind}[2010/10/13 v1.5k extra ToC listings]
```

Adds the bibliography, index, and lists of figures/tables to the table of contents.

titlesec

```
145 \RequirePackage{titlesec}[2021/07/05 v2.14 Sectioning titles]
```

Offers a powerful interface to sectioning commands, allowing for custom headings.

textcase

```
146 \RequirePackage{textcase}[2022/07/10 v1.03 Text only upper/lower case changing (DPC)]
```

Provides robust commands for changing the case of text.

titling

```
147 \RequirePackage{titling}[2004/08/17 v2.1d]
```

Provides greater control over the typesetting of the title page.

setspace

```
148 \RequirePackage{setspace}[2022/12/04 v6.7b set line spacing]
```

Provides support for setting line spacing, such as single, one-and-a-half, and double spacing.

9.10 Other Packages

hyphenat

```
149 \RequirePackage[none]{hyphenat}[2009/09/02 v2.3c]
```

Provides fine control over hyphenation.

iftex

```
150 \RequirePackage{iftex}[2022/02/03 v1.0f TeX engine tests]
```

Provides a conditional command to check which TeX engine is being used.

etoolbox

```
151 \RequirePackage{etoolbox}[2020/10/05 v2.5k e-TeX tools for LaTeX (JAW)]
```

A set of tools for programming in LaTeX, providing macros for conditionals.

`xstring`

152 `\RequirePackage{xstring}[2013/10/13 v1.7c]`

Provides commands for advanced string manipulation.

`afterpackage`

153 `\RequirePackage{afterpackage}[2006/01/17 v1.1]`

Provides a command to execute code after a specific package has been loaded.

9.11 Endnotes & Footnotes

Footnotes appear at the bottom of the page or at the end of a chapter; endnotes appear on a separate page at the end of the text before the Bibliography. The notes are numbered consecutively throughout the text by a raised Arabic numeral (e.g. 12) which corresponds to the number of the note at the bottom of the page or at the end of the text.

This is handled by the L^AT_EXbase report class, and no additional packages are needed. Do not use the ‘footnote’ package, as it breaks compatibility with other packages. Consider ‘footnotehyper’ if more advanced controls are needed.

10 Additional Variables

10.1 Title

This should be defined in an inverted pyramid format, but must be manually constructed by the user.

154 `\def\@title{}`

10.2 Author Name

155 `\def\@author{}`

10.3 Author’s Pronouns

156 `\def\@authorpronoun{}`

10.4 Author’s Previous Degrees

157 `\def\@degreesheld{}`

10.5 Author’s Current Degree

For example, Doctor of Philosophy, Master of Science

158 `\def\@degree{}`

10.6 Author’s Current Program

159 `\def\@program{}`

10.7 Author’s Submission Date

May, December or August and Year

160 `\def\@submitdate{}`

10.8 Advisors

```
161 \def\@principaladvisor{}
162 \def\@secondadvisor{}
163 \def\@principalshort{}
```

10.9 Committee Members

```
164 \def\@firstreader{}
165 \def\@secondreader{}
166 \def\@thirdreader{}
167 \def\@fourthreader{}
168 \def\@fifthreader{}
```

10.10 Dissertation Tag

```
169 \def\@type{Dissertation}
170 \def\@LastLevel{0}
```

10.11 Initialize Conditionals

```
171 \newif\ifmultipleappendices\multipleappendicesfalse
172 \newif\ifcopyrightpage\copyrightpagefalse
173 \newif\ifbigtitlepage\bigtitlepagefalse
174 \newif\ifverybigtitlepage\verybigtitlepagefalse
175 \newif\ifapp\appfalse
```

10.12 Initialize Counts

```
176 \newcount\numcomm \numcomm=4
177 \newcount\numadv \numadv=1
```

10.13 Define Section Names

```
178 \renewcommand*\contentsname{Table of Contents}
179 \renewcommand*\bibname{References}
180 \renewcommand*\indexname{INDEX}
181 \renewcommand*\chaptername{Chapter}
182 \renewcommand*\appendixname{Appendix}
183 \newcommand*\listname{List of}
184 \newcommand*\chapternamep{chaptername s}
185 \newcommand*\prefacename{Preface}
186 \newcommand*\acknowledgename{Acknowledgments}
187 \newcommand*\landacknowledgename{Land Acknowledgments}
188 \newcommand*\dedicationname{Dedication}
189 \newcommand*\bioname{Biography of the Author}
```

11 Internal Mapping and Logic

```
190 \renewcommand{\author}[1]{%
191   \ifx\empty#1\empty\else\gdef\@author{#1}\fi}
192 \newcommand{\authorpronoun}[1]{%
193   \ifx\empty#1\empty\else\gdef\@authorpronoun{#1}\fi}
194 \renewcommand{\title}[1]{%
195   \ifx\empty#1\empty\else\gdef\@title{#1}\fi}
196 \newcommand{\degreesheld}[1]{%
197   \ifx\empty#1\empty\else\gdef\@degreesheld{#1}\fi}
198 \newcommand{\degree}[1]{%
```

```

199 \ifx\empty#1\empty\else\gdef\@degree{#1}\fi}
200 \newcommand{\program}[1]{%
201 \ifx\empty#1\empty\else\gdef\@program{#1}\fi}
202 \newcommand{\submitdate}[1]{%
203 \ifx\empty#1\empty\else\gdef\@submitdate{#1}\fi}
204 \newcommand{\principaladvisor}[2][\empty]{%
205 \ifx\empty#1\empty\else\gdef\@principalshort{\sloppy#1}\fi%
206 \ifx\empty#2\empty\else\gdef\@principaladvisor{\sloppy#2}\fi%
207 }
208 \newcommand{\secondadvisor}[1]{%
209 \ifx\empty#1\empty\else\gdef\@secondadvisor{\sloppy#1}\fi
210 \twoadvisors}
211 \newcommand{\principalshort}[1]{%
212 \ifx\empty#1\empty\else\gdef\@principalshort{#1}\fi}
213 \newcommand{\firstreader}[1]{%
214 \ifx\empty#1\empty\else\gdef\@firstreader{\sloppy#1}\fi
215 \members{1}}
216 \newcommand{\secondreader}[1]{%
217 \ifx\empty#1\empty\else\gdef\@secondreader{\sloppy#1}\fi
218 \members{2}}
219 \newcommand{\thirdreader}[1]{%
220 \ifx\empty#1\empty\else\gdef\@thirdreader{\sloppy#1}\fi
221 \members{3}}
222 \newcommand{\fourthreader}[1]{%
223 \ifx\empty#1\empty\else\gdef\@fourthreader{\sloppy#1}\fi
224 \members{4}}
225 \newcommand{\fifthreader}[1]{%
226 \ifx\empty#1\empty\else\gdef\@fifthreader{\sloppy#1}\fi
227 \members{5}}
228 \newcommand{\bibfiles}[1]{%
229 \ifx\empty#1\empty\else\gdef\@bibfiles{#1}\fi}
230 \newcommand{\members}[1]{\numcomm=#1}
231 \newcommand{\twoadvisors}{\numadv=2}
232 \newcommand{\oneadvisor}{\numadv=1}
233 \newcommand{\thesis}{
234 \gdef\@type{Thesis}}
235 \newcommand{\project}{
236 \gdef\@type{Project}}
237 \newcommand{\compresstitlepage}[1][1]{
238 \ifcase#1
239 \relax
240 \or
241 \bigtitlepagetrue
242 \or
243 \bigtitlepagetrue
244 \verybigtitlepagetrue
245 \fi
246 }
247 \renewcommand{\bibname}{References}

```

12 General Formatting

12.1 Line Numbering on Draft Mode

```
248 \ifdraft{\linenumbers}\fi
```

13 Style and Format

13.1 Recommended Fonts & Point Size

The text body font must also be used in headers, page numbers, and footnotes.¹⁶ Exceptions are made only for tables and figures created with different software and inserted into the document.

- Arial 10 pt
- Century 11 pt
- Courier New 10 pt
- Garamond 12 pt¹⁷
- Georgia 11 pt
- Lucida Bright 10 pt
- Microsoft Sans Serif 10 pt
- Tahoma 10 pt
- Times New Roman 12 pt
- Trebuchet MS 10 pt
- Verdana 10 pt

```
249 \setmainfont{EB Garamond}
```

13.2 Geometry

- Page Size: Standard Letter 8.5 by 11 inches
- Margins: 1 inch for all margins
- Spacing: Double spacing except for degree information on the Abstract & Block quotations, footnotes, and bibliographies: single spacing within each entry but double-spacing between each entry

```
250 \geometry{
251   letterpaper,
252   margin=1in,
253   left=\@margg,
254   headsep=0.4in,
255   headheight=14pt,
256   footskip=30pt,
257   marginparwidth=40pt,
258   marginparsep=10pt}
```

¹⁶we use fontspec to load system fonts with XeLaTeX or LuaLaTeX

¹⁷In the maine-thesis class, we set EBGaramond as default since it is widely available.

13.3 Additional Page Format

```
259 \setcounter{secnumdepth}{\value{secnumdefault}}
260 \setcounter{tocdepth}{\value{secnumdefault}}
261 \raggedbottom
262 \raggedright
263 \parindent=1.5em\relax
264 \markboth{}{}
265 % \subsection{Prepvent Widows and Orphans}
266 \clubpenalty=10000
267 \widowpenalty=10000
```

13.4 Font Parameter

```
268 \def\verbatim@font{\rmfamily}
```

13.5 Spacing for Title Page and Headings

\loftspacing

```
269 \newcommand*\loftspacing{10}
```

14 Caption Format

This customized the output from the captions package

- Tables/figures must be numbered and titled. Further explanatory information provided in a caption that is not part of the title should not appear on the List of Tables/Figures.
- The tables/figures are numbered separately from each other. Each group is numbered consecutively throughout the entire manuscript or by chapter using a decimal numbering system (e.g., the third table in chapter two will be Table 2.3., and the third figure in chapter two will be Figure 2.3.). The same system should be used for numbering figures AND tables.
- All tables/figures must fit into the required page margins.
- The title and caption of the table/figure are part of the text and must be the same font size and style of the body of the manuscript. It is acceptable for the font within the table/figure to be as small as 9-point font.
- Tables/figures must be placed in the text as they are mentioned. If the Table/Figure is larger than one-half of the page it must be placed on a page of its own.
- Tables/figures that extend onto a second page must be labeled Table/Figure # Continued
- Appendix tables/figures must be numbered separately (e.g., the third table in Appendix A would be numbered Table A.3.) and must be included in the List of Tables.
- Photographs must be originals or high-quality reproductions. All photographs must have captions.

```

270 \DeclareCaptionFormat{thesis}
271 {
272     \textbf{#1#2}\textit{\small #3}
273 }
274 \captionsetup{format=thesis}

```

15 Heading Format Definitions

addot

```

275 \def\adddot#1{#1.\thinspace}
276 % \end{macro}
277 % \begin{macro}{addul}
278 \def\addul#1{\underline{#1}}
279 % \end{macro}
280 % \begin{macro}{adddotul}
281 \def\adddotul#1{\underline{#1}.\thinspace}

```

`\apaheadings` The APA 7 format uses a five-level heading system. The critical features are:

- Level 1 (Chapter): Centered and bold, with uppercase text.
- Levels 2 & 3 (Section & Subsection): Flush left, with level 2 bold and level 3 bold and italic.
- Levels 4 & 5 (Subsubsection & Paragraph): Run-in headings, meaning the text follows on the same line. Level 4 is bold, and level 5 is bold and italic. Both are followed by a period.

```

282 \newcommand{\apaheadings}{%

```

Chapter Titles

```

283     \titleformat{\chapter}[display]{\normalfont\centering\bfseries}{\chaptertitlename\
\thechapter}{-3pt}{\MakeTextUppercase}
284     \titlespacing{\chapter}{0pt}{50pt}{15pt}

```

First Level Headings

```

285     \titleformat{\section}{\normalfont\bfseries}{\thesection}{0em}{}
286     \titlespacing{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}

```

Second Level Headings

```

287     \titleformat{\subsection}{\normalfont\bfseries\itshape}{\thesubsection}{0em}{}
288     \titlespacing{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus
.1ex}

```

Third Level Headings

```

289     \titleformat{\subsubsection}[runin]{\normalfont\bfseries}{\thesubsubsection}{1em}{\adddot
290     \titlespacing{\subsubsection}{\parindent}{3.25ex plus 1ex minus .2ex}{0pt}[1em]

```

Fourth Level Headings

```

291     \titleformat{\paragraph}[runin]{\normalfont\bfseries\itshape}{\theparagraph}{1em}{\adddot
292     \titlespacing{\paragraph}{\parindent}{3.25ex plus 1ex minus .2ex}{0pt}[1em]
293 }

```

`\chicagoheadings` The Chicago format, as defined here, has a clear hierarchy with varying alignment and capitalization. Its critical features are:

First Level Headings

```
309 \titleformat{\section}{\normalfont\bfseries}{}{0pt}{\addul}
310 \titlespacing{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
```

Second Level Headings

```
311 \titleformat{\subsection}{\normalfont\bfseries}{}{0pt}{}
312 \titlespacing{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus
.1ex}
```

Third Level Headings

```
313 \titleformat{\subsubsection}[runin]{\normalfont\bfseries}{}{0pt}{\adddotul}
314 \titlespacing{\subsubsection}{0pt}{3.25ex plus 1ex minus .2ex}{0pt}
```

Fourth Level Headings

```
315 \titleformat{\paragraph}[runin]{\normalfont}{}{0pt}{\adddotul}
316 \titlespacing{\paragraph}{0pt}{3.25ex plus 1ex minus .2ex}{0pt}
317 }
```

`\idecimalheadings` The iDecimal format emphasizes a clear decimal numbering system. Its critical features are:

- Numbering: All heading levels are numbered, which is more explicit than some other styles.
- Consistency: The style maintains a consistent use of bold for all heading levels.
- Alignment: Headings are flush left, except for the chapter title, which is centered.
- Run-in Headings: The last two levels are run-in, with a period at the end.

```
318 \newcommand{\idecimalheadings}{%
319 \setcounter{tocdepth}{4}}
```

Chapter Titles: Centered and bold

```
320 \titleformat{\chapter}[display]{\normalfont\centering\bfseries}{\thechapter}{1em}{}
321 \titlespacing{\chapter}{0pt}{50pt}{15pt}
```

Level 1 Headings: Bold, followed by a line break

```
322 \titleformat{\section}{\normalfont\bfseries}{\thesection}{1em}{}
323 \titlespacing{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
```

Level 2 Headings: Bold, followed by a line break

```
324 \titleformat{\subsection}{\normalfont\bfseries}{\thesubsection}{1em}{}
325 \titlespacing{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus
.1ex}
```

Level 3 Headings: Bold, run-in with a period, with 1em spacing between number and title

```
326 \titleformat{\subsubsection}[runin]{\normalfont\bfseries}{\thesubsubsection}{1em}{\adddot}
327 \titlespacing{\subsubsection}{\parindent}{3.25ex plus 1ex minus .2ex}{0pt}[1em]
```

Level 4 Headings: Bold, run-in with a period, with 1em spacing

```
328 \titleformat{\paragraph}[runin]{\normalfont\bfseries}{\theparagraph}{1em}{\adddot}
329 \titlespacing{\paragraph}{\parindent}{3.25ex plus 1ex minus .2ex}{0pt}[1em]
330 }
```

`\jdecimalheadings` 15.1 **jDecimal Format**

The jDecimal format, or Justified Decimal System, is characterized by its use of indentation in a justified, decimal format.

- Indentation: It uses increasing indentation for lower-level headings. For example, subsection has 1.5em indentation, and subsubsection has 3.8em.
- Uppercase: It uses uppercase for both chapters and sections.
- Consistency: Like the iDecimal format, it uses bolding for most levels to provide emphasis.

```
331 \newcommand{\jdecimalheadings}{%
332 % \begin{macrocode}
333 % Chapter Titles
334 \titleformat{\chapter}[display]{\normalfont\centering\bfseries\normalsize}{\chaptername\
\thechapter}{-3pt}{\MakeUppercase}
335 \titlespacing{\chapter}{0pt}{0pt}{15pt}
```

First Level Headings

```
336 \titleformat{\section}{\normalfont\bfseries}{\thesection}{1.5ex}{\MakeTextUppercase}
337 \titlespacing{\section}{0pt}{1.5ex plus .2ex minus 0pt}{.3ex plus .2ex}
```

Second Level Headings

```
338 \titleformat{\subsection}{\normalfont\bfseries}{\thesubsection}{0.3ex}{}
339 \titlespacing{\subsection}{1.5em}{0.3ex plus .2ex minus 0pt}{.2ex plus
.1ex}
```

Third Level Headings

```
340 \titleformat{\subsubsection}{\normalfont\bfseries}{\thesubsubsection}{0.2ex}{}
341 \titlespacing{\subsubsection}{3.8em}{0.2ex plus .1ex minus 0pt}{0.2ex
plus .1ex}
```

Fourth Level Headings

```
342 \titleformat{\paragraph}{\normalfont\bfseries}{\theparagraph}{0pt}{}
343 \titlespacing{\paragraph}{7.0em}{3.25ex plus 1ex minus .2ex}{3.25ex plus
1ex minus .2ex}
```

Fifth Level Headings

```
344 \titleformat{\subparagraph}{\normalfont\hspace{1.5em}}{\thesubparagraph}{0pt}{\addul}
345 \titlespacing{\subparagraph}{7.0em}{3.25ex plus 1ex minus .2ex}{3.25ex
plus 1ex minus .2ex}
346 }
```

15.2 Implement Heading from Options Flag

Use Justified Decimal System style as default

```
347 \ifdefined\HeadingStyle
348 \csname\HeadingStyle headings\endcsname
349 \else
350 \jdecimalheadings
351 \fi
```


16 Page Style

16.1 Bottom of Page

```
352 \newcommand{\ps@bottom}{%  
353     \renewcommand{\@oddhead}{%  
354         \ifdraft\drafttext\hfil\today\hfil\drafttext\else\fi}%  
355     \renewcommand{\@evenhead}{\@oddhead}  
356     \renewcommand{\@oddfoot}{%  
357         \ifdraft\drafttext\hfil\thepage  
358         \hfil\drafttext\else\hfil\thepage\hfil\fi}  
359     \renewcommand{\@evenfoot}{\@oddfoot}  
360 }
```

16.2 Empty Page

```
361 \renewcommand{\ps@empty}{%  
362     \renewcommand{\@oddhead}{%  
363         \ifdraft\drafttext\hfil\today\hfil\drafttext\else\fi}%  
364     \renewcommand{\@evenhead}{\@oddhead}  
365     \renewcommand{\@oddfoot}{%  
366         \ifdraft\drafttext\hfil\drafttext\else\fi}  
367     \renewcommand{\@evenfoot}{\@oddfoot}  
368 }
```

16.3 Top of Page

```
369 \newcommand{\ps@top}{%  
370     \renewcommand{\@oddhead}{%  
371         \ifdraft\drafttext\hfil\today\hfil\drafttext\else\thepage\fi}%  
372     \renewcommand{\@evenhead}{%  
373         \ifdraft\drafttext\hfil\today\hfil\drafttext\else\thepage\fi}%  
374     \renewcommand{\@oddfoot}{%  
375         \ifdraft\drafttext\hfil\thepage\hfil\drafttext\else\fi}%  
376     \renewcommand{\@evenfoot}{\@oddfoot}%  
377 }
```

16.4 Plain Page

```
378 \pagestyle{\mt@pagestyle}  
379 \renewcommand{\ps@plain}{\csname ps@\mt@pagestyle\endcsname}
```

17 Title Page Format

The Title Page is the first page of the manuscript. It is considered page i, but the number does not appear on the page. The following should be **CENTERED** included on the title page:

- Title of thesis in ALL CAPS, bold, and inverted pyramid format
- The students full name as it appears in University records
- Previous degree(s) earned
- A statement of fulfilling requirements for the degree sought
- Institution name The Graduate School

- Institution name The University of Maine
- The month and year of the students graduation date
- The advisory committee members (single space & left justify if necessary to keep on one page)

Note: The first name(s) listed is the Advisors (or Co-Advisors) and their title(s) followed by the names and titles of the remaining committee members. Do not include degrees such as Dr. on the title page. ¹⁸ This page is to acknowledge committee members exclusively, Readers are recognized in the Acknowledgements.

17.1 Parameters for Make Title

The maine-thesis class now uses `maketitle` instead of `titlepage`.

17.1.1 Pre Title Formatting

```
380 \pretitle{
381     \begin{center}
382
383     \bfseries\MakeTextUppercase
384 }
```

17.1.2 Post Title Formatting

```
385 \posttitle{
386     \end{center}
387 }
```

17.1.3 Pre Author Formatting

```
388 \preauthor{
389     \begin{center}
390     By \\
391     \MakeUppercase
392 }
```

17.1.4 Post Author Formatting

```
393 \postauthor{
394     \\
395     \@degreesheld
396     \end{center}
397 }
```

17.1.5 Title Page Hook Formatting

```
398 \renewcommand{\maketitlehooka}{
399     \thispagestyle{empty}
400     \ifverybigtitlepage
401         \onehalfspacing
402     \else
403         \doublespacing
404     \fi
405 }
```

¹⁸this requires review of the package specifications, and additional documentation for its use

```

406 \renewcommand{\maketitlehookd}{
407   \begin{center}
408     A \MakeTextUppercase{\@type}\[4pt]
409     Submitted in Partial Fulfillment of the\
410     Requirements for the Degree of\
411     \expandafter{\@degree}\
412     (in \expandafter{\@program})\
413     \vskip 0.5in
414     The Graduate School\
415     The University of Maine\
416     \expandafter{\@submitdate}
417     \vfill
418   \end{center}
419   \ifbigtitlepage
420     \singlespacing
421   \fi
422   \begin{flushleft}
423   Advisory Committee:
424   \begin{list}{}{%
425     \setlength{\itemsep}{0pt}%
426     \setlength{\topsep}{0in}%
427     \setlength{\partopsep}{0pt}%
428     \setlength{\itemindent}{-\parindent}%
429     \setlength{\leftmargin}{1cm}%
430   }

```

Check if the principal advisor is defined before printing

```

431   \ifx\@principaladvisor\empty\else
432     \item{\@principaladvisor, %
433       \ifnum\numadv=2%
434         Co-%
435       \fi%
436       Advisor}
437   \fi

```

Check for second advisor before printing

```

438   \ifx\@secondadvisor\empty\else
439     \item{\@secondadvisor, Co-Advisor}
440   \fi

```

Check for each reader before printing

```

441   \ifx\@firstreader\empty\else
442     \item{\@firstreader}
443   \fi
444   \ifx\@secondreader\empty\else
445     \item{\@secondreader}
446   \fi
447   \ifx\@thirdreader\empty\else
448     \item{\@thirdreader}
449   \fi
450   \ifx\@fourthreader\empty\else
451     \item{\@fourthreader}
452   \fi
453   \ifx\@fifthreader\empty\else
454     \item{\@fifthreader}
455   \fi

```

```

456 \end{list}
457 \end{flushleft}
458 \clearpage
459 }

```

18 Table of Contents Formatting

All chapter divisions and subsections must be included in the Table of Contents and labeled exactly as they appear in the text.

18.1 Unlisted Sections

The Copyright page, Abstract, and Table of Contents are NOT listed in the Table of Contents. ¹⁹

18.2 Chapter Divisions and Subsections

All chapter divisions and subsections must be listed in the Table of Contents. Regardless of the system of headings being used for organizing the text of the manuscript (headings system or decimal system), all sub-divisions should be indented appropriately in the Table of Contents. One system should be used consistently throughout the entire manuscript to define the chapter divisions and subsections. ²⁰

18.3 Table of Contents Font Specs

```

460 \renewcommand{\cftchapfont}{\normalfont\bfseries}
461 \renewcommand{\cftchappagefont}{\normalfont}
462 \renewcommand{\cftloftitlefont}{\normalfont\bfseries}

```

18.4 Define Environment for Custom Thesis List

```

463 \newenvironment{thesislist}[1]{%
464   \chapter*{\listname\ #1}
465   \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\listname\
    #1}}{\listname\ #1}}
466   \begingroup
467 }{\par\endgroup}

```

Define Leader Dots

18.5 Leader Dots in the Table of Cotents

Leader dots must be used to connect the chapter divisions/subsection headings to their respective page numbers. A minimum of 5 leader dots between the chapter divisions/subsections and the page numbers is required (i.e. the text of the headings should not extend into the area where the page numbers are placed).

```

468 \renewcommand{\cftchapleader}{\cftdotfill{\cftdotsep}}
469 \renewcommand{\cftseclleader}{\cftdotfill{\cftdotsep}}
470 \renewcommand{\cftsubseclleader}{\cftdotfill{\cftdotsep}}
471 \renewcommand{\cftfigleader}{\cftdotfill{\cftdotsep}}
472 \renewcommand{\cfttableleader}{\cftdotfill{\cftdotsep}}
473 \renewcommand{\contentsname}{Table of Contents}

```

¹⁹this is handled within each of the environment definitions

²⁰five styles are provided here

18.5.1 Ensuring that Leaders Dots meet 5-dot-rule

These should eventually be exposed as options with default values. `cftsecindent` and `cftsecnumwidth` define where the title starts.

```
474 \setlength{\cftsecindent}{1.5em}
```

```
475 \setlength{\cftsecnumwidth}{2em}
```

`cftsetrmarg` and `cftsetpnumwidth` define where the dotted leader ends and where the page number starts.

```
476 \cftsetrmarg{3cm}
```

Sets the right margin for the TOC entry

```
477 \cftsetpnumwidth{2cm}
```

Sets the width for the page number box

19 Abstract Environment

An abstract (not paginated), which is a clearly written, concise summary of the thesis, must be included in the manuscript. It describes the problem, the procedures or methods used, and the results and conclusions of the research. Since doctoral abstracts are included in Dissertation Abstracts International, it is extremely important to write accurately. Formulas, diagrams, or other illustrations are not included in the abstract.

The heading of the abstract should be centered and include:

- Title of the thesis in ALL CAPS, bold, and inverted pyramid format
- The authors full name
- The name of the thesis advisor (including degree Dr.)
- A statement that the thesis is fulfilling requirements for a degree sought in a particular department
- The month and year of the students graduation date

```
478 \newcounter{mt@page}
```

abstract

```
479 \renewenvironment{abstract}{%
480     \doublespacing
481     \begin{center}
482         {\bfseries\MakeTextUppercase{\@title}}\\
483         By\space\@author\\[4pt]
484         \@type\ %
485         \ifnum\numadv=2%
486             Co-Advisors: \@principalshort and \@secondadvisor
487         \else
488             Advisor: \@principalshort
489         \fi
490         \vskip 0.33in
491         \singlespacing
492         An Abstract of the \@type\ Presented\\
493         in Partial Fulfillment of the Requirements for the\\
```

```

494         Degree of \@degree\\
495         (in \@program)\\
496         \@submitdate
497         \vskip 36pt plus 2pt minus 12pt
498     \end{center}
499     \doublespacing
500     \begin{group}\par
501     \pagestyle{empty}
502 }
503 {\cleardoublepage
504     \par\endgroup
505 }

```

19.1 Lay Abstract Environment

layabstract This parallels the lay abstract, as an abbreviated version with slight changes to the title text.

```

506 \newenvironment{layabstract}[1]{%
507     \doublespacing
508     \begin{center}
509         {\bfseries\MakeTextUppercase{\@title}}\\
510         By\space\@author\\[4pt]
511         \@type\ %
512         \ifnum\numadv=2%
513             Co-%
514         \fi%
515         Advisor%
516         \ifnum\numadv=2%
517             s%
518         \fi%
519         : \@principalshort
520         \vskip 0.33in
521         \singlespacing
522         A Lay Abstract of the \@type\ Presented\\
523         in Partial Fulfillment of the Requirements for the\\
524         Degree of \@degree\\
525         (in \@program)\\
526         \@submitdate
527         \vskip 26pt plus 2pt minus 12pt
528     \end{center}
529     Keywords: \MakeLowercase{#1}
530     \vskip 26pt plus 2pt minus 12pt
531     \doublespacing
532     \begin{group}\par
533     \pagestyle{empty}
534 }
535 {\cleardoublepage
536     \par\endgroup
537 }

```

20 Acknowledgements Environment

acknowledgements

```
538 \newenvironment{acknowledgements}{%
539     \chapter*{\acknowledgename}
540     \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\acknowledgename}}{\acknowledgename}}
541     \doublespacing
542     \begingroup
543 }{\par\endgroup}
```

21 Land Acknowledgements Environment

University of Maine graduate students are expected to include a statement in their final thesis or dissertation that acknowledges that their graduate study has taken place on the ancestral lands of the Wabanaki Tribal Nations. The Graduate School acting through the Graduate Board recommends two nonexclusive options for a tribal land acknowledgement. The first option is to include the statement that was developed by the Presidents Council on Diversity, Equity, and Inclusion and adopted by the University of Maine in the acknowledgments section of the thesis/dissertation.²¹ The second option, which may be especially relevant to graduate students undertaking qualitative research studies is to include a researcher positionality statement in the thesis/dissertation.²²

Graduate programs supporting option two should provide resources to graduate students electing this option. The development of a researcher positionality statement that acknowledges the land may be used to complement the formal University land acknowledgment statement or may be used as an alternative to this statement.

21.1 Custom Land Acknowledgements

landacknowledgements

```
544 \newenvironment{landacknowledgements}{%
545     \chapter*{\landacknowledgename}
546     \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\landacknowledgename}}{\landacknowledgename}}
547     \doublespacing
548     \begingroup
549 }{\par\endgroup}
```

21.2 Graduate School Land Acknowledgement

Default GLSA Land Acknowledgement. Please check to see if this has been updated and file an issue as necessary to patch.

glsa

```
550 \newcommand{\glsa}{%
551     \chapter*{UNIVERSITY OF MAINE GRADUATE SCHOOL LAND ACKNOWLEDGMENT}
552     The University of Maine recognizes that it is located on Marsh Island
        in the homeland of Penobscot people, where issues of water and territorial
```

²¹The ‘glsa’ command supports this default option.

²²The LandAcknowledgements Environment supports this option.

rights, and encroachment upon sacred sites, are ongoing. Penobscot homeland is connected to the other Wabanaki Tribal Nations the Passamaquoddy, Maliseet, and Micmacthrough kinship, alliances, and diplomacy. The University also recognizes that the Penobscot Nation and the other Wabanaki Tribal Nations are distinct, sovereign, legal and political entities with their own powers of self-governance and self-determination.

```
553     \vfill
554     \clearpage
555 }
```

22 Pagination

- Pagination: Check pagination carefully. Account for all pages.
- The Title Page is counted as page i but the number does not appear on the page.
- Excluding the Abstract, all other pages of the thesis are numbered including display (optional) pages.
- The preliminary pages, starting with the Copyright Notice (if included), are marked by lowercase Roman numerals (ii, iii, iv, v, vi, etc.).
- Beginning with the first page of the text, all pages including the appendices, are numbered consecutively with Arabic numerals (1, 2, 3, 4, etc.). The following table displays the proper pagination of all parts of the thesis and which pages should be listed on the Table of Contents.
- Page numbers appear either on the top right or bottom center of the page. Page numbers need not fall within the required margins of the text, yet they must not appear closer than half an inch from the top, one inch from the right, or half an inch from the bottom edge of the page. The page numbers location and font style must be consistent throughout the manuscript.

`\preliminary` Contents following this tag are front matter with roman numeral page numbering

```
556 \newcommand{\preliminary}{%
557     \pagenumbering{roman}
558     \setcounter{tocdepth}{1}
Sets the ToC depth to chapters and above
559     \setcounter{secnumdepth}{1}
560 }
```

Sets the section numbering depth to chapters and above

`\mainmatter` Contents following this tag are considered chapters

```
561 \newcommand{\mainmatter}{%
562     \cleardoublepage
563     \doublespacing
564     \pagenumbering{arabic}
565     \setcounter{tocdepth}{\value{secnumdefault}}
566     \setcounter{secnumdepth}{\value{secnumdefault}}
567 }
```


22.1 Appendix

22.1.1 Appendices in the Table of Contents

Each Appendix must be listed by its title and page number. If there is only one Appendix, it is listed by the name Appendix and its title. Therefore, an Appendix A should not be listed unless there is an Appendix B.

All chapters after the Appendix flag are appendices.

`\appendix`

```
568 \renewcommand{\appendix}{%
569   \cleardoublepage
570   \doublespacing
571   \setcounter{tocdepth}{1} % Sets the ToC depth to chapters and above
572   \setcounter{secnumdepth}{1} % Sets the section numbering depth to chapters
    and above
573   \setcounter{chapter}{0}
574   \aptrue
575   \gdef\chaptername{Appendix} % This changes the name globally
576   \gdef\thechapter{\@Alph{c}chapter}% Changes the numbering globally
577   \ifmultipleappendices%
578     \cftaddtitleline{toc}{chapter}{\texorpdfstring{\MakeUppercase{Appendices}}{Appendices}}
579   \fi
580 }
```

22.1.2 Appendices Titles

We add Appendix to the chapter name for all appendices.

```
581 \pretocmd{\chapter}{\ifapp\renewcommand*\chaptername{Appendix}\fi}{-}{}
```

23 Biography Environment

The Biography of the Author page is the LAST page of the thesis. A biography of the candidate must be included in the thesis.

For privacy reasons, students may exclude personal information. In such a case, the only line on the biography will read: ‘Name/Pronoun’ is/are a candidate for the ‘DEGREE TYPE’ degree in ‘FIELD OF STUDY’ from The University of Maine in ‘Month’ ‘Year’. If a student chooses to include a biography, it must be written in the third person. The absolute last line MUST read: ‘Name/Pronoun’ is/are a candidate for the ‘DEGREE TYPE’ degree in ‘FIELD OF STUDY’ from The University of Maine in ‘Month’ ‘Year’.

`biography`

```
582 \newenvironment{biography}{%
583   \chapter*{\bioname}
584   \addtocontents{toc}{\protect\nopagebreak}
585   \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\bioname}}{\bioname}}
586   \begingroup
587   \doublespacing
588   \thispagestyle{plain}
589 }{%
```

This section adds the required text as the last sentence of the biography.

```

590 \par
591 \ifx\@authorpronoun\empty
592 \@author
593 \else
594 \@authorpronoun
595 \fi%
596 \ is a candidate for the \@degree\ degree in \@program\ from the University
    of Maine in \@submitdate.\par\endgroup
597 }

```

24 Copyright Page

Unless the manuscript has been formally registered (copyrighted), this page is optional. If the student chooses to acknowledge his or her rights as an author, a copyright notice should be placed as the sole text on a page immediately following the title page. The page is numbered but a listing does not appear on the Table of Contents. The copyright notice is centered vertically and horizontally within the margins. Unless there are special terms under which the work has been copyrighted the text of the notice may take either of the two forms below. Consider Creative Commons as an option for obtaining copyright.

Use of Third-Party Content: For additional information regarding the use of copyrighted materials, please visit the U.S. Copyright Office website at <http://www.copyright.gov>

\copyrightpage

```

598 \newcommand{\copyrightpage}{%
599 \setcounter{page}{3}
we must manually set the copyright page because of the runtime call of preliminary.
600 \copyrightpagetrue
601 \onehalfspacing
602 \thispagestyle{plain}
603 \hbox{ }
604 \vfill
605 \begin{center}
606 \copyright \the\year{} \space \@author\
607 All Rights Reserved
608 \end{center}
609 \vfill
610 \clearpage
611 }

```

25 Dedication Environment

This page is for the author to express professional and/or personal indebtedness. Permission(s) to use previously copyrighted materials, receipt of grant funds, recognition of readers, etc. are acknowledged on this page. Students must be consistent with the use of the third (the author) or first person throughout. This page is optional, but if included, it is paginated (lowercase Roman numerals) and listed in the Table of Contents.

The use of copyrighted materials can be mentioned on the Acknowledgments page. Any copyright permission letters related to the manuscript should be included in an appendix.

dedication

```
612 \newenvironment{dedication}{%
613   \chapter*{\dedicationname}
614   \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\dedicationname}}{\dedicationname}}
615   \vskip 0.5in
616   \doublespacing
617   \begin{group}
618   \begin{center}
619 }{\end{center}\par\endgroup}
```

26 Preface Environment

This is an optional section in the front matter.

preface

```
620 \newenvironment{preface}{%
621   \chapter*{\prefacename}
622   \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\prefacename}}{\prefacename}}
623   \doublespacing
624   \begin{group}\setcounter{secnumdepth}{0}
625 }{\setcounter{secnumdepth}{\value{secnumdefault}}\par\endgroup}
```

27 Custom Formatting for References

The graduate school allows for field-specific citation styles, but requires. Note that the citation style is specified in the class options above and implemented with Biblatex and Biber.

The references command will render the references on a new page.

```
626 \newcommand{\references}{%
627   \cleardoublepage
628   \singlespacing
629   \phantomsection
630   \addcontentsline{toc}{chapter}{\texorpdfstring{\MakeTextUppercase{\bibname}}{\bibname}}
631   \printbibliography
632 }
```

The bibliography is printed from Biblatex and Biber.

28 Leagacy Document Markup

This command is a custom macro that discards its argument, effectively making the text disappear. It doesn't rely on any external package for this functionality.

ignore

```
633 \newcommand{\ignore}[1]{}
634 \end{package}
```

29 Future Work: Class Development Needs

29.1 Local Names and Functions

This package has a number of local functions and names that should not be called outside of the class. These should be refactored appropriately.

29.2 Exposing Options

There are a few parameters that would be useful to expose to the user to help them fine tune their document if there are small differences in font, spacing, etc.

29.3 Documentation

The documentation needs further review for completeness and clarity. It may be helpful to add a guide for transitioning through breaking changes to v1.

29.4 Output Format Approval & Continual Review

We are currently working to ensure that the defaults within this package provide the correct formatting for the graduate school, and that as many of their requirements are

29.5 CTAN Availability

We are currently working to make this available on CTAN for easy access, and availability of updates when format requirements are changed or bugs can be patched.

29.6 GitLab automated Builds

We are currently working to ensure that GitLab is able to automatically release builds, and ideally upload them to CTAN when patches are made.

29.7 Overleaf Availability

We are working to provide a template on Overleaf. Ideally, it would either fetch the class from GitLab or from CTAN.

30 Change History

| | |
|--|-------------------------|
| v1.0 | Dependencies, Update |
| General: Deprecated Functions . . . 14 | Formatting 13 |
| v2.0 | |
| General: Refactor with New | |

31 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

| | | |
|------------------------------------|--|---|
| Symbols | 482, 483, 492, | \bfseries . 283, 285, |
| \@Alph 576 | 493, 494, 495, | 287, 289, 291, |
| \@LastLevel 170 | 509, 510, 522, | 295, 299, 303, |
| \@author . . 155, 191, | 523, 524, 525, 606 | 307, 309, 311, |
| 483, 510, 592, 606 | _ 283, 295, 307, 334, | 313, 320, 322, |
| \@authorpronoun . . . | 464, 465, 484, | 324, 326, 328, |
| . 156, 193, 591, 594 | 492, 511, 522, 596 | 334, 336, 338, |
| \@bibfiles 229 | \10pt 65 | 340, 342, 383, |
| \@citestyle 106, 108, 126 | \11pt 66 | 460, 462, 482, 509 |
| \@degree . . 158, 199, | \12pt <u>1</u> , 67 | \bibfiles 228 |
| 411, 494, 524, 596 | | \biblatex <u>126</u> |
| \@degreesheld | A | \bibname . . 179, 247, 630 |
| 157, 197, 395 | \abstract <u>479</u> | \bigtitlepagefalse . 173 |
| \@evenfoot 359, 367, 376 | \abstract\{...\} . . . <u>1</u> | \bigtitlepagetrue . |
| \@evenhead 355, 364, 372 | \acknowledgements . 538 | 241, 243 |
| \@fifthreader | \acknowledgements\{...\} | \biography <u>1</u> , 582 |
| . 168, 226, 453, 454 | <u>1</u> | \bioname . . 189, 583, 585 |
| \@firstreader | \acknowledgename . . | \Blindtext 23 |
| . 164, 214, 441, 442 | 186, 539, 540 | \blindtext |
| \@fourthreader | \addcontentsline . . | . . <u>1</u> , 27, 32, 35, 38 |
| . 167, 223, 450, 451 | . 465, 540, 546, | \booktabs <u>136</u> |
| \@margg 63, 75, 76, 77, 253 | 585, 614, 622, 630 | |
| \@oddfoot . 356, 359, | \adddot . . . 275, 289, | C |
| 365, 367, 374, 376 | 291, 303, 326, 328 | \c@chapter 576 |
| \@oddhead 353, | \adddotul . 281, 313, 315 | \caption <u>134</u> |
| 355, 362, 364, 370 | \addot 275 | \caption[...]\{...\} <u>1</u> |
| \@principaladvisor . | \addtocontents 584 | \captionsetup 274 |
| . 161, 206, 431, 432 | \addul 278, 309, 344 | \centering 283, 295, |
| \@principalshort . . | \afterpackage <u>153</u> | 297, 307, 320, 334 |
| 163, 205, | \apa <u>1</u> , 79 | \cftaddtitleline . . 578 |
| 212, 486, 488, 519 | \apaheadings 282 | \cftchapfont 460 |
| \@program . 159, 201, | \appendix . . . <u>1</u> , 36, <u>568</u> | \cftchapleader 468 |
| 412, 495, 525, 596 | \appendixname 182 | \cftchappagefont . . 461 |
| \@secondadvisor 162, | \appfalse 175 | \cftdotfill . . . 468, |
| 209, 438, 439, 486 | \apptrue 574 | 469, 470, 471, 472 |
| \@secondreader | \author 6, 190 | \cftdotsep . . . 468, |
| . 165, 217, 444, 445 | \author\{...\} <u>1</u> | 469, 470, 471, 472 |
| \@submitdate 160, 203, | \authorpronoun 192 | \cftfigleader 471 |
| 416, 496, 526, 596 | | \cftloftitlefont . . 462 |
| \@thirdreader | B | \cftsecindent 474 |
| . 166, 220, 447, 448 | \begin 19, | \cftsecleader 469 |
| \@title 154, 195, 482, 509 | 22, 26, 277, 280, | \cftsecnumwidth . . . 475 |
| \@type 169, | 332, 381, 389, | \cftsetpnumwidth . . 477 |
| 234, 236, 408, | 407, 422, 424, | \cftsetrmarg 476 |
| 484, 492, 511, 522 | 481, 508, 605, 618 | \cftsubsecleader . . 470 |
| \@ . . 7, 390, 394, 408, | \begingroup . . . 466, | \cfttableader 472 |
| 409, 410, 411, | 500, 532, 542, | \changes <u>1</u> , <u>143</u> |
| 412, 414, 415, | 548, 586, 617, 624 | |

| | |
|---------------------------------------|---|
| <code>\chapter</code> | 31, 34, 37, 283, 284, 295, 296, 307, 308, 320, 321, 334, 335, 464, 539, 545, 551, 581, 583, 613, 621 |
| <code>\chaptername</code> . . | 181, 184, 334, 575, 581 |
| <code>\chapternamep</code> | 184 |
| <code>\chaptertitlename</code> . | 283, 295, 307 |
| <code>\chicago</code> | <u>1</u> , <u>83</u> |
| <code>\chicagoheadings</code> . . | <u>294</u> |
| <code>\ClassError</code> | 42, 45 |
| <code>\cleardoublepage</code> | 503, 535, 562, 569, 627 |
| <code>\clearpage</code> | 458, 554, 610 |
| <code>\clubpenalty</code> | 266 |
| <code>\comment</code> | <u>41</u> |
| <code>\compresstitlepage</code> . | <u>237</u> |
| <code>\contentsname</code> . | 178, 473 |
| <code>\copyright</code> | 606 |
| <code>\copyrightpage</code> | <u>598</u> |
| <code>\copyrightpagefalse</code> | 172 |
| <code>\copyrightpagetrue</code> . | 600 |
| <code>\csname</code> | 348, 379 |
| <code>\csquotes</code> | <u>129</u> |
| <code>\CurrentOption</code> | 102 |
| D | |
| <code>\DeclareCaptionFormat</code> | 270 |
| <code>\DeclareOption</code> . | 65, 66, 67, 68, 75, 76, 77, 79, 83, 87, 91, 95, 99, 100, 101, 102, 103, 104, 105, 107 |
| <code>\dedication</code> | <u>612</u> |
| <code>\dedication\{...\}</code> . . | <u>1</u> |
| <code>\dedicationname</code> . . | 188, 613, 614 |
| <code>\def</code> . . | 63, 64, 75, 76, 77, 78, 82, 86, 90, 94, 98, 100, 101, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 268, 275, 278, 281 |
| <code>\degree</code> | 9, 198 |
| <code>\degree\{...\}</code> | <u>1</u> |
| <code>\degreesheld</code> | 7, 196 |
| <code>\degreesheld\{...\}</code> . | <u>1</u> |
| <code>\dissacceptance</code> | <u>44</u> |
| <code>\docsize</code> | 57, 65, 66, 67, 114 |
| <code>\documentclass</code> | 2 |
| <code>\doublespacing</code> | 403, 480, 499, 507, 531, 541, 547, 563, 570, 587, 616, 623 |
| <code>\draft</code> | <u>1</u> , <u>68</u> |
| <code>\draftfalse</code> | 51 |
| <code>\drafttext</code> . | 72, 354, 357, 358, 363, 366, 371, 373, 375 |
| <code>\drafttrue</code> | 68 |
| E | |
| <code>\else</code> | 113, 191, 193, 195, 197, 199, 201, 203, 205, 206, 209, 212, 214, 217, 220, 223, 226, 229, 349, 354, 358, 363, 366, 371, 373, 375, 402, 431, 438, 441, 444, 447, 450, 453, 487, 593 |
| <code>\empty</code> | 191, 193, 195, 197, 199, 201, 203, 204, 205, 206, 209, 212, 214, 217, 220, 223, 226, 229, 431, 438, 441, 444, 447, 450, 453, 591 |
| <code>\end</code> . | 24, 28, 39, 276, 279, 386, 396, 418, 456, 457, 498, 528, 608, 619 |
| <code>\endcsname</code> . . . | 348, 379 |
| <code>\endgroup</code> | 467, 504, 536, 543, 549, 596, 619, 625 |
| <code>\etoolbox</code> | <u>151</u> |
| <code>\ExecuteOptions</code> . . . | 69, 110, 111 |
| <code>\expandafter</code> | 411, 412, 416 |
| F | |
| <code>\fi</code> | 113, 191, 193, 195, 197, 199, 201, 203, 205, 206, 209, 212, 214, 217, 220, 223, 226, 229, 245, 248, 351, 354, 358, 363, 366, 371, 373, 375, 404, 421, 435, 437, 440, 443, 446, 449, 452, 455, 489, 514, 518, 579, 581, 595 |
| <code>\fifthreader</code> | 225 |
| <code>\firstreader</code> . . . | 15, 213 |
| <code>\firstreader\{...\}</code> . | <u>1</u> |
| <code>\float</code> | <u>135</u> |
| <code>\fontenc</code> | <u>115</u> |
| <code>\fontspec</code> | <u>116</u> |
| <code>\fourthreader</code> | 222 |
| G | |
| <code>\gdef</code> | 191, 193, 195, 197, 199, 201, 203, 205, 206, 209, 212, 214, 217, 220, 223, 226, 229, 234, 236, 575, 576 |
| <code>\geometry</code> | <u>125</u> , 250 |
| <code>\glsa</code> | <u>550</u> , 550 |
| <code>\graphicx</code> | <u>130</u> |
| H | |
| <code>\hbox</code> | 603 |
| <code>\headings</code> | <u>1</u> , <u>87</u> |
| <code>\HeadingStyle</code> | 78, 82, 86, 90, 94, 98, 347, 348 |
| <code>\hfil</code> | 354, 357, 358, 363, 366, 371, 373, 375 |
| <code>\highlight</code> | <u>41</u> |
| <code>\hspace</code> | 344 |
| <code>\hyphenat</code> | <u>149</u> |
| <code>\hyperref</code> | <u>128</u> |
| I | |
| <code>\idecimal</code> | <u>1</u> , <u>91</u> |
| <code>\idecimalheadings</code> . | <u>318</u> |
| <code>\ifapp</code> | 175, 581 |
| <code>\ifbigtitlepage</code> | 173, 419 |

| | | | | |
|--|----------------------|---------------------------------------|---------------------------|---------------------------------------|
| <code>\ifcase</code> | 238 | <code>\loftspacing</code> | <u>1</u> , 269 | 225, 228, 230, |
| <code>\ifcopyrightpage</code> . . | 172 | <code>\longtable</code> | <u>139</u> | 231, 232, 233, |
| <code>\ifdefined</code> | 347 | <code>\lscape</code> | <u>132</u> | 235, 237, 269, |
| <code>\ifdraft</code> 51, 113, 248, | | | | 282, 294, 306, |
| 354, 357, 363, | | | | 318, 331, 352, |
| 366, 371, 373, 375 | | | | 369, 550, 556, |
| <code>\ifmt@legacycaptions</code> 55 | | M | | 561, 598, 626, 633 |
| <code>\ifmt@loftspace</code> . . . | 56 | <code>\mainethesisheadings</code> | | |
| <code>\ifmt@official</code> | 53 | | <u>306</u> | |
| <code>\ifmultipleappendices</code> | | <code>\mainmatter</code> . . | <u>1</u> , 30, <u>561</u> | <code>\newcount</code> |
| | 171, 577 | <code>\MakeLowercase</code> | 529 | 176, 177 |
| <code>\ifnum</code> 433, 485, 512, 516 | | <code>\MakeTextUppercase</code> . | | <code>\newcounter</code> . |
| <code>\iftex</code> | <u>150</u> | | 283, | 59, 61, 478 |
| <code>\iftwoside</code> | 52 | | 295, 297, 299, | <code>\newenvironment</code> . . . |
| <code>\ifunbound</code> | 54 | | 307, 336, 383, | . 463, 506, 538, |
| <code>\ifverybigtitlepage</code> | | | 408, 465, 482, | 544, 582, 612, 620 |
| | 174, 400 | | 509, 540, 546, | <code>\newif</code> |
| <code>\ifx</code> . . | 191, 193, 195, | <code>\maketitle</code> | 585, 614, 622, 630 | 51, 52, 53, |
| 197, 199, 201, | | <code>\maketitlehooka</code> . . . | | 54, 55, 56, 171, |
| 203, 205, 206, | | <code>\maketitlehookd</code> . . . | 21 | 172, 173, 174, 175 |
| 209, 212, 214, | | <code>\MakeUppercase</code> | 398 | <code>\newunicodechar</code> . . . |
| 217, 220, 223, | | | 406 | ... <u>119</u> |
| 226, 229, 431, | | <code>\markboth</code> | 334, 391, 578 | <code>\nopagebreak</code> |
| 438, 441, 444, | | <code>\members</code> . . | 264 | 584 |
| 447, 450, 453, 591 | | | 215, 218, | <code>\normalfont</code> |
| <code>\ignore</code> | 633, 633 | <code>\MessageBreak</code> . . . | 221, 224, 227, 230 | 283, |
| <code>\indexname</code> | 180 | <code>\mhchem</code> | 42, 45 | 285, 287, 289, |
| <code>\input</code> | <u>1</u> | <code>\microtype</code> | 122 | 291, 295, 297, |
| <code>\item</code> . . | 432, 439, 442, | <code>\mt@legacycaptionsfalse</code> | <u>117</u> | 299, 301, 303, |
| 445, 448, 451, 454 | | | 55 | 307, 309, 311, |
| <code>\itemindent</code> | 428 | <code>\mt@legacycaptionstrue</code> | | 313, 315, 320, |
| <code>\itemsep</code> | 425 | | 99 | 322, 324, 326, |
| <code>\itshape</code> | | <code>\mt@loftspacefalse</code> . | 56 | 328, 334, 336, |
| . 287, 291, 299, 303 | | <code>\mt@loftspacetrue</code> . | 103 | 338, 340, 342, |
| | | <code>\mt@officialfalse</code> . | | 344, 460, 461, 462 |
| | | | 73, 75, 76, 103 | <code>\normalsize</code> |
| J | | <code>\mt@officialtrue</code> 53, 77 | | . 297, 299, 301, 334 |
| <code>\jdecimal</code> | <u>1</u> , <u>95</u> | <code>\mt@pagestyle</code> . . | 64, | <code>\nth</code> |
| <code>\jdecimalheadings</code> . | | 100, 101, 378, 379 | | ... <u>121</u> |
| | <u>331</u> , 350 | <code>\multipleappendicesfalse</code> | | <code>\numadv</code> 177, 231, 232, |
| | | | 171 | 433, 485, 512, 516 |
| L | | <code>\multipleappendicestrue</code> | | <code>\numcomm</code> |
| <code>\landacknowledgements</code> | | | <u>1</u> , 18 | 176, 230 |
| | <u>544</u> | <code>\multirow</code> | <u>138</u> | |
| <code>\landacknowledgename</code> | | | | O |
| | 187, 545, 546 | | | <code>\oneadvisor</code> |
| <code>\layabstract</code> | <u>506</u> | N | | 232 |
| <code>\layabstract\{...\}</code> . | <u>1</u> | <code>\NeedsTeXFormat</code> . . . | 49 | <code>\onehalfspacing</code> 401, 601 |
| <code>\leftmargin</code> | 429 | <code>\newcommand</code> 41, 44, 57, | | <code>\oneside</code> |
| <code>\legacycaptions</code> | <u>1</u> | 58, 72, 106, 183, | | <u>1</u> , <u>76</u> |
| <code>\libraryrights</code> | <u>41</u> | 184, 185, 186, | | <code>\or</code> |
| <code>\lineno</code> | <u>142</u> | 187, 188, 189, | | 240, 242 |
| <code>\linenumbers</code> | 248 | 192, 196, 198, | | |
| <code>\listname</code> . 183, 464, 465 | | 200, 202, 204, | | P |
| <code>\LoadClass</code> | 114 | 208, 211, 213, | | <code>\pagenumberbottom</code> . . |
| | | 216, 219, 222, | | <u>1</u> |
| | | | | <code>\pagenumbering</code> 557, 564 |
| | | | | <code>\pagenumbertop</code> |
| | | | | <u>1</u> |
| | | | | <code>\pagestyle</code> 378, 501, 533 |
| | | | | <code>\par</code> 467, 500, 504, 532, |
| | | | | 536, 543, 549, |
| | | | | 590, 596, 619, 625 |
| | | | | <code>\paragraph</code> |
| | | | | . 291, 292, 303, |
| | | | | 304, 315, 316, |
| | | | | 328, 329, 342, 343 |
| | | | | <code>\parencite</code> |
| | | | | <u>1</u> |

[illegible]

