

**MAINE-THESIS: A CLASS FILE FOR TYPESETTING THESIS
DOCUMENTS AT THE UNIVERSITY OF MAINE
VOLUME I (Chapters 1, 2, and 3)**

By

<Your Name appears here, see Section 3.2.1 for details>

<Degrees you already have,

see Section 3.2.1 for details>

A DISSERTATION

Submitted in Partial Fulfillment of the

Requirements for the Degree of

<The degree you want>

(in <Specialty of your degree>)

The Graduate School

The University of Maine

<Month & Year of Graduation>

Advisory Committee:

<Name and Title of your advisor will appear here, see Section 3.2.2 for details>, Advisor

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

© <Copyright year appears here> <Copyright holder appears here, see Section 4.1 for
details>
All Rights Reserved

**MAINE-THESIS: A CLASS FILE FOR TYPESETTING THESIS
DOCUMENTS AT THE UNIVERSITY OF MAINE**

By <Your Name appears here, see Section 3.2.1 for details>

Dissertation Advisor: <The short name of your advisor will appear here, see Section 3.2.2
for details>

An Abstract of the Dissertation Presented
in Partial Fulfillment of the Requirements for the
Degree of <The degree you want>
(in <Specialty of your degree>)
<Month & Year of Graduation>

The abstract for you thesis will appear on this page. It should be limited to 350 words
for a Ph.D thesis or 500 words for a Master's thesis.

**MAINE-THESIS: A CLASS FILE FOR TYPESETTING THESIS
DOCUMENTS AT THE UNIVERSITY OF MAINE**

By <Your Name appears here, see Section 3.2.1 for details>

Dissertation Advisor: <The short name of your advisor will appear here, see Section 3.2.2
for details>

A Lay Abstract of the Dissertation Presented
in Partial Fulfillment of the Requirements for the
Degree of <The degree you want>
(in <Specialty of your degree>)
<Month & Year of Graduation>

Keywords: lay abstract keywords appear here

The Grad School now requires a lay abstract of up to 350 words for all theses, but also requires that the lay abstract be submitted electronically to Lauren E. Dupee (email: lauren.e.dupee@maine.edu). Whether you include it in the bound version of your thesis is your choice.

If you do want to include the lay abstract in the bound version of your thesis then it will appear here.

PREFACE

Preface from the 2003 version

This class file is written for use with the \LaTeX 2 ϵ document preparation system for theses conforming to the guidelines of the Graduate School at the University of Maine. Ideas for this class were found in the class files `gt-thesis.cls`¹ and `rpithesis.cls`.² This class file is relatively compact, without too many options for the user. A majority of the credit for this class should go to the original writers of those two classes.

What This Class File Can Do— `maine-thesis.cls` can format a masters or doctoral thesis according to the guidelines set forth by the Graduate School of the University of Maine. It produces a double spaced, one sided document with the correct margins for final publication. It will properly format a titlepage, optional copyright page, abstract, optional dedication, acknowledgements and preface sections, a table of contents, lists of tables and figures, main matter, and end matter. The Graduate School is relatively lenient in some formatting issues and strict in others. Where there is leniency, decisions were made that I thought looked best. Changes can be made to the class file to make it look more to your liking, but in its current version, this class file will produce a thesis that is acceptable to the Graduate School.

A Final Note— A word of warning: **THE GUIDELINES OF THE GRADUATE SCHOOL CAN AND DO CHANGE.** This class was written using the most recent set of guidelines [...] ³. They do change every so often so be sure that you have a copy of the most recent set of guidelines. Most changes that are made will probably be small and cosmetic but there is no guarantee that something major will not arise.

¹available at <http://www.ctan.org>

²can be currently found at <http://www.rpi.edu/computing/software/latex/thesis-info.html>

³Date of the guidelines used by the original package author has been removed to avoid confusion.

Preface to version 1.5

As Jim predicted, the guidelines of the graduate school have changed a bit over the years since he originally designed this class file. Over those intervening years every successive person who has used the class file has been required by the Graduate School to make some changes: some in response to things which Jim didn't get quite right, most to things which they had changed or become stricter on. In most cases those changes accumulated in various versions of the file and were handed on to the next person interested in using the class file. In some cases, however, a student would leave before they handed the class file on to anyone and as a result any changes they made would be lost and have to be reproduced.

I've made the effort to acquire all versions of the class file that I can and to consolidate the changes they contain into a single project. I've also requested feedback from the Graduate School to make sure that this package conforms to their current standards. This is the result. I hope you find it useful and easy to use.

If the Graduate School requires you to change some aspect of your thesis formatting which you believe should be taken care of by this class file, please email me (rpspringuel@gmail.com) with a detailed description of the problem and a simple sample document that reproduces it (I don't want your whole thesis, just the part that's not right). While I cannot guarantee that I will get to it right away, I will look at the problem just as soon as I have time and will endeavor to fix it. If you can't afford to wait for me to fix the problem and find a fix that works, please email me that fix as well, as it's much easier for me to incorporate a fix than it is to diagnose and fix a problem.

Preface to version 1.9

As of April 2016, this thesis class is now hosted on GitHub (<https://github.com/rpspringuel/maine-thesis>). If you have a GitHub account (they are free), you can submit Issues (bug reports) and Pull Requests (suggested changes) there.

R. Padraic Springuel

Most recent version of Graduate School guidelines used: August 2018

Documentation last edited on October 17, 2018

DEDICATION

Dedications are optional, but if you have one it will appear here.

ACKNOWLEDGEMENTS

While acknowledgements are technically optional, they are also the perfect place to make note of funding sources, collaborators, and other people whose work made your thesis possible. This is also the place to mention an External Reader (i.e. some one from outside the University who read and commented on your thesis) if you have one.

Acknowledgements appear here.

TABLE OF CONTENTS

PREFACE	iii
DEDICATION.....	vi
ACKNOWLEDGEMENTS	vii
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF WHATEVER	xiv
Chapter	
1. INTRODUCTION	1
1.1 Installation	1
1.2 Organizing your Thesis	1
1.3 Organization of this document	4
1.4 Reporting a Bug or Formatting Problem.....	4
2. DUMMY TO FORCE WIDOW/ORPHAN PROTECTION IN TOC TO SHOW	6
3. MAIN.TEX	7

3.1	Class and Package Loading	7
3.2	Variable Declarations	10
3.2.1	Describe Yourself	11
3.2.2	Describe Your Committee	11
3.2.3	Number of Appendices	13
3.2.4	Document Type	13
3.3	Title page	13
3.4	File Coordination	14
3.5	Bibliography	15
3.5.1	BIBTEX	15
3.5.2	Bibliographies by hand	16
3.6	More File Coordination	17
3.7	Biography	17
3.8	Using the File Coordination	18
VOLUME II		20
TABLE OF CONTENTS		22
LIST OF TABLES		23
4.	FRONT.TEX	24
4.1	Copyright	24
4.2	Abstract(s)	25
4.3	Dedication	26
4.4	Preface	27

4.5	Acknowledgements	27
4.6	Table of Contents	27
4.7	File Close	28
5.	CHAPTERS AND APPENDICES	30
5.1	Chapters	30
5.2	Appendices	30
5.3	Headings	31
6.	OTHER STUFF	33
6.1	\ignore	33
6.2	\comment	33
6.3	\highlight	33
6.4	\pocket	33
6.5	\toclabel	34
6.6	\compresstitlepage	34
6.7	verbatim and \verb	34
6.8	Widows and Clubs	35
6.9	Two Volume Thesis	36
6.10	Thesis in a Foreign Language	37
6.11	Hyphenation & Justification	37
6.12	5-dot Leader Minimum in TOC.....	37
7.	REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTT	38

8. REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTTT	39
8.1 Sample section title	39
8.1.1 Sample subsection title	40
8.1.1.1 Sample subsubsection title.....	40
REFERENCES	42
APPENDIX A – OTHER PACKAGES	43
APPENDIX B – CHANGE LOG	49
APPENDIX C – REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TOC.....	56
APPENDIX D – REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TOCC.....	57
BIOGRAPHY OF THE AUTHOR	58

LIST OF TABLES

Table 4.1	The elements of the front matter for your thesis.	24
-----------	--	----

LIST OF FIGURES

Figure 1.1	“Set Project Root...” option in the File menu for TeXShop.	3
Figure 1.2	“Set Project Root...” dialog for T _E XShop.	3
Figure 1.3	Test short caption.....	3

LIST OF WHATEVER

If you have some an consistent set of theorems, symbols, abbreviations, or definitions, then you must include a page which lists them just as you list the tables and figures in your thesis.

CHAPTER 1

INTRODUCTION

This file serves both as documentation for the maine-thesis.cls and as an example of its use. Indeed, you probably noticed this as you started paging through the first few pages in order to get to the actual documentation. For that, I apologize, but the dual nature of this document made it necessary for all those pages to come first, seeing as that's where the Graduate School requires them to be.

This document is not intended to be an introduction on how to use L^AT_EX. In fact, I will assume that you are familiar with basic L^AT_EX commands and have typeset documents in L^AT_EX before throughout this document. If you haven't, then I highly suggest finding a reference book or tutorial that will teach you the basics of L^AT_EX and read through that first. There are several options available both in print and online (e.g. Kopka and Daly (2004); Mittelbach and Goossens (2004); Flynn (2005)). Which one you use is largely a matter of preference.

1.1 Installation

To install this class file you need to place it in `~/texmf/tex/latex/` where the “~” represents the location of your local texmf directory.¹ Since this changes from system to system, I can't be more specific than that, so check the documentation for your system.

1.2 Organizing your Thesis

While not required by the class file, I have some specific recommendations as to how you should organize the tex files that make up your thesis. These recommendations are designed to make editing and distribution of drafts easier and were followed in assembling

¹The final path should not have `.../texmf/texmf/...` in it, just `.../texmf/...`

this document. While I will go into more detail about this structure as I go over the various elements of the maine-thesis.cls file and how to use them, the basic message is to break the thesis up into multiple files. In particular, the break down that I use is:

Main.tex This file has the responsibility for coordinating all the other files, but contains very little of the actual body of the thesis.

Front.tex This file contains all the material which appears up to and including the Table of Contents.

Ch#.tex The individual chapters of your thesis. By splitting out each thesis chapter into its own file, it will be easier to find where you want to work in any particular session as well as make generating draft copies of just part of the thesis easier.

App#.tex Like the chapter files, each appendix gets its own file.

Biography.tex The last element of the thesis, the biography of the author also gets its own file to avoid adding clutter to Main.tex.

Figures Since most of the figures you use in your thesis are likely to be separate image files which \LaTeX will need access to when it typesets your thesis, I advise making a subfolder for your project where you can place these images. It'll make them easier to find later when you need to change them and keep the project root folder from getting too cluttered.

All of these files should be located in a single folder specifically created for this purpose. Since \LaTeX creates several files when typesetting documents, this will keep all those files in one place and keep them from crowding up your usual documents folders.

In this documentation, I will be assuming that the above organization structure is in use. If you're using something else, you'll have to modify the instructions provided here accordingly.




Figure 1.1. “Set Project Root...” option in the File menu for TeXShop. This option is no longer a menu item in the most recent version of TeXShop but this figure is retained here as an example of figure usage.




Figure 1.2. “Set Project Root...” dialog for TeXShop. This option is no longer a menu item in the most recent version of TeXShop but this figure is retained here as an example of figure usage.

If you are using these guidelines, however, it is highly useful if you set `Main.tex` as the root project file for all other files in your L^AT_EX editor. You’ll get fewer errors this way as you’ll be able to order your editor to typeset the project without switching to `Main.tex` first, regardless of which file you’re currently working on.

While I can’t provide you with exact instructions for this process for every possible editor, in TeXShop or TeXWorks, simply add the line `% !TEX root = Main.tex` to top of each chapter file.

Figure 1.3. Test short caption.

If you're not using TeXShop or TeXWorks, then I suggest consulting the user manual or help files for your particular editor to figure out how to set the project root for a file.

1.3 Organization of this document

If you've read the Table of Contents, you've no doubt noticed that each of the chapters in this document deals with one of the files listed above. In that chapter you'll find instructions for what has to be in that file. For the most part these are requirements of either the Graduate School or the maine-thesis.cls itself. Deviation from them may result in your document not typesetting correctly or in it not conforming to the Graduate School guidelines. If you follow all these instructions perfectly and the Graduate School still rejects your thesis on the basis of some formatting error, please contact me (rpspringuel@gmail.com) with a full description of the problem that the Graduate School had with your thesis and I will make every effort to update the class file as quickly as possible.

1.4 Reporting a Bug or Formatting Problem

If you find a bug with this class file, please create a minimal working example which reproduces the bug and email it to rpspringuel@gmail.com along with a description of the bug and any possible fixes you have tried (and whether they worked or not). For those not familiar with it, there are a couple of good descriptions on the web:

- <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=minxampl>
- <http://www.minimalbeispiel.de/mini-en.html>

If you find a formatting problem with this class file, please create a minimal working example which reproduces the problem and email it to rpspringuel@gmail.com along with a description of the formatting problem. If the problem was pointed out to you by the Graduate School, please indicate who in the Graduate School pointed the problem so that I

can consult with them directly if needed. If available, a document which demonstrates what the desired formatting looks like should also be included.

For those with GitHub accounts (they are free), you can also submit formatting problems and bug reports via the GitHub repository:

<https://github.com/rpspringuel/maine-thesis>. Please open a separate issue for each problem so that they can be tracked independently and make sure to upload a minimal working example. If you have some experience with programming, you may also submit Pull Requests with suggested changes.

I cannot guarantee any timeline on how quickly bugs or formatting problems will be dealt with, but I will make every effort to correct them as quickly as possible.

CHAPTER 2
DUMMY TO FORCE WIDOW/ORPHAN PROTECTION IN TOC TO
SHOW

CHAPTER 3

MAIN.TEX

Main.tex is responsible for 5 things:

1. the loading of the class file and any packages you need to properly typeset your thesis,
2. the declaration of the principal variables in the thesis (author, title, advisor, etc.),
3. coordinating which files should be typeset at this particular time,
4. typesetting the title page of the thesis, and
5. placing and typesetting the references according to the style file you select.

We shall deal with each of these, though not necessarily in the order listed above.

3.1 Class and Package Loading

Like any other L^AT_EX project, a thesis set using maine-thesis.cls must start with a declaration of the document class:

```
\documentclass[options]{maine-thesis}
```

The options are as follows:

10pt This option sets the font size to 10pt. This option is allowed by the graduate school for an official copy, but is not recommended (the smaller font size doesn't convert to microfilm as well as the default).

11pt This option sets the font size to 11pt. This option is allowed by the graduate school for an official copy, but is not recommended (the smaller font size doesn't convert to microfilm as well as the default).

- 12pt** This option sets the font size to 12pt. This is the default option, and doesn't normally need to be issued.
- unbound** This option sets the margins to equal width. This is the default option, and doesn't normally need to be issued.
- apa** This option changes the headings to follow the American Psychology Association style with one exception: italics are replaced by underlines (since italics in the headings is prohibited by the Graduate School). These heading styles are unnumbered and thus cross references using \ref will point to just the chapter.
- chicago** This option changes the headings to follow the Chicago style guidelines. These heading styles are unnumbered and thus cross references using \ref will point to just the chapter.
- headings** This option changes the headings to follow the example given in the Guidelines for unnumbered headings. As they are unnumbered, cross references using \ref will point to just the chapter.
- idecimal** This option changes the headings to follow the indented decimal example given in the Guidelines.
- jdecimal** This option is the default headings system (so you don't need to give it explicitly) and matches the left-justified decimal example given in the Guidelines.
- pagenumberbottom** This is the default option for the position of the page numbers. It places them in the middle of the bottom of the page.
- pagenumbertop** This option puts the page numbers in the upper right-hand corner of the page for body pages.

All of the above options are permitted in the official copy of your these. There are also several options which are intended to help you create copies of your thesis which are

intended for some other purpose. They may not be used in the official copy of your thesis. These options are as follows:

draft This option does a few things:

- it marks the copy of the file as a draft by placing DRAFT in all four corners of each page (moving the page number to the bottom center if the top page style was selected),
- it marks any over full line with a black rectangle at the end,
- it allows `\comment{...}` commands to show in the outside margin (right-hand normally, but if `twoside` is also given, then it's the left-hand margin on even pages),
- it places the current date in the top center of each page, and
- it sets the font size to 10pt to reduce the document page count and save paper.

Taken together, these changes make this option useful when you want to distribute copies of your thesis (or parts thereof) to someone for feedback prior to completing it.

oneside This option sets the margins to allow for binding. This means the left-hand margin is enlarged to 1.5in. No other changes are made, but the larger margin leads to a reduced line length and thus different line breaking, page breaking, etc. When using this option you should review all manual page breaking decisions.

Since the Graduate School no longer requires a printed copy of the thesis, this option is mostly intended for when your department requires a bound copy for themselves using the old one-sided printing rules. You might want to consult with them about the possibility of using the `twoside` option below in order to save paper.

twoside This option sets the margins to allow for binding of a two sided printing. Thus odd number pages have a larger left-hand margin while even number pages have a

larger right-hand margin. Chapters (or chapter equivalent elements) will always begin on an odd page. Finally, when page numbers are at the top (`pagenumbertop` option), they are shifted to always be on the outside edge of the page. As with the `oneside` option, the change in margins will affect line breaking and therefore page breaking as compared to the official copy of the thesis. Double check any manual page breaks to make sure they are still where you want them.

This option is useful for producing extra copies of your thesis that you want bound for your advisor, your committee members, yourself, or other people. When combined with the `10pt` option, it will result in the most economical printing (fewest number of pages).

If you issue more than one of the font size options, only the largest one will take effect. However, the `draft` option will always change the font size to 10pt, regardless of any other options issued. If you have the tex files for this documentation, you can see the effects of each of these options by editing the document class declaration in `Main.tex` and re-typsetting the document.

If you issue the `unbound` option explicitly, it will overrule both the `oneside` and `twoside` option as far as margins are concerned. Page number positions are still affected by `twoside` if page numbers at the top are being used.

Once you have declared the document class, it's time to load packages. There are far too many of these for me to possibly cover them all, but ones which have known issues are listed in Appendix A.

3.2 Variable Declarations

Once you've initialized all the stuff you need to typeset your document, it's time to start adding content. Since many elements of this content get used over and over again, the class file allows for you to declare them once and then places them in all the appropriate places.

3.2.1 Describe Yourself

The first batch of these variables that you’ll declare are the title of your thesis, your name, the degrees you already hold, the degree you’re going for, the specialty in which this degree is, and when you are graduating. These are declared with some fairly self explanatory commands:

```
\title{...}  
\author{...}  
\degreesheld{...}  
\degree{...}  
\program{...}  
\submitdate{...}
```

Note that you should use `\\` to separate multiple degrees if you have more than one. This will place them on separate lines (a Graduate School requirement). Also, your submit date should be “May,” “August,” or “December” and the appropriate year with no additional text.

3.2.2 Describe Your Committee

Next, you’ll want to tell the class file about your committee. To do this, you’ll need each committee member’s full name and title (i.e. Ph.D., faculty position, etc., as in “John Smith, Ph.D., Associate Professor of Interesting Stuff”). Each member is declared with a separate command (use only the ones you need):

```
\principaladvisor[...]{...}  
\secondadvisor{...}  
  
\firstreader{...}  
\secondreader{...}
```

```
\thirdreader{...}
\fourthreader{...}
\fifthreader{...}
```

Note that these commands are order sensitive as the class file uses the last one called to determine the number of committee members. I.e. if you call `\thirdreader{...}` after `\fifthreader{...}` then the class file will think that you have 3 committee members beyond your advisor(s) rather than 5.

If this automatic numbering of your committee isn't working for some reason, then there are two commands which you can issue after the members list to override the behavior: `\twoadvisors`, `\oneadvisor` and `\members{#}`. The first is used to change the number of advisors to two, the second sets it to one (one advisor is the default for the class file). The last tells the class file how many members your committee has (not including your advisor(s)). If you find that you have to issue these commands, please send me a minimal working example that duplicates the problem you experienced so that I can fix it.

In a couple of locations, the thesis requires the “short” name for your advisor. In this case, the advisor's title should simply be “Dr.” (or whatever is appropriate) and should precede their name (as in “Dr. John Smith”). This short name can be defined in two ways. If you have just one advisor, then you can make use of the first (optional) argument of `\prinicipaladvisor` (the one appearing between the square brackets):

```
\principaladvisor[Dr.~John Smith]{John Smith, Ph.D., Associate Professor of Interesting Stuff}
```

If you have two advisors, then you should leave out the first argument for `\prinicipaladvisor` and use the command `\principalshort` instead. For this command both names should appear as the argument to the command with their short titles separate:

```
\principaladvisor{John Smith, Ph.D., Associate Professor of Interesting Stuff}
\secondadvisor{Jane Doe, Ph.D., Professor of More Interesting Stuff}
\principalshort{Dr.~John Smith and Dr.~Jane Doe}
```

3.2.3 Number of Appendices

If you have more than one appendix, then you have to tell the class file this with the command `\multipleappendicestrue`. This is because the Graduate School requires different formatting for a document with a single appendix as opposed to one with multiple appendices (in particular as relating to lettering them and how they appear in the table of contents). By default, the class file assumes one appendix and will format it accordingly. If you have more than one, then this command will tell the class file to change to the multiple appendices format. If you don't have any appendices, then it shouldn't matter if you issue this command or not.

3.2.4 Document Type

By default, the class file will refer to your document as a dissertation. If your degree program refers to it as a thesis or project, then you'll want to tell the class file that. The command `\thesis` will change all occurrences of "dissertation" to "thesis" and `\project` will change them to "project."

3.3 Title page

Now that all the variables are declared, it's time to start the document itself. This consists of three commands:

```
\begin{document}  
\preliminary  
\titlepage
```

The first is the usual command that tells \LaTeX where the document starts. The second tells the class file that what comes next is the front matter of the thesis. This means that pages should be numbered with lowercase roman numerals. The last command creates the title page. Putting it here ensures that every copy of your thesis that you create will

include a copy of the title page, making it easier to identify the document (especially important when you're handing out bits and pieces).

After the title page, it's time to include the rest of the preliminary material, but I don't suggest putting all of that in Main.tex. Instead, all of that should be put in Front.tex, a process which gets us to our next job for Main.tex: coordinating which files are to be processed at this time.

3.4 File Coordination

Chances are pretty good that your final thesis will be close to, if not well over, 100 pages. If all of that material were in a single file, finding where it is you want to edit something can be difficult. To make this easier, L^AT_EX allows you to split the document up into multiple files and then use the `\include{...}` statement to tell the main file to add the contents of another file at this point. We're going to make use of that here. First off, we'll place all the front matter (copyright page, dissertation acceptance statement, library rights statement, abstract(s), preface, dedication, acknowledgements, and table of contents):

```
\include{Front}
```

Next comes the main body of the thesis, which is just a bunch of `\include{...}` statements: one for each chapter:

```
\include{Ch1}
```

```
\include{Ch2}
```

```
\include{Ch3}
```

```
...
```

```
...
```

```
...
```

3.5 Bibliography

After the main body of the thesis, it's time to set the bibliography. It should be noted that the Graduate School requires a single, all inclusive bibliography for your thesis, even if each chapter has its own bibliography.

Since citation styles and the required contents of the bibliography can vary dramatically from discipline to discipline, the Graduate School has no specific requirements for the this section. As a result, this class file contains no formatting specifications for the section beyond the margins and line spacing.

By default the name of this section is "REFERENCES" but you can change it to "WORKS CITED," "BIBLIOGRAPHY," or whatever is customary for your discipline. To do so you'll need the command `\bibtitle{...}`. Whatever you call the section, however, the title should be in all caps to maintain consistency with the rest of the thesis.

There are two ways of handling your bibliography: with `BIBTEX` and by hand.

3.5.1 BibTEX

If you're using `BIBTEX` then you'll need to set several external parameters which tell the class file how to find and format the references. To do this use the following series of commands:

```
\bibfiles{...}  
\bibliographystyle{...}  
\references
```

The first command tells the class file where the bibliography entries are located. This should be a `BIBTEX` file (i.e. one with a ".bib" extension). If you're unfamiliar with `BIBTEX` then you'll need to familiarize your self with it (Feder), or one of the various programs designed to help you manage a `BIBTEX` file (e.g. Bibdesk (Bib) for Mac OS X, Referencer (Spray) for Linux, and BibDB (Doron) for Windows).

The second command indicates the style the list should follow. There are a few styles built into `BIBTEX` by default (`plain`, `unsrt`, `alpha`, `abbrv`) but there are also countless bibliography style files (`“bst”`) out there that can achieve alternate formats. Consult with your advisor and committee about which bibliography style you should be using.

The last command simply tells the class file its time to typeset the reference list. Since this command manually adds an entry to the table of contents you will sometimes run into a peculiar bug within the `LATEX` kernel when using it. This bug causes the processing of manually added table of contents entries to be delayed until after the processing of a subsequent included file. The result is that if said file adds entries to the table of contents (by containing sectioning commands, for instance) the manually added table of contents entry will be out of place. This can be fixed in one of two ways:

1. Use the `\input` command instead of `\include`. This command allows the placement of other files in the document just like `\include` but doesn't have the same file coordination capabilities described in Section 3.8.
2. Place the command which manually adds to the table of contents inside an included file. If all table of contents entries are added from within an included file, then the bug about order won't manifest itself.

Since the bug is in the `LATEX` kernel, I cannot change the class file to fix it. As a result, if it effects you, try one of the two above fixes.

Don't forget that if you're using `BIBTEX` you'll need to process your document at least 4 times for it to come out right: once with `LATEX`, once with `BIBTEX`, and twice more with `LATEX`.

3.5.2 Bibliographies by hand

If you've elected to create your bibliography by hand then you simply need to use:

```
\begin{thebibliography}{...}
```


...

...

...

```
\end{thebibliography}
```

Since the contents and format of this environment is covered in most L^AT_EX manuals (e.g. section 11.3.1 in Kopka and Daly (2004)), I’m not going to go over it here. Note that the same issue that effects `\references` applies to this environment.

3.6 More File Coordination

Having taken care of the bibliography, it’s time to work on the appendices:

```
\appendix
```

```
\include{AppA}
```

```
\include{AppB}
```

...

...

...

The first command resets the chapter counter and changes it from numbers to letters. This means that from now on the `\chapter{...}` command will create “Appendix *” (where “*” is A, B, C, etc.) rather than “Chapter #” (where “#” is 1, 2, 3, etc.). It is necessary even if you have only one appendix (and thus don’t want it lettered).¹ The subsequent commands point to and allow the inclusion of the various appendix files.

3.7 Biography

After the list of appendix inclusions you’ll need to write your biography. According to the graduate school the requirements for the biography are as follows:

¹If your document has only one appendix, then the letter is left off completely and it is simply designated “Appendix”.

A biography of the candidate must be included in the thesis. It must be written in the third person and include the following information: place of birth, place of high school graduation, place and date of college graduation with degree(s) and major(s), professional or employment experience, scholarly publications, and memberships in professional or honorary societies. The last sentence must state, "S/He is a candidate for the———degree in ——- from The University of Maine in Month, Year."

Obviously these are some very stringent requirements, but even so there is still a substantial amount of variation that might be introduced into any given biography so it's left up to you to write all but the last sentence of the biography (which has such specific required wording that the class file can do it for you). To format your biography correctly, it should be placed between `\begin{biography}` and `\end{biography}`. You might also consider placing it in a separate file which you then include (as I've done in this document) so that you can exclude it from draft copies of the thesis.

By default, the class file will use your full name (as defined by the `\author` command in the last sentence. This is allowed by the graduate school, but if you prefer to use a pronoun (as is suggested in the above requirements) then you should make use of the `\authorpronoun` command to indicate what your preferred pronoun is. It is recommended that you place this command in the preamble of the document along side the `\author` command, but technically it can appear anywhere before the biography environment.

Since the biography is required to be the last page of your thesis, the only command that should appear after it in your document is `\end{document}`, which will tell L^AT_EX that the document is finished.

3.8 Using the File Coordination

In addition to breaking your thesis up into multiple smaller files, the `\include{...}` statements enable another feature of L^AT_EX that should make your life much easier.

Let's say during the editing process your committee requires you to make changes to chapter 3 but not any of the rest of the document. Once you've made those changes, do you have to retypeset the whole document and give it all to your committee just so they can approve those changes? Thanks to the `\include{...}` statements, the answer is no. Simply introduce the command `\includeonly{Ch3}` into the preamble of your document (somewhere before `\begin{document}`, I suggest just after the packages are loaded) and \LaTeX will only process chapter 3, but will look at the aux files for the other chapters so that any reference commands point to the right place. This will create a document which consists of the title page, chapter 3, and the reference list: a much smaller and easier file to be handing out to your committee. By changing the argument of this command you can control which chapter (or appendix) is typeset and can even typeset more than one (simply separate each file name by a comma as in "Ch2,Ch3,AppA" which will typeset chapters 2 and 3 and appendix A). Once you're ready to typeset the whole document again, simply delete the `\includeonly{...}` command.

It should be noted that `\include{...}` not only adds the contents of the specified file to this one, it also starts a new page both before and after the file is read in (the equivalent of issuing `\clearpage`). As a result, you should only use it on files that should start and end on their own pages (like chapters) and not with those that can share their page space with something else (like a section in a chapter). As with spaces and carriage returns, \LaTeX always ignores multiple commands to start a new page in a row so two `\include{...}` statements in a row won't create a blank page in between. If you have to place in a separate file some material which shouldn't automatically start and end its own page, you'll need to use `\input{...}` instead and there is no equivalent to `\includeonly{...}` for `\input{...}`.

**MAINE-THESIS: A CLASS FILE FOR TYPESETTING THESIS
DOCUMENTS AT THE UNIVERSITY OF MAINE
VOLUME II (Chapters 4, 5, 6, 7, and 8)**

By

<Your Name appears here, see Section 3.2.1 for details>

<Degrees you already have,
see Section 3.2.1 for details>

A DISSERTATION

Submitted in Partial Fulfillment of the
Requirements for the Degree of
<The degree you want>
(in <Specialty of your degree>)

The Graduate School
The University of Maine
<Month & Year of Graduation>

Advisory Committee:

<Name and Title of your advisor will appear here, see Section 3.2.2 for details>, Advisor

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

<Name and Title of a committee member appears here>

TABLE OF CONTENTS

LIST OF TABLES	23
4. FRONT.TEX.....	24
4.1 Copyright	24
4.2 Abstract(s)	25
4.3 Dedication	26
4.4 Preface	27
4.5 Acknowledgements	27
4.6 Table of Contents	27
4.7 File Close	28
5. CHAPTERS AND APPENDICES	30
5.1 Chapters	30
5.2 Appendices	30
5.3 Headings	31
6. OTHER STUFF	33
6.1 \ignore	33
6.2 \comment	33
6.3 \highlight	33
6.4 \pocket	33
6.5 \toclabel	34

6.6	\compresstitlepage	34
6.7	verbatim and \verb	34
6.8	Widows and Clubs	35
6.9	Two Volume Thesis	36
6.10	Thesis in a Foreign Language	37
6.11	Hyphenation & Justification	37
6.12	5-dot Leader Minimum in TOC.....	37
7.	REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTT	38
8.	REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTTT	39
8.1	Sample section title	39
8.1.1	Sample subsection title	40
8.1.1.1	Sample subsubsection title.....	40
	REFERENCES	42
	APPENDIX A – OTHER PACKAGES	43
	APPENDIX B – CHANGE LOG	49
	APPENDIX C – REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TOC.....	56
	APPENDIX D – REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TOCC	57
	BIOGRAPHY OF THE AUTHOR	58

LIST OF TABLES

Table 4.1	The elements of the front matter for your thesis.	24
-----------	--	----

CHAPTER 4

FRONT.TEX

The front matter of your thesis is primarily made up of special things that are required by the Graduate School, but also contains some optional elements. Table 4.1 provides a summary of these elements.

4.1 Copyright

`\copyrightpage[copyright holder]{year}`

This command creates a copyright page. This page is optional (unless you’ve taken the time to register the copyright, in which case it’s required by law, not the Graduate School), so you can neglect this page if you want to. If you do issue it, there are a pair of arguments that it takes. The first (between “[” and “]”) specifies the copyright holder. This argument can be left off completely (in which case the “[” and “]” are also not necessary) and will default to you, the author. The second argument is required and declares the year of the copyright. If parts of your thesis were supported by grants or were previously published, you should consult with your advisor and the prior publishers to make sure that you specify these arguments correctly before including this page.

Thesis Element	Required or Optional
Copyright Page	Optional
Abstract	Required
Lay Abstract	Special ^a
Preface	Optional
Dedication	Optional
Acknowledgements	Optional
Table of Contents	Required

^aSee section 4.2

Table 4.1. The elements of the front matter for your thesis.

Note: In 2016 (v1.12 of this class file) the Graduate School switched to an electronic thesis submission process and eliminated the Dissertation Acceptance and Library Rights Statement pages which had previously surrounded the Copyright page. If you are recompiling an older thesis which contains these pages, then you will need to use earlier version of the class file.

4.2 Abstract(s)

The graduate requires two abstracts, but only one has to appear in the bound dissertation.

This first abstract is the usual abstract you would write for a scholarly journal in your field. This is the abstract that must be in the bound thesis. It should be limited to 500 words for a Master’s Thesis and 350 words for a Doctoral Thesis. It cannot contain formulas, tables, diagrams, or other illustrations. Typesetting your abstract is accomplished with the “abstract” environment:

```
\begin{abstract}  
...  
...  
...  
\end{abstract}
```

The second abstract is one suitable for a lay audience. This abstract is limited to 350 words regardless of the kind of degree you’re getting and should not contain highly technical language. It should be written with the expectation that the reader will have only minimal knowledge of your field as it may be “submitted [...] for publication in newspapers, magazines, and other media of interest to the general public, and it may be used in selecting nominees for regional and national competitions.” It must be accompanied by at least 5 keywords (for search engines to pick up on, presumably) and it may contain 1

(and only 1) image. If you didn't create said image, then you need permission of the copyright holder to use it.

This abstract doesn't have to be bound with your thesis, but must be submitted electronically to crystal.burgess@maine.edu. When submitting this abstract, a Word document that is formatted correctly is preferred due to some copy/paste peculiarities between Adobe Reader and the form the grad school uses to upload the file to the web. If you don't have access to Word, however, you can get away with a pdf version. This pdf version can be generated by this class file with the "layabstract" environment; the same environment you'd use to generate the lay abstract for inclusion in the bound copy:

```
\begin{layabstract}{...}  
...  
...  
...  
\end{layabstract}
```

In this case, the environment argument is the list of keywords, while the body of the abstract should be within between the environment commands. If you do include an image, do not enclose it within a figure environment as it should not appear in the List of Figures.

4.3 Dedication

If there is some person (or group of persons) to whom you want to dedicate your thesis, then you'll need to use the dedication environment. This should be short, and is optional:

```
\begin{dedication}  
...  
\end{dedication}
```

4.4 Preface

If you want to include a preface to your thesis then you typeset it with the preface environment. This can be long or short and is optional.

```
\begin{preface}
```

```
...
```

```
...
```

```
...
```

```
\end{preface}
```

Note: The document structure within the Preface is unnumbered (a Graduate School requirement).

4.5 Acknowledgements

While considered optional by the Graduate School, the acknowledgments are the appropriate place to mention funding sources, collaborators, and anyone who helped with the writing or revision of your thesis. They are typeset with the acknowledgements environment:

```
\begin{acknowledgements}
```

```
...
```

```
...
```

```
...
```

```
\end{acknowledgements}
```

4.6 Table of Contents

The last element of the front matter is the table of contents. This actually consists of several lists, the first of which is actually called “Table of Contents” and contains the name

and page numbers of chapters, sections, subsections, and chapter-like elements. The other lists are all pseudo-optional. If they would be populated (i.e. if you have tables or figures), then they need to be there. If they are empty, then you can leave the empty list off.

Typesetting these lists is handled with a series of commands:

```
\tableofcontents
```

```
\listoftables
```

```
\listoffigures
```

In addition, the Graduate School requires you to have other lists for “a consistent set of theorems, symbols, abbreviations or definitions” should such a set appear in your thesis. Some packages add `\listof*` commands to create and auto-populate the list for the element that they support just like `\listoftables` and `\listoffigures` do for tables and figures. If so, you should probably use said command as it will make your life much easier (though pay attention to the formatting that the command creates, you may need to modify it manually). However, for those instances where the package doesn’t do so, there is a “listof” environment which you can use to manually create such a page:

```
\begin{listof}{...}
```

```
...
```

```
...
```

```
...
```

```
\end{listof}
```

4.7 File Close

The second to last line that should be in your Front file signals the start of the main body of the thesis with the command `\mainmatter{...}`. This resets the page numbering, changes it to arabic numerals, switches to double spacing, and adds the word “Chapter” to your table of contents before your first chapter. This command also takes an argument

that tells L^AT_EX what the contents of the headers and footers should be. Since the page number appears in the header or footer of each page, the value of this argument is of some interest to us. If you make that argument “bottom” then page numbers will always appear by itself in the bottom center of the footer and the headers will be blank (as they do in this document). If you make the argument “top” then page numbers will appear by themselves on the right-hand side of the header and the footer will be blank.¹ There are other values which the argument can take on based on the underlying L^AT_EX command (`\pagestyle{...}`), but they won’t fit the Graduate School guidelines so I’m not going to talk about them here.

Since this isn’t strictly creating a piece of the front matter of your thesis it might seem more logical to put this command in `Main.tex` after `\include{Front}`, however, this command suffers from the same bug that effects `\references`. However, since this command comes first in the document, it appears to be subject to it more reliably. Putting the command at the end of `Front.tex` dodges that bug (as would placing it at the beginning of `Ch1.tex`). It’s not elegant, but it works.

The last line of `Front.tex` is `\endinput`. This command isn’t technically necessary (i.e. your document will typeset just fine without it), but it is good programming practice to include it. If it is used, then anything that appears after it will be ignored by L^AT_EX, making it a great way to create a scratch space at the end of each file where you can write notes to yourself. You don’t even have to comment them out!

¹Except on the first page of a chapter, where they will appear just like for “bottom”.

CHAPTER 5

CHAPTERS AND APPENDICES

5.1 Chapters

While the chapters are probably the hardest part of the thesis for you to actually write, the class file requires very little in each chapter. Each chapter file should open with `\chapter{...}` and close with `\endinput`. In between is largely up to you, but there are a few things to keep in mind.

You cannot use `\include{...}` inside chapters because they are already included files. If you want to breakup a long chapter into multiple files, use `\input{...}` instead. Note that there is no `\input{...}` equivalent to `\includeonly{...}`. Every file inside an `\input{...}` command will be processed every time.

Figures and tables should be inside the figure and table environments, respectively, so that they are automatically inserted into the list of figures or tables. If the caption for a figure or table is particularly long, I also recommend using the optional argument in the `\caption[...]{...}` command to create a short version of the caption that will appear in the table of contents.

Footnotes inside figures or tables will be captured by the figure or table environment and thus won't appear anywhere in the document. There are several possible solutions for this problem, none of which are implemented by this class file, so if you want to put footnotes in your table, look into it.

5.2 Appendices

The file that contains an appendix looks just like a file that contains a chapter. It starts with `\chapter{...}` and ends with `\endinput`.

5.3 Headings

There are 5 levels of headings within a chapter or appendix: section, subsection, subsubsection, paragraph, and subparagraph. To create a heading (and start a new element at the appropriate level) simply issue the appropriate command (`\section`, `\subsection`, etc.). By default headings are numbered down to the subsubsection level using a decimal system (`<Chapter #>.<Section #>.<Subsection #>.<Subsubsection #>`). You can change the depth to which headings are numbered with the command `\setcounter{secnumdepth}{#}`. The argument should be a number between 0 (no headings are numbered) and 5 (all headings down to the subparagraph level are numbered). This command can be issued at anytime in your document and will affect the numbering from that point forward.

In addition to the options described in Section 3.1 which automatically change the format of the headings to match a specific style, it is possible to manually change the formats by redefining the following commands:

```
\sectionstyle
\subsectionstyle
\subsubsectionstyle
\paragraphstyle
\subparagraphstyle
```

These commands should take no arguments and consist purely of formatting commands (it is up to you to provide any punctuation a style might demand in the heading name itself). As an example, if you wanted to make section headings be underlined and boldfaced, you would need to issue the following command in your preamble:

```
\renewcommand*{\sectionstyle}{\bfseries\underline}
```

If manually redefining the heading styles, remember that the Graduate School prohibits italics in headings.

Similarly there exist the following lengths which can be used to redefine where the text starts after a heading:

`\sectionpost`

`\subsectionpost`

`\subsubsectionpost`

`\paragraphpost`

`\subparagraphpost`

These lengths should be altered in the preamble with a `\setlength` command. If the value the lengths are set to is positive, then they represent the vertical distance between the header and the first paragraph which follows (and should probably be a rubber length to give L^AT_EX some wiggle room in making things fit on a page). If they are negative then the absolute value represents the horizontal distance between the header and the first word of the paragraph which follows (and should probably be a fixed length). For example, the lengths for APA style headings are positive (and rubber) for `\sectionpost` and `\subsectionpost`, but negative (and fixed) for the other three. This places section and subsection headers on their own line, but subsubsection, paragraph, and subparagraph headers are on the same line as the text which follows them. On the other hand, the default style uses positive (and rubber) lengths for `\sectionpost`, `\subsectionpost`, and `\subsubsectionpost`, but negative (and fixed) lengths for `\paragraphpost` and `\subparagraphpost`.

For more on the difference between rubber and fixed lengths, consult your L^AT_EX reference book of choice.

CHAPTER 6

OTHER STUFF

6.1 `\ignore`

The class file defines the command `\ignore{...}` which is very useful for removing large blocks of text from the thesis without deleting them. Anything within the argument is treated as if it was commented out and will not appear in the typeset document.

6.2 `\comment`

There is also a `\comment{...}` command. If the draft option was issued to the class file, the argument of this command will appear in the right hand margin in red with “NOTE:” preceding it in a smaller font (as can be seen in this file if you typeset it in draft mode). This makes it useful for adding reminders to yourself about things you still need to do, or questions for your advisor when you’re asking him to review a draft version of something. Without the draft option this command functions identically to `\ignore`.

6.3 `\highlight`

The `\highlight` command is a useful companion to `\comment`. In draft mode it will highlight its argument (i.e., give it a yellow background). In final mode, the text appears normally.

6.4 `\pocket`

If you have supplementary materials such as a DVD or CD which will be stored in a pocket inside the cover of your thesis the Graduate school requires you to list these in the table of contents. This can be done with the `\pocket{...}` command. However, like the

`\references` command, the entry in the table of the contents that this produces may be out of place if it is put in `Main.tex`. See Section 3.5 for more details.

Table of contents entries created by this command have the status of chapters (or appendicies, if you’ve already issued the `\appendix` command) and will increment the appropriate counter.

6.5 `\toclabel`

If you need to add a label into your table of contents then you can use the command `\toclabel{...}` to do so. This is the same command that is used to add the word “Chapter” (by `\mainmatter`) when it is required and so what you add will look exactly like it does. The same bug in the \LaTeX kernel that effects those commands could thus effect this one.

6.6 `\compresstitlepage`

In rare cases your title page may spill over onto a second page when typeset with double line spacing (generally due to a long title, many previous degrees, or committee members with long/multiple titles). When this happens, issue the command `\compresstitlepage` in your preamble. This will change the line spacing for the committee members to single line spacing. If that isn’t enough to get your title page onto one page, add the optional argument (“[2]”) to change the spacing for the rest of the title page to one-and-a-half spacing.

6.7 `verbatim` and `\verb`

Since the Graduate School doesn’t want the font to change during the course of the document, the `verbatim` environment and the `\verb` command have had their font changed from the standard typewriter font of \LaTeX to the normal roman font. This required a change to the font encoding to get what you type in the `verbatim` environment to be the same characters that appear on the page. As a result, the mapping of quotation marks, “”,

to close double quotes, ”, doesn’t work. To get ” you will need to type two close quotation marks, ’’, just like you have to type two open quotation marks, ‘‘, to get the double open quotes, “.

6.8 Widows and Clubs

The graduate school requires that page breaks occur so that at least 3 lines of any paragraph are on a page. Thus, if a paragraph starts on a certain page at least the first three lines of that paragraph should be on that page. Likewise, if a paragraph ends on a page at least the last three lines of that paragraph should be on that page. This is an unusually stringent requirement for clubs (paragraph starts at the end of a page) and widows (paragraph ends at the beginning of a page) and one which is impossible to force L^AT_EX to respect. The club penalty and widow penalty have been set high to large values so that at least two lines of each paragraph should appear on each page, but if the graduate school starts bugging you about this, you are going to have to play with this manually using `\pagebreak` and `\nopagebreak`. Do this only when preparing the *absolutely final copy* of the thesis as said manual breaks will stick around despite any subsequent edits to the document.

Likewise, the Graduate School has similar standards for the table of contents: at least 3 entries from any given chapter must be on the page (unless the chapter has fewer than 3 entries, in which case all entries should appear on the same page). I’ve done my best to make sure this happens, but I can’t possibly test every possible pattern of chapters, sections, and subsections that you might have. If the graduate school is bugging you about this, then place `\addtocontents{toc}{\protect\pagebreak}` just before a chapter, section, or subsection to manually insert a page break into that position in your table of contents. This command can likewise be used to manually insert page breaks into the list of figures (lof) or the list of tables (lot) by changing the first argument. It also will run into the same bug that effects `\references`. See Section 3.5 for more details. If you do have to do this, I’d

also appreciate a minimal working example so that I can try to further fine tune the class file's ability to do this automatically.

6.9 Two Volume Thesis

From the Graduate School's Thesis Guidelines:

If a thesis is 500 or more pages long or over 2 1/2" thick, inclusive of all material, it must be bound in two volumes. The break between the two volumes must be at the end of a chapter. The volumes should be approximately equal in size. EACH VOLUME CONTAINS A TITLE PAGE AND A TABLE OF CONTENTS.

The title page for each volume specifies the volume and chapters included in that volume. The Table of Contents for Volume I lists the material contained in the entire thesis (both volumes). The pagination is continuous from Volume I to Volume II. The Title Page and Table of Contents pages in Volume II are assigned Arabic numerals.

If your thesis is long enough to warrant two volumes then you'll need to issue the command `\part{2}`.¹ This produces the second title page and adds "VOLUME II" to the main table of contents. To create the table of contents for the second volume, simply issue the `\tableofcontents` command again. Likewise, if the second volume contains tables or figures issue `\listoftables` or `\listoffigures` again. The `listof` environment can also be used again here, though you will have to manually populate it again.

If you're using a package that creates `\listof*` commands for some new element, then you're probably not going to be able to simply reissue the command to get the appropriate list to appear a second time. Most likely what you'll end up with is a blank page with just the list title. This is because most packages don't recognize the possibility of a document

¹Technically the argument can be whatever you want, not just "2." The argument is required, but its value isn't used by the class file anywhere.

having more than one copy of the table of contents (or part thereof) and thus don't create or populate a second list file. As a result, a two volume thesis that makes use of such commands will probably require you to either duplicate the list manually (using the `listof` environment) or modify the package you're using so that it will automatically create and populate the second copy of the list.

At the moment the class file only supports the creation of a two-volume thesis. Issuing the `\part` command more than once (in the attempt to create 3 or more volumes) will result in an error. Later versions may support more than 2 volumes if there turns out to be a demand for that feature.

6.10 Thesis in a Foreign Language

The class file has not been tested on a thesis written in a foreign language and thus its behavior on such documents is not guaranteed. Support for these kinds of documents is planned for a future version, but probably won't come until 2015 at the earliest. Contributions designed to make the class file work with foreign language theses are appreciated: R.Springuel@umit.maine.edu.

6.11 Hyphenation & Justification

At the graduate school request, automatic hyphenation is turned off and the document should be set left justified (`\raggedright` in LaTeX parlance). If this creates strange behavior for you, please let me know so that any possible bugs can be resolved.

6.12 5-dot Leader Minimum in TOC

As of v1.10 the this requirement should be obeyed automatically. If you run into problems here please report it to me (rpspringuel@gmail.com). As a work around, you can fix this manually by either changing the appropriate title/caption, or by making use of the optional short title/caption built into the appropriate command.

CHAPTER 7

REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW
WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTT

CHAPTER 8

REALLY LONG CHAPTER TITLE IN ORDER TO SHOW HOW WRAPPING IS HANDLED IN THE TABLE OF CONTENTS TESTTT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

8.1 Sample section title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

8.1.1 Sample subsection title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

8.1.1.1 Sample subsubsection title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Sample paragraph title Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus.

Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Sample subparagraph title Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

REFERENCES

- H. Kopka and P. W. Daly, *Guide to L^AT_EX* (Addison-Wesley, 2004), 4th ed.
- F. Mittelbach and M. Goossens (Braams, Johannes and Carlisle, David and Rowley, Chris), *The L^AT_EX Companion* (Addison-Wesley, 2004), 2nd ed.
- P. Flynn, *Formatting Information: A beginner's guide to typesetting with L^AT_EX* (2005),
URL
<http://www.sciweavers.org/books/beginners-introduction-typesetting-latex>.
- A. Feder, BIB_TE_X, URL <http://www.bibtex.org>.
- BibDesk*, URL <http://bibdesk.sourceforge.net/>.
- J. Spray, *Referencer*, URL <http://icculus.org/referencer/>.
- E. Doron, *BibDB*, URL <http://www.mackichan.com/index.html?bibdb/default.htm>.

APPENDIX A

OTHER PACKAGES

This appendix lists the packages which have interesting behavior when used along side `maine-thesis.cls`. If you find a package that creates difficulties which isn't listed here, please email me the name of the package, the version you have, and the particular difficulty that you encountered.

A.1 Working Packages

While not thoroughly tested, the following packages have been used with this class file without incident:

- `acronym` (v1.35, last revised 2009/10/20)
- `epic` (v1.2, last revised 1986/06/01)
- `epstopdf` (v2.5, last revised 2010/02/09)
- `excludeonly` (v1.0, last revised 2003/03/14)
- `graphics` (v1.0o, last revised 2009/02/05)
- `graphicx` (v1.0f, last revised 1999/02/16)
- `hhline` (v2.03, last revised 1994/05/23)
- `natbib` (v8.31a, last revised 2009/11/07)
- `pdfpages` (v0.4j, last revised 2010/01/12)
- `tabularx` (v2.07, last revised 1999/01/07)
- `tabulary` (v0.9, last revised 2008/12/01)

- float (v1.3d, last revised 2001/11/08)

If you experience a problem with any of these packages please make sure you have the version listed above or a more recent one before submitting a bug report.

If you use a package other than one of the ones listed above without incident, please email me (rpspringuel@gmail.com) the package name and version so that I can add it to the above list.

A.2 caption and subfig

This class file already formats captions for figures and tables according the requirements of the Graduate School. As a result, the caption package, which allows you to manipulate how these elements appear, should not be used.

The one exception to this is if you use the caption or subfig package (which depends on the caption package) to create multi-page floats.¹ If you do, you'll find that the caption formats and the List of Figures/Tables do not typeset the way the Graduate School wants them to be typeset. In particular, the separator between "Figure #.#" and the caption will be ": " instead of ". " and the word "Figure" or "Table" will not accompany the number in the respective list. To avoid this you need to add the following code to your preamble:

```
\captionsetup{labelsep=period,listofformat=simple}
\makeatletter
\renewcommand\p@figure{Figure\space}
\renewcommand\p@table{Table\space}
\makeatother
```

If you have defined additional floats, you will need more lines like those for figures and tables.

¹If you need to create subfigures but don't need a figure to span multiple pages, use the subfigure package, as it won't conflict with this class file.

Note: If you use the subfig package, the following warning will be raised: “Package caption Warning: Unsupported document class (or package) detected, usage of the caption package is not recommended.” It should be safe to ignore this warning, if you don’t use any other packages which manipulate the caption command. For anything beyond that, I can’t make any guarantees on what will work and what won’t.

This class file was tested with subfig v1.3, last revised 2005/06/28 and caption v3.1h, last revised 2008/04/01. If you’re having problems with either package, make sure you have these versions or more recent ones before submitting a bug report. The behavior of these packages in a two-volume thesis has not been tested.

A.3 color

The class file uses this package to color the \comment command in draft mode. As a result, any attempt to load this package with options by using \usepackage will result in an option clash error. Instead, pass whatever options for color you want to the class file and they will automatically be passed along to color when it is loaded.

The class file was tested with v1.0j, last revised 2005/11/14. If you’re having problems with color, make sure you have this version or a more recent one before submitting a bug report.

A.4 footmisc

The class file uses this package to eliminate the usual rule that occurs between the body of the text and the footnotes at the bottom of the page. As a result, any attempt to load this package with options by using \usepackage will result in an option clash error. Instead, pass whatever options for footmisc you want to the class file and they will automatically be passed along to footmisc when it is loaded.

The class file was tested with v5.5a, last revised 2009/09/15. If you're having problems with hyperref, make sure you have this version or a more recent one before submitting a bug report.

A.5 hyperref

The hyperref package can be used to create many links within your document, making the digital copy easier to navigate. When links are created in the document, they can be highlighted in a variety of ways: colored boxes around the text, colored text, and small capitals. While these are necessary indicators of the presence of the link in an electronic document, they should not appear in the printed copy. As a result, you are advised to turn hyperref (comment out the load command) when typesetting the file for printing purposes. When you go back to typesetting with hyperlinks, you are likely going to need to trash the auxilarly (aux, toc, lof, lot, etc.) files to get the document to typeset correctly.

The class file was tested with v6.80n, last revised 2010/03/11. If you're having problems with hyperref, make sure you have this version or a more recent one before submitting a bug report.

A.6 hyperref and ifthen

If a user defined command that calls the commands from the ifthen package (like `\equal`) is placed inside a sectioning command, this is likely to raise a problem if hyperref is also being used, even if the user defined command is robust or protected. I have been unable to identify exactly what causes this error and can provide no fix. My only suggestion is to redefine your command so that it uses the `\TeX` primitive `if statements` instead of the ifthen package.

This bug was observed with v6.80n, last revised 2010/03/11, of hyperref and v1.1c, last revised 2001/05/26, of ifthen.

A.7 soul

The class file uses this package for the `\highlight` command. As a result, any attempt to load this package with options by using `\usepackage` will result in an option clash error. Instead, pass whatever options for `soul` you want to the class file and they will automatically be passed along to `soul` when it is loaded.

The class file was tested with v2.4, last revised 2003/11/17. If you're having problems with `soul`, make sure you have this version or a more recent one before submitting a bug report.

A.8 tocvsec2

The class file uses this package to control the table of contents depth. In particular, it is used to prevent preface sections from being numbered and appearing in the table of contents and to prevent appendix sections from appearing in the table of contents while still being numbered. If you need to use this package for some other purpose, you don't need to reload it.

The class file was tested with v1.2b, last revised 2010/02/27. If you're having problems with `tocvsec2`, make sure you have this version or a more recent one before submitting a bug report.

A.9 hyphenat

The class file uses this package to turn off hyphenation for the entire document. As a result, any attempt to load this package with options by using `\usepackage` will result in an option clash error. Since the only options for this package either disable all hyphenation (the option being used by the class file) or enable it for monospaced (typewriter-style) fonts which aren't allowed in a thesis (the graduate school wants a single font used throughout the document), you shouldn't have to load this package anyway.

The class file was tested with 2009/09/02 v2.3c. If you're having problems with hyphenat, make sure you have this version or a more recent one before submitting a bug report.

A.10 geometry

The class file uses this package to set the margins and paper size. As a result, any attempt to load this package with options by using `\usepackage` will result in an option clash error. Since the graduate school has very specific requirements for the margins and paper size, both of which are set by the class file, you shouldn't need to load this package anyway.

The class file was tested with v5.6, last revised 2010/09/12. If you're having problems with geometry, make sure you have this version or a more recent one before submitting a bug report.

A.11 iftex

The class file uses this package to test for the use of the PDF_TE_X engine. This engine adds some spurious tags to the pdf, but also provides a command, `\pdfsuppressstextinfo` to get rid of them. If we see this engine, we use the command to remove those tags. If you need this package, then simply make use of it. There is no need to load it (especially as it has no options).

The class file was tested with v0.2, last revised 2013/04/04. If you're having problems with iftex, make sure you have this version or a more recent one before submitting a bug report.

APPENDIX B

CHANGE LOG

Changes in Bold were required by the Graduate School

B.1 Changes in v1.14

- Page number placement now controlled by a class option. It's also more consistent in its application as a result.
- Extra space before “Chapter” label in TOC has been removed.
- “Chapter” and “Appendix” in chapter headings is now printed in all uppercase.
- Tweaks to make 5-dot minimum in TOC leaders better respected. Thanks to pmbean6 for this fix.
- Use a pronoun instead of author name for the last sentence of author biography. Users now need to define their preferred pronoun with the `\authorpronoun` command. Do not forget to capitalize the first letter of the pronoun. If no pronoun is provided, then the full author name will appear in the last sentence of the biography.
- When figure/table captions are too long to go into the table of contents, the graduate school wants the entry in the table of contents to match the first sentence of caption exactly. To facilitate this the `\caption` command has been redefined so that the optional argument, if given, is automatically prepended to the caption text. Older theses, for which this new behavior would be undesirable, can turn it off with the `legacycaptions` option.

- On title page, when the name and title of an advisor or committee member is long enough to wrap to a second line, that second line will be indented 1.5em (the same as the indentation of a paragraph in the body of the thesis).

B.2 Changes in v1.13

- Short form of advisor's name can now be entered as an optional argument of `\principaladvisor`.
- Bugfix: `idecimal` and `jdecimal` heading styles were suppressing the section numbers. Thanks to pmbean6 for this fix.
- Margin widths have been tweaked a little so that they more closely conform to the guidelines. Thanks to pmbean6 for this fix.
- If you edited the class file to get justified text back, then subsection headings were being indented in `jdecimal` style. This has been fixed in preparation for later changes. Thanks to pmbean6 for this fix.
- Package conflict with float package has been resolved. Thanks to pmbean6 for this fix. Those updating thesis should change `listof` environments to `thesislist`.
- Bugfix: The default setting of `\parindent` was being forced to 0, which was not as intended.
- Indentation for the headings has been decoupled from `\parindent` and is now tied to `\headindent`.
- Added some basic metadata (title and author) handling when `hyperref` is loaded. Thanks to pmbean6 for this enhancement

- Adjusted page numbering to account for removal of Dissertation Acceptance page.

B.3 Changes in v1.12

- Eliminated Dissertation Acceptance and Library Rights Statement pages.

B.4 Changes in v1.11

- Replaced “thesis” with \@type on Library Rights page.
- Labels for signature lines now use the same size font as the rest of the thesis (they were formerly reduced).
- Gap between the title and the text on Dissertation Acceptance and Library Rights page has been reduced.
- Mandatory sentence at the end of the Author Biography (and which the class file produces automatically) is no longer its own paragraph.
- The default headings system has been modified to make it match more closely with the justified decimal example in the Guidelines.
- Two additional headings systems (headings and idecimal) have been added. These are based on the headings and indented decimal examples in the Guidelines.
- Improved Widow/Orphan protection in the TOC.
- Improved Widow/Orphan protection in bibliography.

B.5 Changes in v1.10

- Alignment of multi-line table of contents entries for Appendices altered
- 5-dot leader minimum code reworked to be more robust

B.6 Changes in v1.9

- **Acceptance Page title consolidated to a single line.**
- **Removed “Submitted for graduation...” from Acceptance Page.**

B.7 Changes in v1.8

- **Hyphenation disabled.**
- **Full justification disabled.**

B.8 Changes in v1.7

- Added `\highlight` command.
- Modifications to `\pocket` to make its ToC entries match other chapter-level entries.
- Added two-volume support.
- Made some modifications to help with widow/orphan control in the ToC.

B.9 Changes in v1.6

- **Changed line length for multiple line entires in the ToC.**
- **Removed the multiple appendices “Appendices” header from the ToC.**
- Added twoside option.
- Added unbound option.
- Added hooks to alter heading styles.
- Added `chicago` and `apa` option to switch headings automatically to the appropriate style.

B.10 Changes in v1.5

- License Changed to LPPL v1.3c.
- Generalized Dissertation Acceptance Page.
- Changed to signature line on Library Rights Page.
- Fixed delimiter in figure and table captions.
- Unified `\copyrightyear{...}` and `\copyrightpage` into single command.
- Refined support for two advisors and number of committee members.
- Removed support for External Reader on title page.
- Created patch code to fix list of tables and list of figures when `hyperref` is used.
- Added `layabstract` environment.
- Added `listof` environment.
- Changed font for `verbatim` environment and `\verb` command.
- Fixed typesetting of dedication.
- General file maintenance.
- Added insertion of “Appendices” to ToC when there are multiple appendices.
- Modified `biography` environment to auto-generate the last sentence.
- Made identification of number of advisors and committee members automatic.
- Removed `\appsection{...}` as it is redundant with `\section*{...}`.
- Changed way “Chapters” and “Appendices” are added to the TOC.

- Added `tocvsec2` dependance to make the change in TOC depth for the front matter and appendices automatic.
- Modified preface environment to make the non-numbering of its sections, subsections, etc automatic.
- Reserved `\part` for multiple volume support.
- Added `\pocket`.
- Defined a pseudo `\texorpdfstring` command for use in chapter titles. When `hyperref` is loaded (and defines the command properly) this has the effect of hiding `\MakeUppercase` commands from `hyperref`.
- Made Preface, Dedication, and Acknowledgements double spaced.
- Created type variables and commands that allows switching to “thesis” or “project” instead of “dissertation.”
- Removed footnote rule.
- Renamed `\labelchaptersintoc` to `\toclabel`, generalized its function, and made it compatible with `hyperref`.
- Added commands to compress title page when needed.

B.11 Changes prior to v1.5

This list is not entirely complete but is a best reconstruction as I can manage. Changes were not logged prior to v1.5.

- Added Dissertation Acceptance Page
- Added support for 6 member committees

- Removed Boldface from TOC entries
- Reduced size of chapter and section headers to match text font, both in place and TOC entries
- Added support for two advisors

APPENDIX C

REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW
WRAPPING IS HANDLED IN THE TOC

APPENDIX D

REALLY LONG APPENDIX TITLE IN ORDER TO SHOW HOW
WRAPPING IS HANDLED IN THE TOCC

BIOGRAPHY OF THE AUTHOR

<Your biography appears here. See Section 3.7 for details> <Your Name appears here, see Section 3.2.1 for details> is a candidate for the <The degree you want> degree in <Specialty of your degree> from The University of Maine in <Month & Year of Graduation>.