```
drop database if exists CsufBasketball;
drop user if exists 'Manager';
grant select, insert, update, execute on CsufBasketball.* to 'Manager' identified by 'withheld';
drop user if exists 'User';
grant select, update, execute on CsufBasketball.* to 'User' identified by 'withheld';
USE CsufBasketball:
CREATE TABLE Person
  Id INTEGER UNSIGNED NOT NULL AUTO_INCREMENT PRIMARY KEY,
 FirstName VARCHAR(30),
 LastName VARCHAR(30),
 City VARCHAR(100),
 Country VARCHAR(100),
 Zipcode CHAR(10),
 CHECK (ZipCode REGEXP '(?!0{5})(?!9{5})\\d{5}(-(?!0{4})(?!9{4})\\d{4})?')
  INDEX (Name_Last),
  UNIQUE (Name_Last, Name_First)
```

```
INSERT INTO Person VALUES
('100', 'Donald',
                                                                                'Anaheim',
                                                                                                                              'USA',
                                                                                                                                           '92808-
('101', 'Daisy',
('102', 'Mickey',
('103', 'Pluto',
                                                 '1180 Seven Seas Dr.',
'1313 S. Harbor Blvd.',
                                                                                'Lake Buena Vista',
                                                                                                                                           '32830'
                                    'Duck',
                                                                                                                              'USA',
                                    'Mouse', '1313 S. Harbor Blvd.',
                                                                                                                                            192808-
                                    'Dog',
'Duck',
                                                                                                                              'USA',
                                                                                                                                           192808-
                                                '77700 Boulevard du Parc', 'Coupvray',
                                                                                                          'Disney Paris', 'France', NULL, d
CREATE TABLE Users
  PersonId INTEGER UNSIGNED NOT NULL AUTO_INCREMENT,
  Username VARCHAR(16) NOT NULL,
  Password VARCHAR(100) NOT NULL,
  Role TINYINT DEFAULT 0,
  FOREIGN KEY (PersonId) REFERENCES Person(Id),
INSERT INTO Users VALUES
('101', 'csuffan1', '7c4a8d09ca3762af61e59520943dc26494f8941b', '0'), ('102', 'eaglesfan', '3d4f2bf07dc1be38b20cd6e46949a1071f9d0e3d', '1');
CREATE TABLE Player
  Personid INTEGER UNSIGNED NOT NULL PRIMARY KEY,
  Height INTEGER DEFAULT 0,
  Weight INTEGER DEFAULT 0.
  Active BOOLEAN DEFAULT True,
  LastModifiedBy INTEGER UNSIGNED NOT NULL,
```

```
FOREIGN KEY (PersonId) REFERENCES Person(Id)

| Solution | State | Sta
```

IMPLEMENTATION VIEW

