## CS 446: Machine Learning Homework 2

Due on Tuesday, January 30, 2018, 11:59 a.m. Central Time

1. [6 points] Linear Regression Basics

Consider a linear model of the form  $\hat{y}^{(i)} = \mathbf{w}^{\mathsf{T}}\mathbf{x}^{(i)} + b$ , where  $\mathbf{w}, \mathbf{x} \in \mathbb{R}^K$  and  $b \in \mathbb{R}$ . Next, we are given a training dataset,  $\mathcal{D} = \{(x^{(i)}, y^{(i)})\}$  denoting the corresponding input-target example pairs.

(a) What is the loss function,  $\mathcal{L}$ , for training a linear regression model? (Don't forget the  $\frac{1}{2}$ )

Your answer:

(b) Compute  $\frac{\partial \mathcal{L}}{\partial \hat{y}^{(i)}}$ .

Your answer:

(c) Compute  $\frac{\partial \hat{y}^{(i)}}{\partial \mathbf{w}_k}$ , where  $\mathbf{w_k}$  denotes the  $k^{th}$  element of  $\mathbf{w}$ .

Your answer

(d) Putting the previous parts together, what is  $\nabla_{\mathbf{w}} \mathcal{L}$ ?

Your answer:

(e) Compute  $\frac{\partial \mathcal{L}}{\partial b}$ .

Your answer:

(f) For convenience, we group  $\mathbf{w}$  and b together into  $\mathbf{u}$ , then we denote  $\mathbf{z} = [\mathbf{x} \ 1]$ . (i.e.  $\hat{y} = \mathbf{u}^{\mathsf{T}}[x,1] = \mathbf{w}^{\mathsf{T}}x + b$ ). What are the optimal parameters  $\mathbf{u}^* = [\mathbf{w}^*, b^*]$ ? Use the notation  $\mathbf{Z} \in \mathbb{R}^{|D| \times (K+1)}$  and  $\mathbf{y} \in \mathbb{R}^{|D|}$  in the answer. Where, each row of  $\mathbf{Z}$ ,  $\mathbf{y}$  denotes an example input-target pair in the dataset.

Your answer:

2. [2 points] Linear Regression Probabilistic Interpretation

Consider that the input  $x^{(i)} \in \mathbb{R}$  and target variable  $y^{(i)} \in \mathbb{R}$  to have to following relationship.

$$y^{(i)} = w \cdot x^{(i)} + \epsilon^{(i)}$$

where,  $\epsilon$  is independently and identically distributed according to a Gaussian distribution with zero mean and unit variance.

(a) What is the conditional probability  $p(y^{(i)}|x^{(i)}, w)$ .

Your answer:

(b) Given a dataset  $\mathcal{D} = \{(x^{(i)}, y^{(i)})\}$ , what is the negative log likelihood of the dataset according to our model? (Simplify.)

Your answer: