

## Informe Diagnostico Maquina : duoc-PRO-EXCH-01

**IP :** 10.10.1.28  
**Sistema Operativo :** Windows  
**Proxy :** 10.93.70.116

Estado Del Nodo	
Hora y Fecha de la Consulta	16:14:41 noviembre 15, 2017
Hora y Fecha del Nodo	2017-11-15,16:13:49.127,-03:00
Diferencia Horaria	+ 0 horas 0 minutos y 0 segundos
Uptime del Nodo	36 dias, 1 horas y 53 minutos
Uso de CPU	61.0126%
Memoria Utilizada	94.0421%
Total Procesos	230

[Proceda a la siguiente pagina para ver los resultados](#)

## Tasklist

Image Name	PID	Session Name	Session#	Mem Usage
=====	=====	=====	=====	=====
noderunner.exe	56548	Services	0	2,553,288 K
Microsoft.Exchange.RpcCli	8184	Services	0	2,010,148 K
noderunner.exe	27288	Services	0	1,258,268 K
w3wp.exe	60100	Services	0	1,239,448 K
w3wp.exe	58228	Services	0	1,202,960 K
Microsoft.Exchange.Store.	40996	Services	0	1,078,484 K
Microsoft.Exchange.Store.	57932	Services	0	1,002,300 K
w3wp.exe	11816	Services	0	1,000,900 K
Microsoft.Exchange.Store.	61232	Services	0	947,020 K
Microsoft.Exchange.Store.	21296	Services	0	942,788 K
Microsoft.Exchange.Store.	51948	Services	0	913,432 K
w3wp.exe	31952	Services	0	849,532 K
w3wp.exe	33364	Services	0	845,724 K
EdgeTransport.exe	14792	Services	0	730,688 K
MSExchangeHMWorker.exe	31336	Services	0	517,800 K
MSExchangeFrontendTranspo	8164	Services	0	484,572 K
MSExchangeDelivery.exe	7416	Services	0	443,888 K
MSExchangeMailboxAssistan	42144	Services	0	421,180 K
w3wp.exe	55636	Services	0	414,464 K
w3wp.exe	59280	Services	0	412,380 K
System	4	Services	0	324,248 K
lsass.exe	832	Services	0	286,204 K
Microsoft.Exchange.Store.	53920	Services	0	282,960 K
msexchangerepl.exe	27200	Services	0	276,540 K
Microsoft.Exchange.Store.	11932	Services	0	273,884 K
w3wp.exe	5316	Services	0	273,820 K
ComplianceAuditService.ex	8240	Services	0	273,688 K
Microsoft.Exchange.Store.	25264	Services	0	270,408 K
Microsoft.Exchange.Store.	21196	Services	0	264,088 K
Microsoft.Exchange.Search	55552	Services	0	264,060 K
Microsoft.Exchange.Store.	14620	Services	0	261,412 K
Microsoft.Exchange.Store.	27640	Services	0	254,404 K
Microsoft.Exchange.Store.	14760	Services	0	251,324 K
Microsoft.Exchange.Store.	48480	Services	0	248,712 K
Microsoft.Exchange.Store.	26852	Services	0	243,636 K
w3wp.exe	40408	Services	0	235,304 K
Microsoft.Exchange.Servic	5336	Services	0	228,440 K
w3wp.exe	43312	Services	0	226,368 K
Microsoft.Exchange.Store.	40308	Services	0	226,024 K
w3wp.exe	58648	Services	0	223,220 K
MSExchangeSubmission.exe	7412	Services	0	218,816 K
noderunner.exe	46192	Services	0	194,008 K
scanningprocess.exe	54412	Services	0	190,512 K
MSExchangeMailboxReplicat	2080	Services	0	178,684 K
Microsoft.Exchange.Diagno	1932	Services	0	167,728 K
w3wp.exe	56240	Services	0	166,444 K
UMWorkerProcess.exe	38120	Services	0	162,284 K
noderunner.exe	27264	Services	0	153,756 K
w3wp.exe	63168	Services	0	152,980 K
powershell.exe	60836	RDP-Tcp#90	2	145,464 K
ServerManager.exe	31128		6	135,408 K
svchost.exe	556	Services	0	132,844 K
w3wp.exe	24996	Services	0	131,496 K
w3wp.exe	26184	Services	0	127,496 K
ParserServer.exe	49092	Services	0	125,508 K
explorer.exe	9688	RDP-Tcp#90	2	115,072 K
scanningprocess.exe	10776	Services	0	111,796 K
svchost.exe	496	Services	0	107,384 K
MsMpEng.exe	584	Services	0	104,220 K
MSExchangeDagMgmt.exe	7436	Services	0	100,396 K
scanningprocess.exe	36616	Services	0	100,024 K
powershell.exe	37236	RDP-Tcp#90	2	97,060 K
hostcontrollerservice.exe	37468	Services	0	93,624 K
Microsoft.Exchange.Direct	5464	Services	0	93,204 K
MSExchangeTransportLogSea	8288	Services	0	87,148 K
Microsoft.Exchange.Store.	6984	Services	0	86,512 K
w3wp.exe	40768	Services	0	80,452 K
FolderSizes.exe	38260	RDP-Tcp#90	2	79,016 K
WmiPrvSE.exe	4656	Services	0	77,908 K
dwm.exe	19040	RDP-Tcp#90	2	77,356 K
WmiPrvSE.exe	4684	Services	0	74,276 K
svchost.exe	996	Services	0	69,792 K
umservice.exe	8248	Services	0	69,492 K
ServerManager.exe	22744		3	68,380 K
svchost.exe	1324	Services	0	62,608 K
Microsoft.Exchange.EdgeSy	8232	Services	0	60,504 K
MSExchangeCompliance.exe	8260	Services	0	60,044 K
MSExchangeTransport.exe	14428	Services	0	59,856 K
explorer.exe	62040		5	59,380 K
Microsoft.Exchange.UM.Cal	7424	Services	0	58,884 K
ParserServer.exe	1272	Services	0	57,268 K
ForefrontActiveDirectoryC	7504	Services	0	56,064 K
clussvc.exe	3100	Services	0	56,004 K
svchost.exe	1028	Services	0	55,780 K
MSExchangeThrottling.exe	7464	Services	0	53,872 K
dwm.exe	40256		9	53,200 K
Taskmgr.exe	38852	RDP-Tcp#90	2	52,112 K

SMSSvcHost.exe	2460	Services	0	49,728 K
rundll32.exe	10812	Services	0	47,828 K
rundll32.exe	12772	Services	0	46,372 K
explorer.exe	44720		6	45,628 K
svchost.exe	1036	Services	0	45,344 K
ParserServer.exe	13536	Services	0	44,508 K
explorer.exe	23508		3	44,224 K
nbdisco.exe	4900	Services	0	43,552 K
zabbix_agentd.exe	59976	Services	0	40,944 K
LogonUI.exe	520	Console	1	40,812 K
MSExchangeHMRcovery.exe	2956	Services	0	39,604 K
MSExchangeHMHost.exe	2964	Services	0	38,548 K
mmc.exe	5220		6	38,144 K
ShellExperienceHost.exe	52820		9	36,668 K
dwm.exe	54464		6	36,156 K
svchost.exe	548	Services	0	35,888 K
Taskmgr.exe	4324		3	35,720 K
vmtoolsd.exe	2984	Services	0	35,664 K
SearchUI.exe	60536		9	35,588 K
Microsoft.Exchange.Antisp	8216	Services	0	34,308 K
inetinfo.exe	4168	Services	0	33,764 K
RuntimeBroker.exe	29924		5	33,024 K
ShellExperienceHost.exe	8344	RDP-Tcp#90	2	32,520 K
RuntimeBroker.exe	2844	RDP-Tcp#90	2	30,120 K
mmc.exe	34736	RDP-Tcp#90	2	29,100 K
dwm.exe	1076	Console	1	28,388 K
powershell.exe	2260		6	28,064 K
svchost.exe	928	Services	0	27,008 K
conhost.exe	63608	RDP-Tcp#90	2	26,848 K
LogonUI.exe	20884		3	26,764 K
dwm.exe	42760		5	26,680 K
spoolsv.exe	2168	Services	0	26,676 K
SearchUI.exe	19468	RDP-Tcp#90	2	25,824 K
svchost.exe	2440	Services	0	24,936 K
sftracing.exe	2136	Services	0	24,344 K
svchost.exe	38716		5	23,352 K
sihost.exe	18524	RDP-Tcp#90	2	22,992 K
svchost.exe	3132	RDP-Tcp#90	2	22,108 K
svchost.exe	8696		9	21,956 K
svchost.exe	23044		3	21,884 K
svchost.exe	2976	Services	0	21,628 K
RuntimeBroker.exe	23220		3	21,472 K
WMSvc.exe	3012	Services	0	21,340 K
SearchUI.exe	25988		5	21,316 K
svchost.exe	36764		6	21,304 K
sihost.exe	60164		9	21,020 K
fms.exe	2756	Services	0	20,400 K
sihost.exe	26128		5	20,156 K
sihost.exe	23036		3	20,000 K
updateservice.exe	7364	Services	0	19,992 K
dwm.exe	4740		3	19,952 K
sihost.exe	48612		6	19,760 K
ApplicationFrameHost.exe	45700	RDP-Tcp#90	2	19,680 K
taskhostw.exe	19032	RDP-Tcp#90	2	18,868 K
svchost.exe	1464	Services	0	17,872 K
ApplicationFrameHost.exe	32696		9	17,708 K
services.exe	824	Services	0	17,536 K
svchost.exe	57112	Services	0	16,900 K
ShellExperienceHost.exe	62756		5	16,784 K
taskhostw.exe	27216		6	16,596 K
taskhostw.exe	62868	RDP-Tcp#90	2	16,348 K
rdpclip.exe	6568	RDP-Tcp#90	2	16,184 K
RuntimeBroker.exe	38768		6	16,164 K
taskhostw.exe	29436		5	16,084 K
mqsvc.exe	2772	Services	0	15,964 K
taskhostw.exe	51040		9	15,684 K
conhost.exe	43552		6	15,680 K
conhost.exe	39344	RDP-Tcp#90	2	15,600 K
rdpclip.exe	31692		5	15,120 K
conhost.exe	22632	RDP-Tcp#90	2	14,936 K
vmtoolsd.exe	7960	RDP-Tcp#90	2	14,896 K
rdpclip.exe	32532		9	14,896 K
vmtoolsd.exe	23776		3	14,384 K
taskhostw.exe	23096		3	14,356 K
RuntimeBroker.exe	9044		9	14,316 K
SMSSvcHost.exe	7872	Services	0	14,248 K
vmtoolsd.exe	50820		6	14,184 K
svchost.exe	2384	Services	0	14,176 K
vmtoolsd.exe	15220		5	14,124 K
rdpclip.exe	53764		6	13,908 K
notepad.exe	39016	RDP-Tcp#90	2	13,536 K
notepad.exe	26932	RDP-Tcp#90	2	13,504 K
bpcd.exe	5544	Services	0	13,392 K
ShellExperienceHost.exe	31728		6	13,260 K
rhs.exe	7944	Services	0	13,192 K
conhost.exe	8384		6	12,984 K
dllhost.exe	4836	Services	0	12,888 K
VGAAuthService.exe	3052	Services	0	12,872 K
notepad.exe	4764	RDP-Tcp#90	2	12,836 K
conhost.exe	29144		5	12,664 K
SearchUI.exe	17372		6	12,600 K
ShellExperienceHost.exe	23180		3	12,360 K

SearchUI.exe	22628		3	12,124 K
rhs.exe	7952	Services	0	12,060 K
bpinetd.exe	5304	Services	0	11,952 K
ManagementAgentHost.exe	3028	Services	0	11,808 K
notepad.exe	19072	RDP-Tcp#90	2	11,756 K
dllhost.exe	56848		5	10,564 K
rhs.exe	5576	Services	0	10,292 K
rdpclip.exe	22964		3	10,208 K
vnetd.exe	4912	Services	0	10,132 K
msdtc.exe	5052	Services	0	9,952 K
csrss.exe	20588		3	9,216 K
WmiPrvSE.exe	56616	Services	0	9,152 K
conhost.exe	14808	Services	0	8,772 K
pbx_exchange.exe	2900	Services	0	8,748 K
WUDFHost.exe	1344	Services	0	8,624 K
csrss.exe	8708		5	8,604 K
winlogon.exe	18948	RDP-Tcp#90	2	8,468 K
csrss.exe	14376		9	8,460 K
winlogon.exe	744	Console	1	8,328 K
svchost.exe	1372	Services	0	7,912 K
tasklist.exe	28408	Services	0	7,808 K
winlogon.exe	22320		3	7,764 K
csrss.exe	22340		6	7,732 K
winlogon.exe	51328		6	7,716 K
winlogon.exe	54676		5	7,568 K
winlogon.exe	59900		9	7,428 K
svchost.exe	7676	Services	0	7,352 K
csrss.exe	9448	RDP-Tcp#90	2	7,300 K
svchost.exe	4088	Services	0	6,968 K
svchost.exe	2736	Services	0	6,808 K
conhost.exe	20744	Services	0	5,960 K
csrss.exe	600	Services	0	5,760 K
conhost.exe	52672	Services	0	5,744 K
conhost.exe	17440	Services	0	5,572 K
conhost.exe	19084	Services	0	5,572 K
rdpinput.exe	25372		9	5,440 K
wininit.exe	708	Services	0	5,196 K
conhost.exe	23076	Services	0	5,132 K
csrss.exe	684	Console	1	3,732 K
fontdrvhost.exe	19136	RDP-Tcp#90	2	3,064 K
vmtoolsd.exe	55176		9	2,776 K
cmd.exe	44536	RDP-Tcp#90	2	2,624 K
cmd.exe	49668	Services	0	2,612 K
cmd.exe	16116		6	2,568 K
cmd.exe	54788		5	2,540 K
sort.exe	27920	Services	0	2,392 K
mmc.exe	50704		9	1,244 K
smss.exe	456	Services	0	1,224 K
conhost.exe	33724		9	488 K
cmd.exe	58704		9	224 K
System Idle Process	0	Services	0	4 K

## Processtime

Handles	NPM(K)	PM(K)	WS(K)	CPU(s)	Id	SI	ProcessName
37205	2335	4601976	2008184	1,316,041.20	8184	0	Microsoft.Exchange.RpcClientAccess.Service
6900	106	357628	275704	888,697.08	8240	0	ComplianceAuditService
42059	49	313828	286204	325,481.03	832	0	lsass
1207	55	58524	47832	293,065.75	10812	0	rundll32
2050	330	1014480	947032	283,465.41	61232	0	Microsoft.Exchange.Store.Worker
9901	0	848	324248	257,345.16	4	0	System
2132	345	993868	912576	242,937.30	51948	0	Microsoft.Exchange.Store.Worker
1032	21	46624	55780	223,078.39	1028	0	svchost
5299	750	997600	730664	147,809.50	14792	0	EdgeTransport
2267	683	1164000	1078484	133,243.50	40996	0	Microsoft.Exchange.Store.Worker
2175	348	1088784	1002384	123,200.44	57932	0	Microsoft.Exchange.Store.Worker
4698	333	3490488	2553304	111,801.23	56548	0	noderunner
2600	202	675388	276540	98,498.19	27200	0	msexchangerepl
9994	1204	1887012	1207408	95,651.17	58228	0	w3wp
4807	176	546504	421180	93,975.03	42144	0	MSEExchangeMailboxAssistants
2053	481	1003864	942408	82,116.89	21296	0	Microsoft.Exchange.Store.Worker
5053	974	1790364	1258416	81,312.06	27288	0	noderunner
1205	55	56768	46376	74,562.41	12772	0	rundll32
1887	126	591324	443888	70,886.42	7416	0	MSEExchangeDelivery
2055	402	60092	77908	62,176.11	4656	0	WmiPrvSE
5772	426	1210272	849532	56,665.72	31952	0	w3wp
11841	10279	1126248	1000900	53,078.05	11816	0	w3wp
426	96	362540	190512	50,262.78	54412	0	scanningprocess
4011	205	634248	517800	36,220.00	31336	0	MSEExchangeHMWorker
530	43	142952	135408	31,861.72	31128	6	ServerManager
1930	86	212500	167732	31,266.09	1932	0	Microsoft.Exchange.Diagnostics.Service
925	24	35192	40964	30,478.13	59976	0	zabbix_agentd
1518	672	755216	484588	27,532.72	8164	0	MSEExchangeFrontendTransport
428	26	25988	52112	26,694.98	38852	2	Taskmgr
1835	115	288428	218780	26,363.08	7412	0	MSEExchangeSubmission
3242	64	139784	132880	26,218.98	556	0	svchost
1713	109	307668	178892	26,127.33	2080	0	MSEExchangeMailboxReplication
12758	37880	1059424	845708	20,709.78	33364	0	w3wp
2072	176	253400	193992	19,434.44	46192	0	noderunner
867	56	49156	56004	18,742.47	3100	0	clussvc
165	16	7100	11952	13,706.80	5304	0	bpnetd
7629	8067	1177520	1239508	11,908.13	60100	0	w3wp
346	16	11700	20400	10,128.25	2756	0	fms
436	64	154412	104220	9,856.64	584	0	MsMpEng
3047	134	288968	264172	9,210.94	55552	0	Microsoft.Exchange.Search.Service
142	14	3700	11808	8,531.75	3028	0	ManagementAgentHost
2799	317	574776	414464	8,009.38	55636	0	w3wp
1511	152	309240	251356	7,951.72	14760	0	Microsoft.Exchange.Store.Worker
3018	183	325136	228440	7,929.02	5336	0	Microsoft.Exchange.ServiceHost
212	18	4144	14896	7,917.55	7960	2	vmtoolsd
1447	165	313008	270408	7,774.91	25264	0	Microsoft.Exchange.Store.Worker
1417	151	313804	261592	7,583.06	14620	0	Microsoft.Exchange.Store.Worker
554	67	96112	60540	7,470.58	8232	0	Microsoft.Exchange.EdgeSyncSvc
1449	159	314160	264092	7,351.00	21196	0	Microsoft.Exchange.Store.Worker
1358	152	312396	254228	7,234.53	27640	0	Microsoft.Exchange.Store.Worker
407	15	9268	19992	7,153.42	7364	0	updateservice
566	12	12396	17536	7,056.53	824	0	services
910	25	40052	35664	6,998.77	2984	0	vmtoolsd
1481	152	313672	282984	6,940.36	53920	0	Microsoft.Exchange.Store.Worker
214	18	4192	14384	6,924.11	23776	3	vmtoolsd
2975	174	329580	226368	6,860.47	43312	0	w3wp
629	36	40692	79016	6,510.63	38260	2	FolderSizes
956	26	68100	74280	6,487.67	4684	0	WmiPrvSE
1230	122	143140	93188	6,091.52	5464	0	Microsoft.Exchange.Directory.TopologyService
914	86	156776	100380	5,926.14	7436	0	MSEExchangeDagMgmt
1377	128	304472	248696	5,568.98	48480	0	Microsoft.Exchange.Store.Worker
358	36	21064	36156	5,287.61	54464	6	dwm
558	15	4024	16184	4,988.75	6568	2	rdpclip
157	10	19556	24344	4,743.95	2136	0	sftracing
3497	296	540080	412380	4,694.03	59280	0	w3wp
1437	108	298484	243640	4,666.34	26852	0	Microsoft.Exchange.Store.Worker
1451	70	40668	38144	4,481.23	5220	6	mmc
1010	96	292664	226024	4,004.69	40308	0	Microsoft.Exchange.Store.Worker
2169	152	296844	235288	3,966.31	40408	0	w3wp
843	52	46272	62608	3,648.08	1324	0	svchost
1989	168	295352	223220	3,192.23	58648	0	w3wp
4712	109	1112000	115072	3,154.55	9688	2	explorer
1240	106	743492	273884	3,140.59	11932	0	Microsoft.Exchange.Store.Worker
3186	126	369116	145464	3,099.78	60836	2	powershell
213	18	4104	14184	3,027.81	50820	6	vmtoolsd
1518	27	71072	69792	2,909.30	996	0	svchost
1365	60	21904	45344	2,162.02	1036	0	svchost
593	24	63884	38548	2,122.80	2964	0	MSEExchangeHMHost
2360	111	208640	152996	2,005.59	63168	0	w3wp
360	94	338568	111796	2,002.61	10776	0	scanningprocess
212	18	4108	14124	1,999.03	15220	5	vmtoolsd
373	43	108160	124660	1,836.41	49092	0	ParserServer
542	66	36720	77356	1,830.44	19040	2	dwm
993	30	78260	107384	1,752.39	496	0	svchost
215	18	4136	2776	1,714.38	55176	9	vmtoolsd
967	68	127160	60060	1,538.84	8260	0	MSEExchangeCompliance
380	20	10004	16900	1,457.73	57112	0	svchost

937	82	137108	86512	1,422.75	6984	0	Microsoft.Exchange.Store.Service
1178	147	186424	153756	1,402.63	27264	0	noderunner
2419	89	196592	127512	1,357.45	26184	0	w3wp
365	94	330636	100024	1,051.97	36616	0	scanningprocess
3270	189	415428	273804	1,010.42	5316	0	w3wp
670	68	131596	87148	914.03	8288	0	MSEExchangeTransportLogSearch
846	84	129316	69492	864.84	8248	0	umservice
1438	26	58616	49728	849.20	2460	0	SMSvcHost
3103	119	284096	97044	795.33	37236	2	powershell
526	44	105836	68380	726.05	22744	3	ServerManager
181	18	24184	33764	694.63	4168	0	inetinfo
723	81	106740	58884	691.20	7424	0	Microsoft.Exchange.UM.CallRouter
1262	52	19568	44224	690.88	23508	3	explorer
1635	116	264028	166444	690.83	56240	0	w3wp
764	78	66828	93624	641.92	37468	0	hostcontrollerservice
828	40	26780	43552	619.31	4900	0	nbdisco
1425	106	239160	131480	615.20	24996	0	w3wp
2744	88	39468	59380	493.64	62040	5	explorer
869	28	3068	5760	483.00	600	0	csrss
147	16	2916	10132	481.81	4912	0	vnetd
216	14	2928	6808	448.83	2736	0	svchost
1001	39	20192	35888	445.44	548	0	svchost
322	38	43884	57188	442.30	1272	0	ParserServer
568	36	15024	17872	415.05	1464	0	svchost
917	68	167792	80436	390.42	40768	0	w3wp
1180	24	11832	27008	324.08	928	0	svchost
1306	57	21356	45628	314.28	44720	6	explorer
139	12	34276	26848	269.30	63608	2	conhost
449	23	11040	24936	220.36	2440	0	svchost
587	71	101980	56064	200.45	7504	0	ForefrontActiveDirectoryConnector
675	62	122164	59856	163.83	14428	0	MSEExchangeTransport
358	33	36372	34288	116.30	8216	0	Microsoft.Exchange.AntispamUpdateSvc
641	58	114224	53872	111.41	7464	0	MSEExchangeThrottling
491	29	2692	7300	80.80	9448	2	csrss
668	27	11296	26676	80.44	2168	0	spoolsv
370	22	16688	35720	77.02	4324	3	Taskmgr
356	20	7436	16164	75.42	38768	6	RuntimeBroker
784	98	118224	28064	74.97	2260	6	powershell
138	12	6416	15600	66.97	39344	2	conhost
160	18	4468	13392	58.58	5544	0	bpcd
1286	89	157448	162268	54.41	38120	0	UMWorkerProcess
343	19	14340	30120	47.34	2844	2	RuntimeBroker
198	17	2252	7352	40.14	7676	0	svchost
308	25	10360	21628	39.66	2976	0	svchost
469	24	61804	39604	36.81	2956	0	MSEExchangeHMRecovery
273	13	2024	7732	36.42	22340	6	csrss
264	16	12376	21472	34.41	23220	3	RuntimeBroker
342	24	12008	19952	30.52	4740	3	dwm
206	14	3544	12888	28.61	4836	0	dllhost
337	29	7120	18868	26.16	19032	2	taskhostw
355	21	14432	33024	25.39	29924	5	RuntimeBroker
343	30	17576	26680	24.52	42760	5	dwm
422	32	15260	29100	18.61	34736	2	mmc
224	15	3752	12060	15.72	7952	0	rhs
346	33	22500	53200	14.94	40256	9	dwm
275	34	37936	44508	14.86	13536	0	ParserServer
363	15	4656	20000	13.13	23036	3	sihost
378	16	5456	22992	10.94	18524	2	sihost
786	33	28492	32520	10.30	8344	2	ShellExperienceHost
271	15	4844	13192	8.97	7944	0	rhs
270	48	21368	21340	8.39	3012	0	WMSvc
245	11	2364	9216	7.86	20588	3	csrss
163	11	3180	12836	7.36	4764	2	notepad
165	11	5752	14936	7.08	22632	2	conhost
304	14	2908	13908	6.22	53764	6	rdpclip
83	7	4832	8772	5.50	14808	0	conhost
313	29	6428	16596	5.16	27216	6	taskhostw
364	15	4400	20156	4.70	26128	5	sihost
91	8	1416	5572	4.59	17440	0	conhost
164	12	2540	7912	4.52	1372	0	svchost
314	18	4964	21884	4.50	23044	3	svchost
315	18	5144	22108	4.41	3132	2	svchost
204	20	2468	8748	4.28	2900	0	pbx_exchange
115	12	1308	3732	3.97	684	1	csrss
371	47	8964	15964	3.94	2772	0	mqsvc
171	15	6420	14176	3.91	2384	0	svchost
163	11	2108	11756	3.86	19072	2	notepad
852	34	23284	13260	3.73	31728	6	ShellExperienceHost
363	15	4224	19760	3.64	48612	6	sihost
310	12	1908	8604	3.41	8708	5	csrss
442	25	10316	40812	3.38	520	1	LogonUI
346	15	3744	15120	3.20	31692	5	rdpclip
155	12	5720	12872	3.19	3052	0	VGAAuthService
313	26	5252	16084	3.08	29436	5	taskhostw
509	27	13056	26764	3.06	20884	3	LogonUI
1122	60	55592	12600	2.81	17372	6	SearchUI
91	8	1416	5572	2.67	19084	0	conhost
83	7	1236	5132	2.41	23076	0	conhost
307	19	13620	28388	2.39	1076	1	dwm
248	11	2200	10208	2.31	22964	3	rdpclip
281	27	5632	15684	2.30	51040	9	taskhostw
205	16	3332	9952	2.30	5052	0	msdtc

336	19	5124	23352	2.14	38716	5	svchost
235	12	2240	8460	2.11	14376	9	csrss
203	14	4584	19680	2.00	45700	2	ApplicationFrameHost
554	28	12176	25824	1.86	19468	2	SearchUI
429	32	15148	1244	1.84	50704	9	mmc
203	9	2344	8468	1.72	18948	2	winlogon
365	16	4904	21020	1.55	60164	9	sihost
310	18	4840	21956	1.45	8696	9	svchost
183	12	21304	14248	1.42	7872	0	SMSSvcHost
184	12	2164	13504	1.42	26932	2	notepad
699	30	19160	36668	1.36	52820	9	ShellExperienceHost
751	33	22520	16784	1.36	62756	5	ShellExperienceHost
249	16	3648	14356	1.22	23096	3	taskhostw
184	12	2216	13536	1.20	39016	2	notepad
140	12	1728	6968	1.16	4088	0	svchost
491	11	2416	8624	1.06	1344	0	WUDFHost
493	26	62248	62412	1.45	12188	0	powershell
297	18	4668	21304	0.92	36764	6	svchost
277	17	5788	16348	0.92	62868	2	taskhostw
327	14	2748	14896	0.88	32532	9	rdpclip
555	29	12080	35588	0.83	60536	9	SearchUI
165	11	4048	12664	0.72	29144	5	conhost
693	29	15124	12360	0.72	23180	3	ShellExperienceHost
557	28	12076	21316	0.64	25988	5	SearchUI
66	3	404	1224	0.56	456	0	smss
145	9	2132	10564	0.50	56848	5	dllhost
213	12	4412	14316	0.42	9044	9	RuntimeBroker
566	29	12364	12124	0.39	22628	3	SearchUI
196	9	1968	7764	0.36	22320	3	winlogon
136	12	5636	15680	0.34	43552	6	conhost
184	9	1980	7716	0.33	51328	6	winlogon
183	8	1844	7428	0.30	59900	9	winlogon
105	10	5380	488	0.27	33724	9	conhost
199	14	3524	17708	0.23	32696	9	ApplicationFrameHost
157	8	1912	8328	0.20	744	1	winlogon
105	10	5388	12984	0.19	8384	6	conhost
95	8	1300	5196	0.17	708	0	wininit
189	8	1876	7568	0.17	54676	5	winlogon
81	7	1056	5440	0.11	25372	9	rdpinput
235	13	2672	10292	0.11	5576	0	rhs
91	8	1400	5744	0.09	52672	0	conhost
37	5	928	3064	0.08	19136	2	fontdrvhost
138	11	2672	9152	0.06	56616	0	WmiPrvSE
38	4	1616	2624	0.06	44536	2	cmd
93	8	1560	5972	0.03	10820	0	conhost
38	4	1608	2568	0.03	16116	6	cmd
38	4	1604	224	0.03	58704	9	cmd
44	3	2624	2560	0.02	52988	0	cmd
38	4	1608	2540	0.02	54788	5	cmd
0	0	0	4		0	0	Idle



## Services

Name	Status	StartType
-----	-----	-----
MSExchangeUMCR	Running	Automatic
MSExchangeUM	Running	Automatic
NetBackup Client Service	Running	Automatic
MSMQ	Running	Automatic
MSExchangeTransportLogSearch	Running	Automatic
MSExchangeSubmission	Running	Automatic
MSExchangeServiceHost	Running	Automatic
MSExchangeTransport	Running	Automatic
MSExchangeThrottling	Running	Automatic
NetBackup Discovery Framework	Running	Automatic
NetTcpPortSharing	Running	Automatic
NetTcpActivator	Running	Automatic
nsi	Running	Automatic
NlaSvc	Running	Automatic
NetPipeActivator	Running	Automatic
NetBackup Legacy Network Service	Running	Automatic
NetBackup Legacy Client Service	Running	Automatic
NetMsmqActivator	Running	Automatic
Netlogon	Running	Automatic
MSExchangeRPC	Running	Automatic
MSExchangeDagMgmt	Running	Automatic
MSExchangeCompliance	Running	Automatic
MSExchangeDiagnostics	Running	Automatic
MSExchangeDelivery	Running	Automatic
MSExchangeAntispamUpdate	Running	Automatic
MSComplianceAudit	Running	Automatic
MpsSvc	Running	Automatic
MSExchangeADTopology	Running	Automatic
MSDTC	Running	Automatic
MSExchangeEdgeSync	Running	Automatic
MSExchangeMailboxReplication	Running	Automatic
MSExchangeMailboxAssistants	Running	Automatic
MSExchangeRepl	Running	Automatic
MSExchangeNotificationsBroker	Stopped	Automatic
MSExchangeIS	Running	Automatic
MSExchangeFrontEndTransport	Running	Automatic
MSExchangeFastSearch	Running	Automatic
MSExchangeHMRRecovery	Running	Automatic
MSExchangeHM	Running	Automatic
VMTools	Running	Automatic
VGAuthService	Running	Automatic
VRTSspb	Running	Automatic
VMwareCAFManagementAgentHost	Running	Automatic
UserManager	Running	Automatic
tiledatamodelsvc	Running	Automatic
Themes	Running	Automatic
UALSVC	Running	Automatic
TrkWks	Running	Automatic
W32Time	Running	Automatic
WMSVC	Running	Automatic
WinRM	Running	Automatic
wuauserv	Stopped	Automatic
WpnService	Running	Automatic
Winmgmt	Running	Automatic
WbioSrv	Stopped	Automatic
W3SVC	Running	Automatic
WinDefend	Running	Automatic
Wcmsvc	Running	Automatic
TermService	Running	Automatic
Power	Running	Automatic
PcaSvc	Running	Automatic
RemoteRegistry	Running	Automatic
ProfSvc	Running	Automatic
OneSyncSvc_693190	Running	Automatic
OneSyncSvc_1f2357ec4	Running	Automatic
OneSyncSvc_ld0d9208f	Running	Automatic
OneSyncSvc_4b911a	Running	Automatic
Zabbix Agent	Running	Automatic
RpcEptMapper	Running	Automatic
Spooler	Running	Automatic
ShellHWDetection	Running	Automatic
SystemEventsBroker	Running	Automatic
spssvc	Stopped	Automatic
SENS	Running	Automatic
SamSs	Running	Automatic
RpcSs	Running	Automatic
SearchExchangeTracing	Running	Automatic
Schedule	Running	Automatic
MapsBroker	Stopped	Automatic
Dnscache	Running	Automatic
DPS	Running	Automatic
DiagTrack	Running	Automatic
BFE	Running	Automatic
Dhcp	Running	Automatic
FontCache	Running	Automatic
gpsvc	Running	Automatic
FMS	Running	Automatic
EventLog	Running	Automatic



EventSystem	Running	Automatic
DcomLaunch	Running	Automatic
CDPUserSvc_1d0d9208f	Running	Automatic
CDPSvc	Running	Automatic
CDPUserSvc_4b911a	Running	Automatic
CDPUserSvc_1f2357ec4	Running	Automatic
CDPUserSvc_3a949f1dd	Running	Automatic
CoreMessagingRegistrar	Running	Automatic
CryptSvc	Running	Automatic
ClusSvc	Running	Automatic
CDPUserSvc_693190	Running	Automatic
BrokerInfrastructure	Running	Automatic
LanmanWorkstation	Running	Automatic
OneSyncSvc_3a949f1dd	Running	Automatic
iphlpvc	Running	Automatic
IKEEXT	Running	Automatic
IISADMIN	Running	Automatic
LSM	Running	Automatic
AppHostSvc	Running	Automatic
LanmanServer	Running	Automatic
HostControllerService	Running	Automatic
UnistoreSvc_1f2357ec4	Stopped	Manual
upnphost	Stopped	Manual
wsbexchange	Stopped	Manual
UnistoreSvc_693190	Stopped	Manual
UnistoreSvc_4b911a	Stopped	Manual
UnistoreSvc_3a949f1dd	Stopped	Manual
WpnUserService_693190	Stopped	Manual
UserDataSvc_693190	Stopped	Manual
WpnUserService_4b911a	Stopped	Manual
BITS	Stopped	Manual
VaultSvc	Running	Manual
UsoSvc	Stopped	Manual
UserDataSvc_1d0d9208f	Stopped	Manual
StateRepository	Running	Manual
UserDataSvc_1f2357ec4	Stopped	Manual
UserDataSvc_4b911a	Stopped	Manual
UserDataSvc_3a949f1dd	Stopped	Manual
XblAuthManager	Stopped	Manual
SysMain	Stopped	Manual
TapiSrv	Stopped	Manual
TabletInputService	Running	Manual
XblGameSave	Stopped	Manual
StorSvc	Running	Manual
AJRouter	Stopped	Manual
swprv	Stopped	Manual
svsvc	Stopped	Manual
wudfsvc	Running	Manual
UI0Detect	Stopped	Manual
stisvc	Stopped	Manual
UnistoreSvc_1d0d9208f	Stopped	Manual
UmRdpService	Running	Manual
TrustedInstaller	Stopped	Manual
TieringEngineService	Stopped	Manual
c2wts	Stopped	Manual
TimeBrokerSvc	Running	Manual
bthserv	Stopped	Manual
vds	Stopped	Manual
WEHOSTSVCS	Stopped	Manual
Weccsvc	Stopped	Manual
wercplsupport	Stopped	Manual
WiaRpc	Stopped	Manual
WerSvc	Stopped	Manual
AppReadiness	Stopped	Manual
WAS	Running	Manual
WdiServiceHost	Running	Manual
WdNisSvc	Stopped	Manual
WdiSystemHost	Stopped	Manual
wisvc	Stopped	Manual
AppIDSvc	Stopped	Manual
WPDBusEnum	Stopped	Manual
wmiApSrv	Stopped	Manual
wlidsvc	Stopped	Manual
WinHttpAutoProxySvc	Running	Manual
AppMgmt	Running	Manual
Appinfo	Running	Manual
ALG	Stopped	Manual
WpnUserService_1d0d9208f	Stopped	Manual
vmicvmsession	Stopped	Manual
vmictimesync	Stopped	Manual
vmicvss	Stopped	Manual
vmvss	Stopped	Manual
AxInstSV	Stopped	Manual
vmicheartbeat	Stopped	Manual
vmicguestinterface	Stopped	Manual
vmickvpexchange	Stopped	Manual
vmicshutdown	Stopped	Manual
vmicrdv	Stopped	Manual
WpnUserService_3a949f1dd	Stopped	Manual
w3logsvc	Stopped	Manual
AppXSvc	Stopped	Manual
WpnUserService_1f2357ec4	Stopped	Manual

WalletService	Stopped	Manual
AudioSrv	Stopped	Manual
VMwareCAFCCommAmqpListener	Stopped	Manual
AudioEndpointBuilder	Stopped	Manual
aspnet_state	Stopped	Manual
VSS	Stopped	Manual
DsmSvc	Stopped	Manual
DsSvc	Stopped	Manual
NetBackup Proxy Service	Stopped	Manual
dot3svc	Stopped	Manual
Netman	Running	Manual
mtstrmd	Stopped	Manual
embeddedmode	Stopped	Manual
NcbService	Running	Manual
Eaphost	Stopped	Manual
EFS	Stopped	Manual
netprofm	Running	Manual
DevQueryBroker	Stopped	Manual
diagnosticshub.standardcollector.service	Stopped	Manual
DeviceInstall	Stopped	Manual
defragSvc	Stopped	Manual
DeviceAssociationService	Stopped	Manual
dmwappushservice	Stopped	Manual
NetSetupSvc	Stopped	Manual
DmEnrollmentSvc	Stopped	Manual
NgcSvc	Stopped	Manual
NgcCtnrSvc	Stopped	Manual
KPSSVC	Stopped	Manual
KtmRm	Stopped	Manual
KeyIso	Running	Manual
MSExchangeIMAP4BE	Stopped	Manual
MSExchangeImap4	Stopped	Manual
lltdsvc	Stopped	Manual
lmhosts	Running	Manual
LiveUpdate	Stopped	Manual
lfsvc	Running	Manual
LicenseManager	Running	Manual
icssvc	Stopped	Manual
fdPHost	Stopped	Manual
FDResPub	Stopped	Manual
EntAppSvc	Stopped	Manual
msiserver	Stopped	Manual
MSiSCSI	Stopped	Manual
hidserv	Stopped	Manual
HvHost	Stopped	Manual
MSExchangePop3	Stopped	Manual
FrameServer	Stopped	Manual
MSExchangePOP3BE	Stopped	Manual
ClipSVC	Stopped	Manual
ScDeviceEnum	Running	Manual
SCPolicySvc	Stopped	Manual
seclogon	Stopped	Manual
CertPropSvc	Running	Manual
RpcLocator	Stopped	Manual
RPCHTTPLBS	Stopped	Manual
COMSysApp	Running	Manual
sacsvr	Stopped	Manual
RSoPProv	Stopped	Manual
smphost	Stopped	Manual
SmbWitness	Stopped	Manual
SNMPTRAP	Stopped	Manual
SstpSvc	Stopped	Manual
SSDPDRV	Running	Manual
SensorService	Stopped	Manual
SensorDataService	Stopped	Manual
SensrSvc	Stopped	Manual
SharedAccess	Stopped	Manual
SessionEnv	Running	Manual
PlugPlay	Running	Manual
pla	Running	Manual
PimIndexMaintenanceSvc_693190	Stopped	Manual
DcpSvc	Stopped	Manual
PrintNotify	Stopped	Manual
PolicyAgent	Running	Manual
PimIndexMaintenanceSvc_1d0d9208f	Stopped	Manual
PhoneSvc	Stopped	Manual
PerfHost	Stopped	Manual
PimIndexMaintenanceSvc_4b911a	Stopped	Manual
PimIndexMaintenanceSvc_3a949f1dd	Stopped	Manual
PimIndexMaintenanceSvc_1f2357ec4	Stopped	Manual
RasAuto	Stopped	Manual
RasMan	Stopped	Manual
RmSvc	Stopped	Manual
QWAVE	Stopped	Manual
WSearch	Stopped	Disabled
NcaSvc	Stopped	Disabled
RemoteAccess	Stopped	Disabled
CscService	Stopped	Disabled
tzautoupdate	Stopped	Disabled
AppVClient	Stopped	Disabled
Browser	Stopped	Disabled
NetBackup SAN Client Fibre Transport Service	Stopped	Disabled

UevAgentService  
SCardSvr

Stopped Disabled  
Stopped Disabled

## APPLICATION LOG

```
Index           : 3215505
EntryType       : Error
InstanceId      : 3221499633
Message         : An internal transport certificate will expire soon.
                  Thumbprint:5413D3393B8E7872809BFB8A4D8CE6915D8E7B8C,
                  expires: 1/17/2018 12:00:00 PM

Category        : TransportService
CategoryNumber  : 12
ReplacementStrings : {5413D3393B8E7872809BFB8A4D8CE6915D8E7B8C, 1/17/2018
                  12:00:00 PM}

Source          : MSExchangeTransport
TimeGenerated   : 11/15/2017 4:14:28 PM
TimeWritten     : 11/15/2017 4:14:28 PM
UserName        :
Index           : 3215504
EntryType       : Warning
InstanceId      : 2147746798
Message         : The Microsoft Exchange Mailbox Replication service was
                  unable to process jobs in a mailbox database.
                  Database: Missing database
                  (42baef85-a665-475c-bf0e-48fella38d20)
                  Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
                  doesn't exist.

Category        : Service
CategoryNumber  : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
                  Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
                  exist.}

Source          : MSExchange Mailbox Replication
TimeGenerated   : 11/15/2017 4:14:26 PM
TimeWritten     : 11/15/2017 4:14:26 PM
UserName        :
Index           : 3215489
EntryType       : Warning
InstanceId      : 2147746815
Message         : Exchange ActiveSync tried to access a mailbox on Mailbox
                  server "PRO-EXCH-01.duoc.cl". It could not access the
                  mailbox because the Mailbox server is offline.

Category        : Requests
CategoryNumber  : 1
ReplacementStrings : {PRO-EXCH-01.duoc.cl}
Source          : MSExchange ActiveSync
TimeGenerated   : 11/15/2017 4:13:29 PM
TimeWritten     : 11/15/2017 4:13:29 PM
UserName        :
Index           : 3215488
EntryType       : Warning
InstanceId      : 2147746798
Message         : The Microsoft Exchange Mailbox Replication service was
                  unable to process jobs in a mailbox database.
                  Database: Missing database
                  (42baef85-a665-475c-bf0e-48fella38d20)
                  Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
                  doesn't exist.

Category        : Service
CategoryNumber  : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
                  Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
                  exist.}

Source          : MSExchange Mailbox Replication
TimeGenerated   : 11/15/2017 4:13:26 PM
TimeWritten     : 11/15/2017 4:13:26 PM
UserName        :
Index           : 3215487
EntryType       : Warning
InstanceId      : 2147746815
Message         : Exchange ActiveSync tried to access a mailbox on Mailbox
                  server "PRO-EXCH-01.duoc.cl". It could not access the
                  mailbox because the Mailbox server is offline.

Category        : Requests
CategoryNumber  : 1
ReplacementStrings : {PRO-EXCH-01.duoc.cl}
Source          : MSExchange ActiveSync
TimeGenerated   : 11/15/2017 4:13:24 PM
TimeWritten     : 11/15/2017 4:13:24 PM
UserName        :
Index           : 3215486
EntryType       : Warning
InstanceId      : 2147746815
Message         : Exchange ActiveSync tried to access a mailbox on Mailbox
                  server "PRO-EXCH-01.duoc.cl". It could not access the
                  mailbox because the Mailbox server is offline.

Category        : Requests
CategoryNumber  : 1
ReplacementStrings : {PRO-EXCH-01.duoc.cl}
Source          : MSExchange ActiveSync
TimeGenerated   : 11/15/2017 4:13:24 PM
TimeWritten     : 11/15/2017 4:13:24 PM
UserName        :
```

```

Index          : 3215470
EntryType      : Warning
InstanceId     : 2147746798
Message        : The Microsoft Exchange Mailbox Replication service was
                  unable to process jobs in a mailbox database.
                  Database: Missing database
                  (42baef85-a665-475c-bf0e-48fella38d20)
                  Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
                  doesn't exist.

Category       : Service
CategoryNumber : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
                      Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
                      exist.}

Source         : MSExchange Mailbox Replication
TimeGenerated  : 11/15/2017 4:12:23 PM
TimeWritten    : 11/15/2017 4:12:23 PM
UserName       :
Index          : 3215458
EntryType      : Warning
InstanceId     : 2147746801
Message        : The description for Event ID '-2147220495' in Source
                  'MSExchangeFastSearch' cannot be found. The local
                  computer may not have the necessary registry information
                  or message DLL files to display the message, or you may
                  not have permission to access them. The following
                  information is part of the event: 'Mailbox Database
                  2061654708', 'Microsoft.Exchange.Search.Core.Abstraction.O
                  perationFailedException: The component operation has
                  failed. ---> Microsoft.Exchange.Search.Core.Abstraction.Co
                  mponentFailedPermanentException: Failed to read
                  notifications, MDB: d00b751d-0d50-41c1-ae08-d41bf28b2b08.
                  ---> Microsoft.Mapi.MapiExceptionMdbOffline:
                  MapiExceptionMdbOffline: Unable to read events.
                  (hr=0x80004005, ec=1142)
                  Diagnostic context:
                      Lid: 49384
                      Lid: 51176      StoreEc: 0x476
                      Lid: 40680      StoreEc: 0x476
                      Lid: 43980
                      Lid: 16354      StoreEc: 0x476
                      Lid: 38985      StoreEc: 0x476
                      Lid: 20098
                      Lid: 20585      StoreEc: 0x476
                  at Microsoft.Mapi.MapiExceptionHelper.InternalThrowIfEr
                  rorOrWarning(String message, Int32 hresult, Boolean
                  allowWarnings, Int32 ec, DiagnosticContext diagCtx,
                  Exception innerException)
                  at
                  Microsoft.Mapi.MapiExceptionHelper.ThrowIfError(String
                  message, Int32 hresult, IExInterface iUnknown, Exception
                  innerException)
                  at Microsoft.Mapi.MapiEventManager.ReadEvents(Int64
                  startCounter, Int32 eventCountWanted, Int32
                  eventCountToCheck, Restriction filter, ReadEventsFlags
                  flags, Boolean includeSid, Int64& endCounter)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.c__DisplayClass3.b_1()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayC
                  lass4`1.b_
                  _3()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayC
                  lass7.b__6()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  Exceptions(IDiagnosticsSession tracer, LocalizedString
                  errorString, Action mapiCall)
                  --- End of inner exception stack trace ---
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  Exceptions(IDiagnosticsSession tracer, LocalizedString
                  errorString, Action mapiCall)
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  ExceptionsWithRetry(IDiagnosticsSession tracer,
                  LocalizedString errorString, Action mapiCall, Action
                  reconnectAction, MdbHealthTracker mdbHealthTracker)
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  ExceptionsWithRetryAndReturnValue[TReturnValue](IDiagnosti
                  csSession tracer, LocalizedString errorString, Func`1
                  mapiCall, Action reconnectAction, MdbHealthTracker
                  mdbHealthTracker)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.ReadEvents(Int64 startCounter, Int32 eventCountWanted,
                  ReadEventsFlags flags, Int64& endCounter)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.ReadFirstEventCounter()
                  at Microsoft.Exchange.Search.Engine.NotificationsEventsS
                  ourceInfo..ctor(IWatermarkStorage watermarkStorage,
                  INotificationsEventSource eventSource,
                  IDiagnosticsSession diagnosticsSession, MdbInfo mdbInfo)
                  at Microsoft.Exchange.Search.Engine.SearchFeedingContro
                  ller.DetermineFeederStateAndStartFeeders()
                  at Microsoft.Exchange.Search.Engine.SearchFeedingContro
                  ller.InternalExecutionStart()

```

```

        at Microsoft.Exchange.Search.Core.Common.Executable.InternalExecutionStart(Object state)
        --- End of inner exception stack trace ---
        at Microsoft.Exchange.Search.Core.Common.Executable.EndExecute(IAsyncResult asyncResult)
        at Microsoft.Exchange.Search.Engine.SyncRootController.ExecuteComplete(IAsyncResult asyncResult)'
Category          : (1)
CategoryNumber    : 1
ReplacementStrings : {Mailbox Database 2061654708, Microsoft.Exchange.Search.Core.Abstraction.OperationFailedException: The component operation has failed. ---> Microsoft.Exchange.Search.Core.Abstraction.ComponentFailedPermanentException: Failed to read notifications, MDB: d00b751d-0d50-41c1-ae08-d41bf28b2b08. ---> Microsoft.Mapi.MapiExceptionMdbOffline: MapiExceptionMdbOffline: Unable to read events. (hr=0x80004005, ec=1142)
Diagnostic context:
    Lid: 49384
    Lid: 51176      StoreEc: 0x476
    Lid: 40680      StoreEc: 0x476
    Lid: 43980
    Lid: 16354      StoreEc: 0x476
    Lid: 38985      StoreEc: 0x476
    Lid: 20098
    Lid: 20585      StoreEc: 0x476
        at Microsoft.Mapi.MapiExceptionHelper.InternalThrowIfErrorOrWarning(String message, Int32 hresult, Boolean allowWarnings, Int32 ec, DiagnosticContext diagCtx, Exception innerException)
        at
        Microsoft.Mapi.MapiExceptionHelper.ThrowIfError(String message, Int32 hresult, IExInterface iUnknown, Exception innerException)
        at Microsoft.Mapi.MapiEventManager.ReadEvents(Int64 startCounter, Int32 eventCountWanted, Int32 eventCountToCheck, Restriction filter, ReadEventsFlags flags, Boolean includeSid, Int64& endCounter)
        at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.c__DisplayClass3.b__1()
        at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayClass4`1.b__3()
        at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayClass7.b__6()
        at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapiExceptions(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall)
        --- End of inner exception stack trace ---
        at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapiExceptions(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall)
        at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapiExceptionsWithRetry(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall, Action reconnectAction, MdbHealthTracker mdbHealthTracker)
        at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapiExceptionsWithRetryAndReturnValue[TReturnValue](IDiagnosticsSession tracer, LocalizedString errorString, Func`1 mapiCall, Action reconnectAction, MdbHealthTracker mdbHealthTracker)
        at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.ReadEvents(Int64 startCounter, Int32 eventCountWanted, ReadEventsFlags flags, Int64& endCounter)
        at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.ReadFirstEventCounter()
        at Microsoft.Exchange.Search.Engine.NotificationsEventsSourceInfo..ctor(IWatermarkStorage watermarkStorage, INotificationsEventSource eventSource, IDiagnosticsSession diagnosticsSession, MdbInfo mdbInfo)
        at Microsoft.Exchange.Search.Engine.SearchFeedingController.DetermineFeederStateAndStartFeeders()
        at Microsoft.Exchange.Search.Engine.SearchFeedingController.InternalExecutionStart()
        at Microsoft.Exchange.Search.Core.Common.Executable.InternalExecutionStart(Object state)
        --- End of inner exception stack trace ---
        at Microsoft.Exchange.Search.Core.Common.Executable.EndExecute(IAsyncResult asyncResult)
        at Microsoft.Exchange.Search.Engine.SyncRootController.ExecuteComplete(IAsyncResult asyncResult)}
Source            : MSExchangeFastSearch
TimeGenerated     : 11/15/2017 4:11:50 PM
TimeWritten       : 11/15/2017 4:11:50 PM
UserName          :
Index             : 3215448
EntryType         : Warning
InstanceId        : 2147746798
Message           : The Microsoft Exchange Mailbox Replication service was
                    unable to process jobs in a mailbox database.
                    Database: Missing database

```

```

(42baef85-a665-475c-bf0e-48fella38d20)
Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
doesn't exist.
Category      : Service
CategoryNumber : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
exist.}
Source        : MExchange Mailbox Replication
TimeGenerated : 11/15/2017 4:11:19 PM
TimeWritten   : 11/15/2017 4:11:19 PM
UserName      :
Index         : 3215418
EntryType     : Warning
InstanceId    : 2147746798
Message       : The Microsoft Exchange Mailbox Replication service was
unable to process jobs in a mailbox database.
Database: Missing database
(42baef85-a665-475c-bf0e-48fella38d20)
Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
doesn't exist.

Category      : Service
CategoryNumber : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
exist.}
Source        : MExchange Mailbox Replication
TimeGenerated : 11/15/2017 4:10:16 PM
TimeWritten   : 11/15/2017 4:10:16 PM
UserName      :
Index         : 3215413
EntryType     : Warning
InstanceId    : 2147746815
Message       : Exchange ActiveSync tried to access a mailbox on Mailbox
server "PRO-EXCH-01.duoc.cl". It could not access the
mailbox because the Mailbox server is offline.

Category      : Requests
CategoryNumber : 1
ReplacementStrings : {PRO-EXCH-01.duoc.cl}
Source        : MExchange ActiveSync
TimeGenerated : 11/15/2017 4:09:29 PM
TimeWritten   : 11/15/2017 4:09:29 PM
UserName      :
Index         : 3215412
EntryType     : Error
InstanceId    : 3221491754
Message       : Some databases on server PRO-EXCH-01 have insufficient
data redundancy.

```

Databases:

Mailbox Database 2061654708

Mailbox Database 2061654708 - There were database redundancy check failures for database 'Mailbox Database 2061654708' that may be lowering its redundancy and putting the database at risk of data loss. Redundancy Count: 1. Expected Redundancy Count: 2. Detailed error(s):

PRO-EXCH-01:  
Database 'Mailbox Database 2061654708' does not have enough copies configured to meet the validation criteria.

```

=====
=====
Database Copy Health Transition Information (sorted by
most recently Active)
=====
=====

```

```

PRO-EXCH-01.duoc.cl:
LastCopyStatusTransitionTime: 01/01/0001 00:00:00
CopyFoundInAD: CurrentState: Success;
LastActiveTransition: 2017-06-28T21:21:11.5324286Z;
LastInactiveTransition: 0001-01-01T00:00:00.0000000
CopyStatusActive: CurrentState: Success;
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;
LastInactiveTransition: 2017-09-29T13:19:10.7450816Z
CopyStatusMounted: CurrentState: Failure;
LastActiveTransition: 2017-10-10T12:59:07.7841408Z;
LastInactiveTransition: 2017-10-10T16:32:09.0247462Z
CopyStatusHealthy: CurrentState: Failure;
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;
LastInactiveTransition: 2017-10-04T18:28:44.8389087Z
CopyStatusFailed: CurrentState: Failure;
LastActiveTransition: 2017-09-13T01:08:44.8929140Z;
LastInactiveTransition: 2017-09-13T01:18:44.9963544Z
CopyStatusSeeding: CurrentState: Failure;

```



LastActiveTransition: 0001-01-01T00:00:00.0000000;  
LastInactiveTransition: 2017-06-28T21:22:11.5338760Z  
CopyStatusRetrieved: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:41:44.8519495Z;  
LastInactiveTransition: 2017-10-04T18:40:44.8544318Z  
CopyIsRedundant: CurrentState: Success;  
LastActiveTransition: 2017-10-30T19:01:07.5118914Z;  
LastInactiveTransition: 2017-10-30T19:00:07.5128506Z  
CopyIsAvailable: CurrentState: Success;  
LastActiveTransition: 2017-10-30T19:01:07.5118914Z;  
LastInactiveTransition: 2017-10-30T19:00:07.5128506Z

PRO-EXCH-04.duoc.cl:  
LastCopyStatusTransitionTime: 10/06/2017 12:26:40  
CopyFoundInAD: CurrentState: Failure;  
LastActiveTransition: 2017-06-10T18:41:45.5814908Z;  
LastInactiveTransition: 2017-10-06T12:28:28.5252222Z  
CopyStatusActive: CurrentState: Failure;  
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;  
LastInactiveTransition: 2017-10-04T18:29:44.8379822Z  
CopyStatusMounted: CurrentState: Failure;  
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;  
LastInactiveTransition: 2017-10-04T18:28:44.8389087Z  
CopyStatusHealthy: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:29:44.8379822Z;  
LastInactiveTransition: 2017-09-29T13:19:10.7450816Z  
CopyStatusFailed: CurrentState: Failure;  
LastActiveTransition: 2017-09-22T14:21:09.8522790Z;  
LastInactiveTransition: 2017-09-22T14:25:09.8483869Z  
CopyStatusSeeding: CurrentState: Failure;  
LastActiveTransition: 0001-01-01T00:00:00.0000000;  
LastInactiveTransition: 2017-06-10T18:41:45.6554868Z  
CopyStatusRetrieved: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z  
CopyIsRedundant: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z  
CopyIsAvailable: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:29:44.8379822Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z

Category : Service  
CategoryNumber : 1  
ReplacementStrings : {PRO-EXCH-01, Mailbox Database 2061654708

Mailbox Database 2061654708 - There were database  
redundancy check failures for database 'Mailbox Database  
2061654708' that may be lowering its redundancy and  
putting the database at risk of data loss. Redundancy  
Count: 1. Expected Redundancy Count: 2. Detailed  
error(s):

PRO-EXCH-01:  
Database 'Mailbox Database 2061654708' does not  
have enough copies configured to meet the validation  
criteria.

=====  
=====  
Database Copy Health Transition Information (sorted by  
most recently Active)  
=====

PRO-EXCH-01.duoc.cl:  
LastCopyStatusTransitionTime: 01/01/0001 00:00:00  
CopyFoundInAD: CurrentState: Success;  
LastActiveTransition: 2017-06-28T21:21:11.5324286Z;  
LastInactiveTransition: 0001-01-01T00:00:00.0000000  
CopyStatusActive: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;  
LastInactiveTransition: 2017-09-29T13:19:10.7450816Z  
CopyStatusMounted: CurrentState: Failure;  
LastActiveTransition: 2017-10-10T12:59:07.7841408Z;  
LastInactiveTransition: 2017-10-10T16:32:09.0247462Z  
CopyStatusHealthy: CurrentState: Failure;  
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;  
LastInactiveTransition: 2017-10-04T18:28:44.8389087Z  
CopyStatusFailed: CurrentState: Failure;  
LastActiveTransition: 2017-09-13T01:08:44.8929140Z;  
LastInactiveTransition: 2017-09-13T01:18:44.9963544Z  
CopyStatusSeeding: CurrentState: Failure;  
LastActiveTransition: 0001-01-01T00:00:00.0000000;  
LastInactiveTransition: 2017-06-28T21:22:11.5338760Z  
CopyStatusRetrieved: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:41:44.8519495Z;

LastInactiveTransition: 2017-10-04T18:40:44.8544318Z  
CopyIsRedundant: CurrentState: Success;  
LastActiveTransition: 2017-10-30T19:01:07.5118914Z;  
LastInactiveTransition: 2017-10-30T19:00:07.5128506Z  
CopyIsAvailable: CurrentState: Success;  
LastActiveTransition: 2017-10-30T19:01:07.5118914Z;  
LastInactiveTransition: 2017-10-30T19:00:07.5128506Z

PRO-EXCH-04.duoc.cl:  
LastCopyStatusTransitionTime: 10/06/2017 12:26:40  
CopyFoundInAD: CurrentState: Failure;  
LastActiveTransition: 2017-06-10T18:41:45.5814908Z;  
LastInactiveTransition: 2017-10-06T12:28:28.5252222Z  
CopyStatusActive: CurrentState: Failure;  
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;  
LastInactiveTransition: 2017-10-04T18:29:44.8379822Z  
CopyStatusMounted: CurrentState: Failure;  
LastActiveTransition: 2017-09-29T13:19:10.7450816Z;  
LastInactiveTransition: 2017-10-04T18:28:44.8389087Z  
CopyStatusHealthy: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:29:44.8379822Z;  
LastInactiveTransition: 2017-09-29T13:19:10.7450816Z  
CopyStatusFailed: CurrentState: Failure;  
LastActiveTransition: 2017-09-22T14:21:09.8522790Z;  
LastInactiveTransition: 2017-09-22T14:25:09.8483869Z  
CopyStatusSeeding: CurrentState: Failure;  
LastActiveTransition: 0001-01-01T00:00:00.0000000;  
LastInactiveTransition: 2017-06-10T18:41:45.6554868Z  
CopyStatusRetrieved: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z  
CopyIsRedundant: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:28:44.8389087Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z  
CopyIsAvailable: CurrentState: Success;  
LastActiveTransition: 2017-10-04T18:29:44.8379822Z;  
LastInactiveTransition: 2017-10-04T18:27:44.8411025Z

```
    }  
Source      : MSExchangeRepl  
TimeGenerated : 11/15/2017 4:09:27 PM  
TimeWritten  : 11/15/2017 4:09:27 PM  
UserName     :  
Index        : 3215411  
EntryType    : Warning  
InstanceId   : 2147746815  
Message      : Exchange ActiveSync tried to access a mailbox on Mailbox  
               server "PRO-EXCH-01.duoc.cl". It could not access the  
               mailbox because the Mailbox server is offline.
```

```
Category    : Requests  
CategoryNumber : 1  
ReplacementStrings : {PRO-EXCH-01.duoc.cl}  
Source      : MSExchange ActiveSync  
TimeGenerated : 11/15/2017 4:09:24 PM  
TimeWritten  : 11/15/2017 4:09:24 PM  
UserName     :  
Index        : 3215410  
EntryType    : Warning  
InstanceId   : 2147746815  
Message      : Exchange ActiveSync tried to access a mailbox on Mailbox  
               server "PRO-EXCH-01.duoc.cl". It could not access the  
               mailbox because the Mailbox server is offline.
```

```
Category    : Requests  
CategoryNumber : 1  
ReplacementStrings : {PRO-EXCH-01.duoc.cl}  
Source      : MSExchange ActiveSync  
TimeGenerated : 11/15/2017 4:09:24 PM  
TimeWritten  : 11/15/2017 4:09:24 PM  
UserName     :  
Index        : 3215407  
EntryType    : Warning  
InstanceId   : 2147746798  
Message      : The Microsoft Exchange Mailbox Replication service was  
               unable to process jobs in a mailbox database.  
               Database: Missing database  
               (42baef85-a665-475c-bf0e-48fella38d20)  
               Error: Database '42baef85-a665-475c-bf0e-48fella38d20'  
               doesn't exist.
```

```
Category    : Service  
CategoryNumber : 1  
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),  
               Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't  
               exist.}  
Source      : MSExchange Mailbox Replication  
TimeGenerated : 11/15/2017 4:09:12 PM  
TimeWritten  : 11/15/2017 4:09:12 PM  
UserName     :  
Index        : 3215392  
EntryType    : Warning  
InstanceId   : 2147746798  
Message      : The Microsoft Exchange Mailbox Replication service was
```

```

unable to process jobs in a mailbox database.
Database: Missing database
(42baef85-a665-475c-bf0e-48fella38d20)
Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
doesn't exist.
Category      : Service
CategoryNumber : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
exist.}
Source        : MExchange Mailbox Replication
TimeGenerated : 11/15/2017 4:08:10 PM
TimeWritten   : 11/15/2017 4:08:10 PM
UserName      :
Index         : 3215385
EntryType     : Error
InstanceId    : 3221229599
Message       : Process powershell.exe (PID=37236). Component: Microsoft.E
xchange.Data.Directory.ConfigurationSettingsADNotification
Exception: Error running AD operation. ---> Microsoft.Exch
ange.Data.Directory.ADTopologyUnexpectedException:
Unexpected error when calling the Microsoft Exchange
Active Directory Topology service on server
'TopologyClientTcpEndpoint (localhost)'. Error details:
Access is denied.. ---> System.ServiceModel.Security.Secur
ityAccessDeniedException: Access is denied.

Server stack trace:
    at System.ServiceModel.Channels.ServiceChannel.ThrowIfF
aultUnderstood(Message reply, MessageFault fault, String
action, MessageVersion version, FaultConverter
faultConverter)
    at System.ServiceModel.Channels.ServiceChannel.HandleRe
ply(ProxyOperationRuntime operation, ProxyRpc& rpc)
    at
System.ServiceModel.Channels.ServiceChannel.Call(String
action, Boolean oneway, ProxyOperationRuntime operation,
Object[] ins, Object[] outs, TimeSpan timeout)
    at System.ServiceModel.Channels.ServiceChannelProxy.Inv
okeService(IMethodCallMessage methodCall,
ProxyOperationRuntime operation)
    at System.ServiceModel.Channels.ServiceChannelProxy.Inv
oke(IMessage message)

Exception rethrown at [0]:
    at System.Runtime.Remoting.Proxies.RealProxy.HandleRetu
rnMessage(IMessage reqMsg, IMessage retMsg)
    at System.Runtime.Remoting.Proxies.RealProxy.PrivateInv
oke(MessageData& msgData, Int32 type)
    at Microsoft.Exchange.Data.Directory.TopologyDiscovery.
ITopologyClient.GetServersForRole(String partitionFqdn,
List`1 currentlyUsedServers, ADServerRole role, Int32
serversRequested, Boolean forestWideAffinityRequested)
    at Microsoft.Exchange.Data.Directory.ServiceTopologyPro
vider.c__DisplayClass13.b__12(IPooledServiceProxy`1 proxy)
    at Microsoft.Exchange.Net.ServiceProxyPool`1.TryCallSer
viceWithRetry(Action`1 action, String debugMessage,
WCFFConnectionStateTuple proxyToUse, Int32
numberOfRetries, Boolean doNotReturnProxyOnSuccess,
Exception& exception)
    --- End of inner exception stack trace ---
    at Microsoft.Exchange.Data.Directory.ServiceTopologyPro
vider.GetConfigDCInfo(String partitionFqdn, Boolean
throwOnFailure)
    at Microsoft.Exchange.Data.Directory.TopologyProvider.P
opulateConfigNamingContexts(String partitionFqdn)
    at Microsoft.Exchange.Data.Directory.TopologyProvider.G
etConfigurationNamingContext(String partitionFqdn)
    at Microsoft.Exchange.Data.Directory.SystemConfiguratio
n.ADSystemConfigurationSession.GetRootOrgContainer(String
partitionFqdn, String domainController, NetworkCredential
credential)
    at Microsoft.Exchange.Data.Directory.SystemConfiguratio
n.ConfigurationSettings.ADConfigDriver.c__DisplayClass2.
b__0()
    at Microsoft.Exchange.Data.Directory.ADNotificationAdap
ter.RunADOperation(ADOperation adOperation, Int32
retryCount)
    at Microsoft.Exchange.Data.Directory.ADNotificationAdap
ter.TryRunADOperation(ADOperation adOperation, Int32
retryCount)
    --- End of inner exception stack trace ---. Unable to
load application settings. Exception: '%4'
Category      : General
CategoryNumber : 1
ReplacementStrings : {powershell.exe, 37236, Microsoft.Exchange.Data.Directory.
ConfigurationSettingsADNotificationException: Error
running AD operation. ---> Microsoft.Exchange.Data.Directo
ry.ADTopologyUnexpectedException: Unexpected error when
calling the Microsoft Exchange Active Directory Topology
service on server 'TopologyClientTcpEndpoint
(localhost)'. Error details: Access is denied.. ---> Syste

```

```
m.ServiceModel.Security.SecurityAccessDeniedException:
Access is denied.
```

```
Server stack trace:
```

```
    at System.ServiceModel.Channels.ServiceChannel.ThrowIfFaultUnderstood(Message reply, MessageFault fault, String action, MessageVersion version, FaultConverter faultConverter)
    at System.ServiceModel.Channels.ServiceChannel.HandleReply(ProxyOperationRuntime operation, ProxyRpc& rpc)
    at System.ServiceModel.Channels.ServiceChannel.Call(String action, Boolean oneway, ProxyOperationRuntime operation, Object[] ins, Object[] outs, TimeSpan timeout)
    at System.ServiceModel.Channels.ServiceChannelProxy.InvokeService(IMethodCallMessage methodCall, ProxyOperationRuntime operation)
    at System.ServiceModel.Channels.ServiceChannelProxy.Invoke(Message message)
```

```
Exception rethrown at [0]:
```

```
    at System.Runtime.Remoting.Proxies.RealProxy.HandleReturnMessage(IMessage reqMsg, IMessage retMsg)
    at System.Runtime.Remoting.Proxies.RealProxy.PrivateInvoke(MessageData& msgData, Int32 type)
    at Microsoft.Exchange.Data.Directory.TopologyDiscovery.ITopologyClient.GetServersForRole(String partitionFqdn, List`1 currentlyUsedServers, ADServerRole role, Int32 serversRequested, Boolean forestWideAffinityRequested)
    at Microsoft.Exchange.Data.Directory.ServiceTopologyProvider.c__DisplayClass13.b__12(IPooledServiceProxy`1 proxy)
    at Microsoft.Exchange.Net.ServiceProxyPool`1.TryCallServiceWithRetry(Action`1 action, String debugMessage, WCFConnectionStateTuple proxyToUse, Int32 numberOfRetries, Boolean doNotReturnProxyOnSuccess, Exception& exception)
    --- End of inner exception stack trace ---
    at Microsoft.Exchange.Data.Directory.ServiceTopologyProvider.GetConfigDCInfo(String partitionFqdn, Boolean throwOnFailure)
    at Microsoft.Exchange.Data.Directory.TopologyProvider.PopulateConfigNamingContexts(String partitionFqdn)
    at Microsoft.Exchange.Data.Directory.TopologyProvider.GetConfigurationNamingContext(String partitionFqdn)
    at Microsoft.Exchange.Data.Directory.SystemConfiguration.ADSystemConfigurationSession.GetRootOrgContainer(String partitionFqdn, String domainController, NetworkCredential credential)
    at Microsoft.Exchange.Data.Directory.SystemConfiguration.ConfigurationSettings.ADConfigDriver.c__DisplayClass2.b__0()
    at Microsoft.Exchange.Data.Directory.ADNotificationAdapter.RunADOperation(ADOperation adOperation, Int32 retryCount)
    at Microsoft.Exchange.Data.Directory.ADNotificationAdapter.TryRunADOperation(ADOperation adOperation, Int32 retryCount)
    --- End of inner exception stack trace ---}
```

```
Source      : MSExchange ADAccess
TimeGenerated  : 11/15/2017 4:07:29 PM
TimeWritten   : 11/15/2017 4:07:29 PM
UserName      :
Index         : 3215380
EntryType     : Warning
InstanceId    : 2147746798
Message       : The Microsoft Exchange Mailbox Replication service was
                unable to process jobs in a mailbox database.
                Database: Missing database
                (42baef85-a665-475c-bf0e-48fella38d20)
                Error: Database '42baef85-a665-475c-bf0e-48fella38d20'
                doesn't exist.

Category      : Service
CategoryNumber : 1
ReplacementStrings : {Missing database (42baef85-a665-475c-bf0e-48fella38d20),
                Database '42baef85-a665-475c-bf0e-48fella38d20' doesn't
                exist.}

Source      : MSExchange Mailbox Replication
TimeGenerated  : 11/15/2017 4:07:10 PM
TimeWritten   : 11/15/2017 4:07:10 PM
UserName      :
Index         : 3215371
EntryType     : Error
InstanceId    : 3221227478
Message       : The description for Event ID '-1073739818' in Source
                'PerfNet' cannot be found. The local computer may not
                have the necessary registry information or message DLL
                files to display the message, or you may not have
                permission to access them. The following information is
                part of the event:

Category      : (0)
CategoryNumber : 0
ReplacementStrings : {}
```

```

Source          : PerfNet
TimeGenerated   : 11/15/2017 4:06:36 PM
TimeWritten     : 11/15/2017 4:06:36 PM
UserName       :
Index          : 3215358
EntryType      : Warning
InstanceId      : 2147746801
Message        : The description for Event ID '-2147220495' in Source
                  'MSExchangeFastSearch' cannot be found. The local
                  computer may not have the necessary registry information
                  or message DLL files to display the message, or you may
                  not have permission to access them. The following
                  information is part of the event: 'Mailbox Database
                  2061654708', 'Microsoft.Exchange.Search.Core.Abstraction.O
                  perationFailedException: The component operation has
                  failed. ---> Microsoft.Exchange.Search.Core.Abstraction.Co
                  mponentFailedPermanentException: Failed to read
                  notifications, MDB: d00b751d-0d50-41c1-ae08-d41bf28b2b08.
                  ---> Microsoft.Mapi.MapiExceptionMdbOffline:
                  MapiExceptionMdbOffline: Unable to read events.
                  (hr=0x80004005, ec=1142)
                  Diagnostic context:
                    Lid: 49384
                    Lid: 51176      StoreEc: 0x476
                    Lid: 40680      StoreEc: 0x476
                    Lid: 43980
                    Lid: 16354      StoreEc: 0x476
                    Lid: 38985      StoreEc: 0x476
                    Lid: 20098
                    Lid: 20585      StoreEc: 0x476
                  at Microsoft.Mapi.MapiExceptionHelper.InternalThrowIfEr
                  rorOrWarning(String message, Int32 hresult, Boolean
                  allowWarnings, Int32 ec, DiagnosticContext diagCtx,
                  Exception innerException)
                  at
                  Microsoft.Mapi.MapiExceptionHelper.ThrowIfError(String
                  message, Int32 hresult, IExInterface iUnknown, Exception
                  innerException)
                  at Microsoft.Mapi.MapiEventManager.ReadEvents(Int64
                  startCounter, Int32 eventCountWanted, Int32
                  eventCountToCheck, Restriction filter, ReadEventsFlags
                  flags, Boolean includeSid, Int64& endCounter)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.c__DisplayClass3.b__1()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayC
                  lass4`1.b__
                  _3()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayC
                  lass7.b__6()
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  Exceptions(IDiagnosticsSession tracer, LocalizedString
                  errorString, Action mapiCall)
                  --- End of inner exception stack trace ---
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  Exceptions(IDiagnosticsSession tracer, LocalizedString
                  errorString, Action mapiCall)
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  ExceptionsWithRetry(IDiagnosticsSession tracer,
                  LocalizedString errorString, Action mapiCall, Action
                  reconnectAction, MdbHealthTracker mdbHealthTracker)
                  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapi
                  ExceptionsWithRetryAndReturnValue[TReturnValue](IDiagnosti
                  csSession tracer, LocalizedString errorString, Func`1
                  mapiCall, Action reconnectAction, MdbHealthTracker
                  mdbHealthTracker)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.ReadEvents(Int64 startCounter, Int32 eventCountWanted,
                  ReadEventsFlags flags, Int64& endCounter)
                  at Microsoft.Exchange.Search.Mdb.NotificationsEventSour
                  ce.ReadFirstEventCounter()
                  at Microsoft.Exchange.Search.Engine.NotificationsEventsS
                  ourceInfo..ctor(IWatermarkStorage watermarkStorage,
                  INotificationsEventSource eventSource,
                  IDiagnosticsSession diagnosticsSession, MdbInfo mdbInfo)
                  at Microsoft.Exchange.Search.Engine.SearchFeedingContro
                  ller.DetermineFeederStateAndStartFeeders()
                  at Microsoft.Exchange.Search.Engine.SearchFeedingContro
                  ller.InternalExecutionStart()
                  at Microsoft.Exchange.Search.Core.Common.Executable.Int
                  ernalExecutionStart(Object state)
                  --- End of inner exception stack trace ---
                  at Microsoft.Exchange.Search.Core.Common.Executable.End
                  Execute(IAsyncResult asyncResult)
                  at Microsoft.Exchange.Search.Engine.SyncRootController.
                  ExecuteComplete(IAsyncResult asyncResult)'
Category        : (1)
CategoryNumber  : 1
ReplacementStrings : {Mailbox Database 2061654708, Microsoft.Exchange.Search.Co
                  re.Abstraction.OperationFailedException: The component
                  operation has failed. ---> Microsoft.Exchange.Search.Core.
                  Abstraction.ComponentFailedPermanentException: Failed to
                  read notifications, MDB:

```

```

d00b751d-0d50-41c1-ae08-d41bf28b2b08. --->
Microsoft.Mapi.MapiExceptionMdbOffline:
MapiExceptionMdbOffline: Unable to read events.
(hr=0x80004005, ec=1142)
Diagnostic context:
  Lid: 49384
  Lid: 51176   StoreEc: 0x476
  Lid: 40680   StoreEc: 0x476
  Lid: 43980
  Lid: 16354   StoreEc: 0x476
  Lid: 38985   StoreEc: 0x476
  Lid: 20098
  Lid: 20585   StoreEc: 0x476
  at Microsoft.Mapi.MapiExceptionHelper.InternalThrowIfErrorOrWarning(String message, Int32 hresult, Boolean allowWarnings, Int32 ec, DiagnosticContext diagCtx, Exception innerException)
  at
Microsoft.Mapi.MapiExceptionHelper.ThrowIfError(String message, Int32 hresult, IExInterface iUnknown, Exception innerException)
  at Microsoft.Mapi.MapiEventManager.ReadEvents(Int64 startCounter, Int32 eventCountWanted, Int32 eventCountToCheck, Restriction filter, ReadEventsFlags flags, Boolean includeSid, Int64& endCounter)
  at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.c__DisplayClass3.b__1()
  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayClass4`1.b__3()
  at Microsoft.Exchange.Search.Mdb.MapiUtil.c__DisplayClass7.b__6()
  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapExceptions(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall)
  --- End of inner exception stack trace ---
  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapExceptions(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall)
  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapExceptionsWithRetry(IDiagnosticsSession tracer, LocalizedString errorString, Action mapiCall, Action reconnectAction, MdbHealthTracker mdbHealthTracker)
  at Microsoft.Exchange.Search.Mdb.MapiUtil.TranslateMapExceptionsWithRetryAndReturnValue[TReturnValue](IDiagnosticsSession tracer, LocalizedString errorString, Func`1 mapiCall, Action reconnectAction, MdbHealthTracker mdbHealthTracker)
  at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.ReadEvents(Int64 startCounter, Int32 eventCountWanted, ReadEventsFlags flags, Int64& endCounter)
  at Microsoft.Exchange.Search.Mdb.NotificationsEventSource.ReadFirstEventCounter()
  at Microsoft.Exchange.Search.Engine.NotificationsEventSourceInfo..ctor(IWatermarkStorage watermarkStorage, INotificationsEventSource eventSource, IDiagnosticsSession diagnosticsSession, MdbInfo mdbInfo)
  at Microsoft.Exchange.Search.Engine.SearchFeedingController.DetermineFeederStateAndStartFeeders()
  at Microsoft.Exchange.Search.Engine.SearchFeedingController.InternalExecutionStart()
  at Microsoft.Exchange.Search.Core.Common.Executable.InternalExecutionStart(Object state)
  --- End of inner exception stack trace ---
  at Microsoft.Exchange.Search.Core.Common.Executable.EndExecute(IAsyncResult asyncResult)
  at Microsoft.Exchange.Search.Engine.SyncRootController.ExecuteComplete(IAsyncResult asyncResult)}
Source      : MSExchangeFastSearch
TimeGenerated      : 11/15/2017 4:06:22 PM
TimeWritten       : 11/15/2017 4:06:22 PM
UserName        :

```



## SYSTEM LOG

```
Index      : 104692
EntryType  : Error
InstanceId : 1073741828
Message    : The Kerberos client received a KRB_AP_ERR_MODIFIED error
             from the server pro-exch-03$. The target name used was
             HOST/SRV DAG2016.duoc.cl. This indicates that the target
             server failed to decrypt the ticket provided by the
             client. This can occur when the target server principal
             name (SPN) is registered on an account other than the
             account the target service is using. Ensure that the
             target SPN is only registered on the account used by the
             server. This error can also happen if the target service
             account password is different than what is configured on
             the Kerberos Key Distribution Center for that target
             service. Ensure that the service on the server and the
             KDC are both configured to use the same password. If the
             server name is not fully qualified, and the target domain
             (DUOC.CL) is different from the client domain (DUOC.CL),
             check if there are identically named server accounts in
             these two domains, or use the fully-qualified name to
             identify the server.

Category   : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL, HOST/SRV DAG2016.duoc.cl, DUOC.CL}
Source     : Kerberos
TimeGenerated : 11/15/2017 3:28:59 PM
TimeWritten  : 11/15/2017 3:28:59 PM
UserName    :
Index      : 104691
EntryType  : Error
InstanceId : 1073741828
Message    : The Kerberos client received a KRB_AP_ERR_MODIFIED error
             from the server pro-exch-03$. The target name used was
             MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl. This indicates
             that the target server failed to decrypt the ticket
             provided by the client. This can occur when the target
             server principal name (SPN) is registered on an account
             other than the account the target service is using.
             Ensure that the target SPN is only registered on the
             account used by the server. This error can also happen if
             the target service account password is different than
             what is configured on the Kerberos Key Distribution
             Center for that target service. Ensure that the service
             on the server and the KDC are both configured to use the
             same password. If the server name is not fully qualified,
             and the target domain (DUOC.CL) is different from the
             client domain (DUOC.CL), check if there are identically
             named server accounts in these two domains, or use the
             fully-qualified name to identify the server.

Category   : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL,
                     MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl, DUOC.CL}
Source     : Kerberos
TimeGenerated : 11/15/2017 3:28:59 PM
TimeWritten  : 11/15/2017 3:28:59 PM
UserName    :
Index      : 104690
EntryType  : Error
InstanceId : 1073741828
Message    : The Kerberos client received a KRB_AP_ERR_MODIFIED error
             from the server pro-exch-03$. The target name used was
             MSServerClusterMgmtAPI/SRV DAG2016. This indicates that
             the target server failed to decrypt the ticket provided
             by the client. This can occur when the target server
             principal name (SPN) is registered on an account other
             than the account the target service is using. Ensure that
             the target SPN is only registered on the account used by
             the server. This error can also happen if the target
             service account password is different than what is
             configured on the Kerberos Key Distribution Center for
             that target service. Ensure that the service on the
             server and the KDC are both configured to use the same
             password. If the server name is not fully qualified, and
             the target domain (DUOC.CL) is different from the client
             domain (DUOC.CL), check if there are identically named
             server accounts in these two domains, or use the
             fully-qualified name to identify the server.

Category   : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL,
                     MSServerClusterMgmtAPI/SRV DAG2016, DUOC.CL}
Source     : Kerberos
TimeGenerated : 11/15/2017 3:28:59 PM
TimeWritten  : 11/15/2017 3:28:59 PM
UserName    :
Index      : 104689
EntryType  : Error
InstanceId : 1073741828
```



```

Message      : The Kerberos client received a KRB_AP_ERR_MODIFIED error
               from the server dc-admprimario$. The target name used was
               ldap/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL. This
               indicates that the target server failed to decrypt the
               ticket provided by the client. This can occur when the
               target server principal name (SPN) is registered on an
               account other than the account the target service is
               using. Ensure that the target SPN is only registered on
               the account used by the server. This error can also
               happen if the target service account password is
               different than what is configured on the Kerberos Key
               Distribution Center for that target service. Ensure that
               the service on the server and the KDC are both configured
               to use the same password. If the server name is not fully
               qualified, and the target domain (DUOC.CL) is different
               from the client domain (DUOC.CL), check if there are
               identically named server accounts in these two domains,
               or use the fully-qualified name to identify the server.

Category     : (0)
CategoryNumber : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL,
                      ldap/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL, DUOC.CL}

Source       : Kerberos
TimeGenerated : 11/15/2017 3:28:53 PM
TimeWritten  : 11/15/2017 3:28:53 PM
UserName     : 
Index       : 104688
EntryType    : Error
InstanceId   : 1073741828
Message      : The Kerberos client received a KRB_AP_ERR_MODIFIED error
               from the server dc-admprimario$. The target name used was
               ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
               target server failed to decrypt the ticket provided by
               the client. This can occur when the target server
               principal name (SPN) is registered on an account other
               than the account the target service is using. Ensure that
               the target SPN is only registered on the account used by
               the server. This error can also happen if the target
               service account password is different than what is
               configured on the Kerberos Key Distribution Center for
               that target service. Ensure that the service on the
               server and the KDC are both configured to use the same
               password. If the server name is not fully qualified, and
               the target domain (DUOC.CL) is different from the client
               domain (DUOC.CL), check if there are identically named
               server accounts in these two domains, or use the
               fully-qualified name to identify the server.

Category     : (0)
CategoryNumber : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
                      DUOC.CL}

Source       : Kerberos
TimeGenerated : 11/15/2017 3:27:28 PM
TimeWritten  : 11/15/2017 3:27:28 PM
UserName     : 
Index       : 104631
EntryType    : Error
InstanceId   : 1073741828
Message      : The Kerberos client received a KRB_AP_ERR_MODIFIED error
               from the server dc-admprimario$. The target name used was
               ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
               target server failed to decrypt the ticket provided by
               the client. This can occur when the target server
               principal name (SPN) is registered on an account other
               than the account the target service is using. Ensure that
               the target SPN is only registered on the account used by
               the server. This error can also happen if the target
               service account password is different than what is
               configured on the Kerberos Key Distribution Center for
               that target service. Ensure that the service on the
               server and the KDC are both configured to use the same
               password. If the server name is not fully qualified, and
               the target domain (DUOC.CL) is different from the client
               domain (DUOC.CL), check if there are identically named
               server accounts in these two domains, or use the
               fully-qualified name to identify the server.

Category     : (0)
CategoryNumber : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
                      DUOC.CL}

Source       : Kerberos
TimeGenerated : 11/15/2017 2:27:19 PM
TimeWritten  : 11/15/2017 2:27:19 PM
UserName     : 
Index       : 104599
EntryType    : Error
InstanceId   : 1073741828
Message      : The Kerberos client received a KRB_AP_ERR_MODIFIED error
               from the server pro-exch-03$. The target name used was
               HOST/SRVDAG2016.duoc.cl. This indicates that the target
               server failed to decrypt the ticket provided by the
               client. This can occur when the target server principal

```

name (SPN) is registered on an account other than the account the target service is using. Ensure that the target SPN is only registered on the account used by the server. This error can also happen if the target service account password is different than what is configured on the Kerberos Key Distribution Center for that target service. Ensure that the service on the server and the KDC are both configured to use the same password. If the server name is not fully qualified, and the target domain (DUOC.CL) is different from the client domain (DUOC.CL), check if there are identically named server accounts in these two domains, or use the fully-qualified name to identify the server.

Category : (0)  
CategoryNumber : 0  
ReplacementStrings : {pro-exch-03\$, DUOC.CL, HOST/SRV DAG2016.duoc.cl, DUOC.CL}  
Source : Kerberos  
TimeGenerated : 11/15/2017 1:29:15 PM  
TimeWritten : 11/15/2017 1:29:15 PM  
UserName :  
Index : 104598  
EntryType : Error  
InstanceId : 1073741828  
Message : The Kerberos client received a KRB\_AP\_ERR\_MODIFIED error from the server pro-exch-03\$. The target name used was MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl. This indicates that the target server failed to decrypt the ticket provided by the client. This can occur when the target server principal name (SPN) is registered on an account other than the account the target service is using. Ensure that the target SPN is only registered on the account used by the server. This error can also happen if the target service account password is different than what is configured on the Kerberos Key Distribution Center for that target service. Ensure that the service on the server and the KDC are both configured to use the same password. If the server name is not fully qualified, and the target domain (DUOC.CL) is different from the client domain (DUOC.CL), check if there are identically named server accounts in these two domains, or use the fully-qualified name to identify the server.

Category : (0)  
CategoryNumber : 0  
ReplacementStrings : {pro-exch-03\$, DUOC.CL, MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl, DUOC.CL}  
Source : Kerberos  
TimeGenerated : 11/15/2017 1:29:14 PM  
TimeWritten : 11/15/2017 1:29:14 PM  
UserName :  
Index : 104597  
EntryType : Error  
InstanceId : 1073741828  
Message : The Kerberos client received a KRB\_AP\_ERR\_MODIFIED error from the server pro-exch-03\$. The target name used was MSServerClusterMgmtAPI/SRV DAG2016. This indicates that the target server failed to decrypt the ticket provided by the client. This can occur when the target server principal name (SPN) is registered on an account other than the account the target service is using. Ensure that the target SPN is only registered on the account used by the server. This error can also happen if the target service account password is different than what is configured on the Kerberos Key Distribution Center for that target service. Ensure that the service on the server and the KDC are both configured to use the same password. If the server name is not fully qualified, and the target domain (DUOC.CL) is different from the client domain (DUOC.CL), check if there are identically named server accounts in these two domains, or use the fully-qualified name to identify the server.

Category : (0)  
CategoryNumber : 0  
ReplacementStrings : {pro-exch-03\$, DUOC.CL, MSServerClusterMgmtAPI/SRV DAG2016, DUOC.CL}  
Source : Kerberos  
TimeGenerated : 11/15/2017 1:29:14 PM  
TimeWritten : 11/15/2017 1:29:14 PM  
UserName :  
Index : 104596  
EntryType : Error  
InstanceId : 1073741828  
Message : The Kerberos client received a KRB\_AP\_ERR\_MODIFIED error from the server dc-admprimario\$. The target name used was ldap/DC-ADM PRIMARIO.duoc.cl/duoc.cl@DUOC.CL. This indicates that the target server failed to decrypt the ticket provided by the client. This can occur when the target server principal name (SPN) is registered on an account other than the account the target service is using. Ensure that the target SPN is only registered on the account used by the server. This error can also happen if the target service account password is different than what is configured on the Kerberos Key

```

Distribution Center for that target service. Ensure that
the service on the server and the KDC are both configured
to use the same password. If the server name is not fully
qualified, and the target domain (DUOC.CL) is different
from the client domain (DUOC.CL), check if there are
identically named server accounts in these two domains,
or use the fully-qualified name to identify the server.
Category          : (0)
CategoryNumber    : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL,
                      ldap/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL, DUOC.CL}
Source            : Kerberos
TimeGenerated     : 11/15/2017 1:28:53 PM
TimeWritten       : 11/15/2017 1:28:53 PM
UserName          :
Index             : 104595
EntryType         : Error
InstanceId        : 1073741828
Message           : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                    from the server dc-admprimario$. The target name used was
                    ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
                    target server failed to decrypt the ticket provided by
                    the client. This can occur when the target server
                    principal name (SPN) is registered on an account other
                    than the account the target service is using. Ensure that
                    the target SPN is only registered on the account used by
                    the server. This error can also happen if the target
                    service account password is different than what is
                    configured on the Kerberos Key Distribution Center for
                    that target service. Ensure that the service on the
                    server and the KDC are both configured to use the same
                    password. If the server name is not fully qualified, and
                    the target domain (DUOC.CL) is different from the client
                    domain (DUOC.CL), check if there are identically named
                    server accounts in these two domains, or use the
                    fully-qualified name to identify the server.

Category          : (0)
CategoryNumber    : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
                      DUOC.CL}
Source            : Kerberos
TimeGenerated     : 11/15/2017 1:27:15 PM
TimeWritten       : 11/15/2017 1:27:15 PM
UserName          :
Index             : 104575
EntryType         : Error
InstanceId        : 1073741828
Message           : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                    from the server dc-admprimario$. The target name used was
                    ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
                    target server failed to decrypt the ticket provided by
                    the client. This can occur when the target server
                    principal name (SPN) is registered on an account other
                    than the account the target service is using. Ensure that
                    the target SPN is only registered on the account used by
                    the server. This error can also happen if the target
                    service account password is different than what is
                    configured on the Kerberos Key Distribution Center for
                    that target service. Ensure that the service on the
                    server and the KDC are both configured to use the same
                    password. If the server name is not fully qualified, and
                    the target domain (DUOC.CL) is different from the client
                    domain (DUOC.CL), check if there are identically named
                    server accounts in these two domains, or use the
                    fully-qualified name to identify the server.

Category          : (0)
CategoryNumber    : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
                      DUOC.CL}
Source            : Kerberos
TimeGenerated     : 11/15/2017 12:27:08 PM
TimeWritten       : 11/15/2017 12:27:08 PM
UserName          :
Index             : 104541
EntryType         : Error
InstanceId        : 1073741828
Message           : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                    from the server pro-exch-03$. The target name used was
                    HOST/SRV DAG2016.duoc.cl. This indicates that the target
                    server failed to decrypt the ticket provided by the
                    client. This can occur when the target server principal
                    name (SPN) is registered on an account other than the
                    account the target service is using. Ensure that the
                    target SPN is only registered on the account used by the
                    server. This error can also happen if the target service
                    account password is different than what is configured on
                    the Kerberos Key Distribution Center for that target
                    service. Ensure that the service on the server and the
                    KDC are both configured to use the same password. If the
                    server name is not fully qualified, and the target domain
                    (DUOC.CL) is different from the client domain (DUOC.CL),
                    check if there are identically named server accounts in

```

```

these two domains, or use the fully-qualified name to
identify the server.
Category : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL, HOST/SRV DAG2016.duoc.cl, DUOC.CL}
Source : Kerberos
TimeGenerated : 11/15/2017 11:29:10 AM
TimeWritten : 11/15/2017 11:29:10 AM
UserName :
Index : 104540
EntryType : Error
InstanceId : 1073741828
Message : The Kerberos client received a KRB_AP_ERR_MODIFIED error
from the server pro-exch-03$. The target name used was
MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl. This indicates
that the target server failed to decrypt the ticket
provided by the client. This can occur when the target
server principal name (SPN) is registered on an account
other than the account the target service is using.
Ensure that the target SPN is only registered on the
account used by the server. This error can also happen if
the target service account password is different than
what is configured on the Kerberos Key Distribution
Center for that target service. Ensure that the service
on the server and the KDC are both configured to use the
same password. If the server name is not fully qualified,
and the target domain (DUOC.CL) is different from the
client domain (DUOC.CL), check if there are identically
named server accounts in these two domains, or use the
fully-qualified name to identify the server.

Category : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL,
MSServerClusterMgmtAPI/SRV DAG2016.duoc.cl, DUOC.CL}
Source : Kerberos
TimeGenerated : 11/15/2017 11:29:10 AM
TimeWritten : 11/15/2017 11:29:10 AM
UserName :
Index : 104539
EntryType : Error
InstanceId : 1073741828
Message : The Kerberos client received a KRB_AP_ERR_MODIFIED error
from the server pro-exch-03$. The target name used was
MSServerClusterMgmtAPI/SRV DAG2016. This indicates that
the target server failed to decrypt the ticket provided
by the client. This can occur when the target server
principal name (SPN) is registered on an account other
than the account the target service is using. Ensure that
the target SPN is only registered on the account used by
the server. This error can also happen if the target
service account password is different than what is
configured on the Kerberos Key Distribution Center for
that target service. Ensure that the service on the
server and the KDC are both configured to use the same
password. If the server name is not fully qualified, and
the target domain (DUOC.CL) is different from the client
domain (DUOC.CL), check if there are identically named
server accounts in these two domains, or use the
fully-qualified name to identify the server.

Category : (0)
CategoryNumber : 0
ReplacementStrings : {pro-exch-03$, DUOC.CL,
MSServerClusterMgmtAPI/SRV DAG2016, DUOC.CL}
Source : Kerberos
TimeGenerated : 11/15/2017 11:29:09 AM
TimeWritten : 11/15/2017 11:29:09 AM
UserName :
Index : 104538
EntryType : Error
InstanceId : 1073741828
Message : The Kerberos client received a KRB_AP_ERR_MODIFIED error
from the server dc-admprimario$. The target name used was
ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
target server failed to decrypt the ticket provided by
the client. This can occur when the target server
principal name (SPN) is registered on an account other
than the account the target service is using. Ensure that
the target SPN is only registered on the account used by
the server. This error can also happen if the target
service account password is different than what is
configured on the Kerberos Key Distribution Center for
that target service. Ensure that the service on the
server and the KDC are both configured to use the same
password. If the server name is not fully qualified, and
the target domain (DUOC.CL) is different from the client
domain (DUOC.CL), check if there are identically named
server accounts in these two domains, or use the
fully-qualified name to identify the server.

Category : (0)
CategoryNumber : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
DUOC.CL}

```

```

Source           : Kerberos
TimeGenerated    : 11/15/2017 11:26:56 AM
TimeWritten      : 11/15/2017 11:26:56 AM
UserName         :
Index           : 104516
EntryType        : Error
InstanceId       : 1073741828
Message          : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                  : from the server dc-admprimario$. The target name used was
                  : ldap/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL. This
                  : indicates that the target server failed to decrypt the
                  : ticket provided by the client. This can occur when the
                  : target server principal name (SPN) is registered on an
                  : account other than the account the target service is
                  : using. Ensure that the target SPN is only registered on
                  : the account used by the server. This error can also
                  : happen if the target service account password is
                  : different than what is configured on the Kerberos Key
                  : Distribution Center for that target service. Ensure that
                  : the service on the server and the KDC are both configured
                  : to use the same password. If the server name is not fully
                  : qualified, and the target domain (DUOC.CL) is different
                  : from the client domain (DUOC.CL), check if there are
                  : identically named server accounts in these two domains,
                  : or use the fully-qualified name to identify the server.

Category         : (0)
CategoryNumber   : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL,
                    : ldap/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL, DUOC.CL}

Source           : Kerberos
TimeGenerated    : 11/15/2017 10:35:12 AM
TimeWritten      : 11/15/2017 10:35:12 AM
UserName         :
Index           : 104513
EntryType        : Error
InstanceId       : 1073741828
Message          : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                  : from the server dc-admprimario$. The target name used was
                  : LDAP/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL. This
                  : indicates that the target server failed to decrypt the
                  : ticket provided by the client. This can occur when the
                  : target server principal name (SPN) is registered on an
                  : account other than the account the target service is
                  : using. Ensure that the target SPN is only registered on
                  : the account used by the server. This error can also
                  : happen if the target service account password is
                  : different than what is configured on the Kerberos Key
                  : Distribution Center for that target service. Ensure that
                  : the service on the server and the KDC are both configured
                  : to use the same password. If the server name is not fully
                  : qualified, and the target domain (DUOC.CL) is different
                  : from the client domain (DUOC.CL), check if there are
                  : identically named server accounts in these two domains,
                  : or use the fully-qualified name to identify the server.

Category         : (0)
CategoryNumber   : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL,
                    : LDAP/DC-ADMPRIMARIO.duoc.cl/duoc.cl@DUOC.CL, DUOC.CL}

Source           : Kerberos
TimeGenerated    : 11/15/2017 10:31:49 AM
TimeWritten      : 11/15/2017 10:31:49 AM
UserName         :
Index           : 104510
EntryType        : Error
InstanceId       : 1073741828
Message          : The Kerberos client received a KRB_AP_ERR_MODIFIED error
                  : from the server dc-admprimario$. The target name used was
                  : ldap/DC-ADMPRIMARIO.duoc.cl. This indicates that the
                  : target server failed to decrypt the ticket provided by
                  : the client. This can occur when the target server
                  : principal name (SPN) is registered on an account other
                  : than the account the target service is using. Ensure that
                  : the target SPN is only registered on the account used by
                  : the server. This error can also happen if the target
                  : service account password is different than what is
                  : configured on the Kerberos Key Distribution Center for
                  : that target service. Ensure that the service on the
                  : server and the KDC are both configured to use the same
                  : password. If the server name is not fully qualified, and
                  : the target domain (DUOC.CL) is different from the client
                  : domain (DUOC.CL), check if there are identically named
                  : server accounts in these two domains, or use the
                  : fully-qualified name to identify the server.

Category         : (0)
CategoryNumber   : 0
ReplacementStrings : {dc-admprimario$, DUOC.CL, ldap/DC-ADMPRIMARIO.duoc.cl,
                    : DUOC.CL}

Source           : Kerberos
TimeGenerated    : 11/15/2017 10:26:50 AM
TimeWritten      : 11/15/2017 10:26:50 AM
UserName         :
Index           : 104501

```

EntryType : Error  
InstanceId : 1073741828  
Message : The Kerberos client received a KRB\_AP\_ERR\_MODIFIED error from the server dc-admprimario\$. The target name used was cifs/DC-ADMPRIMARIO.duoc.cl. This indicates that the target server failed to decrypt the ticket provided by the client. This can occur when the target server principal name (SPN) is registered on an account other than the account the target service is using. Ensure that the target SPN is only registered on the account used by the server. This error can also happen if the target service account password is different than what is configured on the Kerberos Key Distribution Center for that target service. Ensure that the service on the server and the KDC are both configured to use the same password. If the server name is not fully qualified, and the target domain (DUOC.CL) is different from the client domain (DUOC.CL), check if there are identically named server accounts in these two domains, or use the fully-qualified name to identify the server.  
Category : (0)  
CategoryNumber : 0  
ReplacementStrings : {dc-admprimario\$, DUOC.CL, cifs/DC-ADMPRIMARIO.duoc.cl, DUOC.CL}  
Source : Kerberos  
TimeGenerated : 11/15/2017 10:16:12 AM  
TimeWritten : 11/15/2017 10:16:12 AM  
UserName :