**Story 1: Basic Emetogenicity Determination & Protocol Rule Engine**

- **User Story:**

*As a* pediatric oncologist,

*I want* the system to determine the individual and overall emetogenicity class for a patient's chemotherapy regimen based on hospital CINV guidelines,

*So that* I receive an automated baseline anti-emetic strategy recommendation.

- **Acceptance Criteria:**
    - Given a selected chemotherapy regimen, the system identifies all included cytostatics.
    - The system matches each cytostatic against the active hospital CINV protocol database.
    - The highest emetogenicity class among the prescribed cytostatics is identified and set as the baseline risk level.
    - The system displays the recommended baseline anti-emetic drug regimen.

**Story 2: BSA-Based Anti-Emetic Dosage Calculation**

- **User Story:**

*As a* pediatric oncologist,

*I want* the system to calculate exact anti-emetic dosages using the patient's most recent BSA value,

*So that* I can eliminate manual dose calculations and reduce dosing errors.

- **Acceptance Criteria:**
    - The system retrieves the latest BSA (Body Surface Area) value from the patient record.
    - The system calculates the exact dosage for each recommended anti-emetic drug based on BSA.
    - The interface clearly displays the calculation formula and underlying protocol rules for verification.

**Story 3: Patient Risk Personalization & Formulation Selection**

- **User Story:**

*As a* pediatric nurse specialist,

*I want* to enter patient-specific risk factors (e.g., anticipatory vomiting, prior nausea history, swallowing ability),

*So that* the system adjusts the anti-emetic strategy and formulation (e.g., liquid/IV vs. oral tablets) to the child's needs.

- **Acceptance Criteria:**
    - Dedicated input fields are available for:
        - Swallowing ability & formulation preference (oral liquid, oral tablet, IV).
        - History of CINV (e.g., severe nausea during prior cycles despite standard anti-emetics).
        - Anticipatory vomiting or severe anxiety during previous cycles.
    - The system automatically overrides or adjusts the baseline regimen based on these risk factors.
    - If a patient cannot swallow pills, the system defaults to liquid/syrup or IV alternatives.

**Story 4: CINV Patient Passport Generation & Export**

- **User Story:**

*As a* pediatric oncologist / nurse specialist,

*I want* to generate an exportable CINV Patient Passport summary with a single click,

*So that* the treatment history and recommendations are preserved for future cycles or other departments.

- **Acceptance Criteria:**
    - A "Generate Passport" button produces a clean, single-page summary (PDF format).
    - The passport includes:
        - Selected anti-emetic strategy and BSA-calculated doses.
        - Recorded patient risk factors and formulation preferences.
        - Notes on adverse reactions or efficacy from current/previous cycles.
    - The generated passport can be downloaded locally or exported directly to the EHR.

**Story 5 (Advanced): Real-Time Literature-Based Emetogenicity Cross-Check**

- **User Story:**

*As a* pediatric oncologist,

*I want* the system to cross-reference hospital protocols with recent published medical literature on emetogenicity,

*So that* I am alerted when current research suggests a different risk classification.

- **Acceptance Criteria:**
    - The system performs an asynchronous scan of medical literature databases for the prescribed cytostatics.

    - If literature findings conflict with hospital protocol, both recommendations are displayed side-by-side with full source citations.

**Story 6 (Advanced): Automated Drug Interaction & Contraindication Screening**

- **User Story:**

*As a* pediatric oncologist,

*I want* the system to screen proposed anti-emetics against the child's active medications for contraindications and interactions,

*So that* I am warned of safety risks and presented with safe alternatives.

- **Acceptance Criteria:**
    - The system evaluates all active patient medications against the proposed anti-emetic regimen.
    - If an interaction or contraindication is detected, a prominent visual warning is displayed.
    - The warning includes the evidence source citation and suggests safe alternative drug options.