





Mounting Dimensions



Description	3-CIM BALL SHIFTER CASING		
Dwg No	217-3250		
Project	VEXpro	Sheet 1 of 4	
Release	2014-10-31	ALL DIMENSIONS ARE IN INCHES [MM].	

WWW.VEXPRO.COM

Internal Features



3X $\phi .374[9.50] \nabla .573[14.54]$
CIM PINION RETAINER SLEEVE


$\phi 1.375$ THRU
 $\phi 1.575[40] \nabla .059$
BEARING BORE

$\phi .260[6.60]$ THRU
1/4" FASTENER CLEARANCE

$\phi .875$ THRU
 $\phi 1.000[25.40] \nabla .089$
BEARING BORE

6X $\phi .196$ THRU
 $\phi .374[9.50] \nabla .883$
#10 CLEARANCE FOR CIM MOUNT





$\phi 1.125$ THRU
 $\phi 1.230[31.24] \nabla .050$
BEARING BORE



Description	3-CIM BALL SHIFTER CASING		
Dwg No	217-3250		
Project	VEXpro	Sheet 2 of 4	
Release	2014-10-31	ALL DIMENSIONS ARE IN INCHES [MM].	

WWW.VEXPRO.COM




Motor and Encoder Mounting



Description	3-CIM BALL SHIFTER CASING		
Dwg No	217-3250		
Project	VEXpro	Sheet 3 of 4	
Release	2014-10-31	ALL DIMENSIONS ARE IN INCHES [MM].	

WWW.VEXPRO.COM

Bearing Location



Description	3-CIM BALL SHIFTER CASING		
Dwg No	217-3250		
Project	VEXpro	Sheet 4 of 4	
Release	2014-10-31	ALL DIMENSIONS ARE IN INCHES [MM].	

WWW.VEXPRO.COM