



Computer Graphics (CS 4731)

Texture Mapping

Joshua Cuneo

*Computer Science Dept.
Worcester Polytechnic Institute (WPI)*





The Limits of Geometric Modeling

- Although graphics cards can render over 10 million polygons per second
- Many phenomena even more detailed
 - Clouds
 - Grass
 - Terrain
 - Skin
- **Images:** Computationally inexpensive way to add details








Image complexity does not affect the complexity of geometry processing (transformation, clipping...)


Textures in Games



Texture Mapping





From Computer Desktop Encyclopedia
Reproduced with permission.
© 2001 Intergraph Computer Systems






Types of Texturing



1. geometric model




2. texture mapped
Paste image (marble)
onto polygon




Texture Mapping


1. Define texture position on geometry




Texturing



Texture Coordinates






Texture Mapping

- Map? Each (x,y,z) point on object, has corresponding (s, t) point in texture

$$s = s(x,y,z)$$

$$t = t(x,y,z)$$



Color Interpolation

$$\lambda_1 + \lambda_2 + \lambda_3 = 1$$

and


$$0 \leq \lambda_x \leq 1$$

• $\lambda_1 +$

• $\lambda_2 +$

• $\lambda_3 +$

=




Texture Coord Interpolation

$$\lambda_1 + \lambda_2 + \lambda_3 = 1$$

and


$$0 \leq \lambda_x \leq 1$$

$$\begin{aligned} &(0.15, 0.1) \cdot \lambda_1 + \\ &(0.6, 0.2) \cdot \lambda_2 + \\ &(0.6, 0.9) \cdot \lambda_3 + \\ &= \\ &(0.5, 0.6) \end{aligned}$$



Phong Interpolation

Where to apply the lighting model?




Bui Tuong Phong

Normals supplied per **vertex**



Normals interpolated across **face**

Color & **lighting** calculated per **pixel**



Bump Mapping

Where to apply the lighting model?




Normals supplied per **pixel**

Normals obtained from bump map

Color & **lighting** calculated per **pixel**

Bump Mapping

Where to apply the lighting model?





Normals supplied per **pixel**

Normals obtained from bump map

Color & **lighting** calculated per **pixel**

Types of Texturing



3. Bump mapping
Simulate surface roughness
(dimples)



4. Environment mapping
Picture of sky/environment
over object