GatherGood

Simple Event Management for Nonprofits

Product Reference & Build Guide

Version 1.0 | February 2026

Built for community organizations hosting fundraiser dinners, volunteer meetups, awareness nights, and small workshops.

Table of Contents

Note: Update this table of contents by right-clicking it and selecting "Update Field" after opening in Word.

1. Product Overview

1.1 Vision

GatherGood is a simple, affordable event management platform built for nonprofits and community organizations hosting events in cafes, libraries, community centers, and small venues. It handles the entire event lifecycle: create an event, sell tickets or collect RSVPs, communicate with attendees, and check people in at the door.

Think: fundraiser dinners, book drives, volunteer orientations, awareness nights, community workshops, and neighborhood meetups.

1.2 Design Principles

- **Simple first:** Every feature should be usable by a nonprofit volunteer with no technical background. If it requires a tutorial, it needs to be simpler.
- **Free events are first-class:** Most nonprofit events are free RSVPs. The platform must treat free events with the same care as paid ones.
- **Mobile-ready:** Event managers often work from phones. Check-in happens on phones. Everything must work beautifully on mobile.
- **Community-focused copy:** Language throughout uses terms like "community," "supporters," "attendees" rather than corporate event jargon.
- **Affordable:** Low or no platform fees for small nonprofits. The pricing model should never be a barrier to community organizing.

1.3 What This Is NOT

- Not a fundraising/donation platform (though events may be fundraisers)
- Not a CRM or donor management system
- Not a venue booking or rental marketplace
- Not a social network or community forum

2. User Roles & Permissions

GatherGood uses a simplified role system designed for small nonprofit teams.

2.1 Platform Admin

The GatherGood team. Full platform oversight: manage organizations, moderate content, handle disputes, process payouts, view platform-wide analytics.

2.2 Organizer (Nonprofit Staff/Volunteer)

The primary user. Organizers create and manage their nonprofit profile, create events, configure ticketing, manage guest lists, send communications, and check in attendees. Within an organization, there are three sub-roles:

Sub-Role	Can Do	Cannot Do
Owner	Everything, including billing and org deletion	N/A
Manager	Create/edit events, manage guests, send comms, check in	Change billing, delete org, remove Owner
Volunteer	View guest lists, check in attendees	Create/edit events, manage billing, send bulk comms

2.3 Attendee

Community members who discover events, RSVP or purchase tickets, receive communications, check in via QR code, and leave post-event feedback. Attendees can view their event history and manage their tickets.

2.4 Deferred Roles (Phase 2+)

Speaker/Performer and Vendor/Sponsor roles exist in the full spec but are deferred. Phase 1 organizers can simply list speaker names and sponsor logos in the event description rich text editor.

3. Core Features (Phase 1 MVP)

3.1 Organization (Nonprofit) Profile

Each nonprofit gets a branded profile that serves as their home on GatherGood.

Field	Details
Organization Name	Display name (e.g., "Friends of the Library")
Description	Short bio / mission statement
Website URL	Link back to the org's own website
Logo	Square image, used in headers and event cards
Brand Color	Primary accent color for branded pages
Banner Image	Wide hero image for org landing page
Contact Email	Public contact for attendees
Contact Phone	Optional public phone number

Payout Config	Bank account for receiving ticket revenue (ACH)

Team Management

- Invite team members by email
- Assign roles: Owner, Manager, Volunteer
- Remove team members (Owner only)
- Each member sees only their organization's data

3.2 Venue Management

Nonprofits often use the same venues repeatedly. GatherGood lets orgs save venues for quick reuse.

Field	Details
Venue Name	e.g., "Blue Bottle Coffee - Hayes Valley"
Address	Street address, auto-geocoded to lat/long
City / State / ZIP	For search and display
Capacity	Max number of attendees the venue holds
Accessibility Info	Wheelchair access, elevator, etc.
Parking / Transit	Notes on how to get there

Venues are saved per organization and reusable across events. Address is auto-geocoded on save for map display and proximity search.

3.3 Event Creation & Management

Event Details

Field	Details
Title	Event name (e.g., "Spring Community Dinner")
Subtitle	Optional tagline
Description	Rich text editor with formatting, links, images
Format	In-Person | Virtual | Hybrid
Category	Fundraiser, Workshop, Meetup, Volunteer, Social, Other
Cover Image	Hero image for event page and cards
Date & Time	Start, end, doors-open, timezone. Optional "Date TBD" flag
Venue	Select saved venue or enter new (in-person/hybrid)
Virtual Link	Zoom/Google Meet URL, revealed only to ticket holders

Private Toggle	Unlisted event, accessible only via direct link

Event Status Lifecycle

Events move through a clear lifecycle:

DRAFT → PUBLISHED → LIVE → COMPLETED → CANCELLED

- Draft: Event is being set up, not visible to the public
- Published: Event page is live, tickets are available
- Live: Event is currently happening (auto-transitions at start time)
- Completed: Event has ended (auto-transitions after end time)
- Cancelled: Organizer has cancelled; attendees are notified

3.4 Ticketing

GatherGood supports both free RSVPs and paid tickets with multiple tiers. Most nonprofit community events will use a simple free RSVP, but fundraiser dinners and galas need flexible pricing.

Ticket Tiers

Each event can have multiple ticket types. Examples for a nonprofit dinner:

Tier	Price	Capacity	Visibility	Notes
Free Community RSVP	$0	50	Public	Open to everyone
Supporter Ticket	$25	30	Public	Includes dinner
Patron Table (8 seats)	$200	5	Public	Reserved table for 8
Board Member	$0	12	Invite-Only	Pre-reserved, hidden from public

Per-Tier Configuration

- Name and description
- Price ($0 for free RSVP tiers)
- Quantity available (capacity per tier)
- Sales start and end dates (for early bird pricing, etc.)
- Min/max tickets per order
- Visibility: Public, Hidden, or Invite-Only
- For hybrid events: mark tier as In-Person or Virtual

Promo Codes

Organizers can create discount codes for their community:

- Code string (e.g., VOLUNTEER20, BOARDMEMBER)

- Discount type: percentage off or fixed dollar amount
- Applicable to all tiers or specific ones
- Usage limits (total and per-person)
- Valid date range and active/inactive toggle

Refund Policy

Configurable per event with time-based rules:

- Full refund before X days
- Partial refund before Y days
- No refunds after Z days
- Organizer can always issue manual refunds
- Platform admin can override any refund policy

3.5 Checkout & Payments

Checkout Flow

A simple 4-step process:

1. Select Tickets: Choose tier(s), enter quantities, apply promo code
2. Your Details: Name, email, phone number
3. Payment: Credit/debit card via Stripe (skipped for free events)
4. Confirmation: Order summary, ticket PDF download, QR code, "Add to Calendar" button

Free Event Flow

For events where all tiers are $0, the checkout skips the payment step entirely. Attendees just provide their name and email, and receive a confirmation with their QR code.

Payment Details

- Stripe as payment processor (PCI-compliant, card data never touches our servers)
- Apple Pay and Google Pay supported via Stripe
- Automatic receipt emails
- Platform takes a small configurable fee per paid transaction
- Nonprofits receive payouts on a configurable schedule (weekly/bi-weekly/monthly)
- Cart holds tickets for 15 minutes, then releases them back to inventory

3.6 QR Code Check-In

Every ticket gets a unique QR code that can be scanned at the door using any smartphone. No app download required.

How It Works

5. Attendee receives QR code in confirmation email and on their "My Tickets" page
6. At the event, a volunteer opens the check-in page on their phone

7. Phone camera scans the QR code
8. Screen shows: attendee name, ticket type, and status (green = valid, yellow = already checked in, red = invalid)

Security

- QR codes contain an HMAC-signed payload (order ID + ticket tier + attendee ID)
- Validated server-side to prevent forgery
- Cannot be reused (shows "already checked in" with timestamp on second scan)

Fallback Options

- Search by attendee name or confirmation code
- Manual check-in checkbox from the guest list view
- Live counter: checked-in vs. total registered

3.7 Email Notifications

GatherGood sends automated emails at key moments. Organizers can toggle each one on/off per event.

Email	To	When
RSVP / Purchase Confirmation	Attendee	Immediately after registration
Ticket PDF + QR Code	Attendee	Attached to confirmation email
Event Reminder	Attendee	48 hours before event
Day-Of Reminder	Attendee	Morning of the event
Event Update	Attendee	When organizer changes event details
Event Cancellation	Attendee	When event is cancelled
Post-Event Thank You	Attendee	24 hours after event ends
New Registration Alert	Organizer	When someone registers (configurable)
Daily Summary	Organizer	Daily digest of registrations + revenue
Low Inventory Alert	Organizer	When a ticket tier is almost sold out
Payout Processed	Organizer	When funds are transferred to bank
Refund Processed	Attendee	When a refund is completed

Organizers can also send custom bulk emails to all attendees of a specific event.

3.8 Guest List & Analytics

Guest List

- View all registered attendees with name, email, ticket tier, and check-in status
- Search and filter by name, tier, or status

- Export to CSV for use in other tools

Analytics Dashboard (Basic)

Simple summary cards that answer the questions every organizer has:

- Total registrations (per tier and overall)
- Total revenue (gross and net after fees)
- Registration timeline (chart showing signups over time)
- Attendance rate (checked-in vs. registered)
- Top promo codes by usage
- Refund count and amount

3.9 Public Event Pages

Every published event gets a clean, mobile-friendly public page.

- SEO-friendly URL: gathergood.com/{org-slug}/events/{event-slug}
- Event details: title, date, venue with map, description, cover image
- Ticket selection and "Register" / "Get Tickets" button
- Organization branding (logo, colors) applied automatically
- Responsive design that looks great shared on social media

Organization Landing Page

Each nonprofit gets a branded page listing all their upcoming and past events. This can serve as their events hub, linked from their own website.

Event Browse / Discovery

A simple public page where community members can find events by keyword, category, date, or location.

4. Data Model

The following entities form the core database schema. All tables use soft deletes (status flags) rather than hard deletes. All datetimes are stored as UTC.

User

Field(s)	Description
id	UUID primary key
email	Unique, used for login
password_hash	Hashed password
first_name, last_name	Display name

phone	Optional, for SMS features (Phase 2)
avatar_url	Profile photo
stripe_customer_id	Stripe reference for saved payment methods
email_verified	Boolean
created_at, updated_at	Timestamps

Organization

Field(s)	Description
id, name, slug	Identity and URL-friendly slug
description	Mission statement / bio
website_url	External website link
logo_url, banner_url	Branding images
primary_color	Hex color for branded pages
contact_email, contact_phone	Public contact info
payout_config	JSON: bank account details, payout schedule
created_at, updated_at	Timestamps

OrganizationMember

Field(s)	Description
id, organization_id, user_id	Links user to org
role	OWNER | MANAGER | VOLUNTEER
invited_at, accepted_at	Invitation tracking

Venue

Field(s)	Description
id, organization_id	Belongs to an org
name, address, city, state, postal_code	Location details
latitude, longitude	Auto-geocoded from address
capacity	Max attendees
accessibility_info, parking_notes	Helpful details for attendees

Event

Field(s)	Description
id, organization_id, created_by	Ownership
title, subtitle, slug	Display and URL
description	Rich text (HTML)
format	IN_PERSON | VIRTUAL | HYBRID
status	DRAFT | PUBLISHED | LIVE | COMPLETED | CANCELLED
category, tags[]	For discovery and filtering
cover_image_url	Hero image
is_private	Boolean: unlisted event
start_datetime, end_datetime	UTC timestamps
timezone, doors_open_time	Display timezone and optional doors time
date_tbd	Boolean: allows publishing without confirmed date
venue_id	Nullable FK to Venue
virtual_link, virtual_platform	For virtual/hybrid events
refund_policy	JSON: time-based refund rules
email_config	JSON: toggle each automated email on/off

TicketTier

Field(s)	Description
id, event_id	Belongs to an event
name, description	Tier display info
price	Decimal ($0 for free)
quantity_total, quantity_sold	Capacity tracking
sales_start, sales_end	Time-limited availability
min_per_order, max_per_order	Purchase limits
visibility	PUBLIC | HIDDEN | INVITE_ONLY
attendance_mode	IN_PERSON | VIRTUAL (hybrid events)
sort_order, is_active	Display order and soft delete

PromoCode

Field(s)	Description

id, event_id, code	Unique code per event
discount_type	PERCENTAGE | FIXED
discount_value	Amount or percentage
applicable_tier_ids[]	Empty = all tiers
usage_limit, usage_count	Total uses tracking
per_customer_limit	Max uses per person
valid_from, valid_until	Date range
is_active	Toggle

Order

Field(s)	Description
id, user_id, event_id	Who bought what, where
status	PENDING | COMPLETED | REFUNDED | PARTIALLY_REFUNDED | FAILED
confirmation_code	Random 10-char alphanumeric
subtotal, discount_amount, fees, total	Financial breakdown
promo_code_id	Nullable FK
billing_name, billing_email, billing_phone	Buyer info
stripe_payment_intent_id	Stripe reference
refund_amount	Running total of refunds issued

OrderLineItem

Field(s)	Description
id, order_id, ticket_tier_id	Links order to tiers
quantity, unit_price	What was purchased
discount_amount, line_total	After discounts

Ticket

Field(s)	Description
id, order_id, ticket_tier_id, event_id, user_id	Full context

attendee_name, attendee_email	Per-ticket attendee info
qr_code_data	HMAC-signed payload
qr_code_image_url	S3 link to QR image
checked_in, checked_in_at, checked_in_by	Check-in tracking
status	ACTIVE | CANCELLED | REFUNDED

EventEmailLog

Field(s)	Description
id, event_id, trigger_type	Which automated email
recipient_id, sent_at	Who and when
status	SENT | FAILED | BOUNCED

Payout

Field(s)	Description
id, organization_id	Which org gets paid
period_start, period_end	Payout window
gross_amount, platform_fee, net_amount	Financial breakdown
status	PENDING | PROCESSING | COMPLETED | FAILED
transfer_id	Bank transfer reference

5. Tech Stack

Layer	Technology
Frontend	React 18+ with TypeScript
UI Framework	Tailwind CSS + shadcn/ui
State Management	React Query (server) + Zustand (client)
Backend	Python 3.12+ / Django 5.x + Django REST Framework
Database	PostgreSQL 16
Cache	Redis (sessions, rate limiting, live check-in counts)

Task Queue	Celery + Redis (async emails, payout processing)
Payments	Stripe (PaymentIntents, webhooks)
Email	SendGrid or AWS SES (transactional email)
File Storage	AWS S3 (images, ticket PDFs)
Search	PostgreSQL full-text search
Geocoding	Google Maps Geocoding API or Mapbox
QR Generation	Python: qrcode library | React: qrcode.react
PDF Generation	WeasyPrint (ticket PDFs)
Real-time	Django Channels + WebSockets (live check-in counts)
Deployment	Docker containers on Railway or Render
CI/CD	GitHub Actions
Monitoring	Sentry (errors)

6. API Structure

All API endpoints are prefixed with /api/v1/. Authentication uses JWT tokens. The API follows REST conventions with Django REST Framework serializers and viewsets.

Auth (/auth/)

Endpoint	Description
POST /register	Create new account
POST /login	Get JWT tokens
POST /logout	Invalidate tokens
POST /forgot-password	Send reset email
POST /reset-password	Set new password
GET /me	Current user profile
PATCH /me	Update profile

Organizations (/organizations/)

Endpoint	Description
GET /	List my organizations
POST /	Create organization

GET /{org_slug}	Organization detail
PATCH /{org_slug}	Update organization
GET /{org_slug}/members	List team members
POST /{org_slug}/members	Invite team member
DELETE /{org_slug}/members/{id}	Remove team member
GET /{org_slug}/venues	List saved venues

Events (/events/)

Endpoint	Description
GET /	Browse/search events (public)
POST /	Create event
GET /{event_slug}	Event detail page (public)
PATCH /{event_slug}	Update event
POST /{event_slug}/publish	Publish draft event
POST /{event_slug}/cancel	Cancel event
GET /{event_slug}/guests	Guest list (organizer only)
GET /{event_slug}/guests/csv	Export guest list CSV
GET /{event_slug}/analytics	Event metrics

Ticket Tiers (/events/{slug}/ticket-tiers/)

Endpoint	Description
GET /	List tiers for event
POST /	Create tier
PATCH /{tier_id}	Update tier
DELETE /{tier_id}	Deactivate tier

Promo Codes (/events/{slug}/promo-codes/)

Endpoint	Description
GET /	List promo codes
POST /	Create promo code
PATCH /{code_id}	Update promo code
POST /validate	Validate a code at checkout

Check-In (/events/{slug}/check-in/)

Endpoint	Description
POST /scan	Scan QR code
POST /{ticket_id}/manual	Manual check-in
GET /stats	Live check-in counts
GET /search	Search by name or confirmation code

Checkout (/checkout/)

Endpoint	Description
POST /cart	Create or update cart
GET /cart	Get current cart
POST /payment-intent	Create Stripe PaymentIntent
POST /complete	Finalize order after payment
POST /webhook	Stripe webhook handler

Orders (/orders/)

Endpoint	Description
GET /	My orders
GET /{order_id}	Order detail
GET /{order_id}/tickets	My tickets with QR codes
POST /{order_id}/refund	Request refund
GET /{order_id}/receipt.pdf	Download receipt

7. Background Tasks (Celery)

These tasks run asynchronously via Celery with Redis as the message broker.

Task	Schedule	Description
send_event_reminder_48h	Hourly	Email 48-hour reminder to attendees
send_event_reminder_day_of	Hourly	Email day-of reminder to attendees

send_post_event_thanks	Hourly	Send thank-you email 24h after event
send_daily_sales_summary	Daily 8am	Email digest to organizers
process_payouts	Configurable	Calculate and initiate bank transfers
mark_events_completed	Hourly	Auto-transition past events to COMPLETED
send_low_inventory_alerts	Every 15 min	Alert when tiers nearly sold out
cleanup_abandoned_carts	Hourly	Release held tickets after 15 min
retry_failed_payments	Every 30 min	Retry failed charges with notification

8. Frontend Page Structure

React Router routes organized by user context.

8.1 Public Routes

Route	Page
/	Homepage / event discovery
/events	Browse and search events
/events/{event-slug}	Event detail page
/{org-slug}	Organization landing page
/{org-slug}/events/{event-slug}	Event page within org context
/login	Login
/register	Create account
/forgot-password	Password reset

8.2 Attendee Routes (Authenticated)

Route	Page
/my/tickets	My upcoming tickets
/my/orders	Order history
/my/orders/{order-id}	Order detail with tickets
/my/settings	Account settings

8.3 Organizer Routes (Authenticated)

Route	Page
/manage	Organizer dashboard home
/manage/org/{org-slug}	Organization settings
/manage/org/{org-slug}/team	Team management
/manage/org/{org-slug}/venues	Saved venues
/manage/org/{org-slug}/payouts	Payout history
/manage/events	My events list
/manage/events/new	Create event
/manage/events/{slug}/edit	Edit event
/manage/events/{slug}/tickets	Manage ticket tiers
/manage/events/{slug}/promos	Manage promo codes
/manage/events/{slug}/guests	Guest list
/manage/events/{slug}/check-in	QR check-in scanner
/manage/events/{slug}/comms	Email settings
/manage/events/{slug}/analytics	Event analytics

8.4 Checkout Flow

Route	Page
/checkout/{event-slug}	Select tickets + promo code
/checkout/{event-slug}/details	Attendee + billing info
/checkout/{event-slug}/payment	Stripe payment (paid events only)
/checkout/{event-slug}/confirmation	Order confirmation + QR code

9. Business Rules

These rules are enforced at the application and database level.

Rule	Details
Confirmation Codes	Random 10-character alphanumeric string, unique per order.

Geocoding on Save	Venue addresses are auto-geocoded to lat/long for map display and proximity search.
Soft Deletes	Tickets, orders, and events use status flags. Nothing is ever hard-deleted.
Email Cadence	Configurable per event. Organizers toggle each automated email on or off.
Capacity Enforcement	Ticket sales cannot exceed tier quantity. Enforced with database row-level locking.
Cart Expiration	Tickets held in cart for 15 minutes, then automatically released back to inventory.
QR Code Security	QR payloads are HMAC-signed server-side. Check-in validates the signature to prevent forgery.
Timezone Handling	All datetimes stored as UTC. Displayed in the event's configured timezone.
Idempotent Payments	Stripe PaymentIntent IDs prevent double-charges on retries or network issues.
Free Event Optimization	When all tiers are $0, checkout skips payment step. No Stripe interaction needed.

10. Build Milestones

Each milestone is a self-contained feature set that can be built and tested independently. Build them in order, as each builds on the previous.

Milestone 1: Project Setup & Authentication

What to build: Django project with PostgreSQL, React app with TypeScript + Tailwind + shadcn/ui, user registration/login/logout, JWT auth, basic profile page.

How to test: Can you register an account, log in, and see your profile?

Milestone 2: Organization (Nonprofit) Management

What to build: Create/edit nonprofit profile with name, description, logo, brand color. Invite team members by email. Role-based permissions (Owner/Manager/Volunteer).

How to test: Can you create "Friends of the Library", upload a logo, and invite a teammate?

Milestone 3: Venue Management

What to build: CRUD for saved venues. Address auto-geocoding. Map display on venue detail.

How to test: Can you save "Blue Bottle Coffee, 315 Linden St" and see it on a map?

Milestone 4: Event Creation & Management

What to build: Full event CRUD with rich text description. Support for in-person, virtual, hybrid. Event status lifecycle with publish/cancel actions. Attach saved venues.

How to test: Can you create a "Spring Community Dinner" and publish it?

Milestone 5: Ticketing & Promo Codes

What to build: Create multiple ticket tiers per event. Configure pricing, capacity, visibility. Create and validate promo codes.

How to test: Can you set up Free RSVP + $25 Supporter tiers and validate code VOLUNTEER20?

Milestone 6: Checkout & Payments

What to build: 4-step checkout flow. Stripe integration (test mode). Free event flow (skip payment). Order creation with confirmation code. Cart expiration (15 min).

How to test: Can you complete a test purchase and see the order confirmation?

Milestone 7: QR Codes & Check-In

What to build: Generate HMAC-signed QR codes per ticket. QR on confirmation page + downloadable PDF. Mobile camera scanner. Manual check-in fallback. Live count dashboard.

How to test: Can you scan a QR code on your phone and see green "Checked In"?

Milestone 8: Email Notifications

What to build: SendGrid/SES integration. Confirmation email with ticket. 48-hour and day-of reminders. Cancellation notice. Bulk email to attendees. Per-event toggle config.

How to test: Do you get a confirmation email after registering? A reminder the next day?

Milestone 9: Guest List & Analytics

What to build: Guest list view with search and filter. CSV export. Analytics dashboard cards: registrations, revenue, attendance rate, promo code usage.

How to test: Can you see all attendees, export to CSV, and view the analytics dashboard?

Milestone 10: Public Pages & Discovery

What to build: Public event detail page (SEO-friendly). Organization landing page with branding. Event browse page with search, category, and location filters.

How to test: Can someone find your event by searching "fundraiser dinner" on the browse page?

11. Deferred Features (Phase 2+)

These features are part of the full vision but are not included in the Phase 1 MVP. The data model and architecture should accommodate them, but they will not be built until Phase 1 is complete and tested.

Feature	Description
SMS Notifications	Twilio integration for day-of reminders and cancellation alerts
In-App Messaging	Notification inbox, organizer-to-attendee messaging, push notifications
Speaker/Performer Management	Invitation workflows, speaker profiles on event pages, speaker dashboard
Vendor/Sponsor Management	Tiered sponsorship, branding on event pages, sponsor metrics
Group Discounts	Threshold-based pricing (e.g., 10+ tickets = 15% off)
Waitlist System	Auto-notify when tickets become available, time-limited purchase window
Embeddable Widget	JS snippet for orgs to embed event listings on their own websites
Custom Subdomains	yourorg.gathergood.com
Reserved Seating	Venue maps, section/row/seat assignment, seat selection at checkout
Advanced Analytics	Conversion funnels, cohort analysis, revenue forecasting
Recurring Events	Series events with shared settings
Mobile App	React Native app for check-in and attendee experience
Stripe Connect	Let orgs use their own Stripe accounts instead of platform-managed payouts

Multi-Language Support	Localization for non-English communities
Webhook / API	Let orgs build integrations with their existing tools

12. Non-Functional Requirements

Requirement	Details
Performance	Event pages load in under 2 seconds. Checkout flow under 1 second per step.
Security	OWASP top 10 compliance. HTTPS everywhere. HMAC-signed QR codes. PCI compliance via Stripe (card data never touches our servers).
Accessibility	WCAG 2.1 AA compliance for all public-facing pages. Keyboard navigation, screen reader support, sufficient color contrast.
SEO	Server-side rendering or static generation for public event pages. Open Graph meta tags for social sharing.
Data Privacy	GDPR-compliant data handling. Users can export or delete their data. Daily automated backups.
Availability	99.9% uptime target.
Mobile	Fully responsive design. Check-in scanner works on any modern smartphone browser.

13. AI Build Prompt Template

Use this prompt when starting each milestone with Claude or another AI coding assistant. Replace [MILESTONE] with the specific milestone you are working on.

> *I am building GatherGood, a simple event management platform for nonprofits. The tech stack is:*
> *Frontend: React 18 + TypeScript + Tailwind CSS + shadcn/ui*
> *Backend: Python 3.12 / Django 5.x + Django REST Framework*
> *Database: PostgreSQL 16 | Cache/Queue: Redis + Celery | Payments: Stripe*
> *I am working on [MILESTONE]. See the attached PRODUCT_SPEC for the full data model, API structure, and business rules. Please build this feature step by step, explaining each file you create.*

Attach this reference document as context when starting each milestone. This ensures consistent architecture across all features.